

# Frequency Stability

## Test Result

Voltage&Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
n77	20MHz	QPSK	65600 0	50RB#0	VL	NT	27.61	0.007189	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	VN	NT	49.47	0.012884	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	VH	NT	35.89	0.009348	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	NV	-30	49.83	0.012977	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	NV	-20	35.92	0.009355	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	NV	0	52.84	0.013760	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	NV	10	40.43	0.010528	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	NV	20	45.51	0.011851	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	NV	30	48.25	0.012565	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	NV	40	25.38	0.006610	±2.5	PASS
n77	20MHz	QPSK	65600 0	50RB#0	NV	50	25.88	0.006740	±2.5	PASS