





BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5240_242Tone_RU61




11AX20_RU_Ant1_5260_242Tone_RU61




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5260_242Tone_RU61




11AX20_RU_Ant1_5300_242Tone_RU61




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5300_242Tone_RU61



11AX20_RU_Ant1_5320_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5320_242Tone_RU61




11AX20_RU_Ant1_5500_242Tone_RU61




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5500_242Tone_RU61



11AX20_RU_Ant1_5580_242Tone_RU61




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5580_242Tone_RU61



11AX20_RU_Ant1_5620_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5620_242Tone_RU61




11AX20_RU_Ant1_5700_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5700_242Tone_RU61




11AX20_RU_Ant1_5720_242Tone_RU61




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5720_242Tone_RU61




11AX20_RU_Ant1_5745_242Tone_RU61




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5745_242Tone_RU61




11AX20_RU_Ant1_5785_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5785_242Tone_RU61





11AX20_RU_Ant1_5825_242Tone_RU61



BUREAU VERITAS


Test Report No.: W7L-P22110036RF03






BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5190_484Tone_RU65




11AX40_RU_Ant1_5230_484Tone_RU65




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5230_484Tone_RU65




11AX40_RU_Ant1_5270_484Tone_RU65



BUREAU VERITAS



Test Report No.: W7L-P22110036RF03





BUREAU VERITAS


Test Report No.: W7L-P22110036RF03






BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5510_484Tone_RU65




11AX40_RU_Ant1_5550_484Tone_RU65




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5550_484Tone_RU65



11AX40_RU_Ant1_5670_484Tone_RU65




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5670_484Tone_RU65




11AX40_RU_Ant1_5710_484Tone_RU65




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5710_484Tone_RU65




11AX40_RU_Ant1_5755_484Tone_RU65




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5755_484Tone_RU65




11AX40_RU_Ant1_5795_484Tone_RU65




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5795_484Tone_RU65




11AX80_RU_Ant1_5210_996Tone_RU67




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX80_RU_Ant2_5210_996Tone_RU67




11AX80_RU_Ant1_5290_996Tone_RU67




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX80_RU_Ant2_5290_996Tone_RU67




11AX80_RU_Ant1_5530_996Tone_RU67




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX80_RU_Ant2_5530_996Tone_RU67




11AX80_RU_Ant1_5610_996Tone_RU67




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX80_RU_Ant2_5610_996Tone_RU67



11AX80_RU_Ant1_5690_996Tone_RU67




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX80_RU_Ant2_5690_996Tone_RU67




11AX80_RU_Ant1_5775_996Tone_RU67




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX80_RU_Ant2_5775_996Tone_RU67





MIN EMISSION BANDWIDTH TEST RESULT

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	6db BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20 _RU	Ant1	5745	242Tone	RU61	18.520	5735.920	5754.440	0.5	PASS
	Ant2	5745	242Tone	RU61	18.800	5735.600	5754.400	0.5	PASS
	Ant1	5785	242Tone	RU61	18.600	5775.720	5794.320	0.5	PASS
	Ant2	5785	242Tone	RU61	16.720	5775.840	5792.560	0.5	PASS
	Ant1	5825	242Tone	RU61	18.560	5815.640	5834.200	0.5	PASS
	Ant2	5825	242Tone	RU61	18.720	5815.600	5834.320	0.5	PASS
11AX40 _RU	Ant1	5755	484Tone	RU65	37.200	5736.680	5773.880	0.5	PASS
	Ant2	5755	484Tone	RU65	36.480	5736.200	5772.680	0.5	PASS
	Ant1	5795	484Tone	RU65	37.760	5776.120	5813.880	0.5	PASS
	Ant2	5795	484Tone	RU65	35.680	5776.680	5812.360	0.5	PASS
11AX80 _RU	Ant1	5775	996Tone	RU67	76.960	5736.280	5813.240	0.5	PASS
	Ant2	5775	996Tone	RU67	76.000	5736.120	5812.120	0.5	PASS




BUREAU VERITAS


Test Report No.: W7L-P22110036RF03

TEST GRAPHS

11AX20_RU_Ant1_5745_242Tone_RU61



11AX20_RU_Ant2_5745_242Tone_RU61




11AX20_RU_Ant1_5785_242Tone_RU61




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5785_242Tone_RU61




11AX20_RU_Ant1_5825_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5825_242Tone_RU61




11AX40_RU_Ant1_5755_484Tone_RU65




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5755_484Tone_RU65




11AX40_RU_Ant1_5795_484Tone_RU65




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX40_RU_Ant2_5795_484Tone_RU65




11AX80_RU_Ant1_5775_996Tone_RU67




BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX80_RU_Ant2_5775_996Tone_RU67





MAXIMUM CONDUCTED OUTPUT POWER

TEST RESULT

Test Mode	Freq. [MHz]	Ru Size	Ru Index	Maximum Conducted Output Power (dBm)			FCC Conducted Limit [dBm]	IC Conducted Limit [dBm]	Equivalent Isotropically Radiated Power (dBm)			EIRP Limit [dBm]	Verdict	Power Setting
				ANT1	ANT2	MIMO			ANT1	ANT2	MIMO			
11ax20 RU-SISO	5180	242Tone	RU61	9.22	7.89	---	≤24.00	---	6.22	6.09	---	≤22.79	PASS	10
	5200	242Tone	RU61	9.45	7.91	---	≤24.00	---	6.45	6.11	---	≤22.79	PASS	10
	5240	242Tone	RU61	8.98	7.47	---	≤24.00	---	5.98	5.67	---	≤22.79	PASS	10
	5260	242Tone	RU61	8.51	7.23	---	≤24.00	≤23.76	5.51	5.43	---	≤29.76	PASS	10
	5300	242Tone	RU61	9.13	7.29	---	≤24.00	≤23.79	6.13	5.49	---	≤29.79	PASS	10
	5320	242Tone	RU61	9.06	7.37	---	≤24.00	≤23.79	6.06	5.57	---	≤29.79	PASS	10
	5500	242Tone	RU61	8.41	6.74	---	≤24.00	≤23.79	5.41	4.94	---	≤29.79	PASS	10
	5580	242Tone	RU61	8.12	7.07	---	≤24.00	≤23.78	5.12	5.27	---	≤29.78	PASS	10
	5700	242Tone	RU61	8.09	6.91	---	≤24.00	≤23.77	5.09	5.11	---	≤29.77	PASS	10.5
	5720	242Tone	RU61	8.54	6.38	---	≤24.00	≤22.60	5.54	4.58	---	≤28.60	PASS	10.5
	5720	242Tone	RU61	8.54	6.38	---	≤30.00	≤30.00	5.54	4.58	---	---	PASS	10.5
	5745	242Tone	RU61	8.58	6.22	---	≤30.00	≤30.00	5.58	4.42	---	---	PASS	10.5
	5785	242Tone	RU61	8.64	6.79	---	≤30.00	≤30.00	5.64	4.99	---	---	PASS	10.5
5825	242Tone	RU61	8.61	7.14	---	≤30.00	≤30.00	5.61	5.34	---	---	PASS	10.5	
11ax20 RU-MIM	5180	242Tone	RU61	9.41	8.06	11.80	≤24.00	---	7.61	6.26	10.30	≤22.79	PASS	10
	5200	242Tone	RU61	9.67	8.08	11.96	≤24.00	---	7.87	6.28	10.30	≤22.79	PASS	10

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF03

O	5240	242Tone	RU61	9.20	7.64	11.50	≤24.00	---	7.40	5.84	9.95	≤22.79	PASS	10
	5260	242Tone	RU61	8.73	7.40	11.13	≤24.00	≤23.76	6.93	5.60	9.85	≤29.76	PASS	10
	5300	242Tone	RU61	9.35	7.46	11.52	≤24.00	≤23.79	7.55	5.66	10.03	≤29.79	PASS	10
	5320	242Tone	RU61	9.28	7.54	11.51	≤24.00	≤23.79	7.48	5.74	10.08	≤29.79	PASS	10
	5500	242Tone	RU61	8.63	6.91	10.86	≤24.00	≤23.79	6.83	5.11	9.16	≤29.79	PASS	10
	5580	242Tone	RU61	8.34	7.24	10.84	≤24.00	≤23.78	6.54	5.44	9.30	≤29.78	PASS	10
	5700	242Tone	RU61	8.31	7.08	10.75	≤24.00	≤23.77	6.51	5.28	9.54	≤29.77	PASS	10.5
	5720	242Tone	RU61	8.76	6.55	10.80	≤24.00	≤22.60	6.96	4.75	9.46	≤28.60	PASS	10.5
	5720	242Tone	RU61	8.80	6.39	10.77	≤30.00	≤30.00	7.00	4.59	9.46	---	PASS	10.5
	5745	242Tone	RU61	8.80	6.39	10.77	≤30.00	≤30.00	7.00	4.59	9.41	---	PASS	10.5
	5785	242Tone	RU61	8.86	6.96	11.02	≤30.00	≤30.00	7.06	5.16	9.62	---	PASS	10.5
5825	242Tone	RU61	8.83	7.31	11.15	≤30.00	≤30.00	7.03	5.51	9.87	---	PASS	10.5	
11ax40 RU-SISO	5190	484Tone	RU65	9.33	7.88	---	≤24.00	---	6.33	6.08	---	≤23.01	PASS	10
	5230	484Tone	RU65	8.77	7.68	---	≤24.00	---	5.77	5.88	---	≤23.01	PASS	10
	5270	484Tone	RU65	8.64	7.32	---	≤24.00	≤24.00	5.64	5.52	---	≤30.00	PASS	10
	5310	484Tone	RU65	9.08	7.23	---	≤24.00	≤24.00	6.08	5.43	---	≤30.00	PASS	10
	5510	484Tone	RU65	8.11	6.78	---	≤24.00	≤24.00	5.11	4.98	---	≤30.00	PASS	10
	5550	484Tone	RU65	8.18	6.61	---	≤24.00	≤24.00	5.18	4.81	---	≤30.00	PASS	10
	5670	484Tone	RU65	8.13	7.22	---	≤24.00	≤24.00	5.13	5.42	---	≤30.00	PASS	10
	5710	484Tone	RU65	8.45	6.33	---	≤24.00	≤24.00	5.45	4.53	---	≤30.00	PASS	10.5
	5710	484Tone	RU65	8.45	6.33	---	≤30.00	≤30.00	5.45	4.53	---	---	PASS	10.5
	5755	484Tone	RU65	8.48	6.81	---	≤30.00	≤30.00	5.48	5.01	---	---	PASS	10.5

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF03

	5795	484Tone	RU65	8.10	7.27	---	≤30.00	≤30.00	5.1	5.47	---	---	PASS	11
11ax40 RU-MIM O	5190	484Tone	RU65	9.55	8.05	11.87	≤24.00	---	7.75	6.25	10.31	≤23.01	PASS	10
	5230	484Tone	RU65	8.99	7.85	11.47	≤24.00	---	7.19	6.05	9.93	≤23.01	PASS	10
	5270	484Tone	RU65	8.86	7.49	11.24	≤24.00	≤24.00	7.06	5.69	9.74	≤30.00	PASS	10
	5310	484Tone	RU65	9.30	7.40	11.46	≤24.00	≤24.00	7.5	5.6	10.04	≤30.00	PASS	10
	5510	484Tone	RU65	8.33	6.95	10.70	≤24.00	≤24.00	6.53	5.15	9.04	≤30.00	PASS	10
	5550	484Tone	RU65	8.40	6.78	10.68	≤24.00	≤24.00	6.6	4.98	8.97	≤30.00	PASS	10
	5670	484Tone	RU65	8.35	7.39	10.91	≤24.00	≤24.00	6.55	5.59	9.51	≤30.00	PASS	10
	5710	484Tone	RU65	8.67	6.50	10.73	≤24.00	≤24.00	6.87	4.7	9.42	≤30.00	PASS	10.5
	5710	484Tone	RU65	8.67	6.50	10.73	≤30.00	≤30.00	6.87	4.7	9.42	---	PASS	10.5
	5755	484Tone	RU65	8.70	6.98	10.93	≤30.00	≤30.00	6.9	5.18	9.49	---	PASS	10.5
5795	484Tone	RU65	8.32	7.44	10.91	≤30.00	≤30.00	6.52	5.64	10.08	---	PASS	11	
11ax80 RU-SISO	5210	996Tone	RU67	8.31	7.36	---	≤24.00	---	5.31	5.56	---	≤23.01	PASS	10
	5290	996Tone	RU67	8.11	7.03	---	≤24.00	≤24.00	5.11	5.23	---	≤30.00	PASS	10
	5530	996Tone	RU67	8.07	6.61	---	≤24.00	≤24.00	5.07	4.81	---	≤30.00	PASS	10
	5610	996Tone	RU67	7.51	6.75	---	≤24.00	≤24.00	4.51	4.95	---	≤30.00	PASS	10
	5690	996Tone	RU67	8.29	6.61	---	≤24.00	≤24.00	5.29	4.81	---	≤30.00	PASS	10.5
	5690	996Tone	RU67	8.29	6.61	---	≤30.00	≤30.00	5.29	4.81	---	---	PASS	10.5
	5775	996Tone	RU67	8.31	6.63	---	≤30.00	≤30.00	5.31	4.83	---	---	PASS	10.5
11ax80 RU-MIM O	5210	996Tone	RU67	8.53	7.53	11.07	≤24.00	---	6.73	5.73	10.12	≤23.01	PASS	10
	5290	996Tone	RU67	8.33	7.20	10.81	≤24.00	≤24.00	6.53	5.4	10.08	≤30.00	PASS	10
	5530	996Tone	RU67	8.29	6.78	10.61	≤24.00	≤24.00	6.49	4.98	9.35	≤30.00	PASS	10

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF03

	5610	996Tone	RU67	7.73	6.92	10.35	≤24.00	≤24.00	5.93	5.12	9.44	≤30.00	PASS	10
	5690	996Tone	RU67	8.51	6.78	10.74	≤24.00	≤24.00	6.71	4.98	9.56	≤30.00	PASS	10.5
	5690	996Tone	RU67	8.51	6.78	10.74	≤30.00	≤30.00	6.71	4.98	9.56	---	PASS	10.5
	5775	996Tone	RU67	8.55	6.76	10.76	≤30.00	≤30.00	6.75	4.96	9.56	---	PASS	10.5

- Note: 1. Conducted Power=Measured Power +Duty Cycle Factor
2. Equivalent Isotropically Radiated Power =Measured Power +Duty Cycle Factor+Gain
3. ANT1 Gain=-3.0dBi,ANT2 Gain=-1.8dBi.



MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT

Test Mode	Antenna	Freq. [MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit [dBm/MHz]	Verdict
11AX20_RU	Ant1	5180	242Tone	RU61	-1.96	≤11.00	-1.33	≤10.00	PASS
	Ant2	5180	242Tone	RU61	-1.52	≤11.00	-0.89	≤10.00	PASS
	total	5180	242Tone	RU61	1.28	≤11.00	1.91	≤10.00	PASS
	Ant1	5200	242Tone	RU61	-1.9	≤11.00	-1.27	≤10.00	PASS
	Ant2	5200	242Tone	RU61	-1.41	≤11.00	-0.78	≤10.00	PASS
	total	5200	242Tone	RU61	1.36	≤11.00	1.99	≤10.00	PASS
	Ant1	5240	242Tone	RU61	-1.62	≤11.00	-0.99	≤10.00	PASS
	Ant2	5240	242Tone	RU61	-1.48	≤11.00	-0.85	≤10.00	PASS
	total	5240	242Tone	RU61	1.46	≤11.00	2.09	≤10.00	PASS
	Ant1	5260	242Tone	RU61	-2.21	≤11.00	-4.01	----	PASS
	Ant2	5260	242Tone	RU61	-2.14	≤11.00	-3.94	----	PASS
	total	5260	242Tone	RU61	0.84	≤11.00	-0.96	----	PASS
	Ant1	5300	242Tone	RU61	-1.63	≤11.00	-3.43	----	PASS
	Ant2	5300	242Tone	RU61	-1.9	≤11.00	-3.7	----	PASS
	total	5300	242Tone	RU61	1.25	≤11.00	-0.55	----	PASS



BUREAU
VERITAS

Test Report No.: W7L-P22110036RF03

Ant1	5320	242Tone	RU61	-1.54	≤11.00	-3.34	----	PASS
Ant2	5320	242Tone	RU61	-1.82	≤11.00	-3.62	----	PASS
total	5320	242Tone	RU61	1.33	≤11.00	-0.47	----	PASS
Ant1	5500	242Tone	RU61	-2.82	≤11.00	-4.62	----	PASS
Ant2	5500	242Tone	RU61	-2.27	≤11.00	-4.07	----	PASS
total	5500	242Tone	RU61	0.47	≤11.00	-1.33	----	PASS
Ant1	5580	242Tone	RU61	-2.47	≤11.00	-4.27	----	PASS
Ant2	5580	242Tone	RU61	-1.44	≤11.00	-3.24	----	PASS
total	5580	242Tone	RU61	1.09	≤11.00	-0.71	----	PASS
Ant1	5620	242Tone	RU61	-2.19	≤11.00	-3.99	----	PASS
Ant2	5620	242Tone	RU61	-1.48	≤11.00	-3.28	----	PASS
total	5620	242Tone	RU61	1.19	≤11.00	-0.61	----	PASS
Ant1	5700	242Tone	RU61	-1.21	≤11.00	-3.01	----	PASS
Ant2	5700	242Tone	RU61	-1.84	≤11.00	-3.64	----	PASS
total	5700	242Tone	RU61	1.50	≤11.00	-0.3	----	PASS
Ant1	5720_UNII-2C	242Tone	RU61	-1.22	≤11.00	-3.02	----	PASS
Ant2	5720_UNII-2C	242Tone	RU61	-1.75	≤11.00	-3.55	----	PASS
total	5720_UNII-2C	242Tone	RU61	1.53	≤11.00	-0.27	----	PASS
Ant1	5720_UNII-3	242Tone	RU61	-4.34	≤30.00	-6.14	----	PASS
Ant2	5720_UNII-3	242Tone	RU61	-5.41	≤30.00	-7.21	----	PASS
total	5720_UNII-3	242Tone	RU61	-1.83	≤11.00	-3.63	----	PASS
Ant1	5745	242Tone	RU61	-3.63	≤30.00	-5.43	----	PASS

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P22110036RF03

	Ant2	5745	242Tone	RU61	-4.47	≤30.00	-6.27	----	PASS
	total	5745	242Tone	RU61	-1.02	≤30.00	-2.82	----	PASS
	Ant1	5785	242Tone	RU61	-3.77	≤30.00	-5.57	----	PASS
	Ant2	5785	242Tone	RU61	-3.58	≤30.00	-5.38	----	PASS
	total	5785	242Tone	RU61	-0.66	≤30.00	-2.46	----	PASS
	Ant1	5825	242Tone	RU61	-4.06	≤30.00	-5.86	----	PASS
	Ant2	5825	242Tone	RU61	-2.82	≤30.00	-4.62	----	PASS
	total	5825	242Tone	RU61	-0.39	≤30.00	-2.19	----	PASS
11AX40_RU	Ant1	5190	484Tone	RU65	-4.86	≤11.00	-4.23	≤10.00	PASS
	Ant2	5190	484Tone	RU65	-4.52	≤11.00	-3.89	≤10.00	PASS
	total	5190	484Tone	RU65	-1.68	≤11.00	-1.05	≤10.00	PASS
	Ant1	5230	484Tone	RU65	-5.21	≤11.00	-4.58	≤10.00	PASS
	Ant2	5230	484Tone	RU65	-4.39	≤11.00	-3.76	≤10.00	PASS
	total	5230	484Tone	RU65	-1.77	≤11.00	-1.14	≤10.00	PASS
	Ant1	5270	484Tone	RU65	-5.46	≤11.00	-7.26	----	PASS
	Ant2	5270	484Tone	RU65	-5.05	≤11.00	-6.85	----	PASS
	total	5270	484Tone	RU65	-2.24	≤11.00	-4.04	----	PASS
	Ant1	5310	484Tone	RU65	-4.74	≤11.00	-6.54	----	PASS
	Ant2	5310	484Tone	RU65	-5.08	≤11.00	-6.88	----	PASS
	total	5310	484Tone	RU65	-1.90	≤11.00	-3.7	----	PASS
	Ant1	5510	484Tone	RU65	-6.14	≤11.00	-7.94	----	PASS
	Ant2	5510	484Tone	RU65	-5.39	≤11.00	-7.19	----	PASS

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF03

	total	5510	484Tone	RU65	-2.74	≤11.00	-4.54	----	PASS
	Ant1	5550	484Tone	RU65	-5.76	≤11.00	-7.56	----	PASS
	Ant2	5550	484Tone	RU65	-5.42	≤11.00	-7.22	----	PASS
	total	5550	484Tone	RU65	-2.58	≤11.00	-4.38	----	PASS
	Ant1	5670	484Tone	RU65	-5.11	≤11.00	-6.91	----	PASS
	Ant2	5670	484Tone	RU65	-4.15	≤11.00	-5.95	----	PASS
	total	5670	484Tone	RU65	-1.59	≤11.00	-3.39	----	PASS
	Ant1	5710_UNII-2C	484Tone	RU65	-4.17	≤11.00	-5.97	----	PASS
	Ant2	5710_UNII-2C	484Tone	RU65	-4.74	≤11.00	-6.54	----	PASS
	total	5710_UNII-2C	484Tone	RU65	-1.44	≤11.00	-3.24	----	PASS
	Ant1	5710_UNII-3	484Tone	RU65	-7.95	≤30.00	-9.75	----	PASS
	Ant2	5710_UNII-3	484Tone	RU65	-9.31	≤30.00	-11.11	----	PASS
	total	5710_UNII-3	484Tone	RU65	-5.57	≤11.00	-7.37	----	PASS
	Ant1	5755	484Tone	RU65	-6.93	≤30.00	-8.73	----	PASS
	Ant2	5755	484Tone	RU65	-6.95	≤30.00	-8.75	----	PASS
	total	5755	484Tone	RU65	-3.93	≤30.00	-5.73	----	PASS
	Ant1	5795	484Tone	RU65	-8.48	≤30.00	-10.28	----	PASS
	Ant2	5795	484Tone	RU65	-6.38	≤30.00	-8.18	----	PASS
	total	5795	484Tone	RU65	-4.29	≤30.00	-6.09	----	PASS
11AX80_RU	Ant1	5210	996Tone	RU67	-8.76	≤11.00	-8.13	≤10.00	PASS
	Ant2	5210	996Tone	RU67	-7.98	≤11.00	-7.35	≤10.00	PASS
	total	5210	996Tone	RU67	-5.34	≤11.00	-4.71	≤10.00	PASS

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



Ant1	5290	996Tone	RU67	-8.48	≤11.00	-10.28	----	PASS
Ant2	5290	996Tone	RU67	-8	≤11.00	-9.8	----	PASS
total	5290	996Tone	RU67	-5.22	≤11.00	-7.02	----	PASS
Ant1	5530	996Tone	RU67	-9.12	≤11.00	-10.92	----	PASS
Ant2	5530	996Tone	RU67	-8.65	≤11.00	-10.45	----	PASS
total	5530	996Tone	RU67	-5.87	≤11.00	-7.67	----	PASS
Ant1	5610	996Tone	RU67	-8.63	≤11.00	-10.43	----	PASS
Ant2	5610	996Tone	RU67	-7.71	≤11.00	-9.51	----	PASS
total	5610	996Tone	RU67	-5.14	≤11.00	-6.94	----	PASS
Ant1	5690_UNII-2C	996Tone	RU67	-7.73	≤11.00	-9.53	----	PASS
Ant2	5690_UNII-2C	996Tone	RU67	-7.32	≤11.00	-9.12	----	PASS
total	5690_UNII-2C	996Tone	RU67	-4.51	≤11.00	-6.31	----	PASS
Ant1	5690_UNII-3	996Tone	RU67	-12.22	≤30.00	-14.02	----	PASS
Ant2	5690_UNII-3	996Tone	RU67	-12.01	≤30.00	-13.81	----	PASS
total	5690_UNII-3	996Tone	RU67	-9.10	≤11.00	-10.9	----	PASS
Ant1	5775	996Tone	RU67	-10.17	≤30.00	-11.97	----	PASS
Ant2	5775	996Tone	RU67	-9.61	≤30.00	-11.41	----	PASS
total	5775	996Tone	RU67	-6.87	≤30.00	-8.67	----	PASS

- Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.
3.The EIRP PSD = Directional Gain(0.63dBi) + Result



BUREAU
VERITAS

Test Report No.: W7L-P22110036RF03

TEST GRAPHS

11AX20_RU_Ant1_5180_242Tone_RU61



11AX20_RU_Ant2_5180_242Tone_RU61



11AX20_RU_Ant1_5200_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03





BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5240_242Tone_RU61



11AX20_RU_Ant1_5260_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03





BUREAU
VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5300_242Tone_RU61



11AX20_RU_Ant1_5320_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03





BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5500_242Tone_RU61



11AX20_RU_Ant1_5580_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5580_242Tone_RU61



11AX20_RU_Ant1_5620_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5620_242Tone_RU61



11AX20_RU_Ant1_5700_242Tone_RU61



BUREAU VERITAS

Test Report No.: W7L-P22110036RF03



11AX20_RU_Ant2_5700_242Tone_RU61



11AX20_RU_Ant1_5720_UNII-2C_242Tone_RU61