



Reference No.: W7L-P24050018RF03

FULL_RU			Ant2	8.39	≤24.00	≤24.00	9.09	≤30.00	≤30.00	Pass	10
			Total	11.56	≤24.00	≤24.00	12.26	≤30.00	≤30.00	Pass	10
			Ant1	8.44	≤24.00	≤24.00	9.14	≤30.00	≤30.00	Pass	10
		5550	Ant2	8.38	≤24.00	≤24.00	9.08	≤30.00	≤30.00	Pass	10
			Total	11.42	≤24.00	≤24.00	12.12	≤30.00	≤30.00	Pass	10
			Ant1	8.24	≤24.00	≤24.00	8.94	≤30.00	≤30.00	Pass	10
		5670	Ant2	7.98	≤24.00	≤24.00	8.68	≤30.00	≤30.00	Pass	10
			Total	11.12	≤24.00	≤24.00	11.82	≤30.00	≤30.00	Pass	10
			Ant1	8.94	≤24.00	≤24.00	9.64	≤30.00	≤30.00	Pass	10
		5710	Ant2	8.26	≤24.00	≤24.00	8.96	≤30.00	≤30.00	Pass	10
			Total	11.62	≤24.00	≤24.00	12.32	≤30.00	≤30.00	Pass	10
			Ant1	7.34	≤24.00	≤24.00	8.04	≤30.00	≤30.00	Pass	9
11ax80 FULL_RU	MIMO	5530	Ant2	7.26	≤24.00	≤24.00	7.96	≤30.00	≤30.00	Pass	9
			Total	10.31	≤24.00	≤24.00	11.01	≤30.00	≤30.00	Pass	9
			Ant1	7.03	≤24.00	≤24.00	7.73	≤30.00	≤30.00	Pass	9
		5610	Ant2	6.79	≤24.00	≤24.00	7.49	≤30.00	≤30.00	Pass	9
			Total	9.92	≤24.00	≤24.00	10.62	≤30.00	≤30.00	Pass	9
			Ant1	6.91	≤24.00	≤24.00	7.61	≤30.00	≤30.00	Pass	9
		5690	Ant2	6.83	≤24.00	≤24.00	7.53	≤30.00	≤30.00	Pass	9
			Total	9.88	≤24.00	≤24.00	10.58	≤30.00	≤30.00	Pass	9
			Ant1	7.34	≤24.00	≤24.00	8.04	≤30.00	≤30.00	Pass	9
		5745	Ant2	12.35	≤30.00	≤30.00	13.05	≤36.00	≤36.00	Pass	13
			Total	15.37	≤30.00	≤30.00	16.07	≤36.00	≤36.00	Pass	13
			Ant1	12.34	≤30.00	≤30.00	13.04	≤36.00	≤36.00	Pass	13
11A	CDD	5785	Ant2	12.29	≤30.00	≤30.00	12.99	≤36.00	≤36.00	Pass	13
			Total	15.33	≤30.00	≤30.00	16.03	≤36.00	≤36.00	Pass	13
			Ant1	12.61	≤30.00	≤30.00	13.31	≤36.00	≤36.00	Pass	13
		5825	Ant2	12.44	≤30.00	≤30.00	13.14	≤36.00	≤36.00	Pass	13
			Total	15.54	≤30.00	≤30.00	16.24	≤36.00	≤36.00	Pass	13
			Ant1	9.70	≤30.00	≤30.00	10.40	≤36.00	≤36.00	Pass	11
		5745	Ant2	9.31	≤30.00	≤30.00	10.01	≤36.00	≤36.00	Pass	11
			Total	12.52	≤30.00	≤30.00	13.22	≤36.00	≤36.00	Pass	11
			Ant1	9.68	≤30.00	≤30.00	10.38	≤36.00	≤36.00	Pass	11
		5785	Ant2	9.19	≤30.00	≤30.00	9.89	≤36.00	≤36.00	Pass	11
			Total	12.45	≤30.00	≤30.00	13.15	≤36.00	≤36.00	Pass	11
			Ant1	9.70	≤30.00	≤30.00	10.40	≤36.00	≤36.00	Pass	11

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For U-NII-3

Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5745	Ant1	12.37	≤30.00	13.07	≤36.00	Pass	13
			Ant2	12.35	≤30.00	13.05	≤36.00	Pass	13
			Total	15.37	≤30.00	16.07	≤36.00	Pass	13
		5785	Ant1	12.34	≤30.00	13.04	≤36.00	Pass	13
			Ant2	12.29	≤30.00	12.99	≤36.00	Pass	13
			Total	15.33	≤30.00	16.03	≤36.00	Pass	13
		5825	Ant1	12.61	≤30.00	13.31	≤36.00	Pass	13
			Ant2	12.44	≤30.00	13.14	≤36.00	Pass	13
			Total	15.54	≤30.00	16.24	≤36.00	Pass	13
		5745	Ant1	9.70	≤30.00	10.40	≤36.00	Pass	11
			Ant2	9.31	≤30.00	10.01	≤36.00	Pass	11
			Total	12.52	≤30.00	13.22	≤36.00	Pass	11
11N20	MIMO	5785	Ant1	9.68	≤30.00	10.38	≤36.00	Pass	11
			Ant2	9.19	≤30.00	9.89	≤36.00	Pass	11
			Total	12.45	≤30.00	13.15	≤36.00	Pass	11
		5745	Ant1	9.70	≤30.00	10.40	≤36.00	Pass	11
			Ant2	9.31	≤30.00	10.01	≤36.00	Pass	11
			Total	12.52	≤30.00	13.22	≤36.00	Pass	11



**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF03

		5825	Ant1	9.74	≤30.00	10.44	≤36.00	Pass	11
			Ant2	9.58	≤30.00	10.28	≤36.00	Pass	11
			Total	12.67	≤30.00	13.37	≤36.00	Pass	11
11N40	MIMO	5755	Ant1	9.90	≤30.00	10.60	≤36.00	Pass	11
			Ant2	9.71	≤30.00	10.41	≤36.00	Pass	11
			Total	12.82	≤30.00	13.52	≤36.00	Pass	11
		5795	Ant1	9.85	≤30.00	10.55	≤36.00	Pass	11
			Ant2	9.44	≤30.00	10.14	≤36.00	Pass	11
			Total	12.66	≤30.00	13.36	≤36.00	Pass	11
11AC20	MIMO	5745	Ant1	8.76	≤30.00	9.46	≤36.00	Pass	10
			Ant2	8.26	≤30.00	8.96	≤36.00	Pass	10
			Total	11.53	≤30.00	12.23	≤36.00	Pass	10
		5785	Ant1	8.61	≤30.00	9.31	≤36.00	Pass	10
			Ant2	8.03	≤30.00	8.73	≤36.00	Pass	10
			Total	11.34	≤30.00	12.04	≤36.00	Pass	10
		5825	Ant1	8.71	≤30.00	9.41	≤36.00	Pass	10
			Ant2	8.28	≤30.00	8.98	≤36.00	Pass	10
			Total	11.51	≤30.00	12.21	≤36.00	Pass	10
11AC40	MIMO	5755	Ant1	9.73	≤30.00	10.43	≤36.00	Pass	10
			Ant2	9.43	≤30.00	10.13	≤36.00	Pass	10
			Total	12.59	≤30.00	13.29	≤36.00	Pass	10
		5795	Ant1	9.65	≤30.00	10.35	≤36.00	Pass	10
			Ant2	9.29	≤30.00	9.99	≤36.00	Pass	10
			Total	12.48	≤30.00	13.18	≤36.00	Pass	10
11AC80	MIMO	5775	Ant1	7.69	≤30.00	8.39	≤36.00	Pass	9
			Ant2	7.33	≤30.00	8.03	≤36.00	Pass	9
			Total	10.52	≤30.00	11.22	≤36.00	Pass	9
	MIMO	5745	Ant1	8.84	≤30.00	9.54	≤36.00	Pass	10
			Ant2	8.64	≤30.00	9.34	≤36.00	Pass	10
			Total	11.75	≤30.00	12.45	≤36.00	Pass	10
		5785	Ant1	8.70	≤30.00	9.40	≤36.00	Pass	10
			Ant2	8.39	≤30.00	9.09	≤36.00	Pass	10
			Total	11.56	≤30.00	12.26	≤36.00	Pass	10
		5825	Ant1	8.78	≤30.00	9.48	≤36.00	Pass	10
			Ant2	8.65	≤30.00	9.35	≤36.00	Pass	10
			Total	11.73	≤30.00	12.43	≤36.00	Pass	10
11AX40	MIMO	5755	Ant1	8.47	≤30.00	9.17	≤36.00	Pass	10
			Ant2	8.38	≤30.00	9.08	≤36.00	Pass	10
			Total	11.44	≤30.00	12.14	≤36.00	Pass	10
		5795	Ant1	8.38	≤30.00	9.08	≤36.00	Pass	10
			Ant2	8.24	≤30.00	8.94	≤36.00	Pass	10
			Total	11.32	≤30.00	12.02	≤36.00	Pass	10



**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF03

11AX80	MIMO	5775	Ant1	7.36	≤30.00	8.06	≤36.00	Pass	9
			Ant2	7.27	≤30.00	7.97	≤36.00	Pass	9
			Total	10.33	≤30.00	11.03	≤36.00	Pass	9
11ax20 FULL_RU	MIMO	5745	Ant1	8.79	≤30.00	9.49	≤36.00	Pass	10
			Ant2	8.60	≤30.00	9.30	≤36.00	Pass	10
			Total	11.71	≤30.00	12.41	≤36.00	Pass	10
		5785	Ant1	8.65	≤30.00	9.35	≤36.00	Pass	10
			Ant2	8.36	≤30.00	9.06	≤36.00	Pass	10
			Total	11.52	≤30.00	12.22	≤36.00	Pass	10
		5825	Ant1	8.74	≤30.00	9.44	≤36.00	Pass	10
			Ant2	8.61	≤30.00	9.31	≤36.00	Pass	10
			Total	11.69	≤30.00	12.39	≤36.00	Pass	10
11ax40 FULL_RU	MIMO	5755	Ant1	8.44	≤30.00	9.14	≤36.00	Pass	10
			Ant2	8.35	≤30.00	9.05	≤36.00	Pass	10
			Total	11.41	≤30.00	12.11	≤36.00	Pass	10
		5795	Ant1	8.33	≤30.00	9.03	≤36.00	Pass	10
			Ant2	8.20	≤30.00	8.90	≤36.00	Pass	10
			Total	11.28	≤30.00	11.98	≤36.00	Pass	10
11ax80 FULL_RU	MIMO	5775	Ant1	7.34	≤30.00	8.04	≤36.00	Pass	9
			Ant2	7.23	≤30.00	7.93	≤36.00	Pass	9
			Total	10.30	≤30.00	11.00	≤36.00	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

Note : The Duty Cycle Factor is compensated in the graph.

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	1.68	≤11.00	0.98	≤10.00	PASS
	Ant2	5180	2.29	≤11.00	2.99	≤10.00	PASS
	total	5180	5.01	≤11.00	8.05	≤10.00	PASS
	Ant1	5200	1.52	≤11.00	0.82	≤10.00	PASS
	Ant2	5200	2.31	≤11.00	3.01	≤10.00	PASS
	total	5200	4.94	≤11.00	7.98	≤10.00	PASS
	Ant1	5240	1.81	≤11.00	1.11	≤10.00	PASS
	Ant2	5240	2.57	≤11.00	3.27	≤10.00	PASS
	total	5240	5.22	≤11.00	8.26	---	PASS
	Ant1	5260	2.12	≤11.00	1.42	---	PASS
	Ant2	5260	2.82	≤11.00	3.52	---	PASS
	total	5260	5.49	≤11.00	8.53	---	PASS
	Ant1	5280	2.30	≤11.00	1.60	---	PASS
	Ant2	5280	2.71	≤11.00	3.41	---	PASS
	total	5280	5.52	≤11.00	8.56	---	PASS
	Ant1	5320	2.14	≤11.00	1.44	---	PASS
	Ant2	5320	2.88	≤11.00	3.58	---	PASS
	total	5320	5.54	≤11.00	8.58	---	PASS
	Ant1	5500	2.42	≤11.00	1.72	---	PASS
	Ant2	5500	3.24	≤11.00	3.94	---	PASS
	total	5500	5.86	≤11.00	8.90	---	PASS
	Ant1	5580	2.80	≤11.00	2.10	---	PASS
	Ant2	5580	3.49	≤11.00	4.19	---	PASS
	total	5580	6.17	≤11.00	9.21	---	PASS
	Ant1	5700	2.21	≤11.00	1.51	---	PASS
		5720_UNII-2C	2.07	≤11.00	1.37	---	PASS
	Ant2	5720_UNII-2C	3.07	≤11.00	3.77	---	PASS
	total	5720_UNII-2C	4.81	≤11.00	7.85	---	PASS
	Ant1	5745	-0.41	≤30.00	-1.11	---	PASS
	Ant2	5745	0.37	≤30.00	1.07	---	PASS
	total	5745	3.01	≤30.00	6.05	---	PASS
	Ant1	5785	-0.34	≤30.00	-0.34	---	PASS
	Ant2	5785	0.57	≤30.00	0.57	---	PASS
	total	5785	3.15	≤30.00	6.16	---	PASS
	Ant1	5825	0.14	≤30.00	0.14	---	PASS
	Ant2	5825	0.81	≤30.00	0.81	---	PASS
	total	5825	3.50	≤30.00	6.51	---	PASS
11N20MIMO	Ant1	5180	-0.72	≤11.00	-1.42	≤10.00	PASS
	Ant2	5180	0.09	≤11.00	0.79	≤10.00	PASS
	total	5180	2.71	≤11.00	2.83	≤10.00	PASS
	Ant1	5200	-0.87	≤11.00	-1.57	≤10.00	PASS



Reference No.: W7L-P24050018RF03

	Ant2	5200	-0.25	≤11.00	0.45	≤10.00	PASS
	total	5200	2.46	≤11.00	2.57	≤10.00	PASS
	Ant1	5240	-0.58	≤11.00	-1.28	≤10.00	PASS
	Ant2	5240	0.03	≤11.00	0.73	≤10.00	PASS
	total	5240	2.75	≤11.00	2.85	≤10.00	PASS
	Ant1	5260	-0.48	≤11.00	-1.18	---	PASS
	Ant2	5260	0.38	≤11.00	1.08	---	PASS
	total	5260	2.98	≤11.00	3.11	---	PASS
	Ant1	5280	-0.40	≤11.00	-1.10	---	PASS
	Ant2	5280	0.55	≤11.00	1.25	---	PASS
	total	5280	3.11	≤11.00	3.24	---	PASS
	Ant1	5320	-0.37	≤11.00	-1.07	---	PASS
	Ant2	5320	0.54	≤11.00	1.24	---	PASS
	total	5320	3.12	≤11.00	3.25	---	PASS
	Ant1	5500	-0.17	≤11.00	-0.87	---	PASS
	Ant2	5500	0.86	≤11.00	1.56	---	PASS
	total	5500	3.39	≤11.00	3.52	---	PASS
	Ant1	5580	-0.08	≤11.00	-0.78	---	PASS
	Ant2	5580	1.03	≤11.00	1.73	---	PASS
	total	5580	3.52	≤11.00	3.66	---	PASS
	Ant1	5700	-0.28	≤11.00	-0.98	---	PASS
	Ant2	5700	0.63	≤11.00	1.33	---	PASS
	total	5700	3.21	≤11.00	3.34	---	PASS
	Ant1	5720_UNII-2C	-0.70	≤11.00	-1.40	---	PASS
	Ant2	5720_UNII-2C	0.41	≤11.00	1.11	---	PASS
	total	5720_UNII-2C	2.90	≤11.00	3.04	---	PASS
	Ant1	5745	-3.05	≤30.00	-3.75	---	PASS
	Ant2	5745	-2.13	≤30.00	-1.43	---	PASS
	total	5745	0.44	≤30.00	0.57	---	PASS
	Ant1	5785	-2.95	≤30.00	-2.95	---	PASS
	Ant2	5785	-1.69	≤30.00	-1.69	---	PASS
	total	5785	0.74	≤30.00	0.74	---	PASS
	Ant1	5825	-2.57	≤30.00	-2.57	---	PASS
	Ant2	5825	-1.79	≤30.00	-1.79	---	PASS
	total	5825	0.85	≤30.00	0.85	---	PASS
11N40MIMO	Ant1	5190	-3.57	≤11.00	-3.57	≤10.00	PASS
	Ant2	5190	-2.59	≤11.00	-2.59	≤10.00	PASS
	total	5190	-0.04	≤11.00	-0.04	≤10.00	PASS
	Ant1	5230	-2.85	≤11.00	-2.85	≤10.00	PASS
	Ant2	5230	-2.56	≤11.00	-2.56	≤10.00	PASS
	total	5230	0.31	≤11.00	0.31	≤10.00	PASS
	Ant1	5270	-3.09	≤11.00	-3.09	---	PASS
	Ant2	5270	-2.27	≤11.00	-2.27	---	PASS
	total	5270	0.35	≤11.00	0.35	---	PASS
	Ant1	5310	-3.09	≤11.00	-3.09	---	PASS
	Ant2	5310	-2.12	≤11.00	-2.12	---	PASS
	total	5310	0.43	≤11.00	0.43	---	PASS
	Ant1	5510	-2.31	≤11.00	-2.31	---	PASS
	Ant2	5510	-1.86	≤11.00	-1.86	---	PASS
	total	5510	0.93	≤11.00	0.93	---	PASS



Reference No.: W7L-P24050018RF03

	Ant1	5550	-2.52	≤11.00	-2.52	---	PASS
	Ant2	5550	-1.93	≤11.00	-1.93	---	PASS
	total	5550	0.80	≤11.00	0.80	---	PASS
	Ant1	5670	-2.82	≤11.00	-2.82	---	PASS
	Ant2	5670	-2.07	≤11.00	-2.07	---	PASS
	total	5670	0.58	≤11.00	0.58	---	PASS
	Ant1	5710_UNII-2C	-3.30	≤11.00	-3.30	---	PASS
	Ant2	5710_UNII-2C	-2.21	≤11.00	-2.21	---	PASS
	total	5710_UNII-2C	0.29	≤11.00	0.29	---	PASS
	Ant1	5710_UNII-3	-7.47	≤30.00	-7.47	---	PASS
	Ant2	5710_UNII-3	-6.30	≤30.00	-6.30	---	PASS
	total	5710_UNII-3	-3.84	≤30.00	-3.84	---	PASS
	Ant1	5755	-5.51	≤30.00	-5.51	---	PASS
	Ant2	5755	-4.60	≤30.00	-4.60	---	PASS
	total	5755	-2.02	≤30.00	-2.02	---	PASS
	Ant1	5795	-6.03	≤30.00	-6.03	---	PASS
	Ant2	5795	-4.90	≤30.00	-4.90	---	PASS
	total	5795	-2.42	≤30.00	-2.42	---	PASS
11AC80MIM O	Ant1	5210	-9.32	≤11.00	-9.32	≤10.00	PASS
	Ant2	5210	-8.39	≤11.00	-8.39	≤10.00	PASS
	total	5210	-5.82	≤11.00	-5.82	≤10.00	PASS
	Ant1	5290	-8.64	≤11.00	-8.64	---	PASS
	Ant2	5290	-7.89	≤11.00	-7.89	---	PASS
	total	5290	-5.24	≤11.00	-5.24	---	PASS
	Ant1	5530	-8.48	≤11.00	-8.48	---	PASS
	Ant2	5530	-7.48	≤11.00	-7.48	---	PASS
	total	5530	-4.94	≤11.00	-4.94	---	PASS
	Ant1	5610	-8.57	≤11.00	-8.57	---	PASS
	Ant2	5610	-8.01	≤11.00	-8.01	---	PASS
	total	5610	-5.27	≤11.00	-5.27	---	PASS
	Ant1	5690_UNII-2C	-8.68	≤11.00	-8.68	---	PASS
	Ant2	5690_UNII-2C	-8.03	≤11.00	-8.03	---	PASS
	total	5690_UNII-2C	-5.33	≤11.00	-5.33	---	PASS
	Ant1	5690_UNII-3	-14.42	≤30.00	-14.42	---	PASS
	Ant2	5690_UNII-3	-12.38	≤30.00	-12.38	---	PASS
	total	5690_UNII-3	-10.27	≤30.00	-10.27	---	PASS
	Ant1	5775	-11.40	≤30.00	-11.40	---	PASS
	Ant2	5775	-10.21	≤30.00	-10.21	---	PASS
	total	5775	-7.75	≤30.00	-7.75	---	PASS
11AX20MIM O	Ant1	5180	-1.82	≤11.00	-1.82	≤10.00	PASS
	Ant2	5180	-0.99	≤11.00	-0.99	≤10.00	PASS



**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF03

	total	5180	1.63	≤11.00	1.63	≤10.00	PASS
	Ant1	5200	-2.00	≤11.00	-2.00	≤10.00	PASS
	Ant2	5200	-1.37	≤11.00	-1.37	≤10.00	PASS
	total	5200	1.34	≤11.00	1.34	≤10.00	PASS
	Ant1	5240	-1.30	≤11.00	-1.30	≤10.00	PASS
	Ant2	5240	-0.94	≤11.00	-0.94	≤10.00	PASS
	total	5240	1.89	≤11.00	1.89	≤10.00	PASS
	Ant1	5260	-1.49	≤11.00	-1.49	---	PASS
	Ant2	5260	-0.63	≤11.00	-0.63	---	PASS
	total	5260	1.97	≤11.00	1.97	---	PASS
	Ant1	5300	-1.24	≤11.00	-1.24	---	PASS
	Ant2	5300	-0.03	≤11.00	-0.03	---	PASS
	total	5300	2.42	≤11.00	2.42	---	PASS
	Ant1	5320	-1.69	≤11.00	-1.69	---	PASS
	Ant2	5320	-0.55	≤11.00	-0.55	---	PASS
	total	5320	1.93	≤11.00	1.93	---	PASS
	Ant1	5500	-0.82	≤11.00	-0.82	---	PASS
	Ant2	5500	-0.21	≤11.00	-0.21	---	PASS
	total	5500	2.51	≤11.00	2.51	---	PASS
	Ant1	5580	-1.25	≤11.00	-1.25	---	PASS
	Ant2	5580	0.03	≤11.00	0.03	---	PASS
	total	5580	2.45	≤11.00	2.45	---	PASS
	Ant1	5700	-1.41	≤11.00	-1.41	---	PASS
	Ant2	5700	-0.61	≤11.00	-0.61	---	PASS
	total	5700	2.02	≤11.00	2.02	---	PASS
	Ant1	5720_UNII-2C	-1.56	≤11.00	-1.56	---	PASS
	Ant2	5720_UNII-2C	-0.70	≤11.00	-0.70	---	PASS
	total	5720_UNII-2C	1.90	≤11.00	1.90	---	PASS
	Ant1	5720_UNII-3	-5.22	≤30.00	-5.22	---	PASS
	Ant2	5720_UNII-3	-4.23	≤30.00	-4.23	---	PASS
	total	5720_UNII-3	-1.69	≤30.00	-1.69	---	PASS
	Ant1	5745	-4.06	≤30.00	-4.06	---	PASS
	Ant2	5745	-3.03	≤30.00	-3.03	---	PASS
	total	5745	-0.50	≤30.00	-0.50	---	PASS
	Ant1	5785	-4.21	≤30.00	-4.21	---	PASS
	Ant2	5785	-3.12	≤30.00	-3.12	---	PASS
	total	5785	-0.62	≤30.00	-0.62	---	PASS
	Ant1	5825	-4.10	≤30.00	-4.10	---	PASS
	Ant2	5825	-2.81	≤30.00	-2.81	---	PASS
	total	5825	-0.40	≤30.00	-0.40	---	PASS
11AX40MIM O	Ant1	5190	-5.26	≤11.00	-5.26	≤10.00	PASS
	Ant2	5190	-4.38	≤11.00	-4.38	≤10.00	PASS
	total	5190	-1.79	≤11.00	-1.79	≤10.00	PASS
	Ant1	5230	-4.47	≤11.00	-4.47	≤10.00	PASS
	Ant2	5230	-4.10	≤11.00	-4.10	≤10.00	PASS
	total	5230	-1.27	≤11.00	-1.27	≤10.00	PASS
	Ant1	5270	-4.84	≤11.00	-4.84	---	PASS



**BUREAU
VERITAS**

Reference No.: W7L-P24050018RF03

	Ant2	5270	-4.10	≤11.00	-4.10	---	PASS
	total	5270	-1.44	≤11.00	-1.44	---	PASS
	Ant1	5310	-4.85	≤11.00	-4.85	---	PASS
	Ant2	5310	-3.81	≤11.00	-3.81	---	PASS
	total	5310	-1.29	≤11.00	-1.29	---	PASS
	Ant1	5510	-4.26	≤11.00	-4.26	---	PASS
	Ant2	5510	-3.55	≤11.00	-3.55	---	PASS
	total	5510	-0.88	≤11.00	-0.88	---	PASS
	Ant1	5550	-4.48	≤11.00	-4.48	---	PASS
	Ant2	5550	-3.55	≤11.00	-3.55	---	PASS
	total	5550	-0.98	≤11.00	-0.98	---	PASS
	Ant1	5670	-4.58	≤11.00	-4.58	---	PASS
	Ant2	5670	-3.40	≤11.00	-3.40	---	PASS
	total	5670	-0.94	≤11.00	-0.94	---	PASS
	Ant1	5710_UNII-2C	-4.59	≤11.00	-4.59	---	PASS
	Ant2	5710_UNII-2C	-3.75	≤11.00	-3.75	---	PASS
	total	5710_UNII-2C	-1.14	≤11.00	-1.14	---	PASS
	Ant1	5710_UNII-3	-9.04	≤30.00	-9.04	---	PASS
	Ant2	5710_UNII-3	-8.05	≤30.00	-8.05	---	PASS
	total	5710_UNII-3	-5.51	≤30.00	-5.51	---	PASS
	Ant1	5755	-7.26	≤30.00	-7.26	---	PASS
	Ant2	5755	-6.21	≤30.00	-6.21	---	PASS
	total	5755	-3.69	≤30.00	-3.69	---	PASS
	Ant1	5795	-7.80	≤30.00	-7.80	---	PASS
	Ant2	5795	-6.53	≤30.00	-6.53	---	PASS
	total	5795	-4.11	≤30.00	-4.11	---	PASS
11AX80MIM O	Ant1	5210	-9.25	≤11.00	-9.25	≤10.00	PASS
	Ant2	5210	-8.68	≤11.00	-8.68	≤10.00	PASS
	total	5210	-5.95	≤11.00	-5.95	≤10.00	PASS
	Ant1	5290	-8.91	≤11.00	-8.91	---	PASS
	Ant2	5290	-8.09	≤11.00	-8.09	---	PASS
	total	5290	-5.47	≤11.00	-5.47	---	PASS
	Ant1	5530	-8.74	≤11.00	-8.74	---	PASS
	Ant2	5530	-8.02	≤11.00	-8.02	---	PASS
	total	5530	-5.35	≤11.00	-5.35	---	PASS
	Ant1	5610	-8.47	≤11.00	-8.47	---	PASS
	Ant2	5610	-8.46	≤11.00	-8.46	---	PASS
	total	5610	-5.45	≤11.00	-5.45	---	PASS
	Ant1	5690_UNII-2C	-8.92	≤11.00	-8.92	---	PASS
	Ant2	5690_UNII-2C	-7.97	≤11.00	-7.97	---	PASS
	total	5690_UNII-2C	-5.41	≤11.00	-5.41	---	PASS
	Ant1	5690_UNII-3	-14.43	≤30.00	-14.43	---	PASS
	Ant2	5690_UNII-	-12.64	≤30.00	-12.64	---	PASS




Reference No.: W7L-P24050018RF03

		3					
	total	5690_UNII-3	-10.43	≤30.00	-10.43	---	PASS
	Ant1	5775	-11.51	≤30.00	-11.51	---	PASS
	Ant2	5775	-10.33	≤30.00	-10.33	---	PASS
	total	5775	-7.87	≤30.00	-7.87	---	PASS


Note : 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

TEST GRAPHS











BUREAU
VERITAS


Reference No.: W7L-P24050018RF03



11A-CDD Ant2 5280




11A-CDD Ant1 5320





BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11A-CDD Ant2 5500



11A-CDD Ant1 5580





BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11A-CDD Ant1 5720 UNII-2C



11A-CDD Ant2 5720 UNII-2C




Reference No.: W7L-P24050018RF03








Reference No.: W7L-P24050018RF03

















BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11N20MIMO Ant1 5500



11N20MIMO Ant2 5500




Reference No.: W7L-P24050018RF03





Reference No.: W7L-P24050018RF03





BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11N20MIMO Ant1 5785




11N20MIMO Ant2 5785

Reference No.: W7L-P24050018RF03



11N20MIMO Ant1 5825



11N20MIMO Ant2 5825







BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11N40MIMO Ant1 5270



11N40MIMO Ant2 5270



BUREAU
VERITAS

Reference No.: W7L-P24050018RF03




11N40MIMO Ant1 5310



11N40MIMO Ant2 5310







BUREAU
VERITAS

Reference No.: W7L-P24050018RF03



11N40MIMO Ant1 5670



11N40MIMO Ant2 5670