


# USER MANUAL

E589-003

## 1 Main parameters


Material: plastic and electronic components

Batteries: Car battery: 1 pc of 4.8V AA rechargeable battery pack,  
 Remote controller batteries: 2 pcs of 1.5V AA batteries.













## 2 Battery Installation

1. Open the cover of battery case locates in the back of controller, inserts 2 pcs of 1.5V AA batteries into the battery case, and then screw the cover (Fig 2A).
2. Use a screwdriver to unscrew the battery cover located in the bottom of the car, install 1 pc of 4.8V AA rechargeable battery pack as per the polarity of the battery, then cover the battery cover and screw it (Fig 2B).



## 4 Basic Operation & Functions

Forward		Rear Digger Left/Right Rotation 
Reverse		
Turn Left		Dig/Unload 
Turn Right		
Load		Rear Digger Left/Right Movement 
Unload		Retractable Outriggers 

## 5 Advanced Functions

### 1. Auto On/Off

If the vehicle cannot find out the any controlling signal within 1 minute, it will automatically turn off, To press on/off key to activate.

### 2. Demo Button

To press the DEMO key, the vehicle could operate a series of the functions automatically; to exit this functions through pressing any key.

### 3. Horn key

To press the Horn key on remote controller after starting the vehicle, the vehicle would emit a simulated sound.

### 4. Multi-Player

The product is remote controlled by 2.4GHz, which allows many players to play together at the same time.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

## **6** Recharging

Notice: Please push the power switch to "OFF" position if the product will not be used for a long time. Take the batteries out of the remote controller and the truck for storing.

## **7** Notice

1. Do not drive on roads or areas used by real vehicles. Choose safe operating areas.
2. Do not drive in rain, snow, wetness or sand. Use dry cloth to clean the vehicle.
3. If the speed slows down or the vehicle does not properly turn right or left, please re-charge the battery.
4. The batteries should be charged under direct supervision of an adult. Please use only recommended batteries.
5. Pay attention to the battery polarity.
6. Avoid using old and new batteries together.
7. Please, charge the battery before initial use.
8. Regularly inspect the cable, plug, casing and other parts for damages. Do not use damaged batteries or charging lines.
9. Connect the battery only with the regular 5V USB chargers.

Frequency bands : For EU 2405MHz to 2475MHz

Maximum output power : For EU -5DBm

Manufacturer : Doubleeagle Industry (China) Limited.

Address : Xingda Industrial Park, Chenghai

District, Shantou City, Guangdong Province, China.

Importer : JAMARA e.K.

Address : Inh. Manuel Natterer

Am Lauerbühl 5 - DE-88317 Aichstetten Germany

**CHOKING HAZARD**-small parts, not for children under 3 years.

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.