


# Appendix B: Test Results of Radiated Spurious Emissions & Mains


## Conducted Emission Test

### Band Edges, 2.31GHz ~ 2.9GHz



**BLE\_1M**
**Low Channel (Horizontal) Average**
**Low Channel (Vertical) Average**



TUV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2321.92	2402.00	2800.64
40.09	100.01	41.37
3.13	62.84	3.63
36.96	37.17	37.74
54.00	54.00	54.00
-13.91	46.01	-12.63
155	155	155
319	319	319
Average	Average	Average
Horizontal	Horizontal	Horizontal




TUV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2322.04	2402.00	2807.25
40.40	100.72	41.42
3.44	63.55	3.68
36.96	37.17	37.74
54.00	54.00	54.00
-13.60	46.72	-12.58
122	122	122
297	297	297
Average	Average	Average
Vertical	Vertical	Vertical

**BLE\_1M**
**Middle Channel (Horizontal) Peak**
**Middle Channel (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.95	52.83	15.62	37.21	74.00	-21.17	100	317 Peak	Horizontal
2 *	2440.00	99.40	61.96	37.44	74.00	25.40	100	317 Peak	Horizontal
3	2636.27	54.39	16.77	37.62	74.00	-19.61	100	317 Peak	Horizontal




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.91	53.93	16.73	37.20	74.00	-20.87	100	298 Peak	Vertical
2 *	2440.00	101.13	63.69	37.44	74.00	27.13	100	298 Peak	Vertical
3	2655.27	54.16	16.58	37.58	74.00	-19.84	100	298 Peak	Vertical

**BLE\_1M**
**Middle Channel (Horizontal) Average**
**Middle Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.03	40.13	2.93	37.20	54.00	-13.87	100	317 Average	Horizontal
2 *	2440.00	98.39	60.95	37.44	54.00	44.39	100	317 Average	Horizontal
3	2795.57	41.38	3.69	37.69	54.00	-12.62	100	317 Average	Horizontal




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.91	40.70	3.50	37.20	54.00	-13.30	100	298 Average	Vertical
2 *	2440.00	100.11	62.67	37.44	54.00	46.11	100	298 Average	Vertical
3	2520.04	41.96	4.46	37.50	54.00	-12.04	100	298 Average	Vertical

**BLE\_1M**
**High Channel (Horizontal) Peak**
**High Channel (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2321.92	52.96	16.00	36.96	74.00	-21.04	209	316	Peak	Horizontal		
2 *	2480.00	99.59	62.05	37.54	74.00	25.59	209	316	Peak	Horizontal		
3	2814.80	54.22	16.47	37.75	74.00	-19.78	209	316	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.81	52.52	15.32	37.20	74.00	-21.48	111	299	Peak	Vertical		
2 *	2480.00	102.00	64.54	37.54	74.00	28.00	111	299	Peak	Vertical		
3	2801.71	54.76	17.02	37.74	74.00	-19.24	111	299	Peak	Vertical		


BLE\_1M

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2339.89	40.09	3.05	37.04	54.00	-13.91	209	316	Average	Horizontal	
2 *	2488.00	98.24	60.78	37.54	54.00	44.24	209	316	Average	Horizontal	
3	2897.40	41.28	3.36	37.92	54.00	-12.72	209	316	Average	Horizontal	




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2373.84	39.97	2.79	37.18	54.00	-14.03	111	299	Average	Vertical	
2 *	2488.00	100.94	63.40	37.54	54.00	46.94	111	299	Average	Vertical	
3	2484.17	41.51	3.97	37.54	54.00	-12.49	111	299	Average	Vertical	

**BLE\_2M**
**Low Channel (Horizontal) Peak**
**Low Channel (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2361.92	52.66	15.46	37.20	74.00	-21.34	134	318 Peak	Horizontal
2 *	2402.00	100.61	63.44	37.17	74.00	26.61	134	318 Peak	Horizontal
3	2869.71	54.51	16.70	37.81	74.00	-19.49	134	318 Peak	Horizontal




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2337.26	52.00	15.70	37.10	74.00	-21.20	226	302 Peak	Vertical
2 *	2402.00	100.85	63.68	37.17	74.00	26.85	226	302 Peak	Vertical
3	2669.66	54.74	17.20	37.54	74.00	-19.26	226	302 Peak	Vertical

**BLE\_2M**
**Low Channel (Horizontal) Average**
**Low Channel (Vertical) Average**



TUV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2361.68	39.95	2.75	37.28	54.00	-14.05	134	318 Average	Horizontal	
2 *	2402.00	95.71	56.54	37.17	54.00	41.71	134	318 Average	Horizontal	
3	2884.42	41.23	3.49	37.74	54.00	-12.77	134	318 Average	Horizontal	



TUV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2354.84	40.01	2.01	37.28	54.00	-13.99	226	302 Average	Vertical	
2 *	2402.00	95.82	56.65	37.17	54.00	42.62	226	302 Average	Vertical	
3	2884.18	41.18	3.44	37.74	54.00	-12.82	226	302 Average	Vertical	



**BLE\_2M**
**Middle Channel (Horizontal) Peak**
**Middle Channel (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2343.39	52.87	15.72	37.15	74.00	-21.13	100	316 Peak	Horizontal	
2 *	2440.00	100.03	62.59	37.44	74.00	26.03	100	316 Peak	Horizontal	
3	2764.30	54.38	16.97	37.41	74.00	-19.62	100	316 Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2300.45	52.70	15.52	37.18	74.00	-21.30	133	283 Peak	Vertical	
2 *	2440.00	101.30	63.94	37.44	74.00	27.30	133	283 Peak	Vertical	
3	2789.08	55.14	17.50	37.64	74.00	-18.86	133	283 Peak	Vertical	

**BLE\_2M**
**Middle Channel (Horizontal) Average**
**Middle Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2359.68	40.67	3.47	37.20	54.00	-13.33	100	316 Average	Horizontal	
2 *	2440.00	96.76	59.32	37.44	54.00	42.76	100	316 Average	Horizontal	
3	2803.95	41.78	4.04	37.74	54.00	-12.22	100	316 Average	Horizontal	




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2360.03	40.26	3.06	37.20	54.00	-13.74	133	283 Average	Vertical	
2 *	2440.00	98.38	60.94	37.44	54.00	44.38	133	283 Average	Vertical	
3	2519.92	41.84	4.34	37.50	54.00	-12.16	133	283 Average	Vertical	

**BLE\_2M**
**High Channel (Horizontal) Peak**
**High Channel (Vertical) Peak**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.87	53.37	16.19	37.18	74.00	-20.63	187		1 Peak	Horizontal	
2 *	2489.00	99.56	62.02	37.54	74.00	25.56	187		1 Peak	Horizontal	
3	2868.35	55.40	17.59	37.81	74.00	-18.60	187		1 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2350.00	53.65	16.44	37.21	74.00	-20.35	313		284 Peak	Vertical	
2 *	2489.00	103.52	65.98	37.54	74.00	29.52	313		284 Peak	Vertical	
3	2483.46	54.38	16.84	37.54	74.00	-19.62	313		284 Peak	Vertical	


BLE\_2M

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.11	40.33	3.13	37.20	54.00	-13.67	187		1 Average	Horizontal	
2 *	2489.00	96.51	58.97	37.54	54.00	42.51	187		1 Average	Horizontal	
3	2628.95	41.66	4.84	37.62	54.00	-12.34	187		1 Average	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2373.96	40.31	3.13	37.18	54.00	-13.69	313	284	Average	Vertical	
2 *	2489.00	100.65	63.11	37.54	54.00	46.65	313	284	Average	Vertical	
3	2483.46	42.89	5.35	37.54	54.00	-11.11	313	284	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE\_2M

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.03	68.10	49.15	18.95	119.13	-51.03	100	152	Peak	Open	
2	0.05	46.90	27.86	19.04	113.11	-66.21	100	53	Peak	Open	
3	0.08	36.59	18.09	18.50	110.00	-73.41	100	11	Peak	Open	
4	0.09	31.18	13.01	18.09	108.24	-77.14	100	257	Peak	Open	
5	0.11	32.71	14.74	17.97	106.49	-73.78	100	69	Peak	Open	
6	0.13	27.21	9.17	18.04	105.27	-78.06	100	214	Peak	Open	




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.93	46.62	27.58	19.04	68.27	-21.65	100	131	Peak	Open	
2	2.78	36.49	16.91	19.58	69.50	-33.01	100	261	Peak	Open	
3	9.28	33.25	11.97	21.28	69.50	-36.25	100	184	Peak	Open	
4	14.36	35.54	13.65	21.89	69.50	-33.96	100	320	Peak	Open	
5	21.25	35.51	13.20	22.31	69.50	-33.99	100	345	Peak	Open	
6	25.13	36.04	13.70	22.34	69.50	-33.46	100	218	Peak	Open	

**Spurious Emissions, Tx Mode, 30MHz ~ 1GHz**
**BLE\_2M**
**High Channel (Horizontal)**
**High Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	91.11	32.04	44.10	-12.06	43.50	-11.46	200	86 Peak	Horizontal	
2	281.69	30.80	39.51	-8.71	43.50	-12.70	200	48 Peak	Horizontal	
3	263.77	28.72	34.71	-5.99	46.00	-17.28	200	135 Peak	Horizontal	
4	458.98	37.08	39.10	-2.02	46.00	-8.92	203	360 Peak	Horizontal	
5	613.94	31.12	30.54	0.58	46.00	-14.88	210	3 Peak	Horizontal	
6	845.77	35.13	31.03	4.10	46.00	-10.87	293	360 Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	36.79	35.67	42.93	-7.26	40.00	-4.33	100	322 Peak	Vertical	
2	167.74	32.57	38.29	-5.72	43.50	-10.93	100	119 Peak	Vertical	
3	263.77	38.37	44.36	-5.99	46.00	-7.63	100	172 Peak	Vertical	
4	458.98	34.18	36.20	-2.02	46.00	-11.82	100	99 Peak	Vertical	
5	571.26	31.37	31.90	-0.53	46.00	-14.63	100	167 Peak	Vertical	
6	846.74	35.26	31.16	4.10	46.00	-10.74	200	211 Peak	Vertical	

**Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz**
**BLE\_1M**
**Low Channel (Horizontal)**
**Low Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	42.52	51.55	-9.03	74.00	-31.48	389	360	Peak Horizontal
2	4804.00	37.24	46.27	-9.03	54.00	-16.76	389	360	Average Horizontal




TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	44.16	53.19	-9.03	74.00	-29.84	266	360	Peak Vertical
2	4804.00	39.18	48.21	-9.03	54.00	-14.82	266	360	Average Vertical

**BLE\_1M**
**Middle Channel (Horizontal)**
**Middle Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4889.00	42.44	51.48	-9.04	74.00	-31.56	280	359	Peak	Horizontal	
2	4889.00	35.04	44.08	-9.04	54.00	-18.96	280	359	Average	Horizontal	
3	7328.00	42.06	49.14	-7.08	74.00	-31.94	400	238	Peak	Horizontal	
4	7328.00	34.56	41.64	-7.08	54.00	-19.44	400	238	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4889.00	44.32	53.36	-9.04	74.00	-29.68	280	282	Peak	Vertical	
2	4889.00	40.80	49.84	-9.04	54.00	-13.20	280	282	Average	Vertical	
3	7328.00	45.85	52.93	-7.08	74.00	-28.15	129	360	Peak	Vertical	
4	7328.00	38.29	45.37	-7.08	54.00	-15.71	129	360	Average	Vertical	




BLE\_1M

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dB/m	dBuV/m	dB					
1	4960.00	42.39	51.23	-8.84	74.00	-31.61	280	352 Peak	Horizontal
2	4960.00	34.69	43.53	-8.84	54.00	-19.31	280	352 Average	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dB/m	dBuV/m	dB					
1	4960.00	43.89	52.73	-8.84	74.00	-30.11	262	360 Peak	Vertical
2	4960.00	38.34	47.18	-8.84	54.00	-15.66	262	360 Average	Vertical


BLE\_2M

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	49.91	-9.03	74.00	-33.12	180	360	Peak	Horizontal	
2	4804.00	32.22	-9.03	54.00	-21.78	180	360	Average	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	52.76	-9.03	74.00	-30.27	280	289	Peak	Vertical	
2	4804.00	39.78	-9.03	54.00	-14.22	280	289	Average	Vertical	


BLE\_2M

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4889.00	42.72	50.44	-7.72	74.00	-31.28	315	352 Peak	Horizontal	
2	4889.00	34.89	42.61	-7.72	54.00	-19.11	315	352 Average	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4889.00	44.37	52.09	-7.72	74.00	-29.63	300	48 Peak	Vertical	
2	4889.00	38.42	46.14	-7.72	54.00	-15.58	300	48 Average	Vertical	


BLE\_2M

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4969.00	40.93	49.77	-8.84	74.00	-33.07	180	300	300	Peak	Horizontal	
2	4969.00	32.50	41.34	-8.84	54.00	-21.50	180	300	300	Average	Horizontal	




TUV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4969.00	44.44	53.28	-8.84	74.00	-29.56	112	42	42	Peak	Vertical	
2	4969.00	34.95	43.79	-8.84	54.00	-19.05	112	42	42	Average	Vertical	

**Mains Conducted Emission, 150kHz ~ 30MHz**
**Worst Band**
**(Line)**
**(Neutral)**


TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)  
 Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.29	21.42	11.80	9.62	50.45	-29.03	Average	line1	
2	0.29	27.82	18.20	9.62	60.45	-32.63	QP	line1	
3	0.53	30.04	20.41	9.63	46.00	-15.96	Average	line1	
4	0.53	37.22	27.59	9.63	56.00	-18.78	QP	line1	
5	1.36	20.35	10.71	9.64	46.00	-25.65	Average	line1	
6	1.36	26.31	16.67	9.64	56.00	-29.69	QP	line1	
7	3.17	20.14	10.46	9.68	46.00	-25.86	Average	line1	
8	3.17	26.42	16.74	9.68	56.00	-29.59	QP	line1	
9	6.49	19.91	10.19	9.72	50.00	-30.09	Average	line1	
10	6.49	25.98	16.26	9.72	60.00	-34.02	QP	line1	
11	13.92	31.91	22.14	9.77	50.00	-18.09	Average	line1	
12	13.92	40.52	30.75	9.77	60.00	-19.48	QP	line1	



TÜV Rheinland Taiwan Ltd.  
 No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)  
 Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.29	14.60	5.02	9.58	50.66	-36.06	Average	neutral	
2	0.29	23.25	13.67	9.58	60.66	-37.41	QP	neutral	
3	0.51	18.50	8.91	9.59	46.00	-27.50	Average	neutral	
4	0.51	26.68	17.09	9.59	56.00	-29.32	QP	neutral	
5	1.03	12.15	2.55	9.60	46.00	-33.85	Average	neutral	
6	1.03	19.66	10.06	9.60	56.00	-36.34	QP	neutral	
7	2.57	13.64	4.02	9.62	46.00	-32.36	Average	neutral	
8	2.57	21.25	11.63	9.62	56.00	-34.75	QP	neutral	
9	6.59	13.10	3.41	9.69	50.00	-36.50	Average	neutral	
10	6.59	20.83	11.14	9.69	60.00	-39.17	QP	neutral	
11	13.79	26.15	16.40	9.75	50.00	-23.85	Average	neutral	
12	13.79	37.76	28.01	9.75	60.00	-22.24	QP	neutral	