

RF Test Data for Bluetooth (BDR+EDR) (Conducted Measurements)

General Description of EUT	
Product Name:	StiX
Test Model:	5700
Sample ID:	20211022-08_1-01
Environmental Conditions	
Temperature:	25°C
Relative Humidity:	45%
Test Voltage:	AC 120V
Test Engineer:	HUANGJIANPING
Note: For a more detailed features description, please refer to the report TB-FCC184366	

Contents




1. 20dB Emission Bandwidth.....	3
1.1. Test Result	3
1.2. Test Graphs	4
2. Occupied Channel Bandwidth.....	7
2.1. Test Result	7
2.2. Test Graphs	8
3. Maximum conducted output power.....	11
3.1. Test Result	11
3.2. Test Graphs	12
4. Carrier frequency separation	15
4.1. Test Result	15
4.2. Test Graphs	16
5. Time of occupancy	17
5.1. Test Result	17
5.2. Test Graphs	18
6. Number of hopping channels.....	24
6.1. Test Result	24
6.2. Test Graphs	25
7. Band edge measurements	26
7.1. Test Result	26
7.2. Test Graphs	27
8. Conducted Spurious Emission.....	31
8.1. Test Result	31
8.2. Test Graphs	32
9. Duty Cycle.....	41
9.1. Test Result	41
9.2. Test Graphs	42
10. Emissions in Restricted Bands.....	43
10.1. Test Result.....	43
10.2. Test Graphs	45

1. 20dB Emission Bandwidth


1.1. Test Result

TestMode	Antenna	Channel	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.948	2401.526	2402.474	---	PASS
		2441	0.984	2440.496	2441.480	---	PASS
		2480	0.942	2479.496	2480.438	---	PASS
2DH5	Ant1	2402	1.344	2401.334	2402.678	---	PASS
		2441	1.344	2440.334	2441.678	---	PASS
		2480	1.335	2479.337	2480.672	---	PASS
3DH5	Ant1	2402	1.344	2401.325	2402.669	---	PASS
		2441	1.314	2440.334	2441.648	---	PASS
		2480	1.347	2479.328	2480.675	---	PASS


1.2. Test Graphs




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




2. Occupied Channel Bandwidth

2.1. Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.881	2401.559	2402.441	---	PASS
		2441	0.89	2440.553	2441.444	---	PASS
		2480	0.893	2479.556	2480.450	---	PASS
2DH5	Ant1	2402	1.202	2401.398	2402.599	---	PASS
		2441	1.223	2440.389	2441.611	---	PASS
		2480	1.214	2479.398	2480.611	---	PASS
3DH5	Ant1	2402	1.211	2401.389	2402.599	---	PASS
		2441	1.22	2440.386	2441.605	---	PASS
		2480	1.208	2479.398	2480.605	---	PASS

2.2. Test Graphs




2DH5_Ant1_2402




2DH5_Ant1_2441



2DH5_Ant1_2480




3DH5_Ant1_2402




Date: 18.NOV.2021 15:51:13

3DH5_Ant1_2441



Date: 18.NOV.2021 15:55:56

3DH5_Ant1_2480






Date: 18.NOV.2021 15:58:06

3. Maximum conducted output power


3.1. Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
DH5	Ant1	2402	5.96	≤20.97	PASS
		2441	6.22	≤20.97	PASS
		2480	5.38	≤20.97	PASS
2DH5	Ant1	2402	5.75	≤20.97	PASS
		2441	5.71	≤20.97	PASS
		2480	4.94	≤20.97	PASS
3DH5	Ant1	2402	5.55	≤20.97	PASS
		2441	6.09	≤20.97	PASS
		2480	4.84	≤20.97	PASS


3.2.Test Graphs




2DH5_Ant1_2402



2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480






4. Carrier frequency separation

4.1. Test Result

TestMode	Antenna	Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	0.881	≥0.656	PASS
2DH5	Ant1	Hop	1.003	≥0.896	PASS
3DH5	Ant1	Hop	1.177	≥0.898	PASS

4.2. Test Graphs







5. Time of occupancy



5.1. Test Result

TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant1	Hop	0.38	320	0.122	≤0.4	PASS
DH3	Ant1	Hop	1.63	180	0.293	≤0.4	PASS
DH5	Ant1	Hop	2.87	130	0.373	≤0.4	PASS
2DH1	Ant1	Hop	0.39	330	0.127	≤0.4	PASS
2DH3	Ant1	Hop	1.63	140	0.228	≤0.4	PASS
2DH5	Ant1	Hop	2.87	110	0.316	≤0.4	PASS
3DH1	Ant1	Hop	0.39	320	0.123	≤0.4	PASS
3DH3	Ant1	Hop	1.63	180	0.293	≤0.4	PASS
3DH5	Ant1	Hop	2.87	130	0.373	≤0.4	PASS


5.2.Test Graphs










2DH3_Ant1_Hop








2DH5_Ant1_Hop




3DH1_Ant1_Hop





3DH3_Ant1_Hop





3DH5_Ant1_Hop






6. Number of hopping channels

6.1. Test Result

TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS

6.2. Test Graphs






7. Band edge measurements


7.1. Test Result

TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	5.29	-48.38	≤-14.71	PASS
		High	2480	5.05	-46.26	≤-14.95	PASS
		Low	Hop_2402	5.70	-47.92	≤-14.3	PASS
		High	Hop_2480	4.58	-46.77	≤-15.42	PASS
2DH5	Ant1	Low	2402	3.54	-47.44	≤-16.46	PASS
		High	2480	1.96	-46.61	≤-18.04	PASS
		Low	Hop_2402	1.63	-47.59	≤-18.37	PASS
		High	Hop_2480	4.70	-46.25	≤-15.3	PASS
3DH5	Ant1	Low	2402	2.96	-47.49	≤-17.04	PASS
		High	2480	2.43	-46.05	≤-17.57	PASS
		Low	Hop_2402	1.41	-47.81	≤-18.59	PASS
		High	Hop_2480	4.41	-46.75	≤-15.59	PASS


7.2. Test Graphs




DH5_Ant1_High_Hop_2480




2DH5_Ant1_Low_2402



2DH5_Ant1_High_2480




2DH5_Ant1_Low_Hop_2402




Date: 18.NOV.2021 18:35:13

2DH5_Ant1_High_Hop_2480




Date: 18.NOV.2021 18:36:45

3DH5_Ant1_Low_2402




Date: 18.NOV.2021 15:31:23


3DH5_Ant1_High_2480



3DH5_Ant1_Low_Hop_2402



3DH5_Ant1_High_Hop_2480







8. Conducted Spurious Emission




8.1. Test Result




TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	4.99	4.99	---	PASS
			30~1000	4.99	-58.97	≤-15.01	PASS
			1000~26500	4.99	-49.3	≤-15.01	PASS
		2441	Reference	4.97	4.97	---	PASS
			30~1000	4.97	-58.13	≤-15.03	PASS
			1000~26500	4.97	-49.31	≤-15.03	PASS
		2480	Reference	4.21	4.21	---	PASS
			30~1000	4.21	-59.32	≤-15.79	PASS
			1000~26500	4.21	-48.97	≤-15.79	PASS
2DH5	Ant1	2402	Reference	2.58	2.58	---	PASS
			30~1000	2.58	-57.61	≤-17.42	PASS
			1000~26500	2.58	-49.63	≤-17.42	PASS
		2441	Reference	2.71	2.71	---	PASS
			30~1000	2.71	-59.4	≤-17.29	PASS
			1000~26500	2.71	-49.32	≤-17.29	PASS
		2480	Reference	1.84	1.84	---	PASS
			30~1000	1.84	-58.22	≤-18.16	PASS
			1000~26500	1.84	-49.37	≤-18.16	PASS
3DH5	Ant1	2402	Reference	2.57	2.57	---	PASS
			30~1000	2.57	-58.48	≤-17.43	PASS
			1000~26500	2.57	-49.18	≤-17.43	PASS
		2441	Reference	2.68	2.68	---	PASS
			30~1000	2.68	-57.41	≤-17.32	PASS
			1000~26500	2.68	-49.28	≤-17.32	PASS
		2480	Reference	1.82	1.82	---	PASS
			30~1000	1.82	-58.99	≤-18.18	PASS
			1000~26500	1.82	-49.8	≤-18.18	PASS

8.2.Test Graphs












2DH5_Ant1_2441_0~Reference









2DH5_Ant1_2441_30~1000






2DH5_Ant1_2441_1000~26500












3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500






9. Duty Cycle

9.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.86	3.72	76.88	---	PASS
		2441	0.00	0.08	100	---	PASS
		2480	2.86	3.72	76.88	---	PASS

9.2. Test Graphs



10. Emissions in Restricted Bands

10.1. Test Result





TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-49.53	≤-41.20	PASS
				AV	2340.783	-47.07	≤-41.20	PASS
				AV	2390.000	-49.38	≤-41.20	PASS
				Peak	2310.000	-41.11	≤-21.20	PASS
				Peak	2312.174	-36.9	≤-21.20	PASS
				Peak	2390.000	-41.06	≤-21.20	PASS
		High	2480	AV	2483.500	-48.53	≤-41.20	PASS
				AV	2483.913	-48.13	≤-41.20	PASS
				AV	2500.000	-48.58	≤-41.20	PASS
				Peak	2483.500	-39.37	≤-21.20	PASS
				Peak	2484.145	-37.78	≤-21.20	PASS
				Peak	2500.000	-38.77	≤-21.20	PASS
		Low	Hop_240 2	Peak	2310.000	-40.65	≤-21.20	PASS
				Peak	2346.870	-36.36	≤-21.20	PASS
				Peak	2390.000	-39.15	≤-21.20	PASS
		High	Hop_248 0	Peak	2483.500	-42.37	≤-21.20	PASS
				Peak	2484.725	-37.44	≤-21.20	PASS
				Peak	2500.000	-41.47	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-49.88	≤-41.20	PASS
				AV	2340.630	-47.56	≤-41.20	PASS
				AV	2390.000	-49.83	≤-41.20	PASS
				Peak	2310.000	-39.25	≤-21.20	PASS
				Peak	2341.239	-37.04	≤-21.20	PASS
				Peak	2390.000	-40.23	≤-21.20	PASS
		High	2480	AV	2483.500	-48.88	≤-41.20	PASS
				AV	2483.913	-48.74	≤-41.20	PASS
				AV	2500.000	-48.99	≤-41.20	PASS
				Peak	2483.500	-41.57	≤-21.20	PASS
				Peak	2499.217	-35.41	≤-21.20	PASS
				Peak	2500.000	-39.4	≤-21.20	PASS
		Low	Hop_240 2	Peak	2310.000	-37.77	≤-21.20	PASS
				Peak	2340.630	-36.04	≤-21.20	PASS
				Peak	2390.000	-37.67	≤-21.20	PASS
		High	Hop_248 0	Peak	2483.500	-38.98	≤-21.20	PASS
				Peak	2499.101	-35.54	≤-21.20	PASS
				Peak	2500.000	-38.27	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-49.88	≤-41.20	PASS
				AV	2341.087	-47.54	≤-41.20	PASS
				AV	2390.000	-49.83	≤-41.20	PASS
				Peak	2310.000	-40.55	≤-21.20	PASS


				Peak	2342.761	-36.04	≤-21.20	PASS		
				Peak	2390.000	-39.27	≤-21.20	PASS		
				High	2480	AV	2483.500	-48.87	≤-41.20	PASS
						AV	2483.913	-48.69	≤-41.20	PASS
						AV	2500.000	-48.97	≤-41.20	PASS
						Peak	2483.500	-40.45	≤-21.20	PASS
						Peak	2490.522	-37.65	≤-21.20	PASS
						Peak	2500.000	-40.94	≤-21.20	PASS
						Low	Hop_240 2	Peak	2310.000	-37.05
				Peak	2346.413			-35.49	≤-21.20	PASS
				Peak	2390.000			-39.2	≤-21.20	PASS
				High	Hop_248 0	Peak	2483.500	-37.79	≤-21.20	PASS
						Peak	2498.058	-35.53	≤-21.20	PASS
						Peak	2500.000	-36.1	≤-21.20	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

10.2. Test Graphs







DH5_Ant1_Low_Hop_2402_Peak




DH5_Ant1_High_Hop_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_Hop_2402_Peak




2DH5_Ant1_High_Hop_2480_Peak




3DH5_Ant1_Low_2402_AV






3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak



-----End of the report-----