






EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

| | |
|---|--|
| <p>EUT Housing and Board View 1</p> |  <p>This photograph shows the disassembled EUT housing and internal board assembly. The components are laid out on a blue surface. At the top is a red lanyard. Below it is the top black plastic housing with a mesh grille. In the center is the main black plastic housing containing the green PCB, two circular fans, and various electronic components. At the bottom are two circular metal mesh covers. A black ruler with white markings is placed vertically on the left side of the assembly, showing measurements in millimeters and centimeters.</p> |
| <p>Solder Board-Component View 1</p> |  <p>This photograph provides a close-up view of the green PCB component. The board is populated with various electronic components, including integrated circuits, capacitors, and connectors. A yellow electrolytic capacitor is prominent on the right side. A black ruler with white markings is placed vertically on the left side of the board, showing measurements in millimeters and centimeters.</p> |



| | |
|---|---|
| <p>Solder Board-Component View 3</p> |  <p>A photograph showing a blue cylindrical component with a black flexible ribbon cable attached. The component is placed on a black ruler with white markings for scale. The ruler shows measurements in millimeters. The component is positioned horizontally, with the blue part on the left and the black ribbon cable extending to the right. The blue part has some text printed on it, including 'HY 18650 3.6V 2500mAh 94h 201212 013FE'. The black ribbon cable is curved upwards and to the right. The background is a blue textured surface.</p> |
| <p>Solder Board-Component View 4</p> |  <p>A photograph showing the same blue cylindrical component and black flexible ribbon cable as in View 3, but from a different angle. The component is placed on a black ruler with white markings for scale. The ruler shows measurements in millimeters. The component is positioned horizontally, with the blue part on the left and the black ribbon cable extending to the right. The blue part has some text printed on it, including 'HY 18650 3.6V 2500mAh 94h 201212 013FE'. The black ribbon cable is curved upwards and to the right. The background is a blue textured surface.</p> |

