

1855.0	10	QPSK	1/0	16.34	V	6.6	0.47	22.47	34.77
1882.5	10	QPSK	1/49	14.81	V	6.6	0.47	20.94	34.77
1910.0	10	QPSK	1/0	14.05	V	6.6	0.47	20.18	34.77
1855.0	10	QPSK	1/0	14.42	H	6.6	0.47	20.55	34.77
1882.5	10	QPSK	1/49	14.12	H	6.6	0.47	20.25	34.77
1910.0	10	QPSK	1/0	15.04	H	6.6	0.47	21.17	34.77
1855.0	10	16-QAM	1/0	14.4	V	6.6	0.47	20.53	34.77
1882.5	10	16-QAM	1/49	14.32	V	6.6	0.47	20.45	34.77
1910.0	10	16-QAM	1/0	14.46	V	6.6	0.47	20.59	34.77
1855.0	10	16-QAM	1/0	17.19	H	6.6	0.47	23.32	34.77
1882.5	10	16-QAM	1/49	17.34	H	6.6	0.47	23.47	34.77
1910.0	10	16-QAM	1/0	17.21	H	6.6	0.47	23.34	34.77
1857.5	15	QPSK	1/0	15.27	V	6.6	0.47	21.4	34.77
1882.5	15	QPSK	1/74	15.18	V	6.6	0.47	21.31	34.77
1907.5	15	QPSK	1/0	15.39	V	6.6	0.47	21.52	34.77
1857.5	15	QPSK	1/0	16.22	H	6.6	0.47	22.35	34.77
1882.5	15	QPSK	1/74	16.16	H	6.6	0.47	22.29	34.77
1907.5	15	QPSK	1/0	16.16	H	6.6	0.47	22.29	34.77
1857.5	15	16-QAM	1/0	15.29	V	6.6	0.47	21.42	34.77
1882.5	15	16-QAM	1/74	15.34	V	6.6	0.47	21.47	34.77
1907.5	15	16-QAM	1/0	15.18	V	6.6	0.47	21.31	34.77
1857.5	15	16-QAM	1/0	17.29	H	6.6	0.47	23.42	34.77
1882.5	15	16-QAM	1/74	17.16	H	6.6	0.47	23.29	34.77
1907.5	15	16-QAM	1/0	17.22	H	6.6	0.47	23.35	34.77
1860.0	20	QPSK	1/99	15.16	V	6.6	0.47	21.29	34.77
1882.5	20	QPSK	1/99	15.17	V	6.6	0.47	21.3	34.77
1905.0	20	QPSK	1/0	15.19	V	6.6	0.47	21.32	34.77
1860.0	20	QPSK	1/99	16.39	H	6.6	0.47	22.52	34.77
1882.5	20	QPSK	1/99	16.49	H	6.6	0.47	22.62	34.77
1905.0	20	QPSK	1/0	16.35	H	6.6	0.47	22.48	34.77
1860.0	20	16-QAM	1/99	15.14	V	6.6	0.47	21.27	34.77
1882.5	20	16-QAM	1/99	15.16	V	6.6	0.47	21.29	34.77
1905.0	20	16-QAM	1/0	15.20	V	6.6	0.47	21.33	34.77
1860.0	20	16-QAM	1/99	17.13	H	6.6	0.47	23.26	34.77
1882.5	20	16-QAM	1/99	17.21	H	6.6	0.47	23.34	34.77
1905.0	20	16-QAM	1/0	17.32	H	6.6	0.47	23.45	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



ERP for LTE Band 26A

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
824.7	1.4	QPSK	1/0	14.03	V	6.6	0.48	20.15	34.77
836.5	1.4	QPSK	1/0	14.10	V	6.6	0.48	20.22	34.77
848.3	1.4	QPSK	1/0	14.32	V	6.6	0.48	20.44	34.77
824.7	1.4	QPSK	1/0	15.46	H	6.6	0.48	21.58	34.77
836.5	1.4	QPSK	1/0	15.31	H	6.6	0.48	21.43	34.77
848.3	1.4	QPSK	1/0	15.83	H	6.6	0.48	21.95	34.77
824.7	1.4	16-QAM	1/0	12.99	V	6.6	0.48	19.11	34.77
836.5	1.4	16-QAM	1/0	13.16	V	6.6	0.48	19.28	34.77
848.3	1.4	16-QAM	1/0	12.75	V	6.6	0.48	18.87	34.77
824.7	1.4	16-QAM	1/0	15.64	H	6.6	0.48	21.76	34.77
836.5	1.4	16-QAM	1/0	14.61	H	6.6	0.48	20.73	34.77
848.3	1.4	16-QAM	1/0	15.48	H	6.6	0.48	21.60	34.77
825.5	3	QPSK	1/0	14.3	V	6.6	0.48	20.42	34.77
836.5	3	QPSK	1/0	12.96	V	6.6	0.48	19.08	34.77
847.5	3	QPSK	1/0	13.57	V	6.6	0.48	19.69	34.77
825.5	3	QPSK	1/0	15.83	H	6.6	0.48	21.95	34.77
836.5	3	QPSK	1/0	14.96	H	6.6	0.48	21.08	34.77
847.5	3	QPSK	1/0	15.19	H	6.6	0.48	21.31	34.77
825.5	3	16-QAM	1/0	13.88	V	6.6	0.48	20.00	34.77
836.5	3	16-QAM	1/0	14.69	V	6.6	0.48	20.81	34.77
847.5	3	16-QAM	1/0	13.98	V	6.6	0.48	20.10	34.77
825.5	3	16-QAM	1/0	15.54	H	6.6	0.48	21.66	34.77
836.5	3	16-QAM	1/0	15.92	H	6.6	0.48	22.04	34.77
847.5	3	16-QAM	1/0	15.84	H	6.6	0.48	21.96	34.77
826.5	5	QPSK	1/0	14.29	V	6.6	0.48	20.41	34.77
836.5	5	QPSK	1/0	14.63	V	6.6	0.48	20.75	34.77
846.5	5	QPSK	1/0	14.45	V	6.6	0.48	20.57	34.77
826.5	5	QPSK	1/0	15.07	H	6.6	0.48	21.19	34.77
836.5	5	QPSK	1/0	15.78	H	6.6	0.48	21.90	34.77
846.5	5	QPSK	1/0	15.09	H	6.6	0.48	21.21	34.77
826.5	5	16-QAM	1/0	14.66	V	6.6	0.48	20.78	34.77
836.5	5	16-QAM	1/0	14.24	V	6.6	0.48	20.36	34.77
846.5	5	16-QAM	1/0	14.31	V	6.6	0.48	20.43	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



826.5	5	16-QAM	1/0	14.95	H	6.6	0.48	21.07	34.77
836.5	5	16-QAM	1/0	15.32	H	6.6	0.48	21.44	34.77
846.5	5	16-QAM	1/0	15.67	H	6.6	0.48	21.79	34.77
829	10	QPSK	1/0	12.53	V	6.6	0.48	18.65	34.77
836.5	10	QPSK	1/0	12.59	V	6.6	0.48	18.71	34.77
844	10	QPSK	1/0	12.44	V	6.6	0.48	18.56	34.77
829	10	QPSK	1/0	13.46	H	6.6	0.48	19.58	34.77
836.5	10	QPSK	1/0	13.80	H	6.6	0.48	19.92	34.77
844	10	QPSK	1/0	13.72	H	6.6	0.48	19.84	34.77
829	10	16-QAM	1/0	13.28	V	6.6	0.48	19.40	34.77
836.5	10	16-QAM	1/0	14.34	V	6.6	0.48	20.46	34.77
844	10	16-QAM	1/0	13.85	V	6.6	0.48	19.97	34.77
829	10	16-QAM	1/0	16.38	H	6.6	0.48	22.50	34.77
836.5	10	16-QAM	1/0	15.89	H	6.6	0.48	22.01	34.77
844	10	16-QAM	1/0	16.15	H	6.6	0.48	22.27	34.77
831.5	15	QPSK	1/0	14.67	V	6.6	0.48	20.79	34.77
836.5	15	QPSK	1/0	14.03	V	6.6	0.48	20.15	34.77
841.5	15	QPSK	1/0	15.32	V	6.6	0.48	21.44	34.77
831.5	15	QPSK	1/0	16.15	H	6.6	0.48	22.27	34.77
836.5	15	QPSK	1/0	16.51	H	6.6	0.48	22.63	34.77
841.5	15	QPSK	1/0	16.18	H	6.6	0.48	22.30	34.77
831.5	15	16-QAM	1/0	14.55	V	6.6	0.48	20.67	34.77
836.5	15	16-QAM	1/0	14.40	V	6.6	0.48	20.52	34.77
841.5	15	16-QAM	1/0	14.32	V	6.6	0.48	20.44	34.77
831.5	15	16-QAM	1/0	16.29	H	6.6	0.48	22.41	34.77
836.5	15	16-QAM	1/0	16.50	H	6.6	0.48	22.62	34.77
841.5	15	16-QAM	1/0	17.27	H	6.6	0.48	23.39	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



ERP for LTE Band 26B

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
814.7	1.4	QPSK	1/0	15.15	V	6.5	0.49	21.16	50
819.0	1.4	QPSK	1/0	15.51	V	6.5	0.49	21.52	50
823.3	1.4	QPSK	1/0	14.67	V	6.5	0.49	20.68	50
814.7	1.4	QPSK	1/0	15.24	H	6.5	0.49	21.25	50
819.0	1.4	QPSK	1/0	16.78	H	6.5	0.49	22.79	50
823.3	1.4	QPSK	1/0	16.78	H	6.5	0.49	22.79	50
814.7	1.4	16-QAM	1/0	12.47	V	6.5	0.49	18.48	50
819.0	1.4	16-QAM	1/0	12.02	V	6.5	0.49	18.03	50
823.3	1.4	16-QAM	1/0	12.83	V	6.5	0.49	18.84	50
814.7	1.4	16-QAM	1/0	14.46	H	6.5	0.49	20.47	50
819.0	1.4	16-QAM	1/0	14.16	H	6.5	0.49	20.17	50
823.3	1.4	16-QAM	1/0	14.34	H	6.5	0.49	20.35	50
815.5	3	QPSK	1/0	13.93	V	6.5	0.49	19.94	50
819.0	3	QPSK	1/0	13.18	V	6.5	0.49	19.19	50
822.5	3	QPSK	1/0	13.53	V	6.5	0.49	19.54	50
815.5	3	QPSK	1/0	14.75	H	6.5	0.49	20.76	50
819.0	3	QPSK	1/0	14.93	H	6.5	0.49	20.94	50
822.5	3	QPSK	1/0	14.53	H	6.5	0.49	20.54	50
815.5	3	16-QAM	1/0	14.73	V	6.5	0.49	20.74	50
819.0	3	16-QAM	1/0	14.4	V	6.5	0.49	20.41	50
822.5	3	16-QAM	1/0	14.13	V	6.5	0.49	20.14	50
815.5	3	16-QAM	1/0	15.73	H	6.5	0.49	21.74	50
819.0	3	16-QAM	1/0	15.14	H	6.5	0.49	21.15	50
822.5	3	16-QAM	1/0	16.04	H	6.5	0.49	22.05	50
816.5	5	QPSK	1/0	12.31	V	6.5	0.49	18.32	50
819.0	5	QPSK	1/0	12.09	V	6.5	0.49	18.10	50
821.5	5	QPSK	1/0	12.19	V	6.5	0.49	18.20	50
816.5	5	QPSK	1/0	13.67	H	6.5	0.49	19.68	50
819.0	5	QPSK	1/0	13.21	H	6.5	0.49	19.22	50
821.5	5	QPSK	1/0	13.12	H	6.5	0.49	19.13	50
816.5	5	16-QAM	1/0	14.39	V	6.5	0.49	20.40	50
819.0	5	16-QAM	1/0	14.86	V	6.5	0.49	20.87	50
821.5	5	16-QAM	1/0	14.89	V	6.5	0.49	20.90	50
816.5	5	16-QAM	1/0	15.88	H	6.5	0.49	21.89	50
819.0	5	16-QAM	1/0	15.32	H	6.5	0.49	21.33	50
821.5	5	16-QAM	1/0	15.91	H	6.5	0.49	21.92	50

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



819.0	10	QPSK	1/0	12.07	V	6.5	0.49	18.08	50
819.0	10	QPSK	1/0	11.95	H	6.5	0.49	17.96	50
819.0	10	16-QAM	1/0	14.02	V	6.5	0.49	20.03	50
819.0	10	16-QAM	1/0	14.15	H	6.5	0.49	20.16	50

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



ERP for LTE Band 38

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
2572.5	5	QPSK	1/0	13.66	V	8.22	1.10	20.78	33
2595	5	QPSK	1/0	13.21	V	8.22	1.10	20.33	33
2617.5	5	QPSK	1/24	13.79	V	8.22	1.10	20.91	33
2572.5	5	QPSK	1/0	14.63	H	8.22	1.10	21.75	33
2595	5	QPSK	1/0	14.22	H	8.22	1.10	21.34	33
2617.5	5	QPSK	1/24	13.92	H	8.22	1.10	21.04	33
2572.5	5	16-QAM	1/0	12.46	V	8.22	1.10	19.58	33
2595	5	16-QAM	1/0	12.10	V	8.22	1.10	19.22	33
2617.5	5	16-QAM	1/24	12.70	V	8.22	1.10	19.82	33
2572.5	5	16-QAM	1/0	15.23	H	8.22	1.10	22.35	33
2595	5	16-QAM	1/0	14.49	H	8.22	1.10	21.61	33
2617.5	5	16-QAM	1/24	14.22	H	8.22	1.10	21.34	33
2575	10	QPSK	1/0	14.00	V	8.22	1.10	21.12	33
2595	10	QPSK	1/49	14.66	V	8.22	1.10	21.78	33
2615	10	QPSK	1/0	14.35	V	8.22	1.10	21.47	33
2575	10	QPSK	1/0	16.15	H	8.22	1.10	23.27	33
2595	10	QPSK	1/49	15.56	H	8.22	1.10	22.68	33
2615	10	QPSK	1/0	15.28	H	8.22	1.10	22.40	33
2575	10	16-QAM	1/0	13.38	V	8.22	1.10	20.50	33
2595	10	16-QAM	1/49	13.35	V	8.22	1.10	20.47	33
2615	10	16-QAM	1/0	14.41	V	8.22	1.10	21.53	33
2575	10	16-QAM	1/0	14.6	H	8.22	1.10	21.72	33
2595	10	16-QAM	1/49	15.49	H	8.22	1.10	22.61	33
2615	10	16-QAM	1/0	15.69	H	8.22	1.10	22.81	33
2577.5	15	QPSK	1/0	15.49	V	8.22	1.10	22.61	33
2595	15	QPSK	1/74	13.36	V	8.22	1.10	20.48	33
2612.5	15	QPSK	1/0	13.01	V	8.22	1.10	20.13	33
2577.5	15	QPSK	1/0	13.42	H	8.22	1.10	20.54	33
2595	15	QPSK	1/74	14.96	H	8.22	1.10	22.08	33
2612.5	15	QPSK	1/0	15.05	H	8.22	1.10	22.17	33
2577.5	15	16-QAM	1/0	15.31	V	8.22	1.10	22.43	33
2595	15	16-QAM	1/74	14.54	V	8.22	1.10	21.66	33
2612.5	15	16-QAM	1/0	14.06	V	8.22	1.10	21.18	33
2577.5	15	16-QAM	1/0	15.14	H	8.22	1.10	22.26	33
2595	15	16-QAM	1/74	15.61	H	8.22	1.10	22.73	33
2612.5	15	16-QAM	1/0	15.41	H	8.22	1.10	22.53	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



2580	20	QPSK	1/99	12.61	V	8.22	1.10	19.73	33
2595	20	QPSK	1/99	13.19	V	8.22	1.10	20.31	33
2610	20	QPSK	1/0	13.85	V	8.22	1.10	20.97	33
2580	20	QPSK	1/99	15.43	H	8.22	1.10	22.55	33
2595	20	QPSK	1/99	15.15	H	8.22	1.10	22.27	33
2610	20	QPSK	1/0	14.37	H	8.22	1.10	21.49	33
2580	20	16-QAM	1/99	12.28	V	8.22	1.10	19.40	33
2595	20	16-QAM	1/99	12.42	V	8.22	1.10	19.54	33
2610	20	16-QAM	1/0	12.46	V	8.22	1.10	19.58	33
2580	20	16-QAM	1/99	13.99	H	8.22	1.10	21.11	33
2595	20	16-QAM	1/99	13.63	H	8.22	1.10	20.75	33
2610	20	16-QAM	1/0	14.65	H	8.22	1.10	21.77	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



ERP for LTE Band 41

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
2498.5	5	QPSK	1/0	14.99	V	8.23	1.12	22.10	33
2593.0	5	QPSK	1/0	15.13	V	8.23	1.12	22.24	33
2687.5	5	QPSK	1/24	15.25	V	8.23	1.12	22.36	33
2498.5	5	QPSK	1/0	16.39	H	8.23	1.12	23.50	33
2593.0	5	QPSK	1/0	16.37	H	8.23	1.12	23.48	33
2687.5	5	QPSK	1/24	16.75	H	8.23	1.12	23.86	33
2498.5	5	16-QAM	1/0	13.38	V	8.23	1.12	20.49	33
2593.0	5	16-QAM	1/0	14.27	V	8.23	1.12	21.38	33
2687.5	5	16-QAM	1/24	14.79	V	8.23	1.12	21.90	33
2498.5	5	16-QAM	1/0	15.54	H	8.23	1.12	22.65	33
2593.0	5	16-QAM	1/0	15.22	H	8.23	1.12	22.33	33
2687.5	5	16-QAM	1/24	15.85	H	8.23	1.12	22.96	33
2501.0	10	QPSK	1/0	13.73	V	8.23	1.12	20.84	33
2593.0	10	QPSK	1/49	13.65	V	8.23	1.12	20.76	33
2685.0	10	QPSK	1/0	13.31	V	8.23	1.12	20.42	33
2501.0	10	QPSK	1/0	15.47	H	8.23	1.12	22.58	33
2593.0	10	QPSK	1/49	14.93	H	8.23	1.12	22.04	33
2685.0	10	QPSK	1/0	15.45	H	8.23	1.12	22.56	33
2501.0	10	16-QAM	1/0	13.18	V	8.23	1.12	20.29	33
2593.0	10	16-QAM	1/49	13.76	V	8.23	1.12	20.87	33
2685.0	10	16-QAM	1/0	14.36	V	8.23	1.12	21.47	33
2501.0	10	16-QAM	1/0	15.09	H	8.23	1.12	22.20	33
2593.0	10	16-QAM	1/49	15.86	H	8.23	1.12	22.97	33
2685.0	10	16-QAM	1/0	15.01	H	8.23	1.12	22.12	33
2503.5	15	QPSK	1/0	13.78	V	8.23	1.12	20.89	33
2593.0	15	QPSK	1/74	13.07	V	8.23	1.12	20.18	33
2682.5	15	QPSK	1/0	13.46	V	8.23	1.12	20.57	33
2503.5	15	QPSK	1/0	15.94	H	8.23	1.12	23.05	33
2593.0	15	QPSK	1/74	15.28	H	8.23	1.12	22.39	33
2682.5	15	QPSK	1/0	15.1	H	8.23	1.12	22.21	33
2503.5	15	16-QAM	1/0	13.7	V	8.23	1.12	20.81	33
2593.0	15	16-QAM	1/74	13.78	V	8.23	1.12	20.89	33
2682.5	15	16-QAM	1/0	14.01	V	8.23	1.12	21.12	33
2503.5	15	16-QAM	1/0	14.47	H	8.23	1.12	21.58	33
2593.0	15	16-QAM	1/74	14.71	H	8.23	1.12	21.82	33
2682.5	15	16-QAM	1/0	15.55	H	8.23	1.12	22.66	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



2506.0	20	QPSK	1/99	11.94	V	8.23	1.12	19.05	33
2593.0	20	QPSK	1/99	12.6	V	8.23	1.12	19.71	33
2680.0	20	QPSK	1/0	12.43	V	8.23	1.12	19.54	33
2506.0	20	QPSK	1/99	15.35	H	8.23	1.12	22.46	33
2593.0	20	QPSK	1/99	15.38	H	8.23	1.12	22.49	33
2680.0	20	QPSK	1/0	15.27	H	8.23	1.12	22.38	33
2506.0	20	16-QAM	1/99	15.24	V	8.23	1.12	22.35	33
2593.0	20	16-QAM	1/99	15.03	V	8.23	1.12	22.14	33
2680.0	20	16-QAM	1/0	14.94	V	8.23	1.12	22.05	33
2506.0	20	16-QAM	1/99	16.73	H	8.23	1.12	23.84	33
2593.0	20	16-QAM	1/99	16.03	H	8.23	1.12	23.14	33
2680.0	20	16-QAM	1/0	16.31	H	8.23	1.12	23.42	33

Note: Above is the worst mode data.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Glue Stick Antenna:

EIRP for LTE Band 2

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
1850.7	1.4	QPSK	1/0	13.54	V	7.95	0.79	20.70	33
1880.0	1.4	QPSK	1/0	12.84	V	7.95	0.79	20.00	33
1909.3	1.4	QPSK	1/0	12.97	V	7.95	0.79	20.13	33
1850.7	1.4	QPSK	1/0	13.62	H	7.95	0.79	20.78	33
1880.0	1.4	QPSK	1/0	13.98	H	7.95	0.79	21.14	33
1909.3	1.4	QPSK	1/0	14.74	H	7.95	0.79	21.90	33
1850.7	1.4	16-QAM	1/5	12.26	V	7.95	0.79	19.42	33
1880.0	1.4	16-QAM	1/0	12.52	V	7.95	0.79	19.68	33
1909.3	1.4	16-QAM	1/0	12.53	V	7.95	0.79	19.69	33
1850.7	1.4	16-QAM	1/5	13.62	H	7.95	0.79	20.78	33
1880.0	1.4	16-QAM	1/0	13.06	H	7.95	0.79	20.22	33
1909.3	1.4	16-QAM	1/0	13.22	H	7.95	0.79	20.38	33
1851.5	3	QPSK	1/0	12.38	V	7.95	0.79	19.54	33
1880.0	3	QPSK	1/0	12.52	V	7.95	0.79	19.68	33
1908.5	3	QPSK	1/0	12.07	V	7.95	0.79	19.23	33
1851.5	3	QPSK	1/0	13.78	H	7.95	0.79	20.94	33
1880.0	3	QPSK	1/0	12.88	H	7.95	0.79	20.04	33
1908.5	3	QPSK	1/0	13.26	H	7.95	0.79	20.42	33
1851.5	3	16-QAM	1/0	12.96	V	7.95	0.79	20.12	33
1880.0	3	16-QAM	1/0	13.7	V	7.95	0.79	20.86	33
1908.5	3	16-QAM	1/0	12.27	V	7.95	0.79	19.43	33
1851.5	3	16-QAM	1/0	14.48	H	7.95	0.79	21.64	33
1880.0	3	16-QAM	1/0	14.58	H	7.95	0.79	21.74	33
1908.5	3	16-QAM	1/0	14.29	H	7.95	0.79	21.45	33
1852.5	5	QPSK	1/0	14.56	V	7.95	0.79	21.72	33
1880.0	5	QPSK	1/0	14.14	V	7.95	0.79	21.30	33
1907.5	5	QPSK	1/24	13.92	V	7.95	0.79	21.08	33
1852.5	5	QPSK	1/0	15.46	H	7.95	0.79	22.62	33
1880.0	5	QPSK	1/0	15.75	H	7.95	0.79	22.91	33
1907.5	5	QPSK	1/24	15.13	H	7.95	0.79	22.29	33
1852.5	5	16-QAM	1/0	13.66	V	7.95	0.79	20.82	33
1880.0	5	16-QAM	1/0	13.54	V	7.95	0.79	20.70	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



1907.5	5	16-QAM	1/24	13.75	V	7.95	0.79	20.91	33
1852.5	5	16-QAM	1/0	13.99	H	7.95	0.79	21.15	33
1880.0	5	16-QAM	1/0	14.08	H	7.95	0.79	21.24	33
1907.5	5	16-QAM	1/24	14.34	H	7.95	0.79	21.50	33
1855	10	QPSK	1/0	12.54	V	7.95	0.79	19.70	33
1880	10	QPSK	1/49	12.12	V	7.95	0.79	19.28	33
1905	10	QPSK	1/0	12.83	V	7.95	0.79	19.99	33
1855	10	QPSK	1/0	12.87	H	7.95	0.79	20.03	33
1880	10	QPSK	1/49	13.14	H	7.95	0.79	20.30	33
1905	10	QPSK	1/0	13.33	H	7.95	0.79	20.49	33
1855	10	16-QAM	1/0	12.29	V	7.95	0.79	19.45	33
1880	10	16-QAM	1/49	11.92	V	7.95	0.79	19.08	33
1905	10	16-QAM	1/0	12.29	V	7.95	0.79	19.45	33
1855	10	16-QAM	1/0	14.16	H	7.95	0.79	21.32	33
1880	10	16-QAM	1/49	14.4	H	7.95	0.79	21.56	33
1905	10	16-QAM	1/0	14.37	H	7.95	0.79	21.53	33
1857.5	15	QPSK	1/0	13.46	V	7.95	0.79	20.62	33
1880	15	QPSK	1/74	12.86	V	7.95	0.79	20.02	33
1902.5	15	QPSK	1/0	13.24	V	7.95	0.79	20.40	33
1857.5	15	QPSK	1/0	14.44	H	7.95	0.79	21.60	33
1880	15	QPSK	1/74	14.11	H	7.95	0.79	21.27	33
1902.5	15	QPSK	1/0	14.46	H	7.95	0.79	21.62	33
1857.5	15	16-QAM	1/0	11.76	V	7.95	0.79	18.92	33
1880	15	16-QAM	1/74	12.32	V	7.95	0.79	19.48	33
1902.5	15	16-QAM	1/0	11.98	V	7.95	0.79	19.14	33
1857.5	15	16-QAM	1/0	13.44	H	7.95	0.79	20.60	33
1880	15	16-QAM	1/74	13.63	H	7.95	0.79	20.79	33
1902.5	15	16-QAM	1/0	13.14	H	7.95	0.79	20.30	33
1860	20	QPSK	1/99	13.3	V	7.95	0.79	20.46	33
1880	20	QPSK	1/99	12.85	V	7.95	0.79	20.01	33
1900	20	QPSK	1/0	12.87	V	7.95	0.79	20.03	33
1860	20	QPSK	1/99	14.61	H	7.95	0.79	21.77	33
1880	20	QPSK	1/99	14.23	H	7.95	0.79	21.39	33
1900	20	QPSK	1/0	14.81	H	7.95	0.79	21.97	33
1860	20	16-QAM	1/99	12.79	V	7.95	0.79	19.95	33
1880	20	16-QAM	1/99	13.48	V	7.95	0.79	20.64	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



1900	20	16-QAM	1/0	12.56	V	7.95	0.79	19.72	33
1860	20	16-QAM	1/99	16.15	H	7.95	0.79	23.31	33
1880	20	16-QAM	1/99	15.95	H	7.95	0.79	23.11	33
1900	20	16-QAM	1/0	16.24	H	7.95	0.79	23.4	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



EIRP for LTE Band 4

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
1710.7	1.4	QPSK	1/0	13.88	V	7.95	0.79	21.04	30
1732.5	1.4	QPSK	1/0	14.25	V	7.95	0.79	21.41	30
1754.3	1.4	QPSK	1/0	14.38	V	7.95	0.79	21.54	30
1710.7	1.4	QPSK	1/0	16.02	H	7.95	0.79	23.18	30
1732.5	1.4	QPSK	1/0	16.21	H	7.95	0.79	23.37	30
1754.3	1.4	QPSK	1/0	16.25	H	7.95	0.79	23.41	30
1710.7	1.4	16-QAM	1/5	13.77	V	7.95	0.79	20.93	30
1732.5	1.4	16-QAM	1/0	13.85	V	7.95	0.79	21.01	30
1754.3	1.4	16-QAM	1/0	13.67	V	7.95	0.79	20.83	30
1710.7	1.4	16-QAM	1/5	15.87	H	7.95	0.79	23.03	30
1732.5	1.4	16-QAM	1/0	15.95	H	7.95	0.79	23.11	30
1754.3	1.4	16-QAM	1/0	15.98	H	7.95	0.79	23.14	30
1711.5	3	QPSK	1/0	14.12	V	7.95	0.79	21.28	30
1732.5	3	QPSK	1/0	14.47	V	7.95	0.79	21.63	30
1753.5	3	QPSK	1/0	14.31	V	7.95	0.79	21.47	30
1711.5	3	QPSK	1/0	15.90	H	7.95	0.79	23.06	30
1732.5	3	QPSK	1/0	16.15	H	7.95	0.79	23.31	30
1753.5	3	QPSK	1/0	16.09	H	7.95	0.79	23.25	30
1711.5	3	16-QAM	1/0	13.98	V	7.95	0.79	21.14	30
1732.5	3	16-QAM	1/0	14.22	V	7.95	0.79	21.38	30
1753.5	3	16-QAM	1/0	13.39	V	7.95	0.79	20.55	30
1711.5	3	16-QAM	1/0	16.11	H	7.95	0.79	23.27	30
1732.5	3	16-QAM	1/0	16.08	H	7.95	0.79	23.24	30
1753.5	3	16-QAM	1/0	15.07	H	7.95	0.79	22.23	30
1712.5	5	QPSK	1/0	13.26	V	7.95	0.79	20.42	30
1732.5	5	QPSK	1/0	13.32	V	7.95	0.79	20.48	30
1752.5	5	QPSK	1/24	13.14	V	7.95	0.79	20.30	30
1712.5	5	QPSK	1/0	15.31	H	7.95	0.79	22.47	30
1732.5	5	QPSK	1/0	15.43	H	7.95	0.79	22.59	30
1752.5	5	QPSK	1/24	15.27	H	7.95	0.79	22.43	30
1712.5	5	16-QAM	1/0	13.75	V	7.95	0.79	20.91	30
1732.5	5	16-QAM	1/0	13.40	V	7.95	0.79	20.56	30
1752.5	5	16-QAM	1/24	13.59	V	7.95	0.79	20.75	30
1712.5	5	16-QAM	1/0	15.28	H	7.95	0.79	22.44	30
1732.5	5	16-QAM	1/0	15.25	H	7.95	0.79	22.41	30
1752.5	5	16-QAM	1/24	15.28	H	7.95	0.79	22.44	30

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



1715	10	QPSK	1/0	13.10	V	7.95	0.79	20.26	30
1732.5	10	QPSK	1/49	13.50	V	7.95	0.79	20.66	30
1750	10	QPSK	1/0	13.63	V	7.95	0.79	20.79	30
1715	10	QPSK	1/0	15.13	H	7.95	0.79	22.29	30
1732.5	10	QPSK	1/49	15.37	H	7.95	0.79	22.53	30
1750	10	QPSK	1/0	15.32	H	7.95	0.79	22.48	30
1715	10	16-QAM	1/0	14.20	V	7.95	0.79	21.36	30
1732.5	10	16-QAM	1/49	14.24	V	7.95	0.79	21.40	30
1750	10	16-QAM	1/0	13.97	V	7.95	0.79	21.13	30
1715	10	16-QAM	1/0	15.98	H	7.95	0.79	23.14	30
1732.5	10	16-QAM	1/49	16.10	H	7.95	0.79	23.26	30
1750	10	16-QAM	1/0	15.91	H	7.95	0.79	23.07	30
1717.5	15	QPSK	1/0	13.91	V	7.95	0.79	21.07	30
1732.5	15	QPSK	1/74	13.89	V	7.95	0.79	21.05	30
1747.5	15	QPSK	1/0	14.01	V	7.95	0.79	21.17	30
1717.5	15	QPSK	1/0	15.94	H	7.95	0.79	23.10	30
1732.5	15	QPSK	1/74	15.93	H	7.95	0.79	23.09	30
1747.5	15	QPSK	1/0	16.00	H	7.95	0.79	23.16	30
1717.5	15	16-QAM	1/0	14.13	V	7.95	0.79	21.29	30
1732.5	15	16-QAM	1/74	13.92	V	7.95	0.79	21.08	30
1747.5	15	16-QAM	1/0	13.95	V	7.95	0.79	21.11	30
1717.5	15	16-QAM	1/0	15.90	H	7.95	0.79	23.06	30
1732.5	15	16-QAM	1/74	15.61	H	7.95	0.79	22.77	30
1747.5	15	16-QAM	1/0	15.81	H	7.95	0.79	22.97	30
1720	20	QPSK	1/99	13.11	V	7.95	0.79	20.27	30
1732.5	20	QPSK	1/99	12.88	V	7.95	0.79	20.04	30
1745	20	QPSK	1/0	12.82	V	7.95	0.79	19.98	30
1720	20	QPSK	1/99	14.96	H	7.95	0.79	22.12	30
1732.5	20	QPSK	1/99	14.91	H	7.95	0.79	22.07	30
1745	20	QPSK	1/0	14.96	H	7.95	0.79	22.12	30
1720	20	16-QAM	1/99	12.00	V	7.95	0.79	19.16	30
1732.5	20	16-QAM	1/99	12.60	V	7.95	0.79	19.76	30
1745	20	16-QAM	1/0	12.52	V	7.95	0.79	19.68	30
1720	20	16-QAM	1/99	14.21	H	7.95	0.79	21.37	30
1732.5	20	16-QAM	1/99	14.64	H	7.95	0.79	21.80	30
1745	20	16-QAM	1/0	14.60	H	7.95	0.79	21.76	30

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



ERP for LTE Band 5

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
824.7	1.4	QPSK	1/0	13.83	V	6.7	0.49	20.04	38.45
836.5	1.4	QPSK	1/0	13.77	V	6.7	0.49	19.98	38.45
848.3	1.4	QPSK	1/0	14.65	V	6.7	0.49	20.86	38.45
824.7	1.4	QPSK	1/0	15.95	H	6.7	0.49	22.16	38.45
836.5	1.4	QPSK	1/0	15.87	H	6.7	0.49	22.08	38.45
848.3	1.4	QPSK	1/0	16.34	H	6.7	0.49	22.55	38.45
824.7	1.4	16-QAM	1/0	14.20	V	6.7	0.49	20.41	38.45
836.5	1.4	16-QAM	1/0	14.57	V	6.7	0.49	20.78	38.45
848.3	1.4	16-QAM	1/0	15.41	V	6.7	0.49	21.62	38.45
824.7	1.4	16-QAM	1/0	16.53	H	6.7	0.49	22.74	38.45
836.5	1.4	16-QAM	1/0	17.42	H	6.7	0.49	23.63	38.45
848.3	1.4	16-QAM	1/0	17.23	H	6.7	0.49	23.44	38.45
825.5	3	QPSK	1/0	15.55	V	6.7	0.49	21.76	38.45
836.5	3	QPSK	1/0	15.29	V	6.7	0.49	21.5	38.45
847.5	3	QPSK	1/0	14.94	V	6.7	0.49	21.15	38.45
825.5	3	QPSK	1/0	17.33	H	6.7	0.49	23.54	38.45
836.5	3	QPSK	1/0	17.25	H	6.7	0.49	23.46	38.45
847.5	3	QPSK	1/0	16.97	H	6.7	0.49	23.18	38.45
825.5	3	16-QAM	1/0	14.30	V	6.7	0.49	20.51	38.45
836.5	3	16-QAM	1/0	14.55	V	6.7	0.49	20.76	38.45
847.5	3	16-QAM	1/0	14.78	V	6.7	0.49	20.99	38.45
825.5	3	16-QAM	1/0	16.44	H	6.7	0.49	22.65	38.45
836.5	3	16-QAM	1/0	16.24	H	6.7	0.49	22.45	38.45
847.5	3	16-QAM	1/0	16.25	H	6.7	0.49	22.46	38.45
826.5	5	QPSK	1/0	15.13	V	6.7	0.49	21.34	38.45
836.5	5	QPSK	1/0	14.67	V	6.7	0.49	20.88	38.45
846.5	5	QPSK	1/0	14.33	V	6.7	0.49	20.54	38.45
826.5	5	QPSK	1/0	16.49	H	6.7	0.49	22.70	38.45
836.5	5	QPSK	1/0	16.41	H	6.7	0.49	22.62	38.45
846.5	5	QPSK	1/0	16.38	H	6.7	0.49	22.59	38.45
826.5	5	16-QAM	1/0	14.58	V	6.7	0.49	20.79	38.45
836.5	5	16-QAM	1/0	13.97	V	6.7	0.49	20.18	38.45
846.5	5	16-QAM	1/0	13.80	V	6.7	0.49	20.01	38.45
826.5	5	16-QAM	1/0	16.44	H	6.7	0.49	22.65	38.45
836.5	5	16-QAM	1/0	16.02	H	6.7	0.49	22.23	38.45
846.5	5	16-QAM	1/0	15.94	H	6.7	0.49	22.15	38.45

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



829	10	QPSK	1/0	13.94	V	6.7	0.49	20.15	38.45
836.5	10	QPSK	1/0	14.32	V	6.7	0.49	20.53	38.45
844	10	QPSK	1/0	14.52	V	6.7	0.49	20.73	38.45
829	10	QPSK	1/0	16.10	H	6.7	0.49	22.31	38.45
836.5	10	QPSK	1/0	15.99	H	6.7	0.49	22.20	38.45
844	10	QPSK	1/0	15.99	H	6.7	0.49	22.20	38.45
829	10	16-QAM	1/0	14.54	V	6.7	0.49	20.75	38.45
836.5	10	16-QAM	1/0	14.28	V	6.7	0.49	20.49	38.45
844	10	16-QAM	1/0	14.22	V	6.7	0.49	20.43	38.45
829	10	16-QAM	1/0	16.07	H	6.7	0.49	22.28	38.45
836.5	10	16-QAM	1/0	16.02	H	6.7	0.49	22.23	38.45
844	10	16-QAM	1/0	16.00	H	6.7	0.49	22.21	38.45

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



ERP for LTE Band 7

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
2502.5	5	QPSK	1/0	14.61	V	8.23	1.12	21.72	33
2535	5	QPSK	1/0	14.59	V	8.23	1.12	21.70	33
2567.5	5	QPSK	1/24	14.26	V	8.23	1.12	21.37	33
2502.5	5	QPSK	1/0	16.47	H	8.23	1.12	23.58	33
2535	5	QPSK	1/0	16.72	H	8.23	1.12	23.83	33
2567.5	5	QPSK	1/24	16.24	H	8.23	1.12	23.35	33
2502.5	5	16-QAM	1/0	14.33	V	8.23	1.12	21.44	33
2535	5	16-QAM	1/0	14.29	V	8.23	1.12	21.40	33
2567.5	5	16-QAM	1/24	13.93	V	8.23	1.12	21.04	33
2502.5	5	16-QAM	1/0	16.56	H	8.23	1.12	23.67	33
2535	5	16-QAM	1/0	16.72	H	8.23	1.12	23.83	33
2567.5	5	16-QAM	1/24	16.4	H	8.23	1.12	23.51	33
2505	10	QPSK	1/0	14.57	V	8.23	1.12	21.68	33
2535	10	QPSK	1/49	14.66	V	8.23	1.12	21.77	33
2565	10	QPSK	1/0	14.57	V	8.23	1.12	21.68	33
2505	10	QPSK	1/0	16.56	H	8.23	1.12	23.67	33
2535	10	QPSK	1/49	16.66	H	8.23	1.12	23.77	33
2565	10	QPSK	1/0	16.42	H	8.23	1.12	23.53	33
2505	10	16-QAM	1/0	14.01	V	8.23	1.12	21.12	33
2535	10	16-QAM	1/49	13.28	V	8.23	1.12	20.39	33
2565	10	16-QAM	1/0	13.45	V	8.23	1.12	20.56	33
2505	10	16-QAM	1/0	15.87	H	8.23	1.12	22.98	33
2535	10	16-QAM	1/49	15.29	H	8.23	1.12	22.40	33
2565	10	16-QAM	1/0	15.58	H	8.23	1.12	22.69	33
2507.5	15	QPSK	1/0	13.61	V	8.23	1.12	20.72	33
2535	15	QPSK	1/74	13.83	V	8.23	1.12	20.94	33
2562.5	15	QPSK	1/0	13.37	V	8.23	1.12	20.48	33
2507.5	15	QPSK	1/0	15.38	H	8.23	1.12	22.49	33
2535	15	QPSK	1/74	15.71	H	8.23	1.12	22.82	33
2562.5	15	QPSK	1/0	15.33	H	8.23	1.12	22.44	33
2507.5	15	16-QAM	1/0	13.53	V	8.23	1.12	20.64	33
2535	15	16-QAM	1/74	13.82	V	8.23	1.12	20.93	33
2562.5	15	16-QAM	1/0	13.76	V	8.23	1.12	20.87	33
2507.5	15	16-QAM	1/0	15.27	H	8.23	1.12	22.38	33
2535	15	16-QAM	1/74	15.67	H	8.23	1.12	22.78	33
2562.5	15	16-QAM	1/0	15.45	H	8.23	1.12	22.56	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



2510	20	QPSK	1/99	14.48	V	8.23	1.12	21.59	33
2535	20	QPSK	1/99	14.9	V	8.23	1.12	22.01	33
2560	20	QPSK	1/0	14.17	V	8.23	1.12	21.28	33
2510	20	QPSK	1/99	16.58	H	8.23	1.12	23.69	33
2535	20	QPSK	1/99	17.12	H	8.23	1.12	24.23	33
2560	20	QPSK	1/0	16.31	H	8.23	1.12	23.42	33
2510	20	16-QAM	1/99	14.08	V	8.23	1.12	21.19	33
2535	20	16-QAM	1/99	14.74	V	8.23	1.12	21.85	33
2560	20	16-QAM	1/0	14.95	V	8.23	1.12	22.06	33
2510	20	16-QAM	1/99	15.84	H	8.23	1.12	22.95	33
2535	20	16-QAM	1/99	16.74	H	8.23	1.12	23.85	33
2560	20	16-QAM	1/0	17.38	H	8.23	1.12	24.49	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



ERP for LTE Band 12

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
699.7	1.4	QPSK	1/0	14.19	V	6.6	0.47	20.32	34.77
707.5	1.4	QPSK	1/0	13.84	V	6.6	0.47	19.97	34.77
715.3	1.4	QPSK	1/24	13.58	V	6.6	0.47	19.71	34.77
699.7	1.4	QPSK	1/0	16.15	H	6.6	0.47	22.28	34.77
707.5	1.4	QPSK	1/0	16.09	H	6.6	0.47	22.22	34.77
715.3	1.4	QPSK	1/24	15.99	H	6.6	0.47	22.12	34.77
699.7	1.4	16-QAM	1/0	13.84	V	6.6	0.47	19.97	34.77
707.5	1.4	16-QAM	1/0	13.54	V	6.6	0.47	19.67	34.77
715.3	1.4	16-QAM	1/24	13.67	V	6.6	0.47	19.80	34.77
699.7	1.4	16-QAM	1/0	16.07	H	6.6	0.47	22.20	34.77
707.5	1.4	16-QAM	1/0	15.97	H	6.6	0.47	22.10	34.77
715.3	1.4	16-QAM	1/24	16.14	H	6.6	0.47	22.27	34.77
700.5	3	QPSK	1/0	13.93	V	6.6	0.47	20.06	34.77
707.5	3	QPSK	1/49	14.02	V	6.6	0.47	20.15	34.77
714.5	3	QPSK	1/0	14.08	V	6.6	0.47	20.21	34.77
700.5	3	QPSK	1/0	15.92	H	6.6	0.47	22.05	34.77
707.5	3	QPSK	1/49	16.02	H	6.6	0.47	22.15	34.77
714.5	3	QPSK	1/0	15.93	H	6.6	0.47	22.06	34.77
700.5	3	16-QAM	1/0	14.16	V	6.6	0.47	20.29	34.77
707.5	3	16-QAM	1/49	12.99	V	6.6	0.47	19.12	34.77
714.5	3	16-QAM	1/0	14.43	V	6.6	0.47	20.56	34.77
700.5	3	16-QAM	1/0	16.02	H	6.6	0.47	22.15	34.77
707.5	3	16-QAM	1/49	15.00	H	6.6	0.47	21.13	34.77
714.5	3	16-QAM	1/0	16.56	H	6.6	0.47	22.69	34.77
701.5	5	QPSK	1/0	12.72	V	6.6	0.47	18.85	34.77
707.5	5	QPSK	1/74	12.85	V	6.6	0.47	18.98	34.77
713.5	5	QPSK	1/0	12.48	V	6.6	0.47	18.61	34.77
701.5	5	QPSK	1/0	14.49	H	6.6	0.47	20.62	34.77
707.5	5	QPSK	1/74	14.73	H	6.6	0.47	20.86	34.77
713.5	5	QPSK	1/0	14.44	H	6.6	0.47	20.57	34.77
701.5	5	16-QAM	1/0	13.5	V	6.6	0.47	19.63	34.77
707.5	5	16-QAM	1/74	13.36	V	6.6	0.47	19.49	34.77
713.5	5	16-QAM	1/0	13.62	V	6.6	0.47	19.75	34.77
701.5	5	16-QAM	1/0	15.24	H	6.6	0.47	21.37	34.77
707.5	5	16-QAM	1/74	15.21	H	6.6	0.47	21.34	34.77
713.5	5	16-QAM	1/0	15.31	H	6.6	0.47	21.44	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



704.0	10	QPSK	1/99	13.11	V	6.6	0.47	19.24	34.77
707.5	10	QPSK	1/99	12.9	V	6.6	0.47	19.03	34.77
711.0	10	QPSK	1/0	130	V	6.6	0.47	19.13	34.77
704.0	10	QPSK	1/99	15.21	H	6.6	0.47	21.34	34.77
707.5	10	QPSK	1/99	15.12	H	6.6	0.47	21.25	34.77
711.0	10	QPSK	1/0	15.14	H	6.6	0.47	21.27	34.77
704.0	10	16-QAM	1/99	14.26	V	6.6	0.47	20.39	34.77
707.5	10	16-QAM	1/99	14.10	V	6.6	0.47	20.23	34.77
711.0	10	16-QAM	1/0	13.38	V	6.6	0.47	19.51	34.77
704.0	10	16-QAM	1/99	16.02	H	6.6	0.47	22.15	34.77
707.5	10	16-QAM	1/99	16.10	H	6.6	0.47	22.23	34.77
711.0	10	16-QAM	1/0	15.81	H	6.6	0.47	21.94	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



ERP for LTE Band 13

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
779.5	5	QPSK	1/0	14.31	V	6.6	0.47	20.44	34.77
782.0	5	QPSK	1/74	16.93	V	6.6	0.47	20.14	34.77
784.5	5	QPSK	1/0	17.28	V	6.6	0.47	19.92	34.77
779.5	5	QPSK	1/0	16.27	H	6.6	0.47	22.40	34.77
782.0	5	QPSK	1/74	16.26	H	6.6	0.47	22.39	34.77
784.5	5	QPSK	1/0	16.20	H	6.6	0.47	22.33	34.77
779.5	5	16-QAM	1/0	16.30	V	6.6	0.47	21.37	34.77
782.0	5	16-QAM	1/74	17.32	V	6.6	0.47	19.89	34.77
784.5	5	16-QAM	1/0	17.50	V	6.6	0.47	20.05	34.77
779.5	5	16-QAM	1/0	17.47	H	6.6	0.47	23.60	34.77
782.0	5	16-QAM	1/74	16.19	H	6.6	0.47	22.32	34.77
784.5	5	16-QAM	1/0	16.39	H	6.6	0.47	22.52	34.77
782.0	10	QPSK	1/99	16.37	V	6.6	0.47	21.92	34.77
782.0	10	QPSK	1/99	16.25	H	6.6	0.47	21.53	34.77
782.0	10	16-QAM	1/99	17.27	V	6.6	0.47	20.45	34.77
782.0	10	16-QAM	1/99	17.78	H	6.6	0.47	23.91	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



ERP for LTE Band 25

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
1850.7	1.4	QPSK	1/0	13.76	V	6.6	0.47	19.89	34.77
1882.5	1.4	QPSK	1/0	14.29	V	6.6	0.47	20.42	34.77
1914.3	1.4	QPSK	1/0	14.10	V	6.6	0.47	20.23	34.77
1850.7	1.4	QPSK	1/0	16.28	H	6.6	0.47	22.41	34.77
1882.5	1.4	QPSK	1/0	16.4	H	6.6	0.47	22.53	34.77
1914.3	1.4	QPSK	1/0	16.48	H	6.6	0.47	22.61	34.77
1850.7	1.4	16-QAM	1/5	13.79	V	6.6	0.47	19.92	34.77
1882.5	1.4	16-QAM	1/0	14.41	V	6.6	0.47	20.54	34.77
1914.3	1.4	16-QAM	1/0	14.74	V	6.6	0.47	20.87	34.77
1850.7	1.4	16-QAM	1/5	16.2	H	6.6	0.47	22.33	34.77
1882.5	1.4	16-QAM	1/0	16.41	H	6.6	0.47	22.54	34.77
1914.3	1.4	16-QAM	1/0	16.75	H	6.6	0.47	22.88	34.77
1851.5	3	QPSK	1/0	13.60	V	6.6	0.47	19.73	34.77
1882.5	3	QPSK	1/0	12.94	V	6.6	0.47	19.07	34.77
1913.5	3	QPSK	1/0	13.84	V	6.6	0.47	19.97	34.77
1851.5	3	QPSK	1/0	15.59	H	6.6	0.47	21.72	34.77
1882.5	3	QPSK	1/0	14.94	H	6.6	0.47	21.07	34.77
1913.5	3	QPSK	1/0	15.69	H	6.6	0.47	21.82	34.77
1851.5	3	16-QAM	1/0	13.64	V	6.6	0.47	19.77	34.77
1882.5	3	16-QAM	1/0	13.30	V	6.6	0.47	19.43	34.77
1913.5	3	16-QAM	1/0	14.43	V	6.6	0.47	20.56	34.77
1851.5	3	16-QAM	1/0	15.5	H	6.6	0.47	21.63	34.77
1882.5	3	16-QAM	1/0	15.31	H	6.6	0.47	21.44	34.77
1913.5	3	16-QAM	1/0	16.56	H	6.6	0.47	22.69	34.77
1852.5	5	QPSK	1/0	13.12	V	6.6	0.47	19.25	34.77
1882.5	5	QPSK	1/0	13.16	V	6.6	0.47	19.29	34.77
1912.5	5	QPSK	1/24	13.04	V	6.6	0.47	19.17	34.77
1852.5	5	QPSK	1/0	14.89	H	6.6	0.47	21.02	34.77
1882.5	5	QPSK	1/0	15.04	H	6.6	0.47	21.17	34.77
1912.5	5	QPSK	1/24	15.00	H	6.6	0.47	21.13	34.77
1852.5	5	16-QAM	1/0	13.89	V	6.6	0.47	20.02	34.77
1882.5	5	16-QAM	1/0	13.66	V	6.6	0.47	19.79	34.77
1912.5	5	16-QAM	1/24	13.92	V	6.6	0.47	20.05	34.77
1852.5	5	16-QAM	1/0	15.63	H	6.6	0.47	21.76	34.77
1882.5	5	16-QAM	1/0	15.51	H	6.6	0.47	21.64	34.77
1912.5	5	16-QAM	1/24	15.61	H	6.6	0.47	21.74	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



1855.0	10	QPSK	1/0	12.81	V	6.6	0.47	18.94	34.77
1882.5	10	QPSK	1/49	12.51	V	6.6	0.47	18.64	34.77
1910.0	10	QPSK	1/0	12.70	V	6.6	0.47	18.83	34.77
1855.0	10	QPSK	1/0	14.91	H	6.6	0.47	21.04	34.77
1882.5	10	QPSK	1/49	14.73	H	6.6	0.47	20.86	34.77
1910.0	10	QPSK	1/0	14.84	H	6.6	0.47	20.97	34.77
1855.0	10	16-QAM	1/0	14.71	V	6.6	0.47	20.84	34.77
1882.5	10	16-QAM	1/49	14.37	V	6.6	0.47	20.50	34.77
1910.0	10	16-QAM	1/0	13.93	V	6.6	0.47	20.06	34.77
1855.0	10	16-QAM	1/0	16.47	H	6.6	0.47	22.60	34.77
1882.5	10	16-QAM	1/49	16.37	H	6.6	0.47	22.50	34.77
1910.0	10	16-QAM	1/0	16.36	H	6.6	0.47	22.49	34.77
1857.5	15	QPSK	1/0	14.94	V	6.6	0.47	21.07	34.77
1882.5	15	QPSK	1/74	14.92	V	6.6	0.47	21.05	34.77
1907.5	15	QPSK	1/0	15.04	V	6.6	0.47	21.17	34.77
1857.5	15	QPSK	1/0	16.97	H	6.6	0.47	23.10	34.77
1882.5	15	QPSK	1/74	16.96	H	6.6	0.47	23.09	34.77
1907.5	15	QPSK	1/0	17.03	H	6.6	0.47	23.16	34.77
1857.5	15	16-QAM	1/0	15.16	V	6.6	0.47	21.29	34.77
1882.5	15	16-QAM	1/74	14.95	V	6.6	0.47	21.08	34.77
1907.5	15	16-QAM	1/0	14.98	V	6.6	0.47	21.11	34.77
1857.5	15	16-QAM	1/0	16.93	H	6.6	0.47	23.06	34.77
1882.5	15	16-QAM	1/74	16.64	H	6.6	0.47	22.77	34.77
1907.5	15	16-QAM	1/0	16.84	H	6.6	0.47	22.97	34.77
1860.0	20	QPSK	1/99	14.14	V	6.6	0.47	20.27	34.77
1882.5	20	QPSK	1/99	13.91	V	6.6	0.47	20.04	34.77
1905.0	20	QPSK	1/0	13.85	V	6.6	0.47	19.98	34.77
1860.0	20	QPSK	1/99	15.99	H	6.6	0.47	22.12	34.77
1882.5	20	QPSK	1/99	15.94	H	6.6	0.47	22.07	34.77
1905.0	20	QPSK	1/0	15.99	H	6.6	0.47	22.12	34.77
1860.0	20	16-QAM	1/99	13.03	V	6.6	0.47	19.16	34.77
1882.5	20	16-QAM	1/99	13.63	V	6.6	0.47	19.76	34.77
1905.0	20	16-QAM	1/0	13.55	V	6.6	0.47	19.68	34.77
1860.0	20	16-QAM	1/99	15.24	H	6.6	0.47	21.37	34.77
1882.5	20	16-QAM	1/99	15.67	H	6.6	0.47	21.80	34.77
1905.0	20	16-QAM	1/0	15.63	H	6.6	0.47	21.76	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



ERP for LTE Band 26A

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
824.7	1.4	QPSK	1/0	12.42	V	6.6	0.48	18.54	34.77
836.5	1.4	QPSK	1/0	14.62	V	6.6	0.48	18.87	34.77
848.3	1.4	QPSK	1/0	14.71	V	6.6	0.48	18.58	34.77
824.7	1.4	QPSK	1/0	14.84	H	6.6	0.48	20.96	34.77
836.5	1.4	QPSK	1/0	14.86	H	6.6	0.48	20.98	34.77
848.3	1.4	QPSK	1/0	14.84	H	6.6	0.48	20.96	34.77
824.7	1.4	16-QAM	1/0	13.76	V	6.6	0.48	18.45	34.77
836.5	1.4	16-QAM	1/0	14.80	V	6.6	0.48	19.13	34.77
848.3	1.4	16-QAM	1/0	14.86	V	6.6	0.48	19.13	34.77
824.7	1.4	16-QAM	1/0	14.74	H	6.6	0.48	20.86	34.77
836.5	1.4	16-QAM	1/0	15.01	H	6.6	0.48	21.13	34.77
848.3	1.4	16-QAM	1/0	15.02	H	6.6	0.48	21.14	34.77
825.5	3	QPSK	1/0	14.94	V	6.6	0.48	18.92	34.77
836.5	3	QPSK	1/0	13.85	V	6.6	0.48	18.49	34.77
847.5	3	QPSK	1/0	14.55	V	6.6	0.48	19.04	34.77
825.5	3	QPSK	1/0	14.79	H	6.6	0.48	20.91	34.77
836.5	3	QPSK	1/0	14.37	H	6.6	0.48	20.49	34.77
847.5	3	QPSK	1/0	14.77	H	6.6	0.48	20.89	34.77
825.5	3	16-QAM	1/0	14.80	V	6.6	0.48	19.06	34.77
836.5	3	16-QAM	1/0	14.79	V	6.6	0.48	17.95	34.77
847.5	3	16-QAM	1/0	13.84	V	6.6	0.48	20.56	34.77
825.5	3	16-QAM	1/0	13.45	H	6.6	0.48	20.92	34.77
836.5	3	16-QAM	1/0	13.51	H	6.6	0.48	19.96	34.77
847.5	3	16-QAM	1/0	13.49	H	6.6	0.48	22.69	34.77
826.5	5	QPSK	1/0	13.93	V	6.6	0.48	17.94	34.77
836.5	5	QPSK	1/0	14.00	V	6.6	0.48	17.88	34.77
846.5	5	QPSK	1/0	13.86	V	6.6	0.48	17.68	34.77
826.5	5	QPSK	1/0	12.78	H	6.6	0.48	19.71	34.77
836.5	5	QPSK	1/0	13.59	H	6.6	0.48	19.76	34.77
846.5	5	QPSK	1/0	13.64	H	6.6	0.48	19.64	34.77
826.5	5	16-QAM	1/0	13.52	V	6.6	0.48	18.38	34.77
836.5	5	16-QAM	1/0	14.00	V	6.6	0.48	18.26	34.77
846.5	5	16-QAM	1/0	14.01	V	6.6	0.48	18.44	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



826.5	5	16-QAM	1/0	13.99	H	6.6	0.48	20.12	34.77
836.5	5	16-QAM	1/0	12.65	H	6.6	0.48	20.11	34.77
846.5	5	16-QAM	1/0	13.45	H	6.6	0.48	20.13	34.77
829	10	QPSK	1/0	13.55	V	6.6	0.48	18.15	34.77
836.5	10	QPSK	1/0	13.37	V	6.6	0.48	17.86	34.77
844	10	QPSK	1/0	14.13	V	6.6	0.48	17.88	34.77
829	10	QPSK	1/0	13.96	H	6.6	0.48	20.25	34.77
836.5	10	QPSK	1/0	13.90	H	6.6	0.48	20.08	34.77
844	10	QPSK	1/0	12.72	H	6.6	0.48	20.02	34.77
829	10	16-QAM	1/0	14.69	V	6.6	0.48	19.11	34.77
836.5	10	16-QAM	1/0	14.75	V	6.6	0.48	18.81	34.77
844	10	16-QAM	1/0	14.88	V	6.6	0.48	18.57	34.77
829	10	16-QAM	1/0	13.87	H	6.6	0.48	20.87	34.77
836.5	10	16-QAM	1/0	13.87	H	6.6	0.48	20.81	34.77
844	10	16-QAM	1/0	13.83	H	6.6	0.48	21.00	34.77
831.5	15	QPSK	1/0	14.95	V	6.6	0.48	21.07	34.77
836.5	15	QPSK	1/0	14.93	V	6.6	0.48	21.05	34.77
841.5	15	QPSK	1/0	15.05	V	6.6	0.48	21.17	34.77
831.5	15	QPSK	1/0	16.98	H	6.6	0.48	23.10	34.77
836.5	15	QPSK	1/0	16.97	H	6.6	0.48	23.09	34.77
841.5	15	QPSK	1/0	17.04	H	6.6	0.48	23.16	34.77
831.5	15	16-QAM	1/0	15.17	V	6.6	0.48	21.29	34.77
836.5	15	16-QAM	1/0	14.96	V	6.6	0.48	21.08	34.77
841.5	15	16-QAM	1/0	14.99	V	6.6	0.48	21.11	34.77
831.5	15	16-QAM	1/0	16.94	H	6.6	0.48	23.06	34.77
836.5	15	16-QAM	1/0	16.65	H	6.6	0.48	22.77	34.77
841.5	15	16-QAM	1/0	16.85	H	6.6	0.48	22.97	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

