



Start Here

Please connect the Proximiant transceiver to your Point of Sales system. By doing this you can start to take advantage of all that Proximiant has to offer you with our loyalty programs and campaigns.



Welcome to a new shopping experience!

Hardware Specifications



Physical Dimension	3" x 5.4" x 2"
Weight	0.8 lb
Connction	USB 2.0
Power Source	USB
Display	LCD
Speaker	Yes
NFC Communication	ISO 14443, Card Emulation
WiFi	Optional
Device Color Options	Black / White
Device Custom Prints	Optional

System Requirements

Compitable POS	Any Computerized POS, including Cloud-based POS
Compitable Operating Systems	Windows (Windows XP or later), Linux, IBM 4690 OS
Compitable Paper Receipt Printer	Any Windows printers, COM printers, OPOS printers
Internet Connectivity	Yes
Required System Integration to POS Software	None

Service Specifications

Software Remote Update Capability	Yes
Software Remote Support / Maintenance	Yes

Enable Mobile Reach on Your Existing Point of Sale Today!

Sign up and we'll mail you a Proximiant transceiver.

Email Address

Create Password

Confirm Password

Sign Up For Proximiant



Plug and play setup

Takes less than 15 min



Mobile receipts, loyalty cards and offers

No customer signup step. Zero overhead and zero maintenance



Track results anywhere

Online tracking of real-time results

[Learn how Proximiant works for shoppers](#)

1. Go to biz.proximiant.com and click on Account Log In.



Proximiant delivers Digital Receipts plus Real Customer Relationships

[HOME](#)[OVERVIEW](#)[CONTACT US](#)

Account Log In

Username or Email

Password

[Forgot Password](#)[Login](#)

© 2012 Proximiant, Inc.

[back to proximiant.com](#) →

2. Log into the business account.
3. Fill out the Account Activation form.

Download Proximiant Manager



Edit Business Profile | wetseal_demo@proximiant.com | Help | Log Out

Dashboard

Campaigns

Loyalty Programs

Software

Support

Overview

Manual Installation

Schedule an Update

Report

Manual Installation

If you plan to install Proximiant software for the first time on a POS computer, or you plan to manually conduct a software update, this is the right place to be. Proximiant software is the only software that you need to install to add Proximiant Touch&Go mobile receipt and reward capability to your point-of-sale.

You may download the latest Proximiant software here (recommended) or select a particular version.

For initial install or update, please copy the software file to your computer and follow the on-screen instructions to complete the install or update.

For a software update, if you have a Proximiant transceiver connected to your computer, follow these steps:

2.0.0.1749

Download

4. Download Proximiant Installer, save file, and install.
5. Plug the Proximiant transceiver into your computer's USB port.


System Requirements

Windows XP Service Pack 3 or later.

(Users of Windows 2000, Mac, or Linux OS please contact support@proximiant.com to request corresponding software solutions.)

Release Notes

Start Proximant Manager



After installation, the Proximant  should already be on the desktop tray. It should be in Green Color. If not, please select Start.



Enjoy your new experience and thanks for choosing Proximiant!

proximiant

For more information go to www.proximiant.com



Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.