



AUDACY M/N: AH-CO2
 3.6 VOLTS Patent Pending

FCC ID: 2AAMXAHCO2THD
 IC: 41250A-AHC02THD
 S/N: 29000001

NOT FOR USE IN INSTALLATIONS EXCEEDING 24 V/AC

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IDEAL INDUSTRIES, INC.

UL LISTED Energy Management Equipment 303629

29000001

29000001

| | | | | | | | | | | | |
|------|----|-----|---------|-----|-----|--|--|--|------------------------------------|--|--|
| | | | | | | -- PROPRIETARY DESIGN - "CONFIDENTIAL" -- <small>ALL INFORMATION CONTAINED ON THIS DRAWING IS CONFIDENTIAL AND THE SOLE PROPERTY OF IDEAL INDUSTRIES, INC. UNAUTHORIZED COPYING OR DISTRIBUTION OF THIS DOCUMENT IS STRICTLY PROHIBITED.</small> | | | TITLE: | | |
| | | | | | | -- UNLESS OTHERWISE SPECIFIED: <small>THIS DRAWING BASED ON ANSI Y 14.5 SURFACE FINISH 125 ✓ ON MACHINED SURFACES. DIMENSIONS SYMMETRICAL ABOUT CENTER LINE WHERE APPLICABLE ON PLATED PARTS. ALL DIMENSIONAL LIMITS APPLY AFTER PLATING. DIMENSIONS OF MOLDED PARTS ARE FOR FINISHED PART. NO ALLOWANCE HAS BEEN MADE FOR SHRINK.</small> | | | MATL: | | |
| | | | | | | -- HAZARDOUS SUBSTANCE CONTROL: <small>ANY PRODUCT OR PART THAT CONTAINS LEAD, HEXAVALENT CHROMIUM, MERCURY, CADMIUM, POLYBROMINATED BIPHENYLS, POLYBROMINATED DIPHENYL ETHERS, PENTABROMO-DIPHENYL ETHER, OR OCTABROMO-DIPHENYL ETHER MUST BE IN FULL COMPLIANCE WITH EUROPEAN UNION 2002/95/EC & 2003/11/EC DIRECTIVES.</small> | | | FINISH: | | |
| | | | | | | DO NOT SCALE DRAWING - ALL DIMENSIONS IN INCHES. - REMOVE ALL BURRS. - BREAK ALL SHARP EDGES. | | | SCALE: 1:2 | | |
| | | | | | | TOLERANCES UNLESS OTHERWISE SPECIFIED .00 ±.02 ANGLES ±0°30' .000 ±.005 | | | PART VOLUME CUBIC INCHES | | |
| | | | | | | IDEAL INDUSTRIES, INC. SYCAMORE, ILLINOIS, U.S.A. | | | DATE: _____ DRWG. NO.: _____ | | |
| DATE | BY | ENG | ECN NO. | SYM | ISS | | | | | | |