





# Test Report



Curtis-Straus LLC, a wholly owned subsidiary of BV CPS

Report No	EP1024-1
Client	Ideal Industries, Inc. Tim Tunnell
Address	Becker Place Sycamore, IL 60178
Phone	(412) 436 - 4077
Items tested	ESCD1000
FCC ID	2AAMXESCD1000
IC ID	11250A-ESCD1000
FRN	0002862225
Equipment Type	Part 15.247 Digitally Modulated
Equipment Code	DTS
FCC/IC Rule Parts	47 CFR 15.247, RSS-247 Issue 1,
Test Dates	April 20, 22, 29, and June 2, 2015
Results	As detailed within this report
Prepared by	 Tuyen A. Truong – Test Engineer
Authorized by	 Christopher Reynolds – EMC Supervisor
Issue Date	8/13/2015
Conditions of Issue	This Test Report is issued subject to the conditions stated in the 'Conditions of Testing' section on page 30 of this report.

Curtis-Straus LLC is accredited by the American Association for Laboratory Accreditation for the specific scope of accreditation under Certificate Number 1627-01. This report may contain data which is not covered by the A2LA accreditation.



Curtis-Straus LLC, a wholly owned subsidiary of BV CPS  
One Distribution Center Circle, #1 • Littleton, MA • TEL (978) 486-8880 • FAX (978) 486-8828



**Contents**

Contents .....2  
Summary .....3  
Test Methodology .....4  
Product Tested - Configuration Documentation .....5  
Statement of Conformity .....6  
Test Results .....7  
    *Bandwidth* .....7  
    Fundamental Emission Output Power .....10  
    *Radiated Spurious Emissions* .....13  
    *Conducted Spurious Emissions* .....18  
    Power Spectral Density .....21  
    AC Line Conducted Emissions .....24  
    Occupied Bandwidth .....25  
    Measurement Uncertainty .....28  
Conditions Of Testing .....29

Form Final Report REV 7-20-07 (DW)



**Summary**

This test report supports an application for certification of a transmitter operating pursuant to 47 CFR 15.247. The product is the ESCD1000. It is a digitally modulated transmitter that operates in the range 902.7-927.3MHz. Product was tested with a permanently installed wire with a gain of 4.55dBi.

We found that the product met the above requirements without modification. The test samples were received in good condition.

Issue No.	Reason for change	Date Issued
1	Original Release	August 13, 2015



**Test Methodology**

Radiated emission testing were performed according to DTS guidance document 558074D01 v03r03 specified in FCC Guidance for performing compliance measurement on DTS operating under section 15.247, April 19, 2013 and ANSI C63.10 (2009). Radiated Emissions were maximized by rotating the device around its axes as well as varying the test antenna’s height and polarity. The device antenna was maximized separately.

Conducted emissions at the antenna port were performed, as required by rule section.

AC Main conducted emission was performed with a 50Ω/50μH. Please note that AC side of support AC/DC brick to the EUT was tested.

Low operating channel frequency = 902.7MHz

Mid operating channel frequency = 915MHz

High operating channel frequency = 927.3MHz

The following bandwidths were used during radiated spurious and line conducted emissions.

<b>Frequency</b>	<b>RBW</b>	<b>VBW</b>
0.15-30MHz	9kHz	30kHz
30-1000MHz	120kHz	1MHz
1-10GHz	1MHz	3MHz



**Product Tested - Configuration Documentation**

EUT Configuration											
Work Order: P1024 Company: Ideal Industries Company Address: Becker Place Sycamore, IL 60178 Contact: Tim Tunnell											
				<b>MN</b>				<b>SN</b>			
EUT:		ESCD1000		Sample 1		Sample 1		Sample 2		Conducted EMI testing	
		ESCD1000								Radiated EMI testing	
EUT Description: Emerge Smart Connector EUT Tx Frequency: 902.7-927.3MHz											
<b>Support Equipment:</b>				<b>MN</b>				<b>SN</b>			
ITE AC/DC Brick		CENB1020A2403B01								--	
<b>EUT Ports:</b>											
Port Label	Port Type	No. of ports	No. Populated	Cable Type	Shielded	Ferrites	Length	Max Length	In/Out NEBS Type	Comment	
24Vdc	DC Power	1	1	2-wire	No	No	1m	>3m	In		
HOT	Other	2	2	2-wire	No	No	1m	>3m	In		
Antenna	SMA	1	1	Coaxial	Yes	No	3"	NA	In	Temporary connector (conducted testing only)	
<b>Software / Operating Mode Description:</b>											
Transmits at Low, Mid, or High Channel from 902.7-927.3MHz.											



**Statement of Conformity**

The ESCD1000 has been found to conform to the following parts of 47 CFR and as detailed below:

RSS-GEN	RSS 247	Part 15	Comments
5.3		15.15(b)	There are no controls accessible to the user that varies the output power above specified limits.
5.2		15.19	The label is shown in the label exhibit.
8.4		15.21	Information to the user is shown in the instruction manual exhibit.
		15.27	No special accessories are required for compliance.
		15.31	The EUT was tested in accordance with the measurement standards in this section.
		15.33	Frequency range was investigated according to this section, unless noted in specific rule section under which the equipment operates.
		15.35	The EUT emissions were measured using the measurement detector and bandwidth specified in this section, unless noted in specific rule section under which the equipment operates.
6.7		15.203	EUT employs a permanently installed wire antenna with 4.55dBi gain.
	5.5	15.205 15.209	The fundamental is not in a Restricted band and the spurious and harmonic emissions in the Restricted bands comply with the general emission limits of 15.209.
8.8		15.207	AC side of AC/DC power brick was tested.
		15.247	The unit complies with the requirements of 15.247
	RSS-247		The unit complies with the requirements of RSS-247
6.6		15.247	Occupied Bandwidth measurements were made.

**Test Results**

**Bandwidth**

**LIMIT**

The minimum 6 dB bandwidth shall be at least 500 kHz. [15.247(a) (2)]

**MEASUREMENTS / RESULTS**

<b>6dB Bandwidth</b>				
15:247(a)(2): Specifies that the minimum 6dB bandwidth shall be at least 500kHz.				
Frequency (MHz)	Mode	6dB BW (KHz)	Limit (kHz)	Margin (KHz)
902.7	DMSS	652.005	>500	-152.005
915	DMSS	652.057	>500	-152.057
927.3	DMSS	657.922	>500	-157.922
<b>Tested by:</b> Tuyen Truong		<b>Analyzer:</b> 1328		<b>Temp:</b> 23°C
<b>Date:</b> 4/20/2015		<b>Attenuator:</b> 791		<b>Humidity:</b> 21%
<b>Company:</b> Ideal Industries, Inc.				<b>Pressure:</b> 1014mBar
<b>EUT:</b> ESCD1000				

Rev. 4/17/2015

Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
SA EMI Chamber (1328)	9kHz-13.2 GHz	E4405B	Agilent	MY44210241	1328	I	2/20/2016	2/20/2015
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range		Cat	Calibration Due	Calibrated on
EMI Chamber 2	719150	2762A-7	A-0015	30-1000MHz		II	3/22/2017	3/22/2015
Preamps / Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
HF 20dB 50W Attenuator	0.009-18 GHz	PE 7019-20	Pasternack	1	791	II	7/14/2015	7/14/2014
Meteorological Meters		MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Weather Clock (Pressure Only)		BA928	Oregon Scientific	C3166-1	831	I	3/19/2016	3/19/2014
TH A#2081		HTC-1	HDE		2081	II	4/2/2016	4/2/2015


All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



**PLOT(s)**

Agilent 09:46:32 Apr 19, 2015

R T



Center 902.7 MHz Span 3 MHz  
 #Res BW 100 kHz #VBW 300 kHz Sweep 5 ms (401 pts)

**Occupied Bandwidth**  
 871.1141 kHz


**Occ BW % Pwr** 99.00 %  
**x dB** -6.00 dB

**Transmit Freq Error** -11.672 kHz  
**x dB Bandwidth** 652.005 kHz

Low Channel – 6dB Bandwidth

Agilent 10:32:26 Apr 19, 2015

R T



Center 915 MHz Span 3 MHz  
 #Res BW 100 kHz #VBW 300 kHz Sweep 5 ms (401 pts)

**Occupied Bandwidth**  
 878.9771 kHz

**Occ BW % Pwr** 99.00 %  
**x dB** -6.00 dB

**Transmit Freq Error** -11.993 kHz  
**x dB Bandwidth** 652.057 kHz

C:\temp.gif file saved


Mid Channel – 6dB Bandwidth





Agilent 11:05:29 Apr 19, 2015

R T



Occupied Bandwidth  
875.9124 kHz

Occ BW % Pwr 99.00 %  
x dB -6.00 dB

Transmit Freq Error -11.252 kHz  
Occupied Bandwidth 657.922 kHz

C:\temp.gif file saved

High Channel – 6 dB Bandwidth



## Fundamental Emission Output Power

### LIMIT

Conducted Output Power

1 Watt

[15.247(b) (3)]

## MEASUREMENTS / RESULTS

Maximum Conducted Output Power						
<b>Tested by:</b> Tuyen Truong		<b>Date:</b> 4/20/2015			<b>WO:</b> P1024	
<b>Company:</b> Ideal Industries, Inc.		<b>Analyzer:</b> 1328			<b>Temp:</b> 23°C	
<b>EUT:</b> ESCD1000		<b>Attenuator:</b> PE7019-20 #791			<b>Humidity:</b> 21%	
<b>TX Mode:</b> DMSS		<b>Operating Voltage:</b> 24Vdc			<b>Pressure:</b> 1014mBar	
<b>Note:</b> 9.2.2.2 (AVGSA-1)						
Channel (MHz)	Measured power (dBm)	Attenuator factor (dB)	Adjusted reading (dBm)	Limit (dBm)	Margin (dB)	Result
902.7	-1.51	19.59	18.08	30	-11.92	Pass
915	-2.85	19.59	16.74	30	-13.26	Pass
927.3	-3.04	19.59	16.55	30	-13.45	Pass

Rev. 4/17/2015

Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
SA EMI Chamber (1328)	9kHz-13.2 GHz	E4405B	Agilent	MY44210241	1328	I	2/20/2016	2/20/2015
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range		Cat	Calibration Due	Calibrated on
EMI Chamber 2	719150	2762A-7	A-0015	30-1000MHz		II	3/22/2017	3/22/2015
Preamps / Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
HF 20dB 50W Attenuator	0.009-18 GHz	PE 7019-20	Pasternack	1	791	II	7/14/2015	7/14/2014
Meteorological Meters		MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Weather Clock (Pressure Only)		BA928	Oregon Scientific	C3166-1	831	I	3/19/2016	3/19/2014
TH A#2081		HTC-1	HDE		2081	II	4/2/2016	4/2/2015


All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



**PLOTS**

Agilent 10:08:47 Apr 19, 2015

R T



**Channel Power**

-1.51 dBm /796.0724 kHz

**Power Spectral Density**


-60.52 dBm/Hz

C:\temp.gif file saved

Low Channel – Channel Power

Agilent 11:03:07 Apr 19, 2015

R T



**Channel Power**

-2.85 dBm /798.6424 kHz

**Power Spectral Density**

-61.87 dBm/Hz

C:\temp.gif file saved


Mid Channel – Channel Power



Agilent 11:20:07 Apr 19, 2015

R T

Mkr1 927.135 MHz  
-13.29 dBm



Channel Power

-3.04 dBm /795.9773 kHz

Power Spectral Density

-62.05 dBm/Hz

C:\temp.gif file saved

High Channel – Channel Power



# Radiated Spurious Emissions

## LIMITS

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a).  
[15.247(d)]

## MEASUREMENTS / RESULTS

Radiated Emissions Table												
Date: 20-Apr-15			Company: Ideal Industries, Inc.				Work Order: P1024					
Engineer: Tuyen Truong			EUT Desc: ESCD1000				EUT Operating Voltage/Frequency: 24Vdc					
Temp: 23°C			Humidity: 21%				Pressure: 1014mBar					
Frequency Range: 30 - 1000MHz							Measurement Distance: 3 m					
Notes: all 3 orientations of EUT were investigated - Z orientation (worst case)							EUT Max Freq: 902.7-927.3MHz (TX)					
Low channel												
Antenna Polarization (H/V)	Frequency (MHz)	Reading (dBuV)	Preamp Factor (dB)	Antenna Factor (dB/m)	Cable Factor (dB)	Adjusted Reading (dBuV/m)	FCC 15.209					
							Limit (dBuV/m)	Margin (dB)	Result (Pass/Fail)			
v, peak	54.0	41.0	25.5	7.9	0.5	23.9	40.0	-16.1	Pass			
v, peak	154.3	39.1	25.5	12.9	0.8	27.3	43.5	-16.2	Pass			
h, peak	173.9	37.8	25.6	11.9	0.8	24.9	43.5	-18.6	Pass			
h, peak	228.4	36.3	25.6	11.7	0.9	23.3	46.0	-22.7	Pass			
h, peak	302.5	40.3	25.7	14.0	1.0	29.6	46.0	-16.4	Pass			
h, peak	790.8	35.0	25.6	21.6	1.8	32.8	46.0	-13.2	Pass			
h	830.0	33.3	25.6	22.3	1.8	31.8	46.0	-14.2	Pass			
<b>Table Result:</b> Pass by -13.2 dB							<b>Worst Freq:</b> 790.8 MHz					
Test Site: EMI Chamber 2			Cable 1: Asset #2052				Cable 2: Asset #2054			Cable 3: ---		
Analyzer: Asset #1328			Preamp: Green				Antenna: Red-White			Preselector: ---		

Rev.4/17/2015

Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
SA EMI Chamber (1328)	9kHz-13.2 GHz	E4405B	Agilent	MY44210241	1328	I	2/20/2016	2/20/2015
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range	Cat	Calibration Due	Calibrated on	
EMI Chamber 2	719150	2762A-7	A-0015	30-1000MHz	II	3/22/2017	3/22/2015	
Preamps / Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Green	0.009-2000MHz	ZFL-1000-LN	CS	N/A	802	II	9/14/2015	9/14/2014
Antennas	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Red-White Bilog	30-2000MHz	JB1	Sunol	A091604-1	1105	I	7/24/2015	7/24/2013
Cables	Range	Mfr	Cat	Calibration Due	Calibrated on			
Asset #2052	9kHz - 18GHz	Florida RF	II	3/8/2016	3/8/2015			
Asset #2054	9kHz - 18GHz	Florida RF	II	3/8/2016	3/8/2015			
Meteorological Meters	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
Weather Clock (Pressure Only)	BA928	Oregon Scientific	C3166-1	831	I	3/19/2016	3/19/2014	
TH A#2081	HTC-1	HDE		2081	II	4/2/2016	4/2/2015	

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



Radiated Emissions Table															
Date: 22-Apr-15			Company: Ideal Industries, Inc.						Work Order: P1024						
Engineer: Evan Griffith			EUT Desc: ESCD1000						EUT Operating Voltage/Frequency: 24 VDC						
Temp: 22.9°C			Humidity: 27%						Pressure: 992 Bar						
Frequency Range: 1-10 GHz							Measurement Distance: 3 m								
Notes: Channel: 902.7 MHz							EUT Max Freq: 902.7-927.3MHz (TX)								
Antenna Polarization (H/V)	Frequency (MHz)	Peak Reading (dBuV)	Average Reading (dBuV)	Preamp Factor (dB)	Antenna Factor (dB/m)	Cable Factor (dB)	Adjusted Peak Reading (dBuV/m)	Adjusted Avg Reading (dBuV/m)	FCC 15.209 High Frequency - Peak			FCC 15.209 High Frequency - Average			
									Limit (dBuV/m)	Margin (dB)	Result (Pass/Fail)	Limit (dBuV/m)	Margin (dB)	Result (Pass/Fail)	
V	3368.0	45.53	25.4	17.8	31.1	4.1	62.9	42.8	74.0	-11.1	Pass	54.0	-11.2	Pass	
V	3315.0	39.8	31.8	17.8	31.1	4.0	57.1	49.1	74.0	-16.9	Pass	54.0	-4.9	Pass	
V	3338.0	37.0	28.0	17.8	31.1	4.0	54.3	45.3	74.0	-19.7	Pass	54.0	-8.7	Pass	
H	3315.0	45.46	32.8	17.8	31.1	4.0	62.8	50.1	74.0	-11.2	Pass	54.0	-3.9	Pass	
H	3345.0	37.73	33.6	17.8	31.1	4.1	55.1	51.0	74.0	-18.9	Pass	54.0	-3.0	Pass	
H	3368.0	41.64	30.3	17.8	31.1	4.1	59.0	47.7	74.0	-15.0	Pass	54.0	-6.3	Pass	
H	2710.0	36.1	28.8	18.8	28.6	3.4	49.3	42.0	74.0	-24.7	Pass	54.0	-12.0	Pass	
H	1295.0	58.53	20.9	19.2	25.3	2.2	66.8	29.2	74.0	-7.2	Pass	54.0	-24.8	Pass	
H	1090.0	48.79	31.0	19.7	24.4	2.0	55.5	37.7	74.0	-18.5	Pass	54.0	-16.3	Pass	
H	1510.0	44.85	32.4	18.6	25.4	2.4	54.1	41.6	74.0	-19.9	Pass	54.0	-12.4	Pass	
H	1025.0	44.96	29.4	20.1	24.1	2.0	51.0	35.4	74.0	-23.0	Pass	54.0	-18.6	Pass	
<b>Table Result:</b>		Pass by -3.0 dB						<b>Worst Freq:</b> 3345.0 MHz							
Test Site: 1DCC-OATS-3M-I			Cable 1: EMIR-HIGH-22						Cable 2: ---			Cable 3: ---			
Analyzer: Rental SA#4			Preamp: Brown						Antenna: Yellow Horn			Preselector: ---			

Rev.4/15/2015

Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Brown	9kHz-26.5GHz	E4407B	Agilent	SG44210511	1510	I	5/12/2015	
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range	Cat	Calibration Due	Calibrated on	
1DCC-OATS-3M-I	719150	2762A-8	A-0015	30-1000MHz	II	5/17/2015	5/17/2013	
Preamps / Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Brown	1-10GHz	CS	CS	N/A	1523	II	4/9/2016	4/9/2015
Antennas	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Yellow Horn	1-18GHz	3115	EMCO	9608-4898	37	I	7/28/2015	7/28/2014
Cables	Range	Mfr	Cat	Calibration Due	Calibrated on			
REM-High-22	9kHz - 18GHz	C-S	II	2/7/2016	2/7/2015			
Meteorological Meters	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
Weather Clock (Pressure Only)	BA928	Oregon Scientific	C3166-1	831	I	3/19/2016	3/19/2014	
TH A#2079	HTC-1	HDE		2079	II	4/2/2016	4/2/2015	

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.

Radiated Emissions Table															
Date: 20-Apr-15			Company: Ideal Industries, Inc.						Work Order: P1024						
Engineer: Tuyen Truong			EUT Desc: ESCD1000						EUT Operating Voltage/Frequency: 24Vdc						
Temp: 23°C			Humidity: 21%						Pressure: 1014mBar						
Frequency Range: 30 - 1000MHz							Measurement Distance: 3 m								
Notes: all 3 orientations of EUT were investigated - Z orientation (worst case)							EUT Max Freq: 902.7-927.3MHz (TX)								
Mid channel (TX)															
Antenna Polarization (H/V)	Frequency (MHz)	Reading (dBuV)	Preamp Factor (dB)	Antenna Factor (dB/m)	Cable Factor (dB)	Adjusted Reading (dBuV/m)	FCC 15.209								
							Limit (dBuV/m)	Margin (dB)	Result (Pass/Fail)						
v	64.0	34.3	25.5	8.1	0.5	17.4	40.0	-22.6	Pass						
h, peak	90.6	34.6	25.5	8.2	0.6	17.9	43.5	-25.6	Pass						
v, peak	168.2	40.7	25.6	12.4	0.8	28.3	43.5	-15.2	Pass						
h, peak	173.1	36.7	25.6	12.0	0.8	23.9	43.5	-19.6	Pass						
h, peak	226.4	35.9	25.6	11.7	0.9	22.9	46.0	-23.1	Pass						
h, peak	291.9	39.8	25.7	13.8	0.9	28.8	46.0	-17.2	Pass						
h, peak	466.5	34.4	25.6	17.5	1.4	27.7	46.0	-18.3	Pass						
v, peak	832.7	36.4	25.6	22.3	1.8	34.9	46.0	-11.1	Pass						
<b>Table Result:</b>		Pass by -11.1 dB						<b>Worst Freq:</b> 832.7 MHz							
Test Site: EMI Chamber 2			Cable 1: Asset #2052						Cable 2: Asset #2054			Cable 3: ---			
Analyzer: Asset #1328			Preamp: Green						Antenna: Red-White			Preselector: ---			



Rev.4/17/2015

<b>Spectrum Analyzers / Receivers /Preselectors</b> SA EMI Chamber (1328)	<b>Range</b> 9kHz-13.2 GHz	<b>MN</b> E4405B	<b>Mfr</b> Agilent	<b>SN</b> MY44210241	<b>Asset</b> 1328	<b>Cat</b> I	<b>Calibration Due</b> 2/20/2016	<b>Calibrated on</b> 2/20/2015
<b>Radiated Emissions Sites</b> EMI Chamber 2	<b>FCC Code</b> 719150	<b>IC Code</b> 2762A-7	<b>VCCI Code</b> A-0015	<b>Range</b> 30-1000MHz		<b>Cat</b> II	<b>Calibration Due</b> 3/22/2017	<b>Calibrated on</b> 3/22/2015
<b>Preamps/Couplers Attenuators / Filters</b> Green	<b>Range</b> 0.009-2000MHz	<b>MN</b> ZFL-1000-LN	<b>Mfr</b> CS	<b>SN</b> N/A	<b>Asset</b> 802	<b>Cat</b> II	<b>Calibration Due</b> 9/14/2015	<b>Calibrated on</b> 9/14/2014
<b>Antennas</b> Red-White Bilog	<b>Range</b> 30-2000MHz	<b>MN</b> JB1	<b>Mfr</b> Sunol	<b>SN</b> A091604-1	<b>Asset</b> 1105	<b>Cat</b> I	<b>Calibration Due</b> 7/24/2015	<b>Calibrated on</b> 7/24/2013
<b>Cables</b> Asset #2052 Asset #2054	<b>Range</b> 9kHz - 18GHz 9kHz - 18GHz		<b>Mfr</b> Florida RF Florida RF			<b>Cat</b> II II	<b>Calibration Due</b> 3/8/2016 3/8/2016	<b>Calibrated on</b> 3/8/2015 3/8/2015
<b>Meteorological Meters</b> Weather Clock (Pressure Only) TH A#2081		<b>MN</b> BA928 HTC-1	<b>Mfr</b> Oregon Scientific HDE	<b>SN</b> C3166-1	<b>Asset</b> 831 2081	<b>Cat</b> I II	<b>Calibration Due</b> 3/19/2016 4/2/2016	<b>Calibrated on</b> 3/19/2014 4/2/2015

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.

**Radiated Emissions Table**

<b>Date:</b> 22-Apr-15		<b>Company:</b> Ideal Industries, Inc.				<b>Work Order:</b> P1024								
<b>Engineer:</b> Evan Griffith		<b>EUT Desc:</b> ESCD1000				<b>EUT Operating Voltage/Frequency:</b> 24 VDC								
<b>Temp:</b> 22.9°C		<b>Humidity:</b> 27%				<b>Pressure:</b> 992 Bar								
<b>Frequency Range:</b> 1-10 GHz						<b>Measurement Distance:</b> 3 m								
<b>Notes:</b> Channel: 915 MHz						<b>EUT Max Freq:</b> 902.7-927.3MHz (TX)								
Antenna Polarization (H/V)	Frequency (MHz)	Peak Reading (dBµV)	Average Reading (dBµV)	Preamp Factor (dB)	Antenna Factor (dB/m)	Cable Factor (dB)	Adjusted Peak Reading (dBµV/m)	Adjusted Avg Reading (dBµV/m)	FCC 15.209 High Frequency - Peak			FCC 15.209 High Frequency - Average		
									Limit (dBµV/m)	Margin (dB)	Result (Pass/Fail)	Limit (dBµV/m)	Margin (dB)	Result (Pass/Fail)
H	1000.0	47.27	33.4	20.2	23.9	1.9	52.9	39.0	74.0	-21.1	Pass	54.0	-15.0	Pass
H	1080.0	60.72	30.0	19.7	24.3	2.0	67.3	36.6	74.0	-6.7	Pass	54.0	-17.4	Pass
H	1295.0	42.49	27.6	19.2	25.3	2.2	50.8	35.9	74.0	-23.2	Pass	54.0	-18.1	Pass
H	1325.0	42.35	28.5	19.1	25.3	2.3	50.9	37.0	74.0	-23.1	Pass	54.0	-17.0	Pass
H	2745.0	35.44	26.7	18.7	28.6	3.4	48.7	40.0	74.0	-25.3	Pass	54.0	-14.0	Pass
V	1090.0	52.99	30.2	19.7	24.4	2.0	59.7	36.9	74.0	-14.3	Pass	54.0	-17.1	Pass
V	1065.0	47.9	30.3	19.8	24.3	2.0	54.4	36.8	74.0	-19.6	Pass	54.0	-17.2	Pass
V	1030.0	46.08	29.8	20.1	24.1	2.0	52.1	35.8	74.0	-21.9	Pass	54.0	-18.2	Pass
V	3383.0	45.0	25.2	17.9	31.2	4.1	62.4	42.6	74.0	-11.6	Pass	54.0	-11.4	Pass
V	3330.0	40.02	30.0	17.8	31.1	4.0	57.3	47.3	74.0	-16.7	Pass	54.0	-6.7	Pass
<b>Table Result:</b> Pass by -6.7 dB						<b>Worst Freq:</b> 1080.0 MHz								
<b>Test Site:</b> 1DCC-OATS-3M-I		<b>Cable 1:</b> EMIR-HIGH-22				<b>Cable 2:</b> ---				<b>Cable 3:</b> ---				
<b>Analyzer:</b> Rental SA#4		<b>Preamp:</b> Brown				<b>Antenna:</b> Yellow Horn				<b>Preselector:</b> ---				

Rev.4/15/2015

<b>Spectrum Analyzers / Receivers /Preselectors</b> Brown	<b>Range</b> 9kHz-26.5GHz	<b>MN</b> E4407B	<b>Mfr</b> Agilent	<b>SN</b> SG44210511	<b>Asset</b> 1510	<b>Cat</b> I	<b>Calibration Due</b> 5/12/2015	<b>Calibrated on</b> 5/12/2015
<b>Radiated Emissions Sites</b> 1DCC-OATS-3M-I	<b>FCC Code</b> 719150	<b>IC Code</b> 2762A-8	<b>VCCI Code</b> A-0015	<b>Range</b> 30-1000MHz		<b>Cat</b> II	<b>Calibration Due</b> 5/17/2015	<b>Calibrated on</b> 5/17/2013
<b>Preamps/Couplers Attenuators / Filters</b> Brown	<b>Range</b> 1-10GHz	<b>MN</b> CS	<b>Mfr</b> CS	<b>SN</b> N/A	<b>Asset</b> 1523	<b>Cat</b> II	<b>Calibration Due</b> 4/9/2016	<b>Calibrated on</b> 4/9/2015
<b>Antennas</b> Yellow Horn	<b>Range</b> 1-18GHz	<b>MN</b> 3115	<b>Mfr</b> EMCO	<b>SN</b> 9608-4898	<b>Asset</b> 37	<b>Cat</b> I	<b>Calibration Due</b> 7/28/2015	<b>Calibrated on</b> 7/28/2014
<b>Cables</b> REM-High-22	<b>Range</b> 9kHz - 18GHz		<b>Mfr</b> C-S			<b>Cat</b> II	<b>Calibration Due</b> 2/7/2016	<b>Calibrated on</b> 2/7/2015
<b>Meteorological Meters</b> Weather Clock (Pressure Only) TH A#2079		<b>MN</b> BA928 HTC-1	<b>Mfr</b> Oregon Scientific HDE	<b>SN</b> C3166-1	<b>Asset</b> 831 2079	<b>Cat</b> I II	<b>Calibration Due</b> 3/19/2016 4/2/2016	<b>Calibrated on</b> 3/19/2014 4/2/2015

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



Radiated Emissions Table												
Date: 20-Apr-15			Company: Ideal Industries, Inc.				Work Order: P1024					
Engineer: Tuyen Truong			EUT Desc: ESCD1000				EUT Operating Voltage/Frequency: 24Vdc					
Temp: 23°C			Humidity: 21%				Pressure: 1014mBar					
Frequency Range: 30 - 1000MHz							Measurement Distance: 3 m					
Notes: all 3 orientations of EUT were investigated - Z orientation (worst case)							EUT Max Freq: 902.7-927.3MHz (TX)					
High channel (TX)												
Antenna Polarization (H/V)	Frequency (MHz)	Reading (dBµV)	Preamp Factor (dB)	Antenna Factor (dB/m)	Cable Factor (dB)	Adjusted Reading (dBµV/m)	FCC 15.209					
							Limit (dBµV/m)	Margin (dB)	Result (Pass/Fail)			
v, peak	53.2	41.4	25.5	8.1	0.4	24.4	40.0	-15.6	Pass			
v, peak	167.1	40.9	25.6	12.4	0.8	28.5	43.5	-15.0	Pass			
h, peak	174.0	36.6	25.6	11.9	0.8	23.7	43.5	-19.8	Pass			
h, peak	229.8	37.1	25.6	11.8	0.9	24.2	46.0	-21.8	Pass			
h, peak	292.5	40.8	25.7	13.8	0.9	29.8	46.0	-16.2	Pass			
h, peak	466.7	35.1	25.6	17.5	1.4	28.4	46.0	-17.6	Pass			
h	833.0	33.5	25.6	22.3	1.8	32.0	46.0	-14.0	Pass			
<b>Table Result:</b> Pass by -14.0 dB							<b>Worst Freq:</b> 833.0 MHz					
Test Site: EMI Chamber 2			Cable 1: Asset #2052			Cable 2: Asset #2054			Cable 3: ---			
Analyzer: Asset #1328			Preamp: Green			Antenna: Red-White			Preselector: ---			

Rev.4/17/2015

Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
SA EMI Chamber (1328)	9kHz-13.2 GHz	E4405B	Agilent	MY44210241	1328	I	2/20/2016	2/20/2015
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range	Cat	Calibration Due	Calibrated on	
EMI Chamber 2	719150	2762A-7	A-0015	30-1000MHz	II	3/22/2017	3/22/2015	
Preamps/Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Green	0.009-2000MHz	ZFL-1000-LN	CS	N/A	802	II	9/14/2015	9/14/2014
Antennas	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Red-White Bilog	30-2000MHz	JB1	Sunol	A091604-1	1105	I	7/24/2015	7/24/2013
Cables	Range	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
Asset #2052	9kHz - 18GHz	Florida RF			II	3/8/2016	3/8/2015	
Asset #2054	9kHz - 18GHz	Florida RF			II	3/8/2016	3/8/2015	
Meteorological Meters	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
Weather Clock (Pressure Only)	BA928	Oregon Scientific	C3166-1	831	I	3/19/2016	3/19/2014	
TH A#2081	HTC-1	HDE		2081	II	4/2/2016	4/2/2015	

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.

Radiated Emissions Table														
Date: 22-Apr-15			Company: Ideal Industries, Inc.				Work Order: P1024							
Engineer: Evan Griffith			EUT Desc: ESCD1000				EUT Operating Voltage/Frequency: 24 VDC							
Temp: 22.9°C			Humidity: 27%				Pressure: 992 Bar							
Frequency Range: 1-10 GHz							Measurement Distance: 3 m							
Notes: Channel: 927.3 MHz							EUT Max Freq: 902.7-927.3MHz (TX)							
Antenna Polarization (H/V)	Frequency (MHz)	Peak Reading (dBµV)	Average Reading (dBµV)	Preamp Factor (dB)	Antenna Factor (dB/m)	Cable Factor (dB)	Adjusted Peak Reading (dBµV/m)	Adjusted Avg Reading (dBµV/m)	FCC 15.209 High Frequency - Peak			FCC 15.209 High Frequency - Average		
									Limit (dBµV/m)	Margin (dB)	Result (Pass/Fail)	Limit (dBµV/m)	Margin (dB)	Result (Pass/Fail)
V	1060.0	46.29	31.0	19.9	24.2	2.0	52.6	37.3	74.0	-21.4	Pass	54.0	-16.7	Pass
V	1295.0	57.57	28.4	19.2	25.3	2.2	65.9	36.7	74.0	-8.1	Pass	54.0	-17.3	Pass
V	1533.0	56.5	28.6	18.5	25.5	2.5	66.0	38.1	74.0	-8.0	Pass	54.0	-15.9	Pass
H	3345.0	40.92	33.3	17.8	31.1	4.1	58.3	50.7	74.0	-15.7	Pass	54.0	-3.3	Pass
H	3390.0	38.44	29.7	17.9	31.2	4.1	55.8	47.1	74.0	-18.2	Pass	54.0	-6.9	Pass
H	1075.0	44.69	30.3	19.8	24.3	2.0	51.2	36.8	74.0	-22.8	Pass	54.0	-17.2	Pass
H	1040.0	42.36	31.3	20.0	24.1	2.0	48.5	37.4	74.0	-25.5	Pass	54.0	-16.6	Pass
<b>Table Result:</b> Pass by -3.3 dB							<b>Worst Freq:</b> 3345.0 MHz							
Test Site: 1DCC-OATS-3M-I			Cable 1: EMIR-HIGH-22			Cable 2: ---			Cable 3: ---					
Analyzer: Rental SA#4			Preamp: Brown			Antenna: Yellow Horn			Preselector: ---					





Rev.4/15/2015

<b>Spectrum Analyzers / Receivers /Preselectors</b>		<b>Range</b>	<b>MN</b>	<b>Mfr</b>	<b>SN</b>	<b>Asset</b>	<b>Cat</b>	<b>Calibration Due</b>	<b>Calibrated on</b>
Brown		9kHz-26.5GHz	E4407B	Agilent	SG44210511	1510	I	5/12/2015	
<b>Radiated Emissions Sites</b>		<b>FCC Code</b>	<b>IC Code</b>	<b>VCCI Code</b>	<b>Range</b>		<b>Cat</b>	<b>Calibration Due</b>	<b>Calibrated on</b>
1DCC-OATS-3M-I		719150	2762A-8	A-0015	30-1000MHz		II	5/17/2015	5/17/2013
<b>Preamps /Couplers Attenuators / Filters</b>		<b>Range</b>	<b>MN</b>	<b>Mfr</b>	<b>SN</b>	<b>Asset</b>	<b>Cat</b>	<b>Calibration Due</b>	<b>Calibrated on</b>
Brown		1-10GHz	CS	CS	N/A	1523	II	4/9/2016	4/9/2015
<b>Antennas</b>		<b>Range</b>	<b>MN</b>	<b>Mfr</b>	<b>SN</b>	<b>Asset</b>	<b>Cat</b>	<b>Calibration Due</b>	<b>Calibrated on</b>
Yellow Horn		1-18GHz	3115	EMCO	9608-4898	37	I	7/28/2015	7/28/2014
<b>Cables</b>		<b>Range</b>		<b>Mfr</b>			<b>Cat</b>	<b>Calibration Due</b>	<b>Calibrated on</b>
REM-High-22		9kHz - 18GHz		C-S			II	2/7/2016	2/7/2015
<b>Meteorological Meters</b>			<b>MN</b>	<b>Mfr</b>	<b>SN</b>	<b>Asset</b>	<b>Cat</b>	<b>Calibration Due</b>	<b>Calibrated on</b>
Weather Clock (Pressure Only)			BA928	Oregon Scientific	C3166-1	831	I	3/19/2016	3/19/2014
TH A#2079			HTC-1	HDE		2079	II	4/2/2016	4/2/2015

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



## Conducted Spurious Emissions

### LIMITS

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100kHz bandwidth that contains the highest level of desired power based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB ...


[15.247(d)]

### MEASUREMENTS / RESULTS

Engineer	Chris Reynolds
Date	November 11, 2015
Site	CEMI3
Environmental Conditions	21.1°C, 33%, 1009mBar

### Conducted Band Edge

#### Plot(s)




Lower Channel – Band-edge (<-30dBm)



Agilent 15:09:30 Nov 10, 2015

R T

Mkr4 928.44250 MHz  
-44.99 dBm



Start 926.5 MHz #Res BW 100 kHz #Atten 30 dB #VBW 300 kHz Stop 930 MHz Sweep 5 ms (401 pts)

Marker	Trace	Type	X Axis	Amplitude
1	(1)	Freq	927.26125 MHz	-2.878 dBm
2	(1)	Freq	928.00000 MHz	-37.99 dBm
3	(1)	Freq	928.12750 MHz	-39.05 dBm
4	(1)	Freq	928.44250 MHz	-44.99 dBm

Upper Channel – Band-edge (<-30dBm)

Rev. 11/5/2015

Equipment	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
<b>Spectrum Analyzers / Receivers /Preselectors</b> Brown	9KHz-26.5GHz	E4407B	Agilent	SG44210511	1510	I	6/30/2016	6/30/2015
<b>Conducted Test Sites (Mains / Telco)</b> CEMI 3	FCC Code 719150		VCCI Code A-0015			III	NA	N/A
<b>Meteorological Meters</b> Weather Clock (Pressure Only) TH A#2086		MN BA928 HTC-1	Mfr Oregon Scientific HDE	SN C3166-1	Asset 831 2086	Cat I II	Calibration Due 3/19/2016 4/2/2016	Calibrated on 3/19/2014 4/2/2015
<b>Preamps /Couplers Attenuators / Filters</b> HF 20dB 50W Attenuator	Range 0.009-18 GHz	MN PE 7019-20	Mfr Pasternack	SN 1	Asset 791	Cat II	Calibration Due 7/31/2016	Calibrated on 7/31/2015

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



Curtis-Straus LLC, a wholly owned subsidiary of BV CPS  
One Distribution Center Circle, #1 • Littleton, MA • TEL (978) 486-8880 • FAX (978) 486-8828



### Conducted Spurious Emission

Conducted Spurious Emissions Table													
Date: 10-Nov-15			Company: Ideal Industries Inc.				Work Order: O3616						
Engineer: Chris Reynolds			EUT Desc: ESCD1000				EUT Operating Voltage/Frequency: 927.3MHz						
Temp: 21.1°C			Humidity: 33%				Pressure: 1009mBar						
Frequency Range: 30MHz-10GHz													
Notes: NF - Noise Floor													
	Frequency (MHz)	Reading (dBm)	Attn Factor (dB)			Adjusted Reading (dBm)	---			FCC Spurious non-restricted band - 30dB Limit			
							Limit (dBm)	Margin (dB)	Result (Pass/Fail)				
Fundamental highest PSD in 120kHz		902.7	0.0	19.6	---	---	19.6	---	---	---	N/A	N/A	N/A
Worst Case NF		9931.0	-51.8	20.7	---	---	-31.1	---	---	---	-10.4	-20.7	Pass
<b>Table Result:</b> Pass by 20.7 dB <span style="float: right;"><b>Worst Freq:</b> 9931.0 MHz</span>													
Test Site: CEMI 3			Cable 1: ---			Cable 2: ---			Cable 3: ---				
Analyzer: Brown			Preamp: ---			Attenuator: 791			Preselector: ---				
Adjusted Reading = Reading + Attenuation Factor													

Conducted Spurious Emissions at the Antenna Port:  
 For these scans, the spectrum analyzer was set to the following:

- Span: 400MHz or less
- Resolution Bandwidth: 100 KHz
- Video Bandwidth: 300 KHz
- Points per sweep: 8192

The frequency range 30MHz-10GHz was tested at EUT antenna port and no emissions were found within 10dB of the limit, which was set at 30dB below the power of the transmit frequency. The low, mid, and high channels were tested. (see Conducted Spurious Overview plots for Illustrations)

Rev. 11/5/2015

Spectrum Analyzers / Receivers /Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
Brown	9kHz-26.5GHz	E4407B	Agilent	SG44210511	1510	I	6/30/2016	6/30/2015	
Conducted Test Sites (Mains / Telco)	FCC Code	VCCI Code	Cat	Calibration Due	Calibrated on				
CEMI 3	719150	A-0015	III	NA	N/A				
Meteorological Meters	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on		
Weather Clock (Pressure Only)	BA928	Oregon Scientific	C3166-1	831	I	3/19/2016	3/19/2014		
TH A#2086	HTC-1	HDE		2086	II	4/2/2016	4/2/2015		
Preamps /Couplers Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
HF 20dB 50W Attenuator	0.009-18 GHz	PE 7019-20	Pasternack	1	791	II	7/31/2016	7/31/2015	

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



# Power Spectral Density

## LIMIT

...the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.  
[15.247(e)]

## MEASUREMENTS / RESULTS

Power Spectral Density							
<b>Tested by:</b> Tuyen Truong							
<b>Date:</b> April 20 and 29, 2015		<b>Analyzer:</b> 1328		<b>Temp:</b> 23°C		<b>Temp:</b> 24°C (April 29, 2015)	
<b>Company:</b> Ideal Industries, Inc.		<b>Attenuation:</b> PE7019-20 #791		<b>Humidity:</b> 21%		<b>Humidity:</b> 25%	
<b>EUT:</b> ESCD1000		<b>Note:</b> AVGPS-1		<b>Pressure:</b> 1014mBar		<b>Pressure:</b> 998mBar	
channel (MHz)	mode	measured PSD (dBm)	attenuator factor (dB)	adjusted reading (dBm)	limit (dBm)	margin (dB)	result
902.7	DMSS	-13.19	19.59	6.40	8	-1.60	Pass
915	DMSS	-15.74	19.59	3.85	8	-4.15	Pass
927.3	DMSS	-16.56	19.59	3.03	8	-4.97	Pass


Rev. 4/17/2015

Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
SA EMI Chamber (1328)	9kHz-13.2 GHz	E4405B	Agilent	MY44210241	1328	I	2/20/2016	2/20/2015
Radiated Emissions Sites	FCC Code	IC Code	VCCI Code	Range		Cat	Calibration Due	Calibrated on
EMI Chamber 2	719150	2762A-7	A-0015	30-1000MHz		II	3/22/2017	3/22/2015
Preamps / Couplers / Attenuators / Filters	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
HF 20dB 50W Attenuator	0.009-18 GHz	PE 7019-20	Pasternack	1	791	II	7/14/2015	7/14/2014
Meteorological Meters		MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
Weather Clock (Pressure Only)		BA928	Oregon Scientific	C3166-1	831	I	3/19/2016	3/19/2014
TH A#2081		HTC-1	HDE		2081	II	4/2/2016	4/2/2015


All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



PLOTS



Channel Low – PSD




Channel Mid – PSD



Agilent 10:40:21 Apr 29, 2015

R T

Mkr1 927.4595 MHz  
-16.56 dBm



## AC Line Conducted Emissions LIMITS

Frequency of emission (MHz)	Quasi-peak limit (dBµV)	Average limit (dBµV)
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

\*Decreases with the logarithm of the frequency.

[47 CFR 15.207(a)]

## MEASUREMENTS / RESULTS

AC side of DC Power Supply -- Conducted Emissions Data Table														
Date: 02-Jun-15				Company: Ideal Industries, Inc.				Work Order: P1024						
Engineer: Tuyen Truong				EUT Desc: ESCD1000				Pressure: 1015 mBar						
Temp: 22.1 °C				Humidity: 42%										
Notes: Tested the AC side of 24Vdc power supply - Peak readings taken (0.5 to 30MHz)														
Frequency Range: 0.15 to 30MHz						EUT Input Voltage/Frequency: 120Vac/60Hz								
Frequency (MHz)	Quasi-Peak Readings		Average Readings		LISN Factors		Cable Factor (dB)	ATTN Factor (dB)	FCC 15.207			FCC 15.207		
	QP1 (dBµV)	QP2 (dBµV)	AVG1 (dBµV)	AVG2 (dBµV)	L1 (dB)	L2 (dB)			QP Limit (dBµV)	Margin (dB)	Result (Pass/Fail)	AVG Limit (dBµV)	Margin (dB)	Result (Pass/Fail)
0.15	22.2	22.1	22.2	22.1	-0.1	-0.1	-0.3	-20.0	66.0	-23.4	Pass	56.0	-13.4	Pass
0.50	12.7	13.2	12.7	13.2	0.0	0.0	-0.2	-20.3	56.0	-22.3	Pass	46.0	-12.3	Pass
1.00	11.9	12.9	11.9	12.9	0.0	0.0	-0.2	-20.4	56.0	-22.4	Pass	46.0	-12.4	Pass
5.00	9.1	8.6	9.1	8.6	0.0	-0.1	-0.3	-20.3	56.0	-26.3	Pass	46.0	-16.3	Pass
10.00	7.6	7.9	7.6	7.9	-0.1	-0.1	-0.4	-20.3	60.0	-31.4	Pass	50.0	-21.4	Pass
20.00	7.1	6.7	7.1	6.7	-0.1	-0.1	-0.5	-20.2	60.0	-32.1	Pass	50.0	-22.1	Pass
30.00	8.5	6.4	8.5	6.4	-0.2	-0.2	-0.5	-20.2	60.0	-30.7	Pass	50.0	-20.7	Pass
<b>Result:</b> Pass				<b>Worst Margin:</b> -12.3 dB				<b>Frequency:</b> 0.500 MHz						
Measurement Device: LISN ASSET 1732(Line 1) LISN ASSET 1733(Line 2)				Cable: CEMI-07				Spectrum Analyzer: SA EMI Chamber (1327)						
				Attenuator: 20dB ATTEN-03				Site: CEMI 3						

Spectrum Analyzers / Receivers / Preselectors	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
SA EMI Chamber (1327)	9kHz-13.2 GHz	E4405B	Agilent	MY45103416	1327	I	1/20/2016	1/20/2015	
LISNs/Measurement Probes	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
LISN Asset 1732	150kHz-30MHz	LI-150A	Com-Power	201094	1732	I	2/12/2016	2/12/2015	
LISN Asset 1733	150kHz-30MHz	LI-150A	Com-Power	201095	1733	I	2/12/2016	2/12/2015	
Conducted Test Sites (Mains / Telco)	FCC Code	VCCI Code	Cat	Calibration Due	Calibrated on				
CEMI-03	9kHz - 2GHz	C-S	II	9/14/2015	9/14/2014				
Cables	Range	Mfr	Cat	Calibration Due	Calibrated on				
CEMI-07	9kHz - 2GHz	C-S	II	8/8/2015	8/8/2014				
Attenuators	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on	
20dB Attenuator-03	9kHz-2GHz			N/A		II	12/27/2015	12/1/2014	
Meteorological Meters	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on		
TH A#2082	HTC-1	HDE		2082	II	4/2/2016	4/2/2015		

All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.





## Occupied Bandwidth

### REQUIREMENT

When an occupied bandwidth is no specified in the applicable RSS, the transmitted signal bandwidth to be reported is to be its 99% emission bandwidth, as calculated or measured. [RSS-GEN 6.6]

### MEASUREMENTS / RESULTS

<b>Occupied Bandwidth</b>					
Frequency (MHz)	Mode	99% Occupied Bandwidth (KHz)			
902.7	DMSS	796.0724			
915	DMSS	798.6424			
927.3	DMSS	795.9773			
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <b>Tested by:</b> Tuyen Truong  <b>Date:</b> 4/20/2015  <b>Company:</b> Ideal Industries, Inc.  <b>EUT:</b> ESCD1000                 </td> <td style="width: 20%; vertical-align: top;"> <b>Analyzer:</b> 1328  <b>Attenuator:</b> 791                 </td> <td style="width: 30%; vertical-align: top;"> <b>Temp:</b> 23°C  <b>Humidity:</b> 21%  <b>Pressure:</b> 1014mBar                 </td> </tr> </table>			<b>Tested by:</b> Tuyen Truong <b>Date:</b> 4/20/2015 <b>Company:</b> Ideal Industries, Inc. <b>EUT:</b> ESCD1000	<b>Analyzer:</b> 1328 <b>Attenuator:</b> 791	<b>Temp:</b> 23°C <b>Humidity:</b> 21% <b>Pressure:</b> 1014mBar
<b>Tested by:</b> Tuyen Truong <b>Date:</b> 4/20/2015 <b>Company:</b> Ideal Industries, Inc. <b>EUT:</b> ESCD1000	<b>Analyzer:</b> 1328 <b>Attenuator:</b> 791	<b>Temp:</b> 23°C <b>Humidity:</b> 21% <b>Pressure:</b> 1014mBar			

Rev. 4/17/2015

Category	Range	MN	Mfr	SN	Asset	Cat	Calibration Due	Calibrated on
<b>Spectrum Analyzers / Receivers / Preselectors</b> SA EMI Chamber (1328)	9kHz-13.2 GHz	E4405B	Agilent	MY44210241	1328	I	2/20/2016	2/20/2015
<b>Radiated Emissions Sites</b> EMI Chamber 2	FCC Code 719150	IC Code 2762A-7	VCCI Code A-0015	Range 30-1000MHz		Cat II	Calibration Due 3/22/2017	Calibrated on 3/22/2015
<b>Preamps / Couplers Attenuators / Filters</b> HF 20dB 50W Attenuator	Range 0.009-18 GHz	MN PE 7019-20	Mfr Pasternack	SN 1	Asset 791	Cat II	Calibration Due 7/14/2015	Calibrated on 7/14/2014
<b>Meteorological Meters</b> Weather Clock (Pressure Only) TH A#2081		MN BA928 HTC-1	Mfr Oregon Scientific HDE	SN C3166-1	Asset 831 2081	Cat I II	Calibration Due 3/19/2016 4/2/2016	Calibrated on 3/19/2014 4/2/2015


All equipment is calibrated using standards traceable to NIST or other nationally recognized calibration standard.



Plot(s)

Agilent 09:54:21 Apr 19, 2015

R T



Ref 20 dBm Atten 30 dB  
 #Peak  
 Log  
 10  
 dB/  
 Center 902.7 MHz Span 3 MHz  
 #Res BW 30 kHz #VBW 100 kHz Sweep 5 ms (401 pts)

Occupied Bandwidth  
 796.0724 kHz

Occ BW % Pwr 99.00 %  
 x dB -6.00 dB


Transmit Freq Error 217.943 Hz  
 x dB Bandwidth 639.871 kHz

C:\temp.gif file saved

Low Channel – Occupied Bandwidth

Agilent 10:49:53 Apr 19, 2015

R T



Ref 20 dBm #Atten 30 dB  
 #Peak  
 Log  
 10  
 dB/  
 Center 915 MHz Span 3 MHz  
 #Res BW 30 kHz #VBW 100 kHz Sweep 5 ms (401 pts)

Occupied Bandwidth  
 798.6424 kHz

Occ BW % Pwr 99.00 %  
 x dB -6.00 dB

Transmit Freq Error -27.961 Hz  
 x dB Bandwidth 638.968 kHz


C:\temp.gif file saved

Mid Channel – Occupied Bandwidth



Agilent 11:07:42 Apr 19, 2015

R T



Center 927.3 MHz Span 3 MHz  
 #Res BW 30 kHz #VBW 100 kHz Sweep 5 ms (401 pts)

Occupied Bandwidth  
 795.9773 kHz

Occ BW % Pwr 99.00 %  
 x dB -6.00 dB

Transmit Freq Error 1.877 kHz  
 x dB Bandwidth 640.893 kHz

C:\temp.gif file saved

High Channel – Occupied Bandwidth



## Measurement Uncertainty

The listed uncertainties are the worst case uncertainty for the entire range of measurement. Please note that the uncertainty values are provided for informational purposes only and are not used in determining the PASS/FAIL results.

Measurement	Expanded Uncertainty k=2	Maximum allowable uncertainty
Radiated Emissions (30-1000MHz)		
NIST	5.6dB	N/A
CISPR	4.6dB	5.2dB (Ucisprr)
Radiated Emissions (1-26.5GHz)	4.6dB	N/A
Radiated Emissions (above 26.5GHz)	4.9dB	N/A
Magnetic Radiated Emissions	5.6dB	N/A
Conducted Emissions		
NIST	3.9dB	N/A
CISPR	3.6dB	3.6dB (Ucisprr)
Telco Conducted Emissions (Current)	2.9dB	N/A
Telco Conducted Emissions (Voltage)	4.4dB	N/A
Electrostatic Discharge	11.5%	N/A
Radiated RF Immunity (Uniform Field)	1.6dB	N/A
Electrical Fast Transients	23.1%	N/A
Surge	23.1%	N/A
Conducted RF Immunity	3dB	N/A
Magnetic Immunity	12.8%	N/A
Dips and Interrupts	2.3V	N/A
Harmonics	3.5%	N/A
Flicker	3.5%	N/A
Radio frequency (@ 2.4GHz)	$3.23 \times 10^{-8}$	$1 \times 10^{-7}$
RF power, conducted	0.40dB	0.75dB
Maximum frequency deviation:		
• Within 300Hz and 6kHz of audio frequency / Within 6kHz and 25kHz of audio frequency	3.4%	5%
Adjacent channel power	0.3dB	3dB
Conducted spurious emission of transmitter, valid up to 12.75GHz	1.9dB	3dB
Conducted emission of receivers	2.39dB	3dB
Conducted emission of receivers	1.3dB	3dB
Radiated emission of transmitter, valid up to 26.5GHz	3.9dB	6dB
Radiated emission of transmitter, valid up to 80GHz	3.3dB	6dB
Radiated emission of receiver, valid up to 26.5GHz	3.9dB	6dB
Radiated emission of receiver, valid up to 80GHz	3.3dB	6dB
Humidity	2.37%	5%
Temperature	0.7°C	1.0°C
Time	4.1%	10%
RF Power Density, Conducted	0.4dB	3dB
DC and low frequency voltages	1.3%	3%
Voltage (AC, <10kHz)	1.3%	2%
Voltage (DC)	0.62%	1%
The above reflects a 95% confidence level		



## Conditions Of Testing

[Bureau Veritas Consumer Products Services, Inc., a Massachusetts corporation], and/or its affiliates (collectively, the "Company") will conduct, at the request of the Submitter ("Client"), the tests specified on the submitted Test Request Form or equivalent in accordance with, and subject to, the following terms and conditions (collectively, "Conditions"):

1. All orders for tests are subject to acceptance by the Company, and no order will constitute a binding commitment of the Company unless and until such order is accepted by it, as evidenced by the issuance of a written report ("Test Report") by the Company. The Test Report is issued solely by the Company, is intended for the exclusive use of Client and shall not be published, used for advertising purposes, copied or replicated for distribution to any other person or entity or otherwise publicly disclosed without the prior written consent of the Company. By submitting a request for services to the Company, Client consents to the disclosure to accreditation bodies of those records of Client relevant to the accreditation body's assessment of the Company's competence and compliance with relevant accreditation criteria. The Company shall not be liable for any loss or damage whatsoever resulting from the failure of the Company to provide its services within any time period for completion estimated by the Company. If Client anticipates using the Test Report in any legal proceeding, arbitration, dispute resolution forum or other proceeding, it shall so notify the Company prior to submitting the Test Report in such proceeding. The Company has no obligation to provide a fact or expert witness at such proceeding unless the Company agrees in advance to do so for a separate and additional fee.
2. The Test Report will set forth the findings of the Company solely with respect to the test samples identified therein. Unless specifically and expressly indicated in the Test Report, the results set forth in such Test Report are not intended to be indicative or representative of the quality or characteristics of the lot from which a test sample is taken, and Client shall not rely upon the Test Report as being so indicative or representative of the lot or of the tested product in general. The Test Report will reflect the findings of the Company at the time of testing only, and the Company shall have no obligation to update the Test Report after its issuance. The Test Report will set forth the results of the tests performed by the Company based upon the written information provided to the Company. The Test Report will be based solely on the samples and written information submitted to the Company by Client, and the Company shall not be obligated to conduct any independent investigation or inquiry with respect thereto.
3. The Company may, in its sole discretion, destroy samples which have been furnished to the Company for testing and which have not been destroyed in the course of testing. The Company may delegate the performance of all or a portion of the services contemplated hereunder to an affiliate, agent or subcontractor of the Company, and Client consents to such delegation.
4. These Conditions and the Test Report represent the entire understanding of the parties hereto with respect to the subject matter hereof and of the Test Report, and no modification, variance or extrapolation with respect thereto shall be permitted without the prior written consent of the Company.
5. The names, service marks, trademarks and copyrights of the Company and its affiliates, including the names "**BUREAU VERITAS**," "**BUREAU VERITAS CONSUMER PRODUCTS SERVICES**," "**BVCPS**," "**MTL**," "**ACTS**," "**MTL-ACTS**" and "**CURTIS-STRAUS**" (collectively, the "Marks") are and shall remain the sole property of the Company or its affiliates and shall not be used by Client except solely to the extent that Client obtains the prior written approval of the Company and then only in the manner prescribed by the Company. Client shall not contest the validity of the Marks or take any action that might impair the value or goodwill associated with the Marks or the image or reputation of the Company or its affiliates.
6. Payment in full shall be due 30 days after the date of invoice. Interest shall be due on overdue amounts from the due date until paid at an interest rate of 1.5% per month or, if less, the maximum rate permitted by law. The Company reserves the right, at any time and from time to time, to revoke any credit extended to Client. Client shall reimburse the Company for any costs it incurs in collecting past due amounts, including court costs and fees and expenses of attorneys and collection agencies. The Test Report may not be used or relied upon by Client if and for so long as Client fails to pay when due any invoice issued by the Company or any affiliate of it to Client or any affiliate or subsidiary of Client together with interest and penalties, if any, accrued thereon.
7. The Company disclaims any and all responsibility or liability arising out of or in connection with e-mail transmissions of such information.
8. Client understands and agrees that the Company is neither an insurer nor a guarantor, that the Company does not take the place of Client or any designer, manufacturer, agent, buyer, distributor or transportation or shipping company, and that the Company disclaims all liability in such capacities. Client further understands that if it seeks assurance against loss or damage, it should obtain appropriate insurance.
9. Client agrees that the Company, by providing the services, does not take the place of Client nor any third party, nor does the Company release them from any of their obligations, nor does the Company otherwise assume, abridge, abrogate or undertake to discharge any duty of any third party to Client or any duty of Client or any third party to any other third party, and Client will not release any third party from its obligations and duties with respect to the tested goods.
10. Client shall, on a timely basis, (a) provide adequate instructions to the Company in order to enable the Company to perform properly its services, (b) provide, or cause Client's suppliers and contractors to provide, the Company with all documents necessary to enable the Company to perform its services, (c) furnish the Company with all relevant information regarding Client's intended use and purposes of the tested goods, (d) advise the Company of essential dates and deadlines relevant to the tested goods and (e) fully exercise all rights and remedies available to Client against third parties in respect of the tested goods.
11. The Company shall undertake due care and ordinary skill in the performance of its services to Client, and the Company shall accept responsibility only where such skill has not been exercised and, even in such event, only to the extent of the limitation of liability set forth herein.
12. If Client desires to assert a claim arising from or relating to (i) the performance, purported performance or non-performance of any services by the Company or (ii) the sale, resale, manufacture, distribution or use of any tested goods, it must submit that claim to the Company in a writing that sets forth with particularity the basis for such claim within 60 days from discovery of the potential claim and not more than six months after the date of issuance of the Test Report to Client. Client waives any and all such claims including, without limitation, claims that the Test Report is inaccurate, incomplete or misleading or that additional or different testing is required, unless and then only to the extent that Client submits a written claim to the Company within both such time periods.
13. CLIENT SHALL, EXCEPT TO THE EXTENT OF COMPANY'S LIABILITY TO CLIENT HEREUNDER (WHICH IN NO EVENT SHALL EXCEED THE LIMITATION OF LIABILITY HEREIN), HOLD HARMLESS AND INDEMNIFY THE COMPANY, ITS AFFILIATES AND THEIR RESPECTIVE DIRECTORS, OFFICERS, EMPLOYEES, AGENTS AND SUBCONTRACTORS AGAINST ALL ACTUAL OR ALLEGED THIRD PARTY CLAIMS FOR LOSS, DAMAGE OR EXPENSE OF WHATSOEVER NATURE AND HOWSOEVER ARISING FROM OR RELATING TO (i) THE PERFORMANCE, PURPORTED PERFORMANCE OR NON-PERFORMANCE OF ANY SERVICES BY THE COMPANY OR (ii) THE SALE, RESALE, MANUFACTURE, DISTRIBUTION OR USE OF ANY TESTED GOODS.
14. EXCEPT AS MAY OTHERWISE BE EXPRESSLY AGREED TO IN WRITING BY THE COMPANY AND NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN OR IN ANY TEST REPORT, NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, IS MADE.



Curtis-Straus LLC, a wholly owned subsidiary of BV CPS

One Distribution Center Circle, #1 • Littleton, MA • TEL (978) 486-8880 • FAX (978) 486-8828



15. (A) IN NO EVENT WHATSOEVER SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, EXEMPLARY OR PUNITIVE DAMAGES IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE TEST REPORT OR THE SERVICES PROVIDED BY THE COMPANY HEREUNDER, INCLUDING WITHOUT LIMITATION LOSS OF OR DAMAGE TO PROPERTY; LOSS OF INCOME, PROFIT OR USE; OR ANY CLAIMS OR DEMANDS MADE AGAINST CLIENT OR ANY OTHER PERSON BY ANY THIRD PARTY IN CONNECTION WITH, RELATING TO OR ARISING OUT OF THE SERVICES PROVIDED BY THE COMPANY HEREUNDER.

(B) NOTWITHSTANDING ANY PROVISION TO THE CONTRARY CONTAINED HEREIN, AND IN RECOGNITION OF THE RELATIVE RISKS AND BENEFITS TO CLIENT AND THE COMPANY ASSOCIATED WITH THE TESTING SERVICES CONTEMPLATED HEREBY, THE RISKS HAVE BEEN ALLOCATED SUCH THAT UNDER NO CIRCUMSTANCES WHATSOEVER SHALL THE LIABILITY OF THE COMPANY TO CLIENT OR ANY THIRD PARTY IN RESPECT OF ANY CLAIM FOR LOSS, DAMAGE OR EXPENSE, OF WHATSOEVER NATURE OR MAGNITUDE, AND HOWSOEVER ARISING, EXCEED AN AMOUNT EQUAL TO FIVE (5) TIMES THE AMOUNT OF THE FEES PAID TO THE COMPANY FOR THE SPECIFIC SERVICES WHICH GAVE RISE TO SUCH CLAIM OR U.S.\$10,000, WHICHEVER IS THE LESSER AMOUNT.

16. The Company shall not be liable for any loss or damage resulting from any delay or failure in performance of its obligations hereunder resulting directly or indirectly from any event of force majeure or any event outside the control of the Company. If any such event occurs, the Company may immediately cancel or suspend its performance hereunder without incurring any liability whatsoever to Client.

17. Company's services, including these Conditions, shall be governed by, and construed in accordance with, the local laws of the country where the Company performs the tests or, in the case of tests performed in the United States of America, the laws of Massachusetts without regard to conflicts of laws principles. If any aspect(s) of these Conditions is found to be illegal or unenforceable, the validity, legality and enforceability of all remaining aspects of these Conditions shall not in any way be affected or impaired thereby. Any proceeding related to the subject matter hereof shall be brought, if at all, in the courts of the country where the Company performs the tests or, in the case of tests performed in the United States of America, in the courts of Massachusetts. Client waives the right to interpose any counterclaim or setoffs of any nature in any litigation arising hereunder.

The complete list of the Approved Subcontractors Curtis-Straus may use to delegate the performance of work can be provided upon request.  
Rev.160009121(2)\_#684340 v14CS



Curtis-Straus LLC, a wholly owned subsidiary of BV CPS

One Distribution Center Circle, #1 • Littleton, MA • TEL (978) 486-8880 • FAX (978) 486-8828

