

Report No.: SEWM2311000482RG04

Rev.: 01 Page: 1 of 8

TEST REPORT

Application No.: SEWM2311000482RG

Applicant: Beijing InHand Networks Technology Co., Ltd.

Address of Applicant: Room 501, floor 5, building 3, yard 18, ziyue road, chaoyang district, Beijing

Manufacturer: Beijing InHand Networks Technology Co., Ltd.

Address of Manufacturer: Room 501, floor 5, building 3, yard 18, ziyue road, chaoyang district, Beijing

EUT Description: 5G Fixed Wireless Access

FWA02-NATM, FWA03-NATM,

Model No.: FWA12-NATM,FWA32-NATM,

FWA62-NATM,FWA92-NATM

Trade Mark: inhand


FCC ID: 2AANY-FWANATM Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2023/11/27 **Date of Issue:** 2023/12/29

Test Result: PASS*

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2311000482RG04

Rev.: 01 Page: 2 of 8

1 Version

Revision Record							
Version	Chapter	Date	Modifier	Remark			
01		2023/12/29		Original			

Prepared By	(Nick Hu) / Test Engineer				
Checked By	Stone Gu) / Reviewer				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exore exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com"

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pikit Fiee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜商1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2311000482RG04

Rev.: 01 Page: 3 of 8

Remark:

According to the Declaration letter from client, these models are the same in these:appearance,PCB layout and basic software function; The only difference is that the products are used in different markets.

Therefore in this report only the Model No.(FWA02-NATM) was tested, and internal wiring were identical for all above items. Only different on model No. for marketing requirement.





Report No.: SEWM2311000482RG04

Rev.: 01 Page: 4 of 8

Contents

1	Ver	rsion	2
		eneral Information	
		Client Information Test Facility	
		General Description of EUT	
3	RF	Exposure Evaluation	7
	3.1	RF Exposure Compliance Requirement	7
		I.1 Limits	
	3.1	1.2 Test Procedure	8
	3.1	1.3 EUT RF Exposure Evaluation	8



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜裔1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2311000482RG04

Rev.: 01 5 of 8 Page:

General Information

2.1 Client Information

Applicant:	Beijing InHand Networks Technology Co., Ltd.				
Address of Applicant:	Room 501, floor 5, building 3, yard 18, ziyue road, chaoyang district, Beijing				
Manufacturer:	Beijing InHand Networks Technology Co., Ltd.				
Address of Manufacturer:	Room 501, floor 5, building 3, yard 18, ziyue road, chaoyang district, Beijing				

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWM2311000482RG04

Rev.: 01 Page: 6 of 8

2.3 General Description of EUT

EUT Description:	5G Fixed Wireless Access					
	FWA02-NATM,FWA03-NATM,					
Model No.:	FWA12-NATM,FWA32-NATM,					
	WA62-NATM,FWA92-NATM					
Trade Mark:	hand					
Hardware Version:	V2.0					
Software Version:	V1.2					
Power Supply:	12V					
Antenna Type:	□External, ⊠Integrated					
	WiFi 2.4G: 4.13dBi(Ant1); 4.13dBi(Ant2); 4.13dBi(Ant3); 4.13dBi(Ant4)					
	5G WIFI(U-NII-1): 3.55dBi(Ant1); 3.55dBi(Ant2); 3.55dBi(Ant3); 3.55dBi(Ant4)					
Antenna Gain:	5G WIFI(U-NII-3): 4.9dBi(Ant1); 4.9dBi(Ant2); 4.9dBi(Ant3); 4.9dBi(Ant4)					
	Note:					
	The antenna gain are derived from the gain information report provided by the manufacturer.					
Remark:	Remark:					
As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2311000482RG04

Rev.: 01 Page: 7 of 8

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)					
(A) Limits for Occupational/Controlled Exposures									
0.3-3.0	614	1.63	*(100)	6					
3.0-30	1842/f	4.89/f	*(900/f2)	6					
30-300	61.4	0.163	1.0	6					
300-1500	1	1	f/300	6					
1500-100,000	1	1	6						
	(B) Limits for General P	opulation/Uncontrolled I	Exposure						
0.3-1.34	0.3-1.34 614 1.63 *(100)								
1.34-30	824/f	2.19/f	*(180/f2)	30					
30-300	30-300 27.5		0.2	30					
300-1500	1	1	f/1500	30					
1500-100,000	1	/	1.0	30					

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: $Pd = (Pout*G)/(4*Pi*R^2)$

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx.and, conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

5000 t (86–512) 62992980 5000 t (86–512) 62992980

^{*=}Plane-wave equivalent power density



Report No.: SEWM2311000482RG04

Rev.: 01 Page: 8 of 8

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducte d Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusio n
2.4G WIFI	2412.0	4.13	4.13	21.00	25.13	30.00	0.0078	1.0000	N/A	N/A	N/A	Pass
5G WIFI	5180.0	4.9	4.9	21.00	25.90	30.00	0.0093	1.0000	N/A	N/A	N/A	Pass

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf, for electronic format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980