


ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:		_SUB_STD_VTERM2 1.70				
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas.	IF	Transducer
Frequency	Frequency	Width		Time	Bandw.	
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
Frequency	Frequency	Width				
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #840	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	55.6094	28.73	-13.09	15.64	40.00	-24.36	QP			
2	157.5588	31.07	-14.82	16.25	43.50	-27.25	QP			
3	189.7384	31.89	-12.65	19.24	43.50	-24.26	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #839

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Tablet PC

Mode: TX 2412MHz

Model: NS-15MS08

Manufacturer: Zowee

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 14/10/12/

Time:

Engineer Signature:

Distance: 3m

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.6802	37.48	-10.29	27.19	40.00	-12.81	QP			
2	35.4992	36.23	-10.53	25.70	40.00	-14.30	QP			
3	79.8002	40.98	-16.52	24.46	40.00	-15.54	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #841

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Tablet PC

Mode: TX 2437MHz

Model: NS-15MS08

Manufacturer: Zowee

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 14/10/12/

Time:

Engineer Signature:

Distance: 3m

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	136.9391	31.08	-14.52	16.56	43.50	-26.94	QP			
2	190.4050	31.29	-12.64	18.65	43.50	-24.85	QP			
3	668.1422	32.12	-2.16	29.96	46.00	-16.04	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #842	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.3963	36.67	-10.36	26.31	40.00	-13.69	QP			
2	79.8002	40.45	-16.52	23.93	40.00	-16.07	QP			
3	668.1422	38.93	-2.16	36.77	46.00	-9.23	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #844	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	56.0007	29.20	-13.17	16.03	40.00	-23.97	QP			
2	136.4598	30.91	-14.41	16.50	43.50	-27.00	QP			
3	193.7727	31.03	-12.51	18.52	43.50	-24.98	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #843	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.7986	36.26	-10.30	25.96	40.00	-14.04	QP			
2	38.3462	35.71	-11.17	24.54	40.00	-15.46	QP			
3	79.2425	41.11	-16.56	24.55	40.00	-15.45	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #899	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	103.34	-7.43	95.91	/	/	peak			
2	4824.016	49.66	-0.19	49.47	74.00	-24.53	peak			
3	4824.016	38.76	-0.19	38.57	54.00	-15.43	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #898	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	103.78	-7.43	96.35	/	/	peak			
2	4824.016	47.31	-0.19	47.12	74.00	-26.88	peak			
3	4824.016	36.29	-0.19	36.10	54.00	-17.90	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #900	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	103.20	-7.36	95.84	/	/	peak			
2	4874.042	49.23	0.09	49.32	74.00	-24.68	peak			
3	4874.042	38.92	0.09	39.01	54.00	-14.99	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #901	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	103.08	-7.36	95.72	/	/	peak			
2	4874.032	49.80	0.09	49.89	74.00	-24.11	peak			
3	4874.032	37.94	0.09	38.03	54.00	-15.97	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #903	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	102.99	-7.35	95.64	/	/	peak			
2	4924.017	49.80	0.34	50.14	74.00	-23.86	peak			
3	4924.017	38.17	0.34	38.51	54.00	-15.49	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #902	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test Item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	103.52	-7.35	96.17	/	/	peak			
2	4924.021	49.66	0.34	50.00	74.00	-24.00	peak			
3	4924.021	37.93	0.34	38.27	54.00	-15.73	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1019	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26387.270	35.45	16.50	51.95	74.00	-22.05	peak			
2	26387.270	22.65	16.50	39.15	54.00	-14.85	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1020	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26305.586	35.13	17.03	52.16	74.00	-21.84	peak			
2	26305.586	23.58	17.03	40.61	54.00	-13.39	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1022	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26356.609	34.59	16.50	51.09	74.00	-22.91	peak			
2	26356.609	23.16	16.50	39.66	54.00	-14.34	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1021	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26163.247	34.70	17.12	51.82	74.00	-22.18	peak			
2	26163.247	22.87	17.12	39.99	54.00	-14.01	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1023	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26356.609	35.33	16.50	51.83	74.00	-22.17	peak			
2	26356.609	23.13	16.50	39.63	54.00	-14.37	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1024	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26183.534	34.59	17.11	51.70	74.00	-22.30	peak			
2	26183.534	23.26	17.11	40.37	54.00	-13.63	AVG			

ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2412MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD

FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2412MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2412MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas.	IF	Transducer
Frequency	Frequency	Width		Time	Bandw.	
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: IAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: IAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:		_SUB_STD_VTERM2 1.70				
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			SUB STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD

FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description: _SUB STD_VTERM2 1.70				Detector	Meas.	IF	Transducer
Start	Stop	Step	Width	Time	Bandw.		
9.0 kHz	150.0 kHz	100.0 Hz		QuasiPeak 1.0 s	200 Hz	1516M	
150.0 kHz	30.0 MHz	5.0 kHz		QuasiPeak 1.0 s	9 kHz	1516M	




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:		_SUB STD_VTERM2 1.70				
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #846	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	195.1365	31.66	-12.47	19.19	43.50	-24.31	QP			
2	307.8312	28.41	-9.09	19.32	46.00	-26.68	QP			
3	601.4265	36.31	-2.96	33.35	46.00	-12.65	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #845	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.6385	36.91	-10.39	26.52	40.00	-13.48	QP			
2	38.8878	36.87	-11.30	25.57	40.00	-14.43	QP			
3	79.2425	41.59	-16.56	25.03	40.00	-14.97	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #847	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	140.8351	31.69	-15.24	16.45	43.50	-27.05	QP			
2	191.7450	32.00	-12.59	19.41	43.50	-24.09	QP			
3	601.4265	38.07	-2.96	35.11	46.00	-10.89	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #848	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.0949	36.70	-10.24	26.46	40.00	-13.54	QP			
2	39.2991	36.24	-11.39	24.85	40.00	-15.15	QP			
3	668.1422	37.88	-2.16	35.72	46.00	-10.28	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #850	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	55.4147	30.55	-13.06	17.49	40.00	-22.51	QP			
2	193.0945	31.06	-12.54	18.52	43.50	-24.98	QP			
3	299.3158	28.54	-9.29	19.25	46.00	-26.75	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #849

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Tablet PC

Mode: TX 2462MHz

Model: NS-15MS08

Manufacturer: Zowee

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 14/10/12/

Time:

Engineer Signature:

Distance: 3m

Note: 802.11 g




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.5623	36.72	-10.27	26.45	40.00	-13.55	QP			
2	39.9941	36.02	-11.54	24.48	40.00	-15.52	QP			
3	668.1422	38.37	-2.16	36.21	46.00	-9.79	QP			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #908	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	102.44	-7.43	95.01	/	/	peak			
2	4824.016	49.90	-0.19	49.71	74.00	-24.29	peak			
3	4824.016	38.48	-0.19	38.29	54.00	-15.71	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #909	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	102.51	-7.43	95.08	/	/	peak			
2	4824.010	39.92	-0.19	39.73	54.00	-14.27	AVG			
3	4824.013	50.41	-0.19	50.22	74.00	-23.78	peak			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #911	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	100.90	-7.36	93.54	/	/	peak			
2	4874.042	49.22	0.09	49.31	74.00	-24.69	peak			
3	4874.042	37.92	0.09	38.01	54.00	-15.99	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #910	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	100.26	-7.36	92.90	/	/	peak			
2	4874.015	49.37	0.09	49.46	74.00	-24.54	peak			
3	4874.015	38.24	0.09	38.33	54.00	-15.67	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #912	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	101.90	-7.35	94.55	/	/	peak			
2	4924.090	49.58	0.34	49.92	74.00	-24.08	peak			
3	4924.090	38.97	0.34	39.31	54.00	-14.69	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #913	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	102.25	-7.35	94.90	/	/	peak			
2	4924.120	49.82	0.34	50.16	74.00	-23.84	peak			
3	4924.120	38.75	0.34	39.09	54.00	-14.91	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1032	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26336.188	34.85	16.50	51.35	74.00	-22.65	peak			
2	26336.188	22.78	16.50	39.28	54.00	-14.72	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #1031	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26387.270	35.20	16.97	52.17	74.00	-21.83	peak			
2	26387.270	23.73	16.97	40.70	54.00	-13.30	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1033	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26407.731	35.68	16.50	52.18	74.00	-21.82	peak			
2	26407.731	22.97	16.50	39.47	54.00	-14.53	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #1034	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26346.396	35.18	17.00	52.18	74.00	-21.82	peak			
2	26346.396	22.88	17.00	39.88	54.00	-14.12	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1036

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Tablet PC

Mode: TX 2462MHz

Model: NS-15MS08

Manufacturer: Zowee

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 14/10/12/

Time:

Engineer Signature:

Distance: 3m

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26193.683	35.07	16.50	51.57	74.00	-22.43	peak			
2	26193.683	22.71	16.50	39.21	54.00	-14.79	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1035	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26397.499	35.38	16.97	52.35	74.00	-21.65	peak			
2	26397.499	23.54	16.97	40.51	54.00	-13.49	AVG			

ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2412MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2412MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO., LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N: NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2412MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD

FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description: _SUB_STD_VTERM2 1.70			Detector	Meas. Time	IF Bandw.	Transducer
Start Frequency	Stop Frequency	Step Width				
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD

FCC Class B 3M Radiated

EUT: Tablet PC M/N: NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD

FCC Class B 3M Radiated

EUT: Tablet PC M/N: NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2462MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A.Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #851	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	55.4147	30.89	-13.06	17.83	40.00	-22.17	QP			
2	191.7450	31.49	-12.59	18.90	43.50	-24.60	QP			
3	668.1422	32.00	-2.16	29.84	46.00	-16.16	QP			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #852	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.7986	36.50	-10.30	26.20	40.00	-13.80	QP			
2	78.9651	40.64	-16.57	24.07	40.00	-15.93	QP			
3	668.1422	38.27	-2.16	36.11	46.00	-9.89	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #854	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	141.3298	32.40	-15.24	17.16	43.50	-26.34	QP			
2	190.4050	32.10	-12.64	19.46	43.50	-24.04	QP			
3	668.1422	33.70	-2.16	31.54	46.00	-14.46	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #853	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	35.2511	36.93	-10.48	26.45	40.00	-13.55	QP			
2	78.6888	41.79	-16.58	25.21	40.00	-14.79	QP			
3	668.1422	36.02	-2.16	33.86	46.00	-12.14	QP			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #855	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	136.9389	31.27	-14.52	16.75	43.50	-26.75	QP			
2	194.4533	31.39	-12.49	18.90	43.50	-24.60	QP			
3	790.6186	25.67	-0.15	25.52	46.00	-20.48	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #856	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.6385	36.21	-10.39	25.82	40.00	-14.18	QP			
2	39.8541	36.01	-11.50	24.51	40.00	-15.49	QP			
3	79.2425	41.83	-16.56	25.27	40.00	-14.73	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A.Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #920

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Tablet PC

Mode: TX 2412MHz

Model: NS-15MS08

Manufacturer: Zowee

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 14/10/12/

Time:

Engineer Signature:

Distance: 3m

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	100.80	-7.43	93.37	/	/	peak			
2	4824.006	38.93	-0.19	38.74	54.00	-15.26	AVG			
3	4824.026	50.04	-0.19	49.85	74.00	-24.15	peak			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #919	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2412.000	102.95	-7.43	95.52	/	/	peak			
2	4824.016	50.03	-0.19	49.84	74.00	-24.16	peak			
3	4824.016	39.92	-0.19	39.73	54.00	-14.27	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #921	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	100.56	-7.36	93.20	/	/	peak			
2	4874.151	49.99	0.09	50.08	74.00	-23.92	peak			
3	4874.151	38.18	0.09	38.27	54.00	-15.73	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #922

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: Tablet PC

Mode: TX 2437MHz

Model: NS-15MS08

Manufacturer: Zowee

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 14/10/12/

Time:

Engineer Signature:

Distance: 3m

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	101.22	-7.36	93.86	/	/	peak			
2	4874.032	50.79	0.09	50.88	74.00	-23.12	peak			
3	4874.032	38.87	0.09	38.96	54.00	-15.04	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #924	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	100.88	-7.35	93.53	/	/	peak			
2	4924.190	49.97	0.34	50.31	74.00	-23.69	peak			
3	4924.190	38.68	0.34	39.02	54.00	-14.98	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #923	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	100.92	-7.35	93.57	/	/	peak			
2	4924.021	50.15	0.34	50.49	74.00	-23.51	peak			
3	4924.021	39.78	0.34	40.12	54.00	-13.88	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #1032	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26336.188	34.85	16.50	51.35	74.00	-22.65	peak			
2	26336.188	22.78	16.50	39.28	54.00	-14.72	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #1031	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26387.270	35.20	16.97	52.17	74.00	-21.83	peak			
2	26387.270	23.73	16.97	40.70	54.00	-13.30	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1033	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26407.731	35.68	16.50	52.18	74.00	-21.82	peak			
2	26407.731	22.97	16.50	39.47	54.00	-14.53	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #1034	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26346.396	35.18	17.00	52.18	74.00	-21.82	peak			
2	26346.396	22.88	17.00	39.88	54.00	-14.12	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1, Bldg, A, Changyuan New Material Port Keyuan Rd,
 Science & Industry Park, Nanshan Shenzhen, P.R. China

Site: 1# Chamber

 Tel: +86-0755-26503290
 Fax: +86-0755-26503396

Job No.: LAN2014 #1036	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26193.683	35.07	16.50	51.57	74.00	-22.43	peak			
2	26193.683	22.71	16.50	39.21	54.00	-14.79	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1035	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26397.499	35.38	16.97	52.35	74.00	-21.65	peak			
2	26397.499	23.54	16.97	40.51	54.00	-13.49	AVG			


ACCURATE TECHNOLOGY CO.,LTD

FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2422MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2422MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2422MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description: _SUB_STD_VTERM2 1.70			Detector	Meas. Time	IF Bandw.	Transducer
Start Frequency	Stop Frequency	Step Width				
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO., LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description: _SUB_STD_VTERM2 1.70			Detector	Meas. Time	IF Bandw.	Transducer
Start Frequency	Stop Frequency	Step Width				
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO., LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2437MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description: _SUB_STD VTERM2 1.70			Detector	Meas. Time	IF Bandw.	Transducer
Start Frequency	Stop Frequency	Step Width				
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO., LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2452MHz
 Test Site: 1#Shielding Room
 Operator: IAN
 Test Specification: AC 120V/60Hz
 Comment: X
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2452MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Y
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Short Description:			_SUB_STD_VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO.,LTD
FCC Class B 3M Radiated

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: TX 2452MHz
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: AC 120V/60Hz
 Comment: Z
 Start of Test: 2014-10-18 /

SCAN TABLE: "LFRE Fin"

Start	Stop	Step	Detector	Meas.	IF	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #857	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.0738	32.56	-12.61	19.95	43.50	-23.55	QP			
2	307.8312	35.07	-9.09	25.98	46.00	-20.02	QP			
3	668.1422	32.34	-2.16	30.18	46.00	-15.82	QP			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A.Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #858	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.4448	35.12	-10.26	24.86	40.00	-15.14	QP			
2	38.4808	34.76	-11.21	23.55	40.00	-16.45	QP			
3	78.9651	40.36	-16.57	23.79	40.00	-16.21	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #860	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	55.0274	27.84	-12.98	14.86	40.00	-25.14	QP			
2	136.9391	29.50	-14.52	14.98	43.50	-28.52	QP			
3	189.0742	29.93	-12.66	17.27	43.50	-26.23	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #859	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	35.1278	35.06	-10.45	24.61	40.00	-15.39	QP			
2	38.4808	35.18	-11.21	23.97	40.00	-16.03	QP			
3	77.8653	39.54	-16.62	22.92	40.00	-17.08	QP			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #861	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	56.7916	27.58	-13.32	14.26	40.00	-25.74	QP			
2	159.7844	30.82	-14.57	16.25	43.50	-27.25	QP			
3	191.7450	30.55	-12.59	17.96	43.50	-25.54	QP			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #862	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.0949	34.82	-10.24	24.58	40.00	-15.42	QP			
2	38.7518	34.91	-11.26	23.65	40.00	-16.35	QP			
3	79.2425	38.48	-16.56	21.92	40.00	-18.08	QP			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #930	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	100.36	-7.40	92.96	/	/	peak			
2	4844.013	50.40	-0.08	50.32	74.00	-23.68	peak			
3	4844.013	39.87	-0.08	39.79	54.00	-14.21	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A.Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #929	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	100.38	-7.40	92.98	/	/	peak			
2	4844.028	50.98	-0.08	50.90	74.00	-23.10	peak			
3	4844.028	39.55	-0.08	39.47	54.00	-14.53	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #931	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	98.99	-7.36	91.63	/	/	peak			
2	4874.015	50.54	0.09	50.63	74.00	-23.37	peak			
3	4874.015	38.94	0.09	39.03	54.00	-14.97	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #932	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	100.56	-7.36	93.20	/	/	peak			
2	4874.011	50.48	0.09	50.57	74.00	-23.43	peak			
3	4874.011	39.79	0.09	39.88	54.00	-14.12	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #933	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	99.51	-7.33	92.18	/	/	peak			
2	4904.300	50.66	0.25	50.91	74.00	-23.09	peak			
3	4904.300	39.79	0.25	40.04	54.00	-13.96	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A.Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #934	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	101.71	-7.33	94.38	/	/	peak			
2	4904.300	47.88	0.25	48.13	74.00	-25.87	peak			
3	4904.300	36.79	0.25	37.04	54.00	-16.96	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1038	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26346.396	35.35	16.50	51.85	74.00	-22.15	peak			
2	26346.396	23.65	16.50	40.15	54.00	-13.85	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1037	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26275.020	35.32	17.05	52.37	74.00	-21.63	peak			
2	26275.020	22.86	17.05	39.91	54.00	-14.09	AVG			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #1039	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26264.839	35.47	16.50	51.97	74.00	-22.03	peak			
2	26264.839	22.99	16.50	39.49	54.00	-14.51	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1040	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2437MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26387.270	35.10	16.97	52.07	74.00	-21.93	peak			
2	26387.270	22.85	16.97	39.82	54.00	-14.18	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #1042	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26305.586	34.72	17.03	51.75	74.00	-22.25	peak			
2	26305.586	22.57	17.03	39.60	54.00	-14.40	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #1041	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26325.983	35.45	16.50	51.95	74.00	-22.05	peak			
2	26325.983	22.85	16.50	39.35	54.00	-14.65	AVG			

Prüfbericht - Nr.: 17043527 002
Test Report No.
Seite 248 von 288
Page 248 of 288

Test Plot of Frequency Band Edge


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #965	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	57.91	-7.53	50.38	74.00	-23.62	peak			
2	2390.000	46.54	-7.53	39.01	54.00	-14.99	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #966	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 b




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	56.23	-7.53	48.70	74.00	-25.30	peak			
2	2390.000	45.81	-7.53	38.28	54.00	-15.72	AVG			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #968	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 b




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	58.75	-7.37	51.38	74.00	-22.62	peak			
2	2483.500	47.54	-7.37	40.17	54.00	-13.83	AVG			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #967	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2485.645	59.48	-7.38	52.10	74.00	-21.90	peak			
2	2485.645	48.14	-7.38	40.76	54.00	-13.24	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #976	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 g




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.840	57.38	-7.53	49.85	74.00	-24.15	peak			
2	2389.840	46.27	-7.53	38.74	54.00	-15.26	AVG			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #975	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.920	57.88	-7.53	50.35	74.00	-23.65	peak			
2	2389.920	46.43	-7.53	38.90	54.00	-15.10	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #977	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.582	58.25	-7.37	50.88	74.00	-23.12	peak			
2	2483.582	47.85	-7.37	40.48	54.00	-13.52	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #978	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.615	57.84	-7.37	50.47	74.00	-23.53	peak			
2	2483.615	46.78	-7.37	39.41	54.00	-14.59	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #985	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2388.880	59.19	-7.53	51.66	74.00	-22.34	peak			
2	2388.880	48.79	-7.53	41.26	54.00	-12.74	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #986	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2388.480	59.25	-7.54	51.71	74.00	-22.29	peak			
2	2388.480	48.57	-7.54	41.03	54.00	-12.97	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #988	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	59.83	-7.37	52.46	74.00	-21.54	peak			
2	2483.500	48.97	-7.37	41.60	54.00	-12.40	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #987	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 n20




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.550	59.27	-7.37	51.90	74.00	-22.10	peak			
2	2483.550	49.05	-7.37	41.68	54.00	-12.32	AVG			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #996	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 n40




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2388.640	60.94	-7.54	53.40	74.00	-20.60	peak			
2	2388.640	49.88	-7.54	42.34	54.00	-11.66	AVG			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #995	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2388.480	61.15	-7.54	53.61	74.00	-20.39	peak			
2	2388.480	50.79	-7.54	43.25	54.00	-10.75	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #997	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2485.942	60.45	-7.38	53.07	74.00	-20.93	peak			
2	2485.942	49.87	-7.38	42.49	54.00	-11.51	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #998	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: UB-15MS10	
Manufacturer: Zowee	

Note: 802.11 n40




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2486.041	60.67	-7.38	53.29	74.00	-20.71	peak			
2	2486.041	50.09	-7.38	42.71	54.00	-11.29	AVG			


ACCURATE TECHNOLOGY CO., LTD.
 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #904	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	56.58	-7.53	49.05	74.00	-24.95	peak			
2	2390.000	45.93	-7.53	38.40	54.00	-15.60	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #905	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	58.00	-7.53	50.47	74.00	-23.53	peak			
2	2390.000	47.08	-7.53	39.55	54.00	-14.45	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A.Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #907	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.648	57.61	-7.37	50.24	74.00	-23.76	peak			
2	2483.648	46.08	-7.37	38.71	54.00	-15.29	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #906	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 b



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.517	59.14	-7.37	51.77	74.00	-22.23	peak			
2	2483.517	48.92	-7.37	41.55	54.00	-12.45	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A.Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #915	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2390.000	59.38	-7.53	51.85	74.00	-22.15	peak			
2	2390.000	48.98	-7.53	41.45	54.00	-12.55	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #914	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #916	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	58.43	-7.37	51.06	74.00	-22.94	peak			
2	2483.500	47.18	-7.37	39.81	54.00	-14.19	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A.Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #917	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 g



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.780	58.13	-7.38	50.75	74.00	-23.25	peak			
2	2483.780	47.86	-7.38	40.48	54.00	-13.52	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #925	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.920	58.52	-7.53	50.99	74.00	-23.01	peak			
2	2389.920	47.64	-7.53	40.11	54.00	-13.89	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #926	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2412MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.440	57.32	-7.53	49.79	74.00	-24.21	peak			
2	2389.440	46.05	-7.53	38.52	54.00	-15.48	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #928	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	60.24	-7.37	52.87	74.00	-21.13	peak			
2	2483.500	50.05	-7.37	42.68	54.00	-11.32	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #927	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2462MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2483.500	57.47	-7.37	50.10	74.00	-23.90	peak			
2	2483.500	48.17	-7.37	40.80	54.00	-13.20	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #936	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.840	61.29	-7.53	53.76	74.00	-20.24	peak			
2	2389.840	50.88	-7.53	43.35	54.00	-10.65	AVG			



ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

 Site: 1# Chamber
 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #935	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2422MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2389.760	60.87	-7.53	53.34	74.00	-20.66	peak			
2	2389.760	50.05	-7.53	42.52	54.00	-11.48	AVG			


ACCURATE TECHNOLOGY CO., LTD.

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: LAN2014 #937	Polarization: Horizontal
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2486.107	60.22	-7.38	52.84	74.00	-21.16	peak			
2	2486.107	49.99	-7.38	42.61	54.00	-11.39	AVG			


ACCURATE TECHNOLOGY CO., LTD.


 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

 Tel:+86-0755-26503290
 Fax:+86-0755-26503396

Job No.: LAN2014 #938	Polarization: Vertical
Standard: FCC (Band Edge)	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/10/12/
Temp.(C)/Hum.(%) 23 C / 48 %	Time:
EUT: Tablet PC	Engineer Signature:
Mode: TX 2452MHz	Distance: 3m
Model: NS-15MS08	
Manufacturer: Zowee	

Note: 802.11 n40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2485.133	61.17	-7.38	53.79	74.00	-20.21	peak			
2	2485.133	50.74	-7.38	43.36	54.00	-10.64	AVG			

Prüfbericht - Nr.: 17043527 002

Test Report No.

Seite 280 von 288

Page 280 of 288

5.1.7 Conducted emissions

RESULT:**Pass**

Date of testing : 2014-10-13
Test standard : FCC Part 15.207
RSS-210 Clause 2.6
Basic standard : ANSI C63.4: 2003
Frequency range : 0.15 – 30MHz
Limits : FCC Part 15.207
Table 4 of RSS-Gen
Kind of test site : Shield room

Test setup

Input Voltage : AC 120V, 60Hz
Operation Mode : A
Earthing : Not Connected
Ambient temperature : 25°C
Relative humidity : 52%
Atmospheric pressure : 101kPa

For details refer to following test plot.

ACCURATE TECHNOLOGY CO., LTD
CONDUCTED EMISSION STANDARD FCC PART 15 B


EUT: Tablet PC M/N:UB-15MS10
 Manufacturer: Zowee
 Operating Condition: On with WiFi
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: L 120V/60Hz
 Comment: Mains Port
 Start of Test: 10/13/2014 /

SCAN TABLE: "V 150K-30MHz fin"

Short Description: _SUB_STD_VTERM2 1.70

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	4.5 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008

 Average


MEASUREMENT RESULT: "D-1013-20_fin"

10/13/2014

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.510000	38.40	10.7	56	17.6	QP	L1	GND
1.305000	28.70	10.9	56	27.3	QP	L1	GND
23.675000	26.80	11.5	60	33.2	QP	L1	GND

MEASUREMENT RESULT: "D-1013-20_fin2"

10/13/2014

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.510000	34.20	10.7	46	11.8	AV	L1	GND
1.130000	22.40	10.9	46	23.6	AV	L1	GND
23.100000	19.30	11.4	50	30.7	AV	L1	GND

ACCURATE TECHNOLOGY CO., LTD
CONDUCTED EMISSION STANDARD FCC PART 15 B


EUT: Tablet PC M/N:UB-15MS10
 Manufacturer: Zowee
 Operating Condition: On with WiFi
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: N 120V/60Hz
 Comment: Mains Port
 Start of Test: 10/13/2014 /

SCAN TABLE: "V 150K-30MHz fin"

Short Description: __SUB STD VTERM2 1.70

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	4.5 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008

 Average


MEASUREMENT RESULT: "D-1013-21_fin"

10/13/2014

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.540000	30.00	10.7	56	26.0	QP	N	GND
0.950000	24.50	10.8	56	31.5	QP	N	GND
22.575000	31.70	11.4	60	28.3	QP	N	GND

MEASUREMENT RESULT: "D-1013-21_fin2"

10/13/2014

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.545000	23.90	10.7	46	22.1	AV	N	GND
0.940000	14.10	10.8	46	31.9	AV	N	GND
23.700000	20.00	11.5	50	30.0	AV	N	GND


ACCURATE TECHNOLOGY CO., LTD
CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: On with WiFi
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: L 120V/60Hz
 Comment: Mains Port
 Start of Test: 10/13/2014 /

SCAN TABLE: "V 150K-30MHz fin"

Short Description: SUB_STD_VTERM2 1.70

Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	4.5 kHz	QuasiPeak	1.0 s	9 kHz	NSLK8126 2008
Average						


MEASUREMENT RESULT: "D-1013-07_fin"

10/13/2014

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.510000	37.80	10.7	56	18.2	QP	L1	GND
1.315000	28.40	10.9	56	27.6	QP	L1	GND
22.825000	26.00	11.4	60	34.0	QP	L1	GND

MEASUREMENT RESULT: "D-1013-07_fin2"

10/13/2014


Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.510000	33.00	10.7	46	13.0	AV	L1	GND
0.975000	21.20	10.8	46	24.8	AV	L1	GND
22.450000	18.80	11.4	50	31.2	AV	L1	GND

ACCURATE TECHNOLOGY CO., LTD
CONDUCTED EMISSION STANDARD FCC PART 15 B

EUT: Tablet PC M/N:NS-15MS08
 Manufacturer: Zowee
 Operating Condition: On with WiFi
 Test Site: 1#Shielding Room
 Operator: LAN
 Test Specification: N 120V/60Hz
 Comment: Mains Port
 Start of Test: 10/13/2014 /

SCAN TABLE: "V 150K-30MHz fin"

Short Description: _SUB_STD_VTERM2 1.70
 Start Stop Step Detector Meas. IF Transducer
 Frequency Frequency Width Time Bandw.
 150.0 kHz 30.0 MHz 4.5 kHz QuasiPeak 1.0 s 9 kHz NSLK8126 2008
 Average


MEASUREMENT RESULT: "D-1013-08_fin"


Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.545000	31.50	10.7	56	24.5	QP	N	GND
0.890000	23.30	10.8	56	32.7	QP	N	GND
24.550000	30.10	11.5	60	29.9	QP	N	GND

MEASUREMENT RESULT: "D-1013-08_fin2"


Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.545000	22.40	10.7	46	23.6	AV	N	GND
0.910000	14.40	10.8	46	31.6	AV	N	GND
24.775000	18.50	11.5	50	31.5	AV	N	GND

6. Photographs of the Test Set-Up


Photograph 1: Set-up for Conducted Emissions




Photograph 2: Set-up for Spurious Emissions for below 30MHz




Photograph 3: Set-up for Spurious Emissions for 30 - 1000MHz



Photograph 4: Set-up for Spurious Emissions for 1 - 18GHz



Photograph 5: Set-up for Spurious Emissions for 18 - 26.5GHz



7. List of Tables

Table 1: List of Test and Measurement Equipment.....	5
Table 2: Measurement Uncertainty	6
Table 3: Technical Specification of EUT	7
Table 4: Technical Specification of Wi-Fi	8
Table 5: Carrier Frequency	8
Table 6: Test result of Peak Output Power of 802.11b.....	14
Table 7: Test result of Peak Output Power of 802.11g.....	14
Table 8: Test result of Peak Output Power of 802.11n (HT20).....	14
Table 9: Test result of Peak Output Power of 802.11n (HT40).....	15
Table 10: Test result of 6dB & 99% Bandwidth of 802.11b	16
Table 11: Test result of 6dB & 99% Bandwidth of 802.11g	16
Table 12: Test result of 6dB & 99% Bandwidth of 802.11n (HT20)	16
Table 13: Test result of 6dB & 99% Bandwidth of 802.11n (HT40)	16
Table 14: Test result of power spectral density:	30

8. List of Photographs

Photograph 1: Set-up for Conducted Emissions	285
Photograph 2: Set-up for Spurious Emissions for below 30MHz	285
Photograph 3: Set-up for Spurious Emissions for 30 - 1000MHz	286
Photograph 4: Set-up for Spurious Emissions for 1 - 18GHz	286
Photograph 5: Set-up for Spurious Emissions for 18 - 26.5GHz.....	287