

FCC RF EXPOSURE REPORT

FCC ID: 2AAPW-QHS-406BT

Project No. : 1508C121
Equipment : Bluetooth earbud
Model : QHS-406BT-GN, QHS-406BT-BK, QHS-406BT-BN,
QHS-406BT-BL, QHS-406BT-YW, QHS-406BT-WT
Applicant : KBX GROUP
Address : AVENIDA 1ERA. CALLE B Y C MANZANA 58
FRANCE FIELD PANAMA FLORIDA USA 32412

According: : FCC Guidelines for Human Exposure IEEE
C95.1

B T L I N C .

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan, China.

TEL: +86-769-8318-3000 FAX: +86-769-8319-6000

Table for Filed Antenna

Ant.	Manufacturer	Model Name	Antenna Type	Connector	Gain(dBi)
1	N/A	N/A	Printed	N/A	0.0

GENERAL CONCLUSION:

Maximum measured transmitter power:

OutputPower (dBm)	Output Power (mW)	Limit (mW)
6.59	4.56	10

According to FCC KDB447498 V05, Appendix A, SAR Test Exclusion Thresholds for 100 MHz – 6 GHz and ≤ 50 mm

The maximum measured output peak power of this EUT is 4.56 mW, less than 10mW at 5mm distance.

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold