





FCC ID:2AAS9TBSP100
IC:26296-TBSP100
Made in china




 PMS 423C

Text Font:Myriad pro 3pt

Text Leading :4pt



QR code Label



掃出內容(需在同一行):

URN:LWDP:E8E1E10001013641:E8E1E1000XXXXXXX:TBAM100915:XXXXXXX

URN:LWDP:為固定碼

E8E1E10001013641:為JOINEUI固定碼

E8E1E1000XXXXXXX:為DEVEUI

TBAM100915:XXXXXXX為Device type:Checksum

E8E1E10001013641:

JOINEUI固定碼

E8E1E1000XXXXXXX:

DEVEUI

TBAM100915:XXXXXXX


Device type:Checksum

MODEL:TBAM100


固定碼

注意:

1. QR code label貼于機殼中間,上下左右居中,依圖示位置
2. 所有文字字體:Myriad Pro,字號6pt,段落行距2.1mm,冒號前後均無空格
3. 條碼類型QR code
 DEVEUI:E8E1E1000XXXXXXX:
 E8E1E1000為固定碼,
 XXXXXXX為流水碼,由系統帶出
 :為固定碼
 Device type:Checksum:TBAM100915:XXXXXXX
 TBAM100915:為固定碼
 XXXXXXX為核對碼由系統演算出
4. 各零件內容之檢驗,依各料號之材料承認書.

Description	QR code label	P/N	42K-900-2596R	TITLE :	REV.
 正文科技股份有限公司 Gemtek Technology Co., Ltd.				Package Standard Operation Procedure	990-100-0573R 1.0

QR code Label



掃出內容(需在同一行):

URN:LWDP:E8E1E10001013641:E8E1E1000XXXXXXX:TBSL100915:XXXXXXX

URN:LWDP:為固定碼

E8E1E10001013641:為JOINEUI固定碼

E8E1E1000XXXXXXX:為DEVEUI

TBSL100915:XXXXXXX為Device type:Checksum

JOINEUI固定碼

DEVEUI

Device type:Checksum


固定碼

注意:

1. QR code label貼于機殼中間,上下左右居中,依圖示位置
2. 所有文字字體:Myriad Pro,字號6pt,段落行距2.1mm,冒號前後均無空格
3. 條碼類型QR code
 DEVEUI:E8E1E1000XXXXXXX:
 E8E1E1000為固定碼,
 XXXXXXX為流水碼,由系統帶出
 :為固定碼
 Device type:Checksum:TBSL100915:XXXXXXX
 TBSL100915:為固定碼
 XXXXXXX為核對碼由系統演算出
4. 各零件內容之檢驗,依各料號之材料承認書.

Description	QR code label	P/N	42K-900-2596R				REV.
 正文科技股份有限公司 Gemtek Technology Co., Ltd.				TITLE : Package Standard Operation Procedure		990-100-0572R	1.0

QR code Label



掃出內容(需在同一行):

URN:LWDP:E8E1E10001013641:E8E1E1000XXXXXXX:TBWL100915:XXXXXXX

URN:LWDP:為固定碼

E8E1E10001013641:為JOINEUI固定碼

E8E1E1000XXXXXXX:為DEVEUI

TBWL100915:XXXXXXX為Device type:Checksum

E8E1E10001013641:

JOINEUI固定碼

E8E1E1000XXXXXXX:

DEVEUI

TBWL100915:XXXXXXX

Device type:Checksum


MODEL:TBWL100

固定碼

注意:

1. QR code label貼于機殼中間,上下左右居中,依圖示位置
2. 所有文字字體:Myriad Pro,字號6pt,段落行距2.1mm,冒號前後均無空格
3. 條碼類型QR code
 - DEVEUI:E8E1E1000XXXXXXX:
 - E8E1E1000為固定碼,
 - XXXXXXX為流水碼,由系統帶出
 - :為固定碼
 - Device type:Checksum:TBWL100915:XXXXXXX
 - TBWL100915:為固定碼
 - XXXXXXX為核對碼由系統演算出
4. 各零件內容之檢驗,依各料號之材料承認書.

Description	QR code label	P/N	42K-900-2596R				REV.
				TITLE :			
				Package Standard Operation Procedure		990-100-0585R	1.0



FCC ID: 2AAS9TBSP100

IC: 26296-TBSP100