


5.250-5.350GHz (802.11a)-ANT1

[TestMode: TX middle channel]; [Polarity: Horizontal]

Radiated Emission Measurement



| | | |
|------------------------|---------------------------------|--------------|
| Site | Polarization: Horizontal | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-M-band2 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|-------------------------|-----------------|---------|
| 1 | | 8144.000 | 41.71 | 8.13 | 49.84 | 74.00 | -24.16 | peak | | | |
| 2 | * | 11398.750 | 40.07 | 11.76 | 51.83 | 74.00 | -22.17 | peak | | | |

*:Maximum data x:Over limit !:over margin


<Reference Only

Test Result: Pass

5.250-5.350GHz (802.11a)-ANT1

[TestMode: TX middle channel]; [Polarity: Vertical]

Radiated Emission Measurement



| | | |
|------------------------|-------------------------------|--------------|
| Site | Polarization: Vertical | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-M-band2 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|-------------------------|-----------------|---------|
| 1 | | 9671.500 | 40.42 | 9.42 | 49.84 | 74.00 | -24.16 | peak | | |
| 2 | * | 11269.500 | 39.08 | 11.94 | 51.02 | 74.00 | -22.98 | peak | | |


*:Maximum data x:Over limit !:over margin <Reference Only

Test Result: Pass

5.250-5.350GHz (802.11a)-ANT1

[TestMode: TX high channel]; [Polarity: Horizontal]

Radiated Emission Measurement



| | | |
|------------------------|---------------------------------|--------------|
| Site | Polarization: Horizontal | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-H-band2 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|-------------------------|-----------------|---------|
| 1 | | 10235.500 | 39.60 | 10.70 | 50.30 | 74.00 | -23.70 | peak | | | |
| 2 | * | 11375.250 | 39.94 | 11.79 | 51.73 | 74.00 | -22.27 | peak | | | |


*:Maximum data x:Over limit !:over margin <Reference Only

Test Result: Pass

5.250-5.350GHz (802.11a)-ANT1

[TestMode: TX high channel]; [Polarity: Vertical]

Radiated Emission Measurement



| | | |
|------------------------|-------------------------------|--------------|
| Site | Polarization: Vertical | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-H-band2 | | |
| Note: | | |

| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Over | Antenna Height | Table Degree | |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | cm | degree | Comment |
| 1 | | 8308.500 | 41.47 | 8.25 | 49.72 | 74.00 | -24.28 | peak | | |
| 2 | * | 11340.000 | 39.58 | 11.85 | 51.43 | 74.00 | -22.57 | peak | | |


*:Maximum data x:Over limit !:over margin <Reference Only

Test Result: Pass

5.470-5.725GHz(802.11a)-ANT1

[TestMode: TX Low channel]; [Polarity: Horizontal]

Radiated Emission Measurement



| | | |
|------------------------|---------------------------------|--------------|
| Site | Polarization: Horizontal | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-L-band3 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|-------------------------|-----------------|---------|
| 1 | | 8167.500 | 41.57 | 8.17 | 49.74 | 74.00 | -24.26 | peak | | | |
| 2 | * | 11234.250 | 39.63 | 12.00 | 51.63 | 74.00 | -22.37 | peak | | | |

*:Maximum data x:Over limit !:over margin


<Reference Only

Test Result: Pass

5.470-5.725GHz(802.11a)-ANT1

[TestMode: TX Low channel]; [Polarity: Vertical]

Radiated Emission Measurement



| | | |
|------------------------|-------------------------------|--------------|
| Site | Polarization: Vertical | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-L-band3 | | |
| Note: | | |

| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Over | Antenna Height | Table Degree | |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | cm | degree | Comment |
| 1 | | 9319.000 | 40.97 | 8.72 | 49.69 | 74.00 | -24.31 | peak | | |
| 2 | * | 11187.250 | 39.54 | 12.04 | 51.58 | 74.00 | -22.42 | peak | | |


*:Maximum data x:Over limit !:over margin <Reference Only

Test Result: Pass

5.470-5.725GHz(802.11a)-ANT1

[TestMode: TX middle channel]; [Polarity: Horizontal]

Radiated Emission Measurement



| | | |
|------------------------|---------------------------------|--------------|
| Site | Polarization: Horizontal | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-M-band3 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|-------------------------|-----------------|---------|
| 1 | | 3737.750 | 42.67 | 7.31 | 49.98 | 74.00 | -24.02 | peak | | | |
| 2 | | 8402.500 | 41.34 | 8.28 | 49.62 | 74.00 | -24.38 | peak | | | |
| 3 | * | 12374.000 | 40.05 | 11.72 | 51.77 | 74.00 | -22.23 | peak | | | |

*:Maximum data x:Over limit !:over margin


<Reference Only

Test Result: Pass

5.470-5.725GHz(802.11a)-ANT1

[TestMode: TX middle channel]; [Polarity: Vertical]

Radiated Emission Measurement



| | | |
|------------------------|-------------------------------|--------------|
| Site | Polarization: Vertical | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-M-band3 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|-------------------------|-----------------|---------|
| 1 | | 6933.750 | 41.93 | 7.94 | 49.87 | 74.00 | -24.13 | peak | | | |
| 2 | * | 11363.500 | 40.19 | 11.81 | 52.00 | 74.00 | -22.00 | peak | | | |


*:Maximum data x:Over limit !:over margin <Reference Only

Test Result: Pass

5.470-5.725GHz(802.11a)-ANT1

[TestMode: TX high channel]; [Polarity: Horizontal]

Radiated Emission Measurement



| | | |
|------------------------|---------------------------------|--------------|
| Site | Polarization: Horizontal | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-H-band3 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|-------------------------|-----------------|---------|
| 1 | | 10505.750 | 39.62 | 11.18 | 50.80 | 74.00 | -23.20 | peak | | |
| 2 | * | 11269.500 | 39.13 | 11.94 | 51.07 | 74.00 | -22.93 | peak | | |

*:Maximum data x:Over limit !:over margin


<Reference Only

Test Result: Pass

5.470-5.725GHz(802.11a)-ANT1

[TestMode: TX high channel]; [Polarity: Vertical]

Radiated Emission Measurement



| | | |
|------------------------|-------------------------------|--------------|
| Site | Polarization: Vertical | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-H-band3 | | |
| Note: | | |

| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Over | Antenna Height | Table Degree | |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | cm | degree | Comment |
| 1 | | 9401.250 | 41.88 | 8.83 | 50.71 | 74.00 | -23.29 | peak | | |
| 2 | * | 11375.250 | 40.81 | 11.79 | 52.60 | 74.00 | -21.40 | peak | | |

*:Maximum data x:Over limit !:over margin


⟨Reference Only

Test Result: Pass

5.725-5.850GHz (802.11a) -ANT1

[TestMode: TX Low channel]; [Polarity: Horizontal]

Radiated Emission Measurement



| | | |
|------------------------|---------------------------------|--------------|
| Site | Polarization: Horizontal | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-L-band4 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|-------------------------|-----------------|---------|
| 1 | | 10059.250 | 39.17 | 10.49 | 49.66 | 74.00 | -24.34 | peak | | | |
| 2 | * | 11269.500 | 39.92 | 11.94 | 51.86 | 74.00 | -22.14 | peak | | | |

*:Maximum data x:Over limit !:over margin


<Reference Only

Test Result: Pass

5.725-5.850GHz (802.11a) -ANT1

[TestMode: TX Low channel]; [Polarity: Vertical]

Radiated Emission Measurement



| | | |
|------------------------|-------------------------------|--------------|
| Site | Polarization: Vertical | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-L-band4 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|-------------------------|-----------------|---------|
| 1 | | 9389.500 | 41.20 | 8.82 | 50.02 | 74.00 | -23.98 | peak | | |
| 2 | * | 11704.250 | 39.68 | 11.79 | 51.47 | 74.00 | -22.53 | peak | | |

*:Maximum data x:Over limit !:over margin


<Reference Only

Test Result: Pass

5.725-5.850GHz (802.11a) -ANT1

[TestMode: TX middle channel]; [Polarity: Horizontal]

Radiated Emission Measurement



| | | |
|------------------------|---------------------------------|--------------|
| Site | Polarization: Horizontal | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-M-band4 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|-------------------------|-----------------|---------|
| 1 | | 10035.750 | 39.42 | 10.49 | 49.91 | 74.00 | -24.09 | peak | | |
| 2 | * | 11316.500 | 39.89 | 11.88 | 51.77 | 74.00 | -22.23 | peak | | |

*:Maximum data x:Over limit !:over margin


⟨Reference Only

Test Result: Pass

5.725-5.850GHz (802.11a) -ANT1

[TestMode: TX middle channel]; [Polarity: Vertical]

Radiated Emission Measurement



| | | |
|------------------------|-------------------------------|--------------|
| Site | Polarization: Vertical | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-M-band4 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|-------------------------|-----------------|---------|
| 1 | | 10611.500 | 39.06 | 11.17 | 50.23 | 74.00 | -23.77 | peak | | | |
| 2 | * | 11316.500 | 39.72 | 11.88 | 51.60 | 74.00 | -22.40 | peak | | | |


*:Maximum data x:Over limit !:over margin <Reference Only

Test Result: Pass

5.725-5.850GHz (802.11a) -ANT1

[TestMode: TX high channel]; [Polarity: Horizontal]

Radiated Emission Measurement



| | | |
|------------------------|---------------------------------|--------------|
| Site | Polarization: Horizontal | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-H-band4 | | |
| Note: | | |

| No. | Mk. | Freq. MHz | Reading Level dBuV | Correct Factor dB | Measure- ment dBuV/m | Limit dBuV/m | Over dB | Detector | Antenna Height cm | Table Degree | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|-------------------------|-----------------|---------|
| 1 | | 8155.750 | 42.18 | 8.15 | 50.33 | 74.00 | -23.67 | peak | | | |
| 2 | | 10635.000 | 39.86 | 11.24 | 51.10 | 74.00 | -22.90 | peak | | | |
| 3 | * | 11751.250 | 40.34 | 11.66 | 52.00 | 74.00 | -22.00 | peak | | | |

*:Maximum data x:Over limit !:over margin


<Reference Only

Test Result: Pass

5.725-5.850GHz (802.11a) -ANT1

[TestMode: TX high channel]; [Polarity: Vertical]

Radiated Emission Measurement



| | | |
|------------------------|-------------------------------|--------------|
| Site | Polarization: Vertical | Temperature: |
| Limit: FCC Part15 (PK) | Power: AC120V/60Hz | Humidity: % |
| EUT: | Distance: 3m | |
| M/N: M1200S | | |
| Mode: 802.11a-H-band4 | | |
| Note: | | |

| No. | Mk. | Freq. | Reading Level | Correct Factor | Measurement | Limit | Over | Antenna Height | Table Degree | |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------------|--------------|---------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | cm | degree | Comment |
| 1 | | 9424.750 | 40.62 | 8.89 | 49.51 | 74.00 | -24.49 | peak | | |
| 2 | * | 11316.500 | 40.39 | 11.88 | 52.27 | 74.00 | -21.73 | peak | | |

*:Maximum data x:Over limit !:over margin

<Reference Only

Test Result: Pass

11 APPENDIX

11.1 MAXIMUM CONDUCTED OUTPUT POWER


| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT | a | 5180 | Ant1 | 14.908 | 0 | 14.908 | 24 | Pass |
| NVNT | a | 5180 | Ant2 | 16.708 | 0 | 16.708 | 24 | Pass |
| NVNT | a | 5200 | Ant1 | 14.614 | 0 | 14.614 | 24 | Pass |
| NVNT | a | 5200 | Ant2 | 16.483 | 0 | 16.483 | 24 | Pass |
| NVNT | a | 5240 | Ant1 | 13.635 | 0 | 13.635 | 24 | Pass |
| NVNT | a | 5240 | Ant2 | 15.803 | 0 | 15.803 | 24 | Pass |
| NVNT | a | 5260 | Ant1 | 13.124 | 0 | 13.124 | 24 | Pass |
| NVNT | a | 5260 | Ant2 | 15.414 | 0 | 15.414 | 24 | Pass |
| NVNT | a | 5280 | Ant1 | 12.719 | 0 | 12.719 | 24 | Pass |
| NVNT | a | 5280 | Ant2 | 15.008 | 0 | 15.008 | 24 | Pass |
| NVNT | a | 5320 | Ant1 | 12.791 | 0 | 12.791 | 24 | Pass |
| NVNT | a | 5320 | Ant2 | 14.508 | 0 | 14.508 | 24 | Pass |
| NVNT | a | 5500 | Ant1 | 13.002 | 0 | 13.002 | 24 | Pass |
| NVNT | a | 5500 | Ant2 | 15.672 | 0 | 15.672 | 24 | Pass |
| NVNT | a | 5600 | Ant1 | 14.682 | 0 | 14.682 | 24 | Pass |
| NVNT | a | 5600 | Ant2 | 16.384 | 0 | 16.384 | 24 | Pass |
| NVNT | a | 5700 | Ant1 | 15.151 | 0 | 15.151 | 24 | Pass |
| NVNT | a | 5700 | Ant2 | 15.875 | 0 | 15.875 | 24 | Pass |
| NVNT | a | 5745 | Ant1 | 14.697 | 0 | 14.697 | 30 | Pass |
| NVNT | a | 5745 | Ant2 | 15.776 | 0 | 15.776 | 30 | Pass |
| NVNT | a | 5785 | Ant1 | 14.215 | 0 | 14.215 | 30 | Pass |
| NVNT | a | 5785 | Ant2 | 15.992 | 0 | 15.992 | 30 | Pass |
| NVNT | a | 5825 | Ant1 | 13.283 | 0 | 13.283 | 30 | Pass |
| NVNT | a | 5825 | Ant2 | 15.392 | 0 | 15.392 | 30 | Pass |
| NVNT | ac80 | 5210 | Ant1 | 13.454 | 0 | 13.454 | 24 | Pass |
| NVNT | ac80 | 5210 | Ant2 | 15.442 | 0 | 15.442 | 24 | Pass |
| NVNT | ac80 | 5210 | Sum | 17.571 | 0 | 17.571 | 24 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 11.455 | 0 | 11.455 | 24 | Pass |
| NVNT | ac80 | 5290 | Ant2 | 13.525 | 0 | 13.525 | 24 | Pass |
| NVNT | ac80 | 5290 | Sum | 15.622 | 0 | 15.622 | 24 | Pass |
| NVNT | ac80 | 5530 | Ant1 | 12.444 | 0 | 12.444 | 24 | Pass |
| NVNT | ac80 | 5530 | Ant2 | 14.246 | 0 | 14.246 | 24 | Pass |
| NVNT | ac80 | 5530 | Sum | 16.448 | 0 | 16.448 | 24 | Pass |
| NVNT | ac80 | 5610 | Ant1 | 14.46 | 0 | 14.46 | 24 | Pass |
| NVNT | ac80 | 5610 | Ant2 | 15.966 | 0 | 15.966 | 24 | Pass |
| NVNT | ac80 | 5610 | Sum | 18.288 | 0 | 18.288 | 24 | Pass |
| NVNT | ac80 | 5690 | Ant1 | 14.973 | 0 | 14.973 | 24 | Pass |
| NVNT | ac80 | 5690 | Ant2 | 16.559 | 0 | 16.559 | 24 | Pass |
| NVNT | ac80 | 5690 | Sum | 18.848 | 0 | 18.848 | 24 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 14.439 | 0 | 14.439 | 30 | Pass |

| | | | | | | | | |
|------|------|------|------|--------|---|--------|----|------|
| NVNT | ac80 | 5775 | Ant2 | 15.803 | 0 | 15.803 | 30 | Pass |
| NVNT | ac80 | 5775 | Sum | 18.185 | 0 | 18.185 | 30 | Pass |
| NVNT | n20 | 5180 | Ant1 | 14.782 | 0 | 14.782 | 24 | Pass |
| NVNT | n20 | 5180 | Ant2 | 16.253 | 0 | 16.253 | 24 | Pass |
| NVNT | n20 | 5180 | Sum | 18.59 | 0 | 18.59 | 24 | Pass |
| NVNT | n20 | 5200 | Ant1 | 14.589 | 0 | 14.589 | 24 | Pass |
| NVNT | n20 | 5200 | Ant2 | 16.13 | 0 | 16.13 | 24 | Pass |
| NVNT | n20 | 5200 | Sum | 18.438 | 0 | 18.438 | 24 | Pass |
| NVNT | n20 | 5240 | Ant1 | 13.652 | 0 | 13.652 | 24 | Pass |
| NVNT | n20 | 5240 | Ant2 | 15.668 | 0 | 15.668 | 24 | Pass |
| NVNT | n20 | 5240 | Sum | 17.786 | 0 | 17.786 | 24 | Pass |
| NVNT | n20 | 5260 | Ant1 | 13.862 | 0 | 13.862 | 24 | Pass |
| NVNT | n20 | 5260 | Ant2 | 15.663 | 0 | 15.663 | 24 | Pass |
| NVNT | n20 | 5260 | Sum | 17.865 | 0 | 17.865 | 24 | Pass |
| NVNT | n20 | 5280 | Ant1 | 12.744 | 0 | 12.744 | 24 | Pass |
| NVNT | n20 | 5280 | Ant2 | 14.634 | 0 | 14.634 | 24 | Pass |
| NVNT | n20 | 5280 | Sum | 16.801 | 0 | 16.801 | 24 | Pass |
| NVNT | n20 | 5320 | Ant1 | 12.44 | 0 | 12.44 | 24 | Pass |
| NVNT | n20 | 5320 | Ant2 | 14.002 | 0 | 14.002 | 24 | Pass |
| NVNT | n20 | 5320 | Sum | 16.301 | 0 | 16.301 | 24 | Pass |
| NVNT | n20 | 5500 | Ant1 | 12.933 | 0 | 12.933 | 24 | Pass |
| NVNT | n20 | 5500 | Ant2 | 15.345 | 0 | 15.345 | 24 | Pass |
| NVNT | n20 | 5500 | Sum | 17.315 | 0 | 17.315 | 24 | Pass |
| NVNT | n20 | 5600 | Ant1 | 14.707 | 0 | 14.707 | 24 | Pass |
| NVNT | n20 | 5600 | Ant2 | 15.988 | 0 | 15.988 | 24 | Pass |
| NVNT | n20 | 5600 | Sum | 18.405 | 0 | 18.405 | 24 | Pass |
| NVNT | n20 | 5700 | Ant1 | 15.048 | 0 | 15.048 | 24 | Pass |
| NVNT | n20 | 5700 | Ant2 | 15.47 | 0 | 15.47 | 24 | Pass |
| NVNT | n20 | 5700 | Sum | 18.274 | 0 | 18.274 | 24 | Pass |
| NVNT | n20 | 5745 | Ant1 | 17.447 | 0 | 17.447 | 30 | Pass |
| NVNT | n20 | 5745 | Ant2 | 17.97 | 0 | 17.97 | 30 | Pass |
| NVNT | n20 | 5745 | Sum | 20.727 | 0 | 20.727 | 30 | Pass |
| NVNT | n20 | 5785 | Ant1 | 16.354 | 0 | 16.354 | 30 | Pass |
| NVNT | n20 | 5785 | Ant2 | 17.813 | 0 | 17.813 | 30 | Pass |
| NVNT | n20 | 5785 | Sum | 20.155 | 0 | 20.155 | 30 | Pass |
| NVNT | n20 | 5825 | Ant1 | 15.961 | 0 | 15.961 | 30 | Pass |
| NVNT | n20 | 5825 | Ant2 | 17.645 | 0 | 17.645 | 30 | Pass |
| NVNT | n20 | 5825 | Sum | 19.894 | 0 | 19.894 | 30 | Pass |
| NVNT | n40 | 5190 | Ant1 | 13.914 | 0 | 13.914 | 24 | Pass |
| NVNT | n40 | 5190 | Ant2 | 15.455 | 0 | 15.455 | 24 | Pass |
| NVNT | n40 | 5190 | Sum | 17.763 | 0 | 17.763 | 24 | Pass |
| NVNT | n40 | 5230 | Ant1 | 13.064 | 0 | 13.064 | 24 | Pass |
| NVNT | n40 | 5230 | Ant2 | 14.922 | 0 | 14.922 | 24 | Pass |
| NVNT | n40 | 5230 | Sum | 17.102 | 0 | 17.102 | 24 | Pass |
| NVNT | n40 | 5270 | Ant1 | 12.064 | 0 | 12.064 | 24 | Pass |
| NVNT | n40 | 5270 | Ant2 | 13.84 | 0 | 13.84 | 24 | Pass |
| NVNT | n40 | 5270 | Sum | 16.052 | 0 | 16.052 | 24 | Pass |


| | | | | | | | | |
|------|-----|------|------|--------|---|--------|----|------|
| NVNT | n40 | 5310 | Ant1 | 12.215 | 0 | 12.215 | 24 | Pass |
| NVNT | n40 | 5310 | Ant2 | 13.53 | 0 | 13.53 | 24 | Pass |
| NVNT | n40 | 5310 | Sum | 15.932 | 0 | 15.932 | 24 | Pass |
| NVNT | n40 | 5510 | Ant1 | 11.679 | 0 | 11.679 | 24 | Pass |
| NVNT | n40 | 5510 | Ant2 | 14.128 | 0 | 14.128 | 24 | Pass |
| NVNT | n40 | 5510 | Sum | 16.084 | 0 | 16.084 | 24 | Pass |
| NVNT | n40 | 5590 | Ant1 | 14.602 | 0 | 14.602 | 24 | Pass |
| NVNT | n40 | 5590 | Ant2 | 15.797 | 0 | 15.797 | 24 | Pass |
| NVNT | n40 | 5590 | Sum | 18.251 | 0 | 18.251 | 24 | Pass |
| NVNT | n40 | 5670 | Ant1 | 15.517 | 0 | 15.517 | 24 | Pass |
| NVNT | n40 | 5670 | Ant2 | 17.058 | 0 | 17.058 | 24 | Pass |
| NVNT | n40 | 5670 | Sum | 19.366 | 0 | 19.366 | 24 | Pass |
| NVNT | n40 | 5755 | Ant1 | 16.324 | 0 | 16.324 | 30 | Pass |
| NVNT | n40 | 5755 | Ant2 | 17.099 | 0 | 17.099 | 30 | Pass |
| NVNT | n40 | 5755 | Sum | 19.739 | 0 | 19.739 | 30 | Pass |
| NVNT | n40 | 5795 | Ant1 | 15.739 | 0 | 15.739 | 30 | Pass |
| NVNT | n40 | 5795 | Ant2 | 16.938 | 0 | 16.938 | 30 | Pass |
| NVNT | n40 | 5795 | Sum | 19.39 | 0 | 19.39 | 30 | Pass |

BlueAsia


Power NVNT a 5180MHz Ant1




Power NVNT a 5180MHz Ant2




Power NVNT a 5200MHz Ant1




Power NVNT a 5200MHz Ant2




Power NVNT a 5240MHz Ant1




Power NVNT a 5240MHz Ant2




Power NVNT a 5260MHz Ant1




Power NVNT a 5260MHz Ant2




Power NVNT a 5280MHz Ant1




Power NVNT a 5280MHz Ant2




Power NVNT a 5320MHz Ant1




Power NVNT a 5320MHz Ant2




Power NVNT a 5500MHz Ant1




Power NVNT a 5500MHz Ant2




Power NVNT a 5600MHz Ant1




Power NVNT a 5600MHz Ant2




Power NVNT a 5700MHz Ant1




Power NVNT a 5700MHz Ant2




Power NVNT a 5745MHz Ant1




Power NVNT a 5745MHz Ant2




Power NVNT a 5785MHz Ant1




Power NVNT a 5785MHz Ant2




Power NVNT a 5825MHz Ant1




Power NVNT a 5825MHz Ant2




Power NVNT ac80 5210MHz Ant1




Power NVNT ac80 5210MHz Ant2




Power NVNT ac80 5290MHz Ant1




Power NVNT ac80 5290MHz Ant2




Power NVNT ac80 5530MHz Ant1




Power NVNT ac80 5530MHz Ant2




Power NVNT ac80 5610MHz Ant1




Power NVNT ac80 5610MHz Ant2




Power NVNT ac80 5690MHz Ant1




Power NVNT ac80 5690MHz Ant2




Power NVNT ac80 5775MHz Ant1




Power NVNT ac80 5775MHz Ant2




Power NVNT n20 5180MHz Ant1




Power NVNT n20 5180MHz Ant2




Power NVNT n20 5200MHz Ant1




Power NVNT n20 5200MHz Ant2




Power NVNT n20 5240MHz Ant1




Power NVNT n20 5240MHz Ant2




Power NVNT n20 5260MHz Ant1




Power NVNT n20 5260MHz Ant2




Power NVNT n20 5280MHz Ant1




Power NVNT n20 5280MHz Ant2




Power NVNT n20 5320MHz Ant1




Power NVNT n20 5320MHz Ant2




Power NVNT n20 5500MHz Ant1




Power NVNT n20 5500MHz Ant2




Power NVNT n20 5600MHz Ant1




Power NVNT n20 5600MHz Ant2




Power NVNT n20 5700MHz Ant1




Power NVNT n20 5700MHz Ant2




Power NVNT n20 5745MHz Ant1




Power NVNT n20 5745MHz Ant2




Power NVNT n20 5785MHz Ant1




Power NVNT n20 5785MHz Ant2




Power NVNT n20 5825MHz Ant1




Power NVNT n20 5825MHz Ant2




Power NVNT n40 5190MHz Ant1




Power NVNT n40 5190MHz Ant2




Power NVNT n40 5230MHz Ant1




Power NVNT n40 5230MHz Ant2




Power NVNT n40 5270MHz Ant1




Power NVNT n40 5270MHz Ant2




Power NVNT n40 5310MHz Ant1




Power NVNT n40 5310MHz Ant2




Power NVNT n40 5510MHz Ant1




Power NVNT n40 5510MHz Ant2




Power NVNT n40 5590MHz Ant1




Power NVNT n40 5590MHz Ant2




Power NVNT n40 5670MHz Ant1




Power NVNT n40 5670MHz Ant2




Power NVNT n40 5755MHz Ant1




Power NVNT n40 5755MHz Ant2



Power NVNT n40 5795MHz Ant1



Power NVNT n40 5795MHz Ant2




11.2 -26DB BANDWIDTH

| Condition | Mode | Frequency (MHz) | Antenna | -26 dB Bandwidth (MHz) | Limit -26 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT | a | 5180 | Ant1 | 18.414 | 0.5 | Pass |
| NVNT | a | 5180 | Ant2 | 18.526 | 0.5 | Pass |
| NVNT | a | 5200 | Ant1 | 18.707 | 0.5 | Pass |
| NVNT | a | 5200 | Ant2 | 18.455 | 0.5 | Pass |
| NVNT | a | 5240 | Ant1 | 18.603 | 0.5 | Pass |
| NVNT | a | 5240 | Ant2 | 18.416 | 0.5 | Pass |
| NVNT | a | 5260 | Ant1 | 18.587 | 0.5 | Pass |
| NVNT | a | 5260 | Ant2 | 18.556 | 0.5 | Pass |
| NVNT | a | 5280 | Ant1 | 18.661 | 0.5 | Pass |
| NVNT | a | 5280 | Ant2 | 18.421 | 0.5 | Pass |
| NVNT | a | 5320 | Ant1 | 18.588 | 0.5 | Pass |
| NVNT | a | 5320 | Ant2 | 18.615 | 0.5 | Pass |
| NVNT | a | 5500 | Ant1 | 18.68 | 0.5 | Pass |
| NVNT | a | 5500 | Ant2 | 18.384 | 0.5 | Pass |
| NVNT | a | 5600 | Ant1 | 18.625 | 0.5 | Pass |
| NVNT | a | 5600 | Ant2 | 18.401 | 0.5 | Pass |
| NVNT | a | 5700 | Ant1 | 18.616 | 0.5 | Pass |
| NVNT | a | 5700 | Ant2 | 18.329 | 0.5 | Pass |
| NVNT | ac80 | 5210 | Ant1 | 79.718 | 0.5 | Pass |
| NVNT | ac80 | 5210 | Ant2 | 79.914 | 0.5 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 79.345 | 0.5 | Pass |
| NVNT | ac80 | 5290 | Ant2 | 79.798 | 0.5 | Pass |
| NVNT | ac80 | 5530 | Ant1 | 79.959 | 0.5 | Pass |
| NVNT | ac80 | 5530 | Ant2 | 79.386 | 0.5 | Pass |
| NVNT | ac80 | 5610 | Ant1 | 79.375 | 0.5 | Pass |
| NVNT | ac80 | 5610 | Ant2 | 79.887 | 0.5 | Pass |
| NVNT | ac80 | 5690 | Ant1 | 79.071 | 0.5 | Pass |
| NVNT | ac80 | 5690 | Ant2 | 79.603 | 0.5 | Pass |
| NVNT | n20 | 5180 | Ant1 | 19.559 | 0.5 | Pass |
| NVNT | n20 | 5180 | Ant2 | 19.544 | 0.5 | Pass |
| NVNT | n20 | 5200 | Ant1 | 19.509 | 0.5 | Pass |
| NVNT | n20 | 5200 | Ant2 | 19.581 | 0.5 | Pass |
| NVNT | n20 | 5240 | Ant1 | 19.518 | 0.5 | Pass |
| NVNT | n20 | 5240 | Ant2 | 19.54 | 0.5 | Pass |
| NVNT | n20 | 5260 | Ant1 | 19.515 | 0.5 | Pass |
| NVNT | n20 | 5260 | Ant2 | 19.558 | 0.5 | Pass |
| NVNT | n20 | 5280 | Ant1 | 19.546 | 0.5 | Pass |
| NVNT | n20 | 5280 | Ant2 | 19.594 | 0.5 | Pass |
| NVNT | n20 | 5320 | Ant1 | 19.567 | 0.5 | Pass |
| NVNT | n20 | 5320 | Ant2 | 19.537 | 0.5 | Pass |
| NVNT | n20 | 5500 | Ant1 | 19.442 | 0.5 | Pass |
| NVNT | n20 | 5500 | Ant2 | 19.543 | 0.5 | Pass |
| NVNT | n20 | 5600 | Ant1 | 19.644 | 0.5 | Pass |


| | | | | | | |
|------|-----|------|------|--------|-----|------|
| NVNT | n20 | 5600 | Ant2 | 19.509 | 0.5 | Pass |
| NVNT | n20 | 5700 | Ant1 | 19.496 | 0.5 | Pass |
| NVNT | n20 | 5700 | Ant2 | 19.596 | 0.5 | Pass |
| NVNT | n40 | 5190 | Ant1 | 40.398 | 0.5 | Pass |
| NVNT | n40 | 5190 | Ant2 | 40.21 | 0.5 | Pass |
| NVNT | n40 | 5230 | Ant1 | 40.258 | 0.5 | Pass |
| NVNT | n40 | 5230 | Ant2 | 40.525 | 0.5 | Pass |
| NVNT | n40 | 5270 | Ant1 | 40.119 | 0.5 | Pass |
| NVNT | n40 | 5270 | Ant2 | 39.997 | 0.5 | Pass |
| NVNT | n40 | 5310 | Ant1 | 40.68 | 0.5 | Pass |
| NVNT | n40 | 5310 | Ant2 | 40.095 | 0.5 | Pass |
| NVNT | n40 | 5510 | Ant1 | 40.451 | 0.5 | Pass |
| NVNT | n40 | 5510 | Ant2 | 40.382 | 0.5 | Pass |
| NVNT | n40 | 5590 | Ant1 | 40.814 | 0.5 | Pass |
| NVNT | n40 | 5590 | Ant2 | 40.46 | 0.5 | Pass |
| NVNT | n40 | 5670 | Ant1 | 40.317 | 0.5 | Pass |
| NVNT | n40 | 5670 | Ant2 | 40.749 | 0.5 | Pass |

BlueAsia


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5180MHz Ant2




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant2




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant2




-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5260MHz Ant2




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant2




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant2




-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5500MHz Ant2




-26dB Bandwidth NVNT a 5600MHz Ant1




-26dB Bandwidth NVNT a 5600MHz Ant2




-26dB Bandwidth NVNT a 5700MHz Ant1



-26dB Bandwidth NVNT a 5700MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant2

