



# Antenna Part Specification

Project name:	450L
Material category:	WIFI antenna
Manufacturer:	Shenzhen Cicent Communication Technology Co., Ltd.
Manufacturer address:	505-506 ,A Block,Donglian Building,Chuangye 2 road,Baoan District,Shenzhen,Guangdong,P.R china
Version:	V1.0
Date:	2024.07.25

Antenna Type: FPC Antenna



# Contents

I: The report of passive data.....3  
II: Structure file: ..... 10

Change record			
Compile / change date	Reason for change	Changed content	Version
2024.7.25	First edition	First edition	V1.0




I: The report of passive data



Agilent E5071C

WIFI antenna S11 parameter: (2.4+5G)






Efficiency: (2.4G)

WIFI 2.4G(2400-2480MHz)			
Frequency (MHz)	Gain (dBi)	Efficiency (dB )	Efficiency (%)
2400	1.6	-3.2	48.3
2410	1.7	-3.1	48.5
2420	1.7	-3.2	48.0
2430	1.4	-3.4	45.7
2440	1.1	-3.4	45.3
2450	1.1	-3.4	45.7
2460	0.8	-3.5	44.4
2470	0.9	-3.6	43.4
2480	0.9	-3.6	43.9
Average value	1.2	-3.4	45.9


3D Antenna radiation pattern: (2.4G)






### Antenna radiation pattern: (2.4G)

Theta=90°




Phi=0°





Phi=90°






Efficiency: (5G)

WIFI 5G(5150-5850MHz)			
Frequency (MHz)	Gain (dBi)	Efficiency (dB )	Efficiency (%)
5150	-0.7	-4.2	37.9
5200	-0.9	-4.1	38.6
5250	-0.3	-4.0	39.4
5300	1.0	-4.0	39.9
5350	1.6	-3.9	40.7
5400	1.6	-3.8	41.8
5450	1.3	-3.9	40.8
5500	1.9	-3.1	48.5
5550	1.1	-3.5	44.2
5600	1.6	-3.0	50.2
5650	1.4	-2.9	51.2
5700	1.9	-2.7	54.2
5750	1.9	-2.5	55.8
5800	1.2	-2.8	52.8
5850	1.6	-2.8	52.2
平均值	1.1	-3.4	45.9

### 3D Antenna radiation pattern: (5G)









Antenna radiation pattern: (5G)

Theta=90°




Phi=0°







Phi=90°



OTA Standard Chamber

