



	Fred Stability	20C 3.80V ac20 5	715MHz Ant	1 0 Minutos	
		200 5.00 4020 5		1 0 Minutes	
Spectrum					
Ref Level 20.00 dBr Att 30 d			Made Curses		
SGL Count 20/20		• YOW JUKHZ I	Mode Sweep		
●1Pk Max					
			M1[1]		-25.34 dBm 5.7450000 GHz
10 dBm			M2[1]		-20.34 dBm
0 dBm					5.7361200 GHz
-10 dBm	ي من الدين من	When when the	ald wantharder	hiteoma	
-20 dBm	. Allanana la	villan, lita likaa dika ta 1. jalit.	abionalis allasido	WWW P	
-30 dBm		1		L L	
-30 ubiii	l l				
-40 dBm				- <u>1</u> ,	
-50 dBm-	l l'			N _A	
	at			<u> </u>	
ronfuller Mallung malling	-Null ^{e V}			Mulai	noutanthyperrequired around
-70 dBm					
CF 5.745 GHz		1001 pt	5		Span 40.0 MHz
Marker	Y-u-lug	V.u.a.lua	Function	1 F une	tion Result
Type Ref Trc M1 1	X-value 5.745 GHz	-25.34 dBm	Function	Func	tion Result
M2 1	5.73612 GHz	-20.34 dBm -19.44 dBm			
M3 1	5.75388 GHz	-19.44 dBm)		ANR 20.09.2023
			Ready		6/0 01:15:19
Date: 20.87P.2023 0	01:15:19				
	Freq. Stability	-20C 3.3V ac20 5	745MHz Ant:	1 0 Minutes	
Spectrum	Freq. Stability	-20C 3.3V ac20 5	745MHz Ant:	1 0 Minutes	Ē
Spectrum Ref Level 20.00 dBr			745MHz Ant:	1 0 Minutes	
RefLevel 20.00 dBr Att 30 d	m Offset 4.13 dB	• RBW 10 kHz	745MHz Ant: Mode Sweep	1 0 Minutes	œ
Ref Level 20.00 dBr Att 30 d SGL Count 20/20	m Offset 4.13 dB	• RBW 10 kHz		1 0 Minutes	
RefLevel 20.00 dBr Att 30 d	m Offset 4.13 dB	• RBW 10 kHz	Mode Sweep	1 0 Minutes	
Ref Level 20.00 dBr Att 30 d SGL Count 20/20	m Offset 4.13 dB	• RBW 10 kHz	Mode Sweep M1[1]	1 0 Minutes	-24.78 dBm 5.7449800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 PIPk Max 10 dBm	m Offset 4.13 dB	• RBW 10 kHz	Mode Sweep	1 0 Minutes	-24.79 dBm 5.7449800 GHz -17.64 dBm
Att 30 d SGL Count 20/20	m Offset 4.13 dB	• RBW 10 kHz	Mode Sweep M1[1]	1 0 Minutes	-24.78 dBm 5.7449800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 PIPk Max 10 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -17.64 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm -10 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -17.64 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm	m Offset 4.13 dB B SWT 40 ms	• RBW 10 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -17.64 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm -10 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -17.64 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -17.64 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -17.64 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -17.64 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -17.64 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm -70 dBm -70 dBm -70 dBm	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm	M Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm<	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -30 dBm -70 dBm	M Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm<	m Offset 4.13 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz ////////////////////////////////	Mode Sweep M1[1] M2[1]		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm<	M Offset 4.13 dB B SWT 40 ms 40 ms 4	RBW 10 kHz VBW 30 kHz ////////////////////////////////	Mode Sweep M1[1] M2[1]		-24.78 dBm 5.7449800 GHz -17.64 dBm 5.7361200 GHz


	Electric Charletter	400 2 214 - 20 5	7458411 4		
	Freq. Stability	/ -10C 3.3V ac20 5	745MHZ ANT.	1 0 Minutes	
Spectrum					E □
Ref Level 20.00 di	Bm Offset 4.13 dB	RBW 10 kHz			
Att 30	dB SWT 40 ms	VBW 30 kHz M	lode Sweep		
SGL Count 20/20 9 1Pk Max					
			M1[1]		-24.58 dBm
10 dBm					5.7449800 GHz
			M2[1]		-20.49 dBm 5.7360800 GHz
0 dBm					
-10 dBm					
00.45-	MENNAMA	ywyningdrywy Mh	hille-pul/lern/Aller	MMMM MM3	
-20 dBm		The second se			
-30 dBm					
-40 dBm				<u> </u>	
	p ^r			L K	
-50 dBm) ⁿ				
-60 dBm				- 14	A subliched as a sub-
	UMPro.			° Vu	app Aprilian and an and a second
-70 dBm					
CF 5.745 GHz		1001 pts			Span 40.0 MHz
Marker		1001 pt:	,		3pur +0.0 Mirz
Type Ref Trc	X-value	Y-value	Function	Func	tion Result
M1 1 M2 1	5.74498 GHz 5.73608 GHz	-24.58 dBm -20.49 dBm			
M3 1	5.75388 GHz	-19.86 dBm			
			Ready		20.09.2023
			,		
Date: 20.87P.2023	01:15:34				
	Eroa Stabilit	W OC 2 2V ac 20 57	15N147 Apt1	0 Minutos	
	Freq. Stabilit	y OC 3.3V ac20 57	45MHz Ant1	0 Minutes	
Spectrum	Freq. Stabilit	y OC 3.3V ac20 57	45MHz Ant1	0 Minutes	₽
Ref Level 20.00 da	Bm Offset 4.13 dB	wy OC 3.3V ac20 57	45MHz Ant1	0 Minutes	
Ref Level 20.00 df	Bm Offset 4.13 dB	RBW 10 kHz	45MHz Ant1 Mode Sweep	0 Minutes	
Ref Level 20.00 da	Bm Offset 4.13 dB	RBW 10 kHz		0 Minutes	(
Ref Level 20.00 df Att 30 SGL Count 20/20	Bm Offset 4.13 dB	RBW 10 kHz		0 Minutes	-24.79 dBm
Ref Level 20.00 df Att 30 SGL Count 20/20	Bm Offset 4.13 dB	RBW 10 kHz	Mode Sweep	0 Minutes	-24.79 dBm 5.7449800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 PIPK Max 10 dBm	Bm Offset 4.13 dB	RBW 10 kHz	Node Sweep	0 Minutes	-24.79 dBm
Ref Level 20.00 d8 Att 30 SGL Count 20/20 PIPK Max	Bm Offset 4.13 dB	RBW 10 kHz	Mode Sweep	0 Minutes	-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 df Att 30 SGL Count 20/20 PIPK Max 10 dBm	Bm Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 df Att 30 SGL Count 20/20 Ither provides the second sec	Bm Offset 4.13 dB dB SWT 40 ms	RBW 10 kHz	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 dl Att 30 SGL Count 20/20 Ith Max 10 dBm 0 dBm 0 dBm	Bm Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 df Att 30 SGL Count 20/20 Ither provides the second sec	Bm Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	Bm Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 dl Att 30 SGL Count 20/20 INK Max 10 0 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm -	Bm Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	Bm Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	Am Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	Am Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	Am Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep M1[1] M2[1]		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm	Am Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	Am Offset 4.13 dB dB SWT 40 ms	• RBW 10 kHz • VBW 30 kHz •	Mode Sweep		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -50 dBm -50 dBm -50 dBm -70 dBm GF 5.745 GHz Marker Type Ref	Am Offset 4.13 dB dB SWT 40 ms Missing Market Missing Mar	RBW 10 kHz VBW 30 kHz ////////////////////////////////	Mode Sweep		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 10 IPk Max 10 10 dBm 0 -10 dBm - -20 dBm - -30 dBm - -50 dBm - -50 dBm - -70 dBm </td <td>Bm Offset 4.13 dB dB SWT 40 ms Image: Strate stra</td> <td>RBW 10 kHz VBW 30 kHz VBW 30 kHz MU4</td> <td>Mode Sweep M1[1] M2[1] M////////////////////////////////</td> <td></td> <td>-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz </td>	Bm Offset 4.13 dB dB SWT 40 ms Image: Strate stra	RBW 10 kHz VBW 30 kHz VBW 30 kHz MU4	Mode Sweep M1[1] M2[1] M////////////////////////////////		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -50 dBm -50 dBm -50 dBm -70 dBm GF 5.745 GHz Marker Type Ref	Am Offset 4.13 dB dB SWT 40 ms Missing Market Missing Mar	RBW 10 kHz VBW 30 kHz ////////////////////////////////	Mode Sweep M1[1] M2[1] M////////////////////////////////		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 1Pk Max 10 dBm 0 0 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -60 dBm - -70 dBm -	Bm Offset 4.13 dB dB SWT 40 ms MB MWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz MUM MUM MU MU I I	Mode Sweep M1[1] M2[1] M////////////////////////////////		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz
Ref Level 20.00 df Att 30 SGL Count 20/20 1Pk Max 10 dBm 0 0 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -60 dBm - -70 dBm -	Am Offset 4.13 dB dB SWT 40 ms 40 m	RBW 10 kHz VBW 30 kHz VBW 30 kHz MUM MUM MU MU I I	Mode Sweep M1[1] M2[1		-24.79 dBm 5.7449800 GHz -20.45 dBm 5.7360800 GHz



	From Ctability	400 2 284 20 57	45 MIL- A-+4		
	Freq. Stability	y 40C 3.3V ac20 57	45IVIHZ ANt1	Jiviinutes	_
Spectrum					
Ref Level 20.00 dBm		RBW 10 kHz			
Att 30 dB SGL Count 20/20	SWT 40 ms	VBW 30 kHz M	ode Sweep		
1Pk Max					
			M1[1]	-23	3.37 dBm
10 dBm					800 GHz
0.40-			M2[1]).45 dBm)800 GHz
0 dBm					
-10 dBm			11		
-20 dBm	MENNAMA	man pulse and pulse	UANMANNAA	ANA AND	
-20 dBill		· · · · · · · · · · · · · · · · · · ·			
-30 dBm					
-40 dBm					
	,MV			1 h	
-50 dBm					
-60 dBm				The start of the second second	COLUMN THE
-60 dBm	10LU			Worther Will Marine	Manghanatha
-70 dBm					
CF 5.745 GHz		1001 pts		Span 4	D.O MHZ
Marker		1001 pts		аран н	5.0 MHZ
Type Ref Trc	X-value	Y-value	Function	Function Result	
M1 1 M2 1	5.74498 GHz 5.73608 GHz	-23.37 dBm -20.45 dBm			
M3 1	5.75388 GHz	-20.23 dBm			
			Ready	20.0	9.2023
		. ,			
Date: 20.87P.2023 01	:16:10				
	From Stability		45 MU - An+1		
	Freq. Stability	y 50C 3.3V ac20 57		Jiviinutes	_
Spectrum					[₩]
Ref Level 20.00 dBm	Offset 4.13 dB	RBW 10 kHz			
Att 30 dB	SWT 40 ms	VBW 30 kHz M	ode Sweep		
SGL Count 20/20 1Pk Max					
			M1[1]	-22	2.63 dBm
10 dBm					600 GHz
			M2[1]).57 dBm)800 GHz
0 dBm					
-10 dBm			1		
00.40m	Manhana	why analysis and the	hter the state in the second state in the second state in the second state in the second state is the seco	Mun 3	
-20 dBm-	<u>, 11</u>				
-30 dBm	/				
-40 dBm					
-40 dBm	N I				
-40 dBm				- ¹ / ₄	
-50 dBm	الم المحلين			"N	
-50 dBm -60 dBm Yydydyrwyddwydwyddigadd	un and a second			U. La Carter Hader and the	ngguingunitu
-50 dBm				u u u u u u u u u u u u u u u u u u u	npmputnyunitu
-50 d8m -60 d8m พูมันสุขไม่มีพูสหารไห้ได้ได้เหม่ -70 d8m					
-50 dBm -60 dBm -70 dBm -70 dBm -75 5.745 GH z		1001 pts			.o MHz
-50 d8m -60 d8m พูมันสุขไม่มีพูสหารไห้ได้ได้เหม่ -70 d8m	X-value	1001 pts	Function		
-50 dBm -60 dBm -70 d	X-value 5.74496 GHz	Y-value -22.63 dBm	Function	Span 4	
-50 dBm -60 dBm -70 dB	X-value 5.74496 GHz 5.73608 GHz	Y-value -22.63 dBm -20.57 dBm	Function	Span 4	
-50 dBm -60 dBm -70 dB	X-value 5.74496 GHz	Y-value -22.63 dBm	Function	Span 4	
-50 dBm -60 dBm -70 dB	X-value 5.74496 GHz 5.73608 GHz	Y-value -22.63 dBm -20.57 dBm	Function	Span 4	





Freq. Stability 20C 3.80V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dbm Offset 4.14 db = RBW 10 kHz Att 30.00 SWT 40 ms VBW 30 kHz Mode Sweep Sci. Count 20/20 0 HP. Max M1[1] 5.7080000 O IPL Max 0 dbm M2[1] 5.7761200 10 dbm M2[1] 5.7761200 10 dbm M2[1] 5.7761200 10 dbm M2[1] 5.7761200 Add colspan="2">Add colspan="2">Freq. Stability 20C 3.80 Ac2 O S785MHz Ant1 0 Minutes Type Ref Trc K-value Function Function Result Add colspan="2">Add colspan="2" Add cols	
Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Mode Sweep SGL_Count 20/20 IPK Max	
Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Mode Sweep SGL Court 20/20 IPK Max	
Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL_Count 20/20 IPk Max MI[1] -29.11 -29.11 10 dBm MI[1] -29.11 -77.54 0 dBm MI[1] -27.54 0 dBm MI[1] -27.54 -10 dBm MI[1] -27.54 -20 dBm MI[1] -77.61200 -30 dBm MI[1] -17.54 -40 dBm MI[1] -17.54 -30 dBm MI[1] -17.54 -30 dBm MI[1] -17.54 -30 dBm MI[1] -17.54 -40 dBm MI[1] -17.54 -70 dBm MI[1] 5.765 GHz -70 dBm MI[1] 5.7765 GHz -70 dBm Spen 40.0 N Narkor Yvolue Function Yppe Ref Trc X-volue Function MI[1] 5.7765 GHz -23.11 dBm MI[1] MI[1] 5.7765 GHz -20.32 dBm	
SGL Count 20/20 Image: SGL Count 20/20 @1Pk Max MI[1] -29.11 10 dBm M2[1] -17.54 0 dBm M2[1] -17.54 10 dBm M2 M2[1] -17.54 -20 dBm M2 M4 M2[1] -17.54 -20 dBm M2 M4 M4 M4 M4 -20 dBm M2 M4	
IPK Max M1[1] -23.11 10 dBm M2[1] 17.54 0 dBm M2[1] 17.54 0 dBm M2[1] 5.7761200 -10 dBm M2 M4 -20 dBm M2 M4 -30 dBm M2 M4 -40 dBm M2 M4 -50 dBm M4 M4 -70 dBm M4 M4 -70 dBm M4 M4 Marker M1 1 Type Ref Trc X-value Y-value M1 1 5.7765 GHz -23.11 dBm M4 M2 1 5.7765 GHz -23.11 dBm M4 M1 1 5.7765 GHz -23.11 dBm M2 Marker Trc X-value Y-value Function Function Result M2 1 5.7765 GHz -23.21 dBm M2 M2 M2 Spectrum Ref Level 20.00 dBm Offset 4.14 dB e RBW 10 kHz <td< td=""></td<>	
M1[1] -22.11 10 dBm 5.785000 0 dBm -17.84 0 dBm 5.7761200 -10 dBm -17.84 -20 dBm -17.84 -20 dBm -17.84 -30 dBm -17.84 -40 dBm -17.84 -40 dBm -17.84 -50 dBm -17.84 -60 dBm -17.754 -70 dBm -10.15 Span 40.0 N Marker Y-volue Type Ref Trc X-volue Y-volue Function Function Result M1 1 M2 1 1 5.77612 GHz -20.32 dBm -20.32 dBm M3 1 Spectrum Ref Level 20.00 dBm Ref Level 20.00 dBm Offset 4.14 dB Spectrum M1[1] Spectrum M2[1] 10 dBm M2[1] 10 dBm M2[1] 10 dBm M2[1]	
10 dBm S.7850000 10 dBm S.7761200 -10 dBm M2 -20 dBm M2 -30 dBm M2 -40 dBm M2 -40 dBm M2 -50 dBm M2 -40 dBm M2 -40 dBm M2 -40 dBm M2 -50 dBm M2 -70 dBm Spon 40.0 N Marker Type [Ref Trc X-res 20.879.2023 01:19:22 Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Scale Count 20/20 PIk Max M2 (1) -20.19 S.7761200	
10 dBm M2[1] -17.54 0 dBm S.7761200 -10 dBm M2 -20 dBm M2 -30 dBm M2 -40 dBm M2 -50 dBm M2 -60 dBm M2 -70 dBm M2 M1 1 5.765 GHz Narker Function Type Ref M2 1 5.776120 GHz -20.31 dBm M2 1 5.776120 GHz -20.32 dBm M3 1 M2 1 5.776120 GHz -20.32 dBm M3 1 Spectrum Ref Level 20.00 dBm GFset 4.14 dB RBW 10 kHz Att 30 dB System M2[1] System M2[1] System M2[1] System M2[1] System	
0 d8m 5.7761200 10 d8m 102 -20 d8m 102 -30 d8m -20 d8m -40 d8m -20 d8m -50 d8m -20 d8m -50 d8m -20 d8m -50 d8m -20 d8m -60 d8m -20 d8m -50 d8m -20 d8m -60 d8m -20 d8m -70 d8m -20 d8m -10 j j j j j j j j j j j j j j j j j j j	
10 dBm 12 -10 dBm 12 -20 dBm 12 -30 dBm -30 dBm -40 dBm -40 dBm -50 dBm -40 dBm -60 dBm -40 dBm -70 dBm -23.11 dBm Marker -20.32 dBm M1 1 5.77612 GHz -17.54 dBm -20.32 dBm M3 1 5.77612 GHz -20.879.2023 01:19:22 Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mate -20.19 5.7761200 M2[1] -23.19 10 dBm -41 dB -41 dB <	
-20 dBm -20 dBm -30 dBm -40 dBm -40 dBm -40 dBm -50 dBm -40 dBm -50 dBm -40 dBm -50 dBm -40 dBm -60 dBm -40 dBm -70 dBm -72.311 dBm -72 dBm -72.311 dBm -72 dBm -72.311 dBm -72 dBm -72.311 dBm -72 dBm -72.310 dBm -72 dBm -72.32 dBm -72 dBm -72.319 dB Spectrum -72.319 dB Ref Level 20.00 dBm Offset 4.14 dB -72 dBm -72.319 dB -72 dBm -72.319 dB -72 dBm -72.319 dB -72 dBm -72.319 dB -72 dBm	
-20 dBm -20 dBm -30 dBm -30 dBm -40 dBm -40 dBm -50 dBm -40 dBm -50 dBm -40 dBm -50 dBm -40 dBm -50 dBm -40 dBm -70 dBm -23.11 dBm M1 1 5.77612 GHz -23.11 dBm M2 1 5.77612 GHz -20.32 dBm M1 1 5.776328 GHz -20.32 dBm -20.32 dBm -20.32 dBm -20.572-2023 01:19:22 Preq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm -20.32 dB WW 9 dB SWT 40 ms VBW 30 kHz M1[1] 5.7761200 9 dBm -20.31 9 dBm -20.32	
-30 dBm -30 dBm -40 dBm -40 dBm -50 dBm -50 dBm -50 dBm -50 dBm -70 dBm -70 dBm -70 dBm -70 dBm Marker Y-value Type Ref Trc X-value Y-value Function Marker -23.11 dBm M1 1 5.765 GHz 1001 pts Span 40.0 k Marker Type Ref Trc X-value Y= 20.32 dBm M3 1 5.77612 GHz -20.32 dBm M3 1 Spectrum Ref Level 20.00 dBm Offset 4.14 dB Ref Level 20.00 dBm Offset 4.14 dB M1[1] 5.7761200 Spectrum Ref Level 20.00 dBm OdBm Offset 10 dBm 12 dBm	
-30 dBm -40 dBm -50 dBm -50 dBm -50 dBm -60 dBm -60 dBm -70	
-40 dBm	
-50 dBm -60 dBm -70	
-50 dBm -60 dBm -70	
-60 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm CF 5.785 GHz 1001 pts Span 40.0 M Marker Y-value Function Function Result M1 1 5.785 GHz -23.11 dBm -70 dBm M2 1 5.77812 GHz -23.11 dBm -70 dBm M3 1 5.77812 GHz -20.32 dBm -70 dBm M3 1 5.7988 GHz -20.32 dBm -70 dBm Date: 20. S7P. 2023 01:13:22 -70 dBm -70 dBm -70 dBm Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz -70 dBm -72 dBm Nat 30 dB SWT 40 ms VBW 30 kHz Mode Swep -72 dBm 10 dBm	
-60 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm CF 5.785 GHz 1001 pts Span 40.0 M Marker Y-value Function Function Result M1 1 5.785 GHz -23.11 dBm -70 dBm M2 1 5.77812 GHz -23.11 dBm -70 dBm M3 1 5.77812 GHz -20.32 dBm -70 dBm M3 1 5.7988 GHz -20.32 dBm -70 dBm Date: 20. S7P. 2023 01:13:22 -70 dBm -70 dBm -70 dBm Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz -70 dBm -72 dBm Nat 30 dB SWT 40 ms VBW 30 kHz Mode Swep -72 dBm 10 dBm	
-70 dBm Image: stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep 5GL count 20/20 10 dBm M1[1] 5.7761200 -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB 0 ffs	
-70 dBm Image: stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep 5GL count 20/20 10 dBm M1[1] 5.7761200 -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB RBW 10 kHz M1[1] -23.19 0 dBm 0 dBm 0 ffset 4.14 dB 0 ffs	
CF 5.785 GHz 1001 pts Span 40.0 M Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.785 GHz -23.11 dBm Function Function Result M2 1 5.77612 GHz -17.54 dBm Function Function Result M3 1 5.79388 GHz -20.32 dBm Function Function Result M3 1 5.79388 GHz -20.32 dBm Function Function Result M3 1 5.79388 GHz -20.32 dBm Function Function Result M4 1 5.79388 GHz -20.32 dBm Function Function Result Mate: 20.579.2023 01:19:22 Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Mode Sweep SGL Count 20/20 SWT 40 ms YBW 30 kHz Mode Sweep 5.7849900 10 dBm 0 M2[1] -20.03 5.7761200	
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.785 GHz -23.11 dBm	
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.785 GHz -23.11 dBm	
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.785 GHz -23.11 dBm	
M1 1 5.785 GHz -23.11 dBm M2 1 5.77612 GHz -17.54 dBm 2009-202 M3 1 5.79388 GHz -20.32 dBm 2009-202 Date: 20.57P.2023 01:19:22 2009-202 Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz M1[1] -29.19 SL Count 20/20 IPk Max -20.32 M1[1] -29.19 0 dBm M1[1] -29.19 -20.03 dB SWT 40 ms VBW 30 kHz M0de Sweep SGL Count 20/20 0 dBm M1[1] -29.19 0 dBm M1[1] -29.19 -20.03 M2[1] -29.19 -20.03 -20.03 -20.03 -20.03 <td col<="" td=""></td>	
M1 1 5.785 GHz -23.11 dBm M2 1 5.77612 GHz -17.54 dBm 2009-202 M3 1 5.79388 GHz -20.32 dBm 2009-202 Date: 20.57P.2023 01:19:22 2009-202 Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz M1[1] -29.19 SL Count 20/20 IPk Max -20.32 M1[1] -29.19 0 dBm M1[1] -29.19 -20.03 dB SWT 40 ms VBW 30 kHz M0de Sweep SGL Count 20/20 0 dBm M1[1] -29.19 0 dBm M1[1] -29.19 -20.03 M2[1] -29.19 -20.03 -20.03 -20.03 -20.03 <td col<="" td=""></td>	
M3 1 5.79388 GHz -20.32 dBm 2001-222 Date: 20.87P.2023 01:19:22 2001-222 2001-222 Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB • RBW 10 kHz Att 30 dB SWT 40 ms • VBW 30 kHz Mode Sweep SGL Count 20/20 •<	
Ref Level 20.07-202 Spectrum Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level Ref Level 20.00 dBm Offset 4.14 dB SUB SWT 40 ms VBW SGL Count 20/20 Image: Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Solution Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Mility Att 30 dB SWT 40 ms VBW 30 kHz Max -20.03 Image: Optimized and the strength -20.13 Image: Optimized and the strengt -20.10 </td	
Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep Scal Count 20/20 • 1Pk Max	
Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep Scal Count 20/20 • 1Pk Max	
Freq. Stability -20C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep Scal Count 20/20 • 1Pk Max	
Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 10 dBm	
Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 10 dBm	
Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 10 dBm M1[1] -23.19 5.7849800 10 dBm M2[1] -20.03 5.7761200 -20.03 5.7761200 0 dBm M3/4/4/4/4/4/4/4/4/4/4/4/4/4/4/4/4/4/4/4	
Mathematical Stress Mathmmathmathmatical Stress Mathmathmatical S	
Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 91Pk Max	
SGL Count 20/20 • 1Pk Max • 11] • 23.19 • 5.7649800 • 20.03 • 0 • 10 dBm • 0 • 0	
10 dBm M1[1] -23.19 10 dBm M2[1] 5.7849800 0 dBm M2[1] -20.03 -10 dBm M2[1] 5.7761200 -20 dBm M2[1] -20.03	
10 dBm	
10 dBm M2[1] -20.03 0 dBm 5.7761200 -10 dBm -20 dBm -20 dBm	
0 dBm 5.7761200 -10 dBm	
-10 dBm	
-20 dBm	
-20 dBm	
-30 dBm	
-30 dBm	
40 d0m	
-40 dBm	
-50 dBm	
niter state and the second	
-70 dBm	
CF 5.785 GHz 1001 pts Span 40.0 M	
Marker	
Type Ref Trc X-value Y-value Function Function Result	
M1 1 5.78498 GHz -23.19 dBm	
M1 1 5.78498 GHz -23.19 dBm M2 1 5.77612 GHz -20.03 dBm	
M1 1 5.78498 GHz -23.19 dBm	
M1 1 5.78498 GHz -23.19 dBm M2 1 5.77612 GHz -20.03 dBm	
M1 1 5.78498 GHz -23.19 dBm M2 1 5.77612 GHz -20.03 dBm	




	Freq. 3	Stability 10C	3.3V ac20 5	5785MHz	Ant10 M	inutes		
(a)								m
Spectrum								
Ref Level 20.		4.14 dB 🛑 RB						
Att	30 dB SWT	40 ms 🖷 VB	30 kHz	Mode Sw	eep			
SGL Count 20/2	:0							
				M1	[1]			23.45 dBm
10 40								50000 GHz
10 dBm				M2	[1]			20.84 dBm
0 dBm							5.77	61200 GHz
-10 dBm								
00.45-	MAN	Unal Martin	WHIP WAR AL	Malawalaha	un an	Мз		
-20 dBm					40.0 - 01.14-			
-30 dBm			¥					
						4		
-40 dBm						-1		
E0 d0m	<u> </u>					N.		
-50 dBm	, P					ĥ		
-60 dBM	La constant					h_,,	to the second like in	
putationstations	why how how .					4000	h <mark>haanna an a</mark>	anter a second second
-70 dBm								
CF 5.785 GHz			1001 p	ts			Span	40.0 MHz
Marker								
Type Ref T			Y-value	Functi	ion	Func	tion Result	
M1 M2		85 GHz 12 GHz	-23.45 dBm -20.84 dBm					
M2 M3		12 GH2 88 GHz	-20.84 dBm					
				<u> </u>			4.561	20.09.2023
					any		ayes.	
Date: 20.87P.23	23 01:19:32							
	Frea	Stability 30C	3 3V ac20 5	5785MHz	Ant1 0 M	inutes		
	Freq. S	Stability 30C	3.3V ac20 5	5785MHz	Ant1 0 M	inutes		
Spectrum	Freq. S	Stability 30C	3.3V ac20 5	5785MHz	Ant1 0 M	inutes		E
Spectrum Ref Level 20.		Stability 30C		5785MHz	Ant1 0 M	inutes		
-			W 10 kHz	5785MHz Mode Sw		inutes		□
Ref Level 20. Att SGL Count 20/2	00 dBm Offset - 30 dB SWT	4.14 dB 👄 RB	W 10 kHz			inutes		₹
Ref Level 20. Att	00 dBm Offset - 30 dB SWT	4.14 dB 👄 RB	W 10 kHz	Mode Sw	eep	inutes		
Ref Level 20. Att SGL Count 20/2	00 dBm Offset - 30 dB SWT	4.14 dB 👄 RB	W 10 kHz	Mode Sw		inutes		25.29 dBm
Ref Level 20. Att SGL Count 20/2	00 dBm Offset - 30 dB SWT	4.14 dB 👄 RB	W 10 kHz	Mode Sw	eep [1]	inutes	5.78	25.29 dBm 49800 GHz
Ref Level 20. Att SGL Count 20/2 Pk Max	00 dBm Offset - 30 dB SWT	4.14 dB 👄 RB	W 10 kHz	Mode Sw	eep	inutes	5.78	25.29 dBm 49800 GHz 17.18 dBm
SGL Count 20/2	00 dBm Offset - 30 dB SWT	4.14 dB 👄 RB	W 10 kHz	Mode Sw	eep [1]	inutes	5.78	25.29 dBm 49800 GHz
Ref Level 20. Att SGL Count 20/2 PIPk Max 10 dBm 0 dBm	00 dBm Offset . 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 Pk Max	00 dBm Offset . 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 PIPk Max 10 dBm 0 dBm	00 dBm Offset . 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm	00 dBm Offset . 30 dB SWT	4.14 dB 👄 RB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm	00 dBm Offset . 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	00 dBm Offset 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm	00 dBm Offset . 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]	M3	5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	00 dBm Offset 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	00 dBm Offset 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]	M3	5.78	25.29 dBm 49800 GHz 17.18 dBm
Ref Level 20. Att SGL Count 20/2 ID dBm 10 dBm -10 dBm -20 dBm -30 dBm -40 dBm	00 dBm Offset 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.79	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	00 dBm Offset 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.78	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	00 dBm Offset 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw M1 M2	eep [1] [1]		5.79	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -70 dBm	00 dBm Offset 30 dB SWT	4.14 d8 • RB 40 ms • VB	10 kHz 30 kHz	Mode Sw	eep [1] [1]		5.79 - 5.77	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -70 dBm	00 dBm Offset 30 dB SWT	4.14 d8 • RB 40 ms • VB	W 10 kHz W 30 kHz	Mode Sw	eep [1] [1]		5.79 - 5.77	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -70 dBm -60 dBm -70 dBm	00 dBm offset 30 dB SWT 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4.14 dB RB 40 ms VP	10 kHz 30 kHz 40 kHz 1001 p	Mode Sw M1 	eep [1] [1]		5.79 - 5.77 ອາແຟລະອານາທີ	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -70 dBm	00 dBm Offset 30 dB SWT 20 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2	4.14 dB RB 40 ms VP	1001 pr	Mode Sw	eep [1] [1]		5.79 - 5.77	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm -60 dBm -70 dBm	00 dBm Offset 30 dB SWT 20	4.14 dB • RB 40 ms • VB	10 kHz 30 kHz 40 kHz 1001 p	Mode Sw M1 	eep [1] [1]		5.79 - 5.77 ອາແຟລະອານາທີ	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -20 dBm -20 dBm -20 dBm -20 dBm -30 dBm -70 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm	C X-value 1 5.784 1 5.784	4.14 dB • RB 40 ms • VB	1001 pr -25.29 dBm	Mode Sw M1 	eep [1] [1]		5.79 - 5.77 ອາແຟລະອານາທີ	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm	C X-value 1 5.784 1 5.784	4.14 dB RB 40 ms VB	100 kHz 30 kHz 40 kHz 1001 p 1001 p 1001 p 1-25.29 dBm -25.29 dBm -17.18 dBm	Mode Sw M1 	eep [1] [1]		5.79 - 5.77 ອາແຟລະອານາທີ	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 • IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -70 dBm Marker Type M1 M2 M3	C X-value 1 5,793	4.14 dB RB 40 ms VB	100 kHz 30 kHz 40 kHz 1001 p 1001 p 1001 p 1-25.29 dBm -25.29 dBm -17.18 dBm	Mode Sw M1 	eep [1] [1]		5.79 - 5.77 ອາແຟລະອານາທີ	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm	C X-value 1 5,793	4.14 dB RB 40 ms VB	100 kHz 30 kHz 40 kHz 1001 p 1001 p 1001 p 1-25.29 dBm -25.29 dBm -17.18 dBm	Mode Sw M1 	eep [1] [1]		5.79 - 5.77 ອາແຟລະອານາທີ	25.29 dBm 49800 GHz 17.18 dBm 60800 GHz


Spectrum Total Total <thtotal< th=""> Total Total <</thtotal<>				Freq. St	tability 4	0C 3.3V ac20	5785MH	z Ant1 0	Minutes		
Ref Layel 20:00 dbm Offset 1:14 dbm WBW 30 KHz Mode Sweep SGL Count 20/200 SWT 40 ms VBW 30 KHz Mode Sweep SGL Count 20/200 SWT 40 ms VBW 30 KHz Mode Sweep SGL Count 20/200 SWT MSL11 5-27,26 dbm -20,44 dbm 10 dbm -20,44 dbm SZ,276 dbm -20,44 dbm -20,44 dbm 10 dbm -20,04 dbm SZ,776600 CHz -20,44 dbm -20,44 dbm -30 dbm -20,44 dbm -20,44 dbm -20,44 dbm -20,44 dbm -30 dbm -20,44 dbm -20,44 dbm -20,44 dbm -20,44 dbm -30 dbm -20,44 dbm -20,44 dbm -20,44 dbm -20,44 dbm -30 dbm -20,44 dbm -20,44 dbm -20,44 dbm -20,44 dbm Ype for Trc X-value Yee V2.24 dbm Function Function Result -20,24 dbm Ype for Trc X-value Yee V2.24 dbm -20,24 dbm -20,24 dbm -20,24 dbm -20,24 dbm -20,24 dbm -20,24 dbm -20	Spectru	um									Ē
SQL Count 20/20 -27.26 dBm 0 BM -27.26 dBm 10 dBm -27.26 dBm 0 dBm -20.4 dBm -20 dBm -27.26 dBm M1 1 5.77600 GHz -20.53 GHz 1001 gHS Span 40.0 MHz M1 1 5.77600 GHz -20.53 GHz 1001 gHS Span 40.0 MHz M1 1 5.77600 GHz -20.53 GHz -27.26 dBm -27.26 dBm M1 1 5.77600 GHz -20.53 GHz -20.53 GHz -27.26 dBm <td></td> <td></td> <td>20.00 dBm</td> <td>n Offset 4.</td> <td>.14 dB 👄</td> <td>RBW 10 kHz</td> <td></td> <td></td> <td></td> <td></td> <td>(v)</td>			20.00 dBm	n Offset 4.	.14 dB 👄	RBW 10 kHz					(v)
By Max S7.25 dft 10 dfm S.7750800 0Hz 0 dfm S.7750800 0Hz 20 dfm S.77508 0Hz 1001 pts Span 40.0 MHz Marker S.77608 0Hz Yug S.77608 0Hz 1001 pts Span 40.0 MHz Marker S.77608 0Hz Yug S.77608 0Hz 20 dfm S.77608 0Hz				SWT	40 ms 👄	VBW 30 kHz	Mode Sv	veep			
10 dBm 22.26 dBm 10 dBm 22.26 dBm 0 dBm 20.41 dBm 0 dBm 20.41 dBm -20 dBm 22.24 dBm -20 dBm 22.24 dBm -20 dBm 22.24 dBm -20 dBm 22.24 dBm -20 dBm 22.25 dBm -20 dBm -22.25 dBm <tr< td=""><td></td><td></td><td>3/20</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr<>			3/20								
10 dBm							M	1[1]			-27.26 dBm
0 dam	10 dBm—	_									
-10 dbm -20 dbm -20 dbm -20 dbm -20 dbm -30 dbm -20 dbm -20 dbm -20 dbm -20 dbm -40 dbm -20 dbm -20 dbm -20 dbm -20 dbm -50 dbm -20 dbm -20 dbm -20 dbm -20 dbm -50 dbm -20 dbm -20 dbm -20 dbm -20 dbm -70 dbm -20 dbm -20 dbm -20 dbm -20 dbm -11 5: 770460 dbt -27 26 dbm -20 26 dbm -20 26 dbm -20 26 dbm -11 5: 770460 dbt -27 26 dbm -20 26 dbm -20 26 dbm -20 26 dbm -12 3 dbt 5770460 dbt -20 26 dbm -20 26 dbm -20 26 dbm -12 3 dbt 5770460 dbt -20 26 dbm -20 26 dbm -20 26 dbm -13 3 dbt Freq. Stability 50C 3.3 V aC20 5785MHz Ant1 0 Minutes -24 13 dbm -24 13 dbm Spectrum -24 13 dbm -24 13 dbm -24 13 dbm -24 13 dbm 10 dbm -24 13 dbm M1[1] -24 13 dbm -24 13 dbm 10 dbm -24 13 dbm -24 13 dbm -24 13 dbm -24 13 dbm -20	0 dBm						IML.	2[1]			
20 dem 100 fem 100 fem 100 fem 40 dem 100 fem 100 fem 100 fem 50 dem 100 fem 100 fem 100 fem 50 dem 100 fem 100 fem 100 fem 70 dem 100 fem 100 fem 100 fem 70 dem 100 fem 100 fem 100 fem 70 dem 100 fem 100 fem 100 fem 101 fem 100 fem 100 fem 100 fem 102 fem 100 fem 100 fem 100 fem 11 fm 5.70490 feth -27.26 dim Function Result M2 fill 1 fm 5.70490 feth -20.44 dim M2 fill 1 fm 5.70490 feth -20.44 dim M2 fill 5.70490 feth -10.07 dim 100 fem Pate: 20.872,2023 fill:20:13 100 fem 20.414 dim 100 fem 10 dam 1 fm 30 dB SVT 40 ms YBW 30 kHz Mdde Sweep 5CL count 2020 10 fem 1 fm 5.70600 feth -20.64 dim -20.64 dim 10 dam 1 fm 1 fm 1 fm	u asm—										
30 dBm 40 dBm	-10 dBm-	+			L b	Landation	1.1.1.1	- 140 - 1			
40 dBm	-20 dBm-			MAN	Manananan	MANANA MILL	AMANAN	whith h	el Mar		
40 dBm						1					
-50 d8m -50 d8m -70 d7m -70 d8m -70 d7m -70 d8m -70 d7m -70 d8m -70 d7m -70	-30 dBm-										
100 gBm 1.00 gBm <td< td=""><td>-40 dBm-</td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td>4</td><td></td><td></td></td<>	-40 dBm-	-							4		
100 gBm 1.00 gBm <td< td=""><td>-50 dBm-</td><td></td><td></td><td>l l</td><td></td><td></td><td></td><td></td><td>h,</td><td></td><td></td></td<>	-50 dBm-			l l					h,		
-70 dBm Span 40.0 MHz Markor Function Result Span 40.0 MHz Markor 1 5.78459 GHz Function Mil 1 5.774499 GHz -27.26 dBm Function Result Mil 1 5.77608 GHz -20.84 dBm Mil Mil Mil M3 1 5.77608 GHz -20.84 dBm Mil	-50 0511			al ^e					્યુ		
-70 dBm Span 40.0 MHz Marker Yun Ref Trc X-volue Yundto Function Function Result Marker 1 5.774496 GHz -27.26 dBm - <td>-60 dBm-</td> <td>nduhr</td> <td>harpertala</td> <td>Huth</td> <td></td> <td></td> <td></td> <td></td> <td>- Vei</td> <td>Highdukan</td> <td>hough we plant</td>	-60 dBm-	nduhr	harpertala	Huth					- Vei	Highdukan	hough we plant
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.78498 GHz -27.26 dbm -27.43 dbm -27.413 dbm -27.410 dbm -27.410 dbm -27.413 dbm -27.410 dbm	-70 dBm-										
Marker Function Function Result M1 1 5.78498 GHz -27.26 dbm Function Result Function Result M2 1 5.77698 GHz -20.94 dbm Function Result Function Result M3 1 5.77698 GHz -20.94 dbm Function Result Function Result M3 1 5.77698 GHz -10.07 dbm Function Result For Stability 50C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Freq. Stability 50C 3.3V ac20 5785MHz Ant1 0 Minutes Function Result For Stability 50C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Spectrum Function Result Function Result For Stability 50C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum 30 db SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 Flk Max M2[1] 5.2449800 cHz -20.55 dbm 0 dbm M3 1 S.7760800 CHz -20.55 dbm -20.55 dbm -20 dbm M2[1] S.7760800 CHz -20.57 dbm -20.57 dbm -20.57 dbm -20 dbm -20 dbm -20 dbm											
Type Ref Trc X-value Y-value Function Function Result M1 1 5,76498 GHz -27.26 d dbm - </td <td>CF 5.78</td> <td>5 ĠH</td> <td>z</td> <td></td> <td></td> <td>1001</td> <td>its</td> <td></td> <td></td> <td>Spar</td> <td>40.0 MHz</td>	CF 5.78	5 ĠH	z			1001	its			Spar	40.0 MHz
Mil 1 5.77609 GHz -27.26 dBm M3 1 5.77508 GHz -20.64 dBm -27.26 dBm M3 1 5.77388 GHz -20.97 dBm -27.26 dBm M4 1 5.77388 GHz -20.97 dBm -27.26 dBm Wate: 20.572,2223 01:20:13 -27.26 dBm -27.26 dBm -27.26 dBm Wate: 20.572,2223 01:20:13 -27.273		n-6	T	¥		v	1 5	· 1	F		
M3 1 5.79386 GHz -10.97 dBm Date: 20.972.2023 01:20:13 Freq. Stability 50C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max		Rei						lun	Func	cuon Resul	L
Prede 2009203 Date: 20.879.2023 01:20:13 Freq. Stability 50C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Prede Pred <											
Freq. Stability 50C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms YBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max M1[1] 5.72649000 GHz -20.55 dBm 10 dBm M2[1] 5.7760800 GHz -20.55 dBm -20 dBm M2[1] 5.7760800 GHz -20.55 dBm -30 dBm M1 M1 M1 M1 -40 dBm M1 M1 M1 M1 M1 -20 dBm M1 M1 M1 M1 M1 M1 -20 dBm M1 M1 </td <td>N3</td> <td></td> <td>1</td> <td>5.7938</td> <td>8 GHZ</td> <td>-19.97 dBm</td> <td></td> <td></td> <td></td> <td></td> <td>20.00.2022</td>	N3		1	5.7938	8 GHZ	-19.97 dBm					20.00.2022
Freq. Stability 50C 3.3V ac20 5785MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms YBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max M1[1] 5.72649000 GHz -20.55 dBm 10 dBm M2[1] 5.7760800 GHz -20.55 dBm -20 dBm M2[1] 5.7760800 GHz -20.55 dBm -30 dBm M1 M1 M1 M1 -40 dBm M1 M1 M1 M1 M1 -20 dBm M1 M1 M1 M1 M1 M1 -20 dBm M1 M1 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>ayaa</td> <td></td>										ayaa	
Spectrum Provide Ref Level 20.00 dbm Offset 4.14 db e RBW 10 kHz Att 30 db SWT 40 ms e VBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max	Date: 20.	.S7P.	2023 0	1:20:13							
Spectrum Provide Ref Level 20.00 dbm Offset 4.14 db e RBW 10 kHz Att 30 db SWT 40 ms e VBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max											
Note Note <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>											
Ref Level 20.00 dBm Offset 4.14 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 91Pk Max M1[1] -24.13 dBm 10 dBm M2[1] -24.55 dBm 0 dBm M2[1] -20.55 dBm 0 dBm M2[1] -20.55 dBm -20 dBm M2[1] -20.57 dBm -20 dBm M2[1] -20.55 dBm -30 dBm M2[1] -20.55 dBm -40 dBm M2[1] -20.55 dBm -50 dBm M2[1] -20.55 dBm -40 dBm M2[1] -20.57 dBm -50 dBm M2[1] -20.57 dBm -70 dBm M2 M2 M2 -70 dBm M2 M2 M2 -70 dBm M2 1 5.786 GHz Span 40.0 MHz Marker Type Ref Trc X-value Function Function Result M1 1 5.7938 GHz -20.72 dBm M3 1 5.7938 GHz <td></td> <td></td> <td></td> <td>Freq. St</td> <td>tability 5</td> <td>0C 3.3V ac20</td> <td>5785MH</td> <td>z Ant1 0</td> <td>Minutes</td> <td></td> <td></td>				Freq. St	tability 5	0C 3.3V ac20	5785MH	z Ant1 0	Minutes		
SGL Count 20/20 ● 1Pk Max -24.13 dBm 10 dBm M1[1] -24.13 dBm 10 dBm M2[1] -20.55 dBm 0 dBm 0 dBm S.7760800 GHz -10 dBm M2[1] -20.55 dBm -20 dBm M2[1] -20.55 dBm -30 dBm M3/M/M/M/M/M/M/M/M/M/M/M/M/M/M/M/M/M/M/	Spectru	um		Freq. St	tability 5	0C 3.3V ac20	5785MH	z Ant1 0	Minutes		
• 1Pk Max M1[1] -24.13 dBm 10 dBm .20.55 dBm .20.55 dBm 0 dBm .20.55 dBm .20.55 dBm .20 dBm .90 dBm .90 dBm .30 dBm .90 dBm .90 dBm .40 dBm .90 dBm .90 dBm .90 dBm .90 dBm .90 dBm <td></td> <td></td> <td>20.00 dBm</td> <td></td> <td></td> <td></td> <td>5785MH:</td> <td>z Ant1 0</td> <td>Minutes</td> <td></td> <td></td>			20.00 dBm				5785MH:	z Ant1 0	Minutes		
10 dBm	Ref Le	vel 2	30 dE	n Offset 4.	.14 dB 👄	RBW 10 kHz			Minutes		
10 dBm	Ref Les Att SGL Cou	vel 2 int 20	30 dE	n Offset 4.	.14 dB 👄	RBW 10 kHz			Minutes		
0 dBm	Ref Les Att SGL Cou	vel 2 int 20	30 dE	n Offset 4.	.14 dB 👄	RBW 10 kHz	Mode Sv	veep	Minutes		
-10 dBm	Ref Les Att SGL Cou 9 1Pk Mas	vel 2 int 20	30 dE	n Offset 4.	.14 dB 👄	RBW 10 kHz	Mode Sv	veep L[1]	Minutes	5.78	-24.13 dBm 349800 GHz
-20 dBm	Ref Lev Att SGL Cou 1Pk Max 10 dBm—	vel 2 int 20	30 dE	n Offset 4.	.14 dB 👄	RBW 10 kHz	Mode Sv	veep L[1]	Minutes	5.78	-24.13 dBm 349800 GHz -20.55 dBm
-20 dBm -30 dBm -40 dBm -50 dBm -50 dBm -50 dBm -70	Ref Lev Att SGL Cou 1Pk Max 10 dBm—	vel 2 int 20	30 dE	n Offset 4.	.14 dB 👄	RBW 10 kHz	Mode Sv	veep L[1]	Minutes	5.78	-24.13 dBm 349800 GHz -20.55 dBm
-30 dBm -40 dBm -50 dBm -50 dBm -50 dBm -70	Ref Les Att SGL Cou 10 dBm- 0 dBm-	vel 2 int 20	30 dE	n Offset 4. 3 SWT	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]		5.78	-24.13 dBm 349800 GHz -20.55 dBm
-40 dBm	Ref Let Att SGL Cou 1Pk Max 10 dBm- 0 dBm- -10 dBm-	vel 2 int 20	30 dE	n Offset 4. 3 SWT	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]		5.78	-24.13 dBm 349800 GHz -20.55 dBm
-50 dBm -50 dBm -50 dBm -70	Ref Let Att SGL Cou 1Pk Max 10 dBm- 0 dBm- -10 dBm-	vel 2 int 20	30 dE	n Offset 4. 3 SWT	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]		5.78	-24.13 dBm 349800 GHz -20.55 dBm
-50 dBm -60 dBm -70	Ref Let Att SGL Cou 10 dBm- 0 dBm- -10 dBm- -20 dBm-	vel 2 int 20	30 dE	n Offset 4. 3 SWT	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]		5.78	-24.13 dBm 349800 GHz -20.55 dBm
CC dBm unantitie unantitie <thunantit< th=""> <thunantit< th=""> unantit</thunantit<></thunantit<>	Ref Let Att SGL Cou 10 dBm	vel 2 int 20	30 dE	n Offset 4. 3 SWT	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]	10 M3	5.78	-24.13 dBm 349800 GHz -20.55 dBm
Type Ref Trc X-value Y-value Function Function Result M1 1 5.7869 GHz -24.13 dBm -20.55 dBm -20.55 dBm -20.72 dBm -20.72 dBm -20.72 dBm -20.72 dBm -20.012623	Ref Let Att SGL Cou 9 1Pk Mai 10 dBm	vel 2 int 20	30 dE	n Offset 4. 3 SWT	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]	10 M3	5.78	-24.13 dBm 349800 GHz -20.55 dBm
Type Ref Trc X-value Y-value Function Function Result M1 1 5.7869 GHz -24.13 dBm	Ref Let Att SGL Cou 9 1Pk Mai 10 dBm	vel 2 int 20	30 dE	n Offset 4. 3 SWT	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]	10 M3	5.78	-24.13 dBm 349800 GHz -20.55 dBm
CF 5.785 GHz 1001 pts Span 40.0 MHz Marker Y-value Function Function Result M1 1 5.78498 GHz -24.13 dBm -24.13 dBm M2 1 5.77608 GHz -20.55 dBm -20.012623 M3 1 5.79388 GHz -20.72 dBm -20.012623	Ref Let Att SGL Cou 9 IPk Mai 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm	vel 2	30 dE	M Offset 4.	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]		5.75	-24.13 dBm 349800 GHz -20.55 dBm 760800 GHz
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.78498 GHz -24.13 dBm <	Ref Let Att SGL Cou • 1Pk Mai • 10 dBm • 0 dBm • 10 dBm • 20 dBm • 30 dBm • 40 dBm • 50 dBm	vel 2	30 dE	M Offset 4.	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]		5.75	-24.13 dBm 349800 GHz -20.55 dBm 760800 GHz
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.78498 GHz -24.13 dBm <	Ref Let Att SGL Cou • 1Pk Mai • 10 dBm • 0 dBm • 10 dBm • 20 dBm • 30 dBm • 40 dBm • 50 dBm	vel 2	30 dE	M Offset 4.	.14 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M:	veep 1[1] 2[1]		5.75	-24.13 dBm 349800 GHz -20.55 dBm 760800 GHz
M1 1 5.78498 GHz -24.13 dBm M2 1 5.77608 GHz -20.55 dBm M3 1 5.79388 GHz -20.72 dBm	Ref Lev Att SGL Cou 9 IPk Mai 10 dBm 0 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm	vel 2 x	30 dE 1/20	M Offset 4.	.14 dB 🖷 40 ms 🖷		Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	veep 1[1] 2[1]		5.76 5.77	-24.13 dBm 149800 GHz -20.55 dBm 760800 GHz
M2 1 5.77608 GHz -20.55 dBm M3 1 5.79388 GHz -20.72 dBm	Ref Let Att SGL Cou 9 IPk Mai 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -70 dBm CF 5.78 :	vel 2 x	30 dE 1/20	M Offset 4.	.14 dB 🖷 40 ms 🖷		Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	veep 1[1] 2[1]		5.76 5.77	-24.13 dBm 149800 GHz -20.55 dBm 760800 GHz
M3 1 5.79388 GHz -20.72 dBm Peady 20.092023	Ref Let Att SGL Cou • 1Pk Mai 10 dBm 0 dBm 0 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -70 dBm CF 5.782 Marker Type	vel 2 int 20 k	30 dE)/20 ۲۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰	A Offset 4.	.14 dB • 40 ms •	RBW 10 kH2 VBW 30 kH2	Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	veep [[1] 2[1]		5.76 5.77	24.13 dBm 349800 GHz -20.55 dBm 60800 GHz
Pready 20.09.2023	Ref Let Att SGL Cou • IPk Mai • IPk Mai • 0 dBm- • 0 dBm- • 0 dBm- • 20 dBm- • 20 dBm- • 30 dBm- • 40 dBm- • 50 dBm- • 60 dBm- • 70 dBm- CF 5.78: Marker Type 1 M1	vel 2 int 20 k	30 dE 1/20 rl.pl.vi.,Uli	Contract 4. SWT	14 dB • 40 ms •	RBW 10 kHz VBW 30 kHz	Mode Sv M: M: (M,M,M,M) (M,M,M,M) (M,M,M,M) M: (M,M,M,M) (M,M,M,M) (M,M,M,M) (M,M,M,M) (M,M,M,M) (M,M,M,M) (M,M,M,M) (M,M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M,M,M) (M)	veep [[1] 2[1]		5.76 5.77	24.13 dBm 349800 GHz -20.55 dBm 60800 GHz
Neta, 20 875 2022 01.20.21	Ref Let Att SGL Cou • 1Pk Max 10 dBm 0 dBm 0 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -70 dBm Marker Type M1 M2	vel 2 int 20 k	30 dE 3/20 rhutuutuutuu z Trc 1	M Offset 4. 3 SWT M M M M M M M M M M M M M M M	14 dB • 40 ms • 40 ms • 14 dB \bullet 14 dB	RBW 10 kHz VBW 30 kHz 	Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	veep [[1] 2[1]		5.76 5.77	24.13 dBm 349800 GHz -20.55 dBm 60800 GHz
	Ref Let Att SGL Cou • 1Pk Max 10 dBm 0 dBm 0 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -70 dBm Marker Type M1 M2	vel 2 int 20 k	30 dE 3/20 rhutuutuutuu z Trc 1	M Offset 4. 3 SWT M M M M M M M M M M M M M M M	14 dB • 40 ms • 40 ms • 14 dB \bullet 14 dB	RBW 10 kHz VBW 30 kHz 	Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	veep [[1] 2[1]		5.76 5.77	24.13 dBm 349800 GHz -20.55 dBm 60800 GHz







Freq. Stability -10: 2: 3/2 do 25 S25MH2 And 10 Minutes Spectrum Image: Spectrum <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>										
Ever Level 20.00 dBm Offset 4.18 dB RBW 10 H42 SGL Count 20/20 SWT 40 ns VBW 30 kH2 Mode Sweep SGL Count 20/20 SDK Max -25.50 dBm -25.50 dBm 10 dBm -25.50 dBm -25.50 dBm -25.50 dBm 10 dBm -25.50 dBm -25.50 dBm -25.50 dBm -20 dBm -25.50 dBm -25.50 dBm -25.50 dBm Markor -25.50 dBm -25.50 dBm -25.50 dBm<			Freq. Stat	oility -10	OC 3.3V ac20) 5825MF	lz Ant1 C) Minutes		
Ever Level 20.00 dBm Offset 4.18 dB RBW 10 H42 SGL Count 20/20 SWT 40 ns VBW 30 kH2 Mode Sweep SGL Count 20/20 SDK Max -25.50 dBm -25.50 dBm 10 dBm -25.50 dBm -25.50 dBm -25.50 dBm 10 dBm -25.50 dBm -25.50 dBm -25.50 dBm -20 dBm -25.50 dBm -25.50 dBm -25.50 dBm Markor -25.50 dBm -25.50 dBm -25.50 dBm<										m
Att 30 dB SWT 40 ms VBW 30 kH2 Mode Sweep 504. Cont 20/201 91/2										$\overline{\nabla}$
SGL Count 20/20 -26.50 dBm PIP Max -26.50 dBm 0 dBm -26.50 dBm -20 dBm -26.50 dBm -27 dBm -26.50 dBm -27 S0 dHz 1001 pts Sport P.2023 01223:28 Freq. Stability OC 3.3V ac20 5825MHz Ant1 0 Minutes Sport P.2023 MI 10 S.92260 GHz Sport P.2023 MI 10 S.92260 GHz Sport P.2023 MI 10 S.9246 GHz Sport P.2023 Sport P.2023										
OFF Max 10 dam			SWT 40) ms 🛑 🕻	BW 30 kHz	Mode S	weep			
10 dbm -25.50 dbm 0 dbm -21.16 dbm 20 dbm -21.16 dbm -20 dbm -21.16 dbm -20 dbm -21.16 dbm -20 dbm -21.16 dbm M11 1 5.92246 GHz -25.50 dbm Marker -22.50 dbm Function Type I Ref Trc X-value Function M11 1 5.92246 GHz -25.50 dbm M21 1 5.92260 GHz -21.16 dbm M31 1 5.92246 GHz -25.50 dbm M21 1 5.92260 GHz -10.87 dbm M21 1 5.92260 GHz -21.6 dbm M31 1 5.92384 GHz -10.87 dbm Spectrum Freq. Stability OC 3.3V ac20 5825MHz Ant1 0 Minutes Spectrum -90.65 dbm -90.65 dbm 0 dbm -20.05 dbm </td <td></td> <td>20/20</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>		20/20								
10 dbm 5.8290000 cHz 0 dbm 9 10 dbm 10 dbm 10 dbm 10 dbm 10 dbm 10 dbm 10 dbm 9 10 dbm 9 10 dbm 9 10 dbm 9 10 dbm 10 10 dbm						м	1[1]			-25.50 dBm
0 dam M2[1] 5.8160800 GHz 10 dam 10 dam 10 dam 10 dam -20 dam 10 dam 10 dam 10 dam -30 dam 10 dam 10 dam 10 dam 10 dam -30 dam 10 dam 10 dam 10 dam 10 dam 10 dam -50 dam 10 dam 10 dam 10 dam 10 dam 10 dam -50 dam 10 dam 10 dam 10 dam 10 dam 10 dam -50 dam 10 dam 10 dam 10 dam 10 dam 10 dam -50 dam 10 dam 10 dam 10 dam 10 dam 10 dam -50 dam 10 dam 10 dam 10 dam 10 dam 10 dam -50 dam 10 dam 10 dam 10 dam 10 dam 10 dam 10 dam Freq. Stability OC 3.3V ac20 S825MHz Ant1 0 Minutes 10 dam 10 dam <td>10 40</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	10 40									
0 08m	10 dBm					M	2[1]			
-20 dEm rate of the second secon	0 dBm						1		5.81	60800 GHz
-20 dEm rate of the second secon										
200 dBm 1<	-10 dBm			د است		han a sura		. 1 M2		
-30 dBm -40 dBm	-20 dBm		Markin	palmbau	MANAMAN PALI	WWWWWW	ALAM WAR	MAR .		
40 dBm	Lo della		יייין	n	1 UR 1 V			•] • [
-50 dBm	-30 dBm							- <u>\</u>		
-50 dBm								1		
199 @Rt.tr.in.ut.44441. 1001 pts Span 40.0 MHz .70 dBm	-40 aBm		j r					1		
199 @Rt.tr.in.ut.44441. 1001 pts Span 40.0 MHz .70 dBm	-50 dBm									
270 dBm 1001 pts Span 40.0 MHz Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.92496 GHz -22.50 dbm Function Result Function Result M2 1 5.92496 GHz -22.50 dbm Function Result Function Result M2 1 5.92496 GHz -21.16 dbm Function Result Function Result M3 1 5.92496 GHz -21.16 dbm Function Result Function Result M4 1 5.92496 GHz -21.16 dbm Function Result Function Result M4 1 5.92496 GHz -19.87 dbm Function Result Function Result M2 0 dbm Offset 4.18 db RBW 10 kHz Mat(1) 5.9249800 GHz -20.65 dbm Spectrum Status M1[1] 5.9249800 GHz -20.65 dbm -20.65 dbm 10 dbm M2[1] S.9249800 GHz -20.65 dbm -20.65 dbm -20.65 dbm -20 dbm M2[1] S.9249800 GHz -20.65 dbm -20.65 dbm -20.65 dbm -30 dbm M2[1]			J. I					N		
270 dBm 1001 pts Span 40.0 MHz Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.92496 GHz -22.50 dbm Function Result Function Result M2 1 5.92496 GHz -22.50 dbm Function Result Function Result M2 1 5.92496 GHz -21.16 dbm Function Result Function Result M3 1 5.92496 GHz -21.16 dbm Function Result Function Result M4 1 5.92496 GHz -21.16 dbm Function Result Function Result M4 1 5.92496 GHz -19.87 dbm Function Result Function Result M2 0 dbm Offset 4.18 db RBW 10 kHz Mat(1) 5.9249800 GHz -20.65 dbm Spectrum Status M1[1] 5.9249800 GHz -20.65 dbm -20.65 dbm 10 dbm M2[1] S.9249800 GHz -20.65 dbm -20.65 dbm -20.65 dbm -20 dbm M2[1] S.9249800 GHz -20.65 dbm -20.65 dbm -20.65 dbm -30 dbm M2[1]	-60 dBm	mladinte	w/						AMMAGLAND	walummarche
CF 5.825 GHz 1001 pts Span 40.0 MHz Type Ref Trc X-value Y-value Function Function Result Image: State of the state o									I I I MARINE	
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.82496 GHz -25.50 dbm -25.60 dbm -25.19 dbm -25.60 dbm -25.60 dbm -25.19 dbm -25.60 dbm -25.19 dbm -25.60 dbm -25.19 dbm -25.60 dbm -25.19 dbm -25.19 dbm -25.19 dbm -25.19 dbm -25.60	-70 0811									
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.82496 GHz -25.50 dbm -25.60 dbm -25.19 dbm -25.60 dbm -25.60 dbm -25.19 dbm -25.60 dbm -25.19 dbm -25.60 dbm -25.19 dbm -25.60 dbm -25.19 dbm -25.19 dbm -25.19 dbm -25.19 dbm -25.60	CE 5 935 CI	17			1001	ntc			Enar	40.0 MHz
Type Ref Trc X-value Y-value Function Function Function Result M1 1 5.82496 GHz -25.50 dBm -25.51 dBm -25.50 dBm -20.65 dBm -		12			1001	pts			эра	140.0 MH2
M1 1 5.94296 GHz -25.50 dBm M2 1 5.91606 GHz -21.16 dBm M3 1 5.93384 GHz -18.87 dBm 2009203 bate: 20.0123:30 2009203 2009203 Preq. Stability OC 3.3V ac20 5825MHz Ant1 0 Minutes Spectrum Ref Level 20.00 dBm Offset 4.18 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz M1[1] -25.19 dBm SQL Count 20/20 IPk Max 10 dBm M1[1] -25.19 dBm 0 dBm M1[1] -20.65 dBm 0 dBm M1[1] -25.19 dBm 10 dBm M1[1] -25.19 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm		Trc	X-value	1	Y-value	Func	tion	Fun	ction Result	: I
M3 1 5.83384 GHz -18.87 dBm M4 1 5.83384 GHz -18.87 dBm M4 Freq. Stability OC 3.3V ac20 5825MHz Ant1 0 Minutes Max Spectrum Ref Level 20.00 dbm Offset 4.18 db RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 Max -25.19 dBm M1[1] 5.9249000 GHz -20.65 dBm 10 dBm M1[1] 5.9249000 GHz -20.65 dBm -20.65 dBm -20.65 dBm 10 dBm M2[1] -25.19 dBm -20.65 dBm -20.65 dBm -20.65 dBm -20 dBm M2[1] -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -30 dBm M2[1] -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -40 dBm M2[1] -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -50 dBm M2[1] -20.65 dBm -20.65 dBm -20.65 dBm -20.65 dBm -70 dBm M2[1] 5.825 GHz		1		GHz	-25.50 dBr	n				
Product Product <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>										
Freq. Stability OC 3.3V ac20 5825MHz Ant1 0 Minutes Spectrum Image: Colspan="2">Colspan="2" Ref Level 20.00 dBm Offset 4.18 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 Count 20/20 M1[1] 5.8249800 CHz -20.65 dBm 10 dBm 0 M1[1] 5.8249800 CHz -20.65 dBm -20.65 dBm <td>N13</td> <td></td> <td>5.83384</td> <td>GHZ</td> <td>-18.87 dBr</td> <td>n</td> <td></td> <td></td> <td></td> <td></td>	N13		5.83384	GHZ	-18.87 dBr	n				
Freq. Stability OC 3.3V ac20 5825MHz Ant1 0 Minutes Spectrum Image: Colspan="2">Colspan="2" Ref Level 20.00 dBm Offset 4.18 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 Count 20/20 M1[1] 5.8249800 CHz -20.65 dBm 10 dBm 0 M1[1] 5.8249800 CHz -20.65 dBm -20.65 dBm <td></td> <td>Л</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>4/4</td> <td></td>		Л							4/4	
Freq. Stability OC 3.3V ac20 5825MHz Ant1 0 Minutes Spectrum Image: Colspan="2">Colspan="2" Ref Level 20.00 dBm Offset 4.18 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 Count 20/20 M1[1] 5.8249800 CHz -20.65 dBm 10 dBm 0 M1[1] 5.8249800 CHz -20.65 dBm -20.65 dBm <td>)sta: 20 971</td> <td>2023 01</td> <td>1.23.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>)sta: 20 971	2023 01	1.23.30							
Ref Level 20.00 dBm Offset 4.18 dB RBW 10 kHz Att 30 dB SWT 40 ms YBW 30 kHz Mode Sweep SGL Count 20/20 1Pk Max										
Ref Level 20.00 dBm Offset 4.18 dB RBW 10 kHz Att 30 dB SWT 40 ms YBW 30 kHz Mode Sweep SGL Count 20/20 1Pk Max										
Ref Level 20.00 dBm Offset 4.18 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max			Freg. Sta	bility 0	C 3.3V ac20	5825MH	z Ant1 0	Minutes		
Att 30 dB SWT 40 ms VBW 30 kHz Mode Swept SGL count 20/20 IPk Max M1[1] -25.19 dBm 10 dBm M2[1] -20.65 dBm 0 dBm M2[1] -20.65 dBm -10 dBm M2[1] -20.65 dBm -20 dBm M2[1] -20.65 dBm -30 dBm M2 M2 M2 -30 dBm M2 M2 M2 M2 -30 dBm M2 M2 M2 M2 -30 dBm M2 M2 M2 M2 M2 -70 dBm M2 M2 M2 M2 M2 M2 -70 dBm M2 M2 M2 M2 M2 M2 M2 M2 -70 dBm M2		_	Freq. Sta	bility 0	C 3.3V ac20	5825MH	z Ant1 0	Minutes		
SGL Count 20/20 • PIPk Max • • • • • • • • • • • • • • • • • • •	Spectrum		Freq. Sta	ability O	C 3.3V ac20	5825MH	z Ant1 0	Minutes		
IPk Max M1[1] -25.19 dBm 10 dBm M2[1] -20.65 dBm 0 dBm M2[1] -20.65 dBm -10 dBm M2[1] -20.65 dBm -20 dBm M2 M2 -20 dBm M2 M2 -30 dBm M2 M2 -40 dBm M2 M4 -50 dBm M2 M4 -50 dBm M4 M4 -70 dBm M4 M4	Ref Level		Offset 4.18	3 dB 👄 F	RBW 10 kHz			Minutes		
10 dBm	Ref Level Att	30 dB	Offset 4.18	3 dB 👄 F	RBW 10 kHz			Minutes		
10 dBm 5.8249800 GHz 0 dBm -20.65 dBm -10 dBm -20.65 dBm -20 dBm -20.65 dBm	Ref Level Att SGL Count 2	30 dB	Offset 4.18	3 dB 👄 F	RBW 10 kHz			Minutes		
0 dBm -20,65 dBm -10 dBm -20 dBm -20 dBm -20 dBm -30 dBm -20 dBm -40 dBm -20 dBm -50 dBm -20 dBm -70 dBm -20 dBm	Ref Level Att SGL Count 2	30 dB	Offset 4.18	3 dB 👄 F	RBW 10 kHz	Mode S	weep	Minutes		
0 dBm -10 dBm	Ref Level Att SGL Count 2 1Pk Max	30 dB	Offset 4.18	3 dB 👄 F	RBW 10 kHz	Mode S	weep	Minutes		-25.19 dBm
-20 dBm MBM MM	Ref Level Att SGL Count 2 1Pk Max	30 dB	Offset 4.18	3 dB 👄 F	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.82	-25.19 dBm 249800 GHz -20.65 dBm
-20 dBm MBM MM	Ref Level Att SGL Count 2 PK Max 10 dBm	30 dB	Offset 4.18	3 dB 👄 F	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.82	-25.19 dBm 249800 GHz -20.65 dBm
-20 dBm -30 dBm -40 dBm -50	Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dB	Offset 4.18	3 dB 👄 F	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.82	-25.19 dBm 249800 GHz -20.65 dBm
-30 dBm -40 dBm -50	Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dB	Offset 4.18 SWT 40	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	-25.19 dBm 249800 GHz -20.65 dBm
-40 dBm -50 dBm -50 dBm -50 dBm -70	Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 4.18 SWT 40	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	-25.19 dBm 249800 GHz -20.65 dBm
-50 dBm -50 dBm -50 dBm -70	Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 4.18 SWT 40	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	-25.19 dBm 249800 GHz -20.65 dBm
-50 dBm -50 dBm -50 dBm -70	Ref Level Att SGL Count 2 PIPK Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 4.18 SWT 40	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	-25.19 dBm 249800 GHz -20.65 dBm
CF 5.825 GHz 1001 pts Span 40.0 MHz -70 dBm	Ref Level Att SGL Count 2 Odbm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 4.18 SWT 40	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	-25.19 dBm 249800 GHz -20.65 dBm
CF 5.825 GHz 1001 pts Span 40.0 MHz -70 dBm	Ref Level Att SGL Count 2 Odbm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 4.18 SWT 40	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	-25.19 dBm 249800 GHz -20.65 dBm
-70 dBm Image: CF 5.825 GHz 1001 pts Span 40.0 MHz Marker Type Ref Trc X-value Y-value Function M1 1 5.82498 GHz -25.19 dBm Image: CF 3.825 GHZ M2 1 5.83388 GHz -10.54 dBm Image: CF 3.825 GHZ	Ref Level Att SGL Count 2 ID dBm 10 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB	Offset 4.18 SWT 40	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	-25.19 dBm 249800 GHz -20.65 dBm
-70 dBm Image: CF 5.825 GHz 1001 pts Span 40.0 MHz Marker Type Ref Trc X-value Y-value Function M1 1 5.82498 GHz -25.19 dBm Image: CF 3.825 GHZ M2 1 5.83388 GHz -10.54 dBm Image: CF 3.825 GHZ	Ref Level Att SGL Count 2 ID dBm 10 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB	Offset 4.18 SWT 40	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	-25.19 dBm 249800 GHz -20.65 dBm
CF 5.825 GHz 1001 pts Span 40.0 MHz Marker Type Ref Trc X-value Function Function Result M1 1 5.82498 GHz -25.19 dBm M2 1 5.8108 GHz -20.65 dBm M3 1 5.83388 GHz -10.54 dBm	Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB 20/20	MENUM	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.82498 GHz -25.19 dBm <	Ref Level Att SGL Count 2 SGL Count 2 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB 20/20	MENUM	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.82498 GHz -25.19 dBm <	Ref Level Att SGL Count 2 SGL Count 2 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB 20/20	MENUM	3 dB 👄 F	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.82	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz
Type Ref Trc X-value Y-value Function Function Result M1 1 5.82498 GHz -25.19 dBm	Ref Level Att SGL Count 2 SGL Count 2 10 dBm 10 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -50 dBm -70 dBm	30 dB 20/20	MENUM	3 dB 👄 F		Mode S M M	weep 1[1] 2[1]		5.82 5.81	25.19 dBm 249800 GHz 20.65 dBm 60800 GHz
M1 1 5.82498 GHz -25.19 dBm M2 1 5.81608 GHz -20.65 dBm M3 1 5.83388 GHz -19.54 dBm	Ref Level Att SGL Count 2 9 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm -70 dBm CF 5.825 G	30 dB 20/20	MENUM	3 dB 👄 F		Mode S M M	weep 1[1] 2[1]		5.82 5.81	25.19 dBm 249800 GHz 20.65 dBm 60800 GHz
M2 1 5.81608 GHz -20.65 dBm M3 1 5.83388 GHz -19.54 dBm 20.03.2023	Ref Level Att SGL Count 2 • IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -70 dBm CF 5.825 GF Marker	30 dB 20/20 Muhurpianshin 1z	MELAUM	3 dB 👄 F	10 kHz 20 kHz 10 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.82 5.81 	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz (ฟิฟันประกับสม)
Peady 20.09.2023	Ref Level Att SGL Count 2 • IPk Max • IPk Max 10 dBm • 0 dBm • 10 dBm • 20 dBm • 20 dBm • 30 dBm • 50 dBm • 50 dBm • 70 dBm	30 dB 20/20 Իւկեսոյության 1z Trc	MELLIN X-value	B dB • F I ms • V	XBW 10 kHz YBW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.82 5.81 	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz (ฟิฟันประกับสม)
Peady 20.09.2023	Ref Level Att SGL Count 2 TPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -70 dBm -70 dBm CF 5.825 GI Marker Type Ref M1	30 dB 20/20 Pddioprianalia I Z Trc 1 1	Offset 4.18 SWT 40	B dB F F I ms F V	RBW 10 kHz /BW 30 kHz /BW 30 kHz /BW 30 kHz /BW 30 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 30	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.82 5.81 	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz (ฟิฟันประกับสม)
Pate: 20.879.2023 01:23:46	Ref Level Att SGL Count 2 TPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -70 dBm -70 dBm CF 5.825 GI Marker Type Ref M1	30 dB 20/20 Pddioprianalia I Z Trc 1 1	Offset 4.18 SWT 40	B dB F F I ms F V	RBW 10 kHz /BW 30 kHz /BW 30 kHz /BW 30 kHz /BW 30 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 30	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.82 5.81 	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz (ฟิฟันประกับสม)
ate: 20.574.2023 - 01:23:46	Ref Level Att SGL Count 2 TPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -70 dBm -70 dBm CF 5.825 GI Marker Type Ref M1	30 dB 20/20 Pddioprianalia I Z Trc 1 1	Offset 4.18 SWT 40	B dB F F I ms F V	RBW 10 kHz /BW 30 kHz /BW 30 kHz /BW 30 kHz /BW 30 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 30	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.82 5.81 	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz (ฟิฟันประกับสม)
	Ref Level Att SGL Count 2 9 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm Marker Type M1 M2 M3	30 dB 20/20	Offset 4.18 SWT 40	B dB F F I ms F V	RBW 10 kHz /BW 30 kHz /BW 30 kHz /BW 30 kHz /BW 30 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 10 kHz /BW 30	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.82 5.81 	25.19 dBm 249800 GHz 20.65 dBm 160800 GHz (ฟิฟันประกับสม)










		Freq. St	tability -10	DC 3.3V ac2	0 5180MH	lz Ant2 0	Minutes		
Spectrum									E
-	20.00 dBm	n Offset 3	.92 dB 👄 F	RBW 10 kHz					(*)
Att SGL Count	30 dE 20/20	B SWT	40 ms 🖷 \	/BW 30 kHz	Mode S	weep			
DBL Count	20/20								
					М	1[1]			-25.96 dBm /99800 GHz
10 dBm					м	2[1]			22.97 dBm
0 dBm							_	5.17	10800 GHz
-10 dBm									
		Mala		manulad	umuhan	MANUMIA	114123		
-20 dBm		1		- In the second second		to we la			
-30 dBm									
-40 dBm		l j							
-50 dBm		Jul 1					<u> </u>		
		J.					i i i		
-60 dBm	ANGANALA	4UP ⁰⁰					W/	uppeddiwith	wildle wild the wild wild wild wild wild wild wild wild
-70 dBm									
CF 5.18 GH	17			1001	nts			Snan	40.0 MHz
Marker	2			1001	pts			opun	140.0 MHZ
Type Ref	Trc 1	X-value	98 GHz	Y-value -25.96 dBi	Func	tion	Fund	ction Result	:
M1 M2	1	5.1710	08 GHz	-22.97 dB	n				
M3	1	5.1888	38 GHz	-20.15 dBi	n				
								4/4	
Date: 22.87	P.2023 2	0:58:14							
		Freg. S	Stability 0	C 3.3V ac20	5180MH	z Ant2 0 ľ	Vinutes		
Spectrum		Freq. S	Stability 00	C 3.3V ac20	5180MHz	z Ant2 0 I	Vinutes		Ē
Spectrum Ref Level	20.00 dBm			C 3.3V ac20	5180MH2	z Ant2 0 I	Vinutes		
Ref Level Att	20.00 dBm 30 dB	n Offset 3	.92 dB 🕳 F		5180MHz Mode S		Vlinutes		
Ref Level	20.00 dBm 30 dB	n Offset 3	.92 dB 🕳 F	RBW 10 kHz			Minutes		
Ref Level Att SGL Count	20.00 dBm 30 dB	n Offset 3	.92 dB 🕳 F	RBW 10 kHz	Mode S		Minutes		27.68 dBm
Ref Level Att SGL Count	20.00 dBm 30 dB	n Offset 3	.92 dB 🕳 F	RBW 10 kHz	Mode S	weep 1[1]	Vinutes	5.17	(⊽)
Ref Level Att SGL Count 1Pk Max	20.00 dBm 30 dB	n Offset 3	.92 dB 🕳 F	RBW 10 kHz	Mode S	weep	Minutes	5.17	27.68 dBm 99800 GHz
Ref Level Att SGL Count 1Pk Max 10 dBm 0 dBm	20.00 dBm 30 dB	n Offset 3	.92 dB 🕳 F	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.17	27.68 dBm 99800 GHz 23.21 dBm
Ref Level Att SGL Count PIPK Max 10 dBm- 0 dBm- -10 dBm-	20.00 dBm 30 dB	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	27.68 dBm 99800 GHz 23.21 dBm
Ref Level Att SGL Count 1Pk Max 10 dBm 0 dBm	20.00 dBm 30 dB	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz	Mode S M	weep 1[1] 2[1]		5.17	27.68 dBm 99800 GHz 23.21 dBm
Ref Level Att SGL Count PIPK Max 10 dBm- 0 dBm- -10 dBm-	20.00 dBm 30 dB	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	27.68 dBm 99800 GHz 23.21 dBm
Ref Level Att SGL Count IPk Max 10 dBm- 0 dBm- -10 dBm- -20 dBm-	20.00 dBm 30 dB	M Offset 3 SWT	40 ms ● N	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	27.68 dBm 99800 GHz 23.21 dBm
Ref Level Att SGL Count 9 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	20.00 dBm 30 dB	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	27.68 dBm 99800 GHz 23.21 dBm
Ref Level Att SGL Count IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	20.00 dBm 30 dE 20/20	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	27.68 dBm 99800 GHz 23.21 dBm
Ref Level Att SGL Count IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	20.00 dBm 30 dE 20/20	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	27.68 dBm 99800 GHz 23.21 dBm 10800 GHz
Ref Level Att SGL Count 9 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	20.00 dBm 30 dE 20/20	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz /BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	27.68 dBm 99800 GHz 23.21 dBm 10800 GHz
Ref Level Att SGL Count SGL Count ID dBm 0 dBm -10 dBm -20 dBm -20 dBm -30 dBm -40 dBm -50 dBm -50 dBm -50 dBm -70 dBm	20.00 dBm 30 dE 20/20	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz PBW 30 kHz MALMANIMAN FA	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 5.17	27.68 dBm 199800 GHz 23.21 dBm 10800 GHz
Ref Level Att SGL Count IO dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm -70 dBm -70 dBm	20.00 dBm 30 dE 20/20	n Offset 3 3 SWT	40 ms ● N	RBW 10 kHz /BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 5.17	27.68 dBm 99800 GHz 23.21 dBm 10800 GHz
Ref Level Att SGL Count IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.18 GH Marker Type	20.00 dBm 30 dE 20/20	A Offset 3 SWT	.92 dB 🖝 F 40 ms 🖷 🖌	XBW 10 kHz //BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 5.17	27.68 dBm 99800 GHz 23.21 dBm 10800 GHz
Ref Level Att SGL Count ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -7	20.00 dBm 30 dE 20/20	A Offset 3 SWT	2.92 dB • F 40 ms • V	10 kHz //вw 30 kHz //ви 30 kH	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 5.17	27.68 dBm 99800 GHz 23.21 dBm 10800 GHz
Ref Level Att SGL Count IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.18 GH Marker Type	20.00 dBm 30 dE 20/20	n Offset 3 3 SWT	.92 dB 🖝 F 40 ms 🖷 🖌	XBW 10 kHz //BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 5.17	27.68 dBm 99800 GHz 23.21 dBm 10800 GHz
Ref Level Att SGL Count ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm GE 5.18 GF Marker Type M1	20.00 dBm 30 dE 20/20	n Offset 3 3 SWT		RBW 10 kHz /BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 5.17	27.68 dBm 99800 GHz 23.21 dBm 10800 GHz
Ref Level Att SGL Count ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm GE 5.18 GF Marker Type M1	20.00 dBm 30 dE 20/20	Contraction of the second seco		RBW 10 kHz /BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 5.17	27.68 dBm 99800 GHz 23.21 dBm 10800 GHz

		Freq. S	tability 10)C 3.3V ac20	5180MH	z Ant2 0	Minutes		
Spectrum									₽
Ref Level	20.00 dBm	Offset 3	.92 dB 🛑 I	RBW 10 kHz					(°)
Att SGL Count 2	30 dB	SWT	40 ms 👄 '	VBW 30 kHz	Mode S	weep			
IPk Max	20/20								
					М	1[1]			-26.23 dBm
10 dBm					м	2[1]			100000 GHz 19.86 dBm
0 dBm									11600 GHz
10.40-									
-10 dBm		M2.		anuthan the	tana tini a	diana I.	M3		
-20 dBm		₩ M	<u>NHAAAAAAA</u>		Maddifford	thread a source of the source	an par		
-30 dBm									
40 d0m		<mark>.</mark> .					<u> </u>		
-40 dBm		r					4		
-50 dBm		, p ^p							
-60 dBm	. A	i della					N	Allogate .	
-60 dBm	hallanthallana	100 ·					Mu	ryproduction	Multiturentymi
-70 dBm									
CF 5.18 GH	z			1001	pts			Span	40.0 MHz
Marker									
Type Ref M1	1 Trc	X-value	18 GHz	<u>Y-value</u> -26.23 dBr	Func	tion	Fund	ction Result	<u> </u>
M2	1	5.1711	16 GHz	-19.86 dBn	1				
M3	1	5.1888	34 GHz	-19.54 dBn	1]
	Л							40	20:58:23
Date: 22.877	P.2023 20	0:58:28							
		Freq. S	tability 30)C 3.3V ac20	5180MH	z Ant2 0	Minutes		_
Spectrum		Freq. S	itability 30)C 3.3V ac20	5180MH	z Ant2 0	Minutes		∎⊽
Ref Level		Offset 3	1.92 dB 🕳 I	RBW 10 kHz			Minutes		
Ref Level Att	30 dB	Offset 3	1.92 dB 🕳 I		5180MH Mode S		Minutes		₹
Ref Level	30 dB	Offset 3	1.92 dB 🕳 I	RBW 10 kHz			Minutes		
Ref Level Att SGL Count 2	30 dB	Offset 3	1.92 dB 🕳 I	RBW 10 kHz	Mode S		Minutes		26.24 dBm
Ref Level Att SGL Count 2	30 dB	Offset 3	1.92 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.17	(▽)
Ref Level Att SGL Count 2 1Pk Max	30 dB	Offset 3	1.92 dB 🕳 I	RBW 10 kHz	Mode S	weep	Minutes	5.17	26.24 dBm 99600 GHz
Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dB	Offset 3	1.92 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.17	26.24 dBm 99600 GHz 21.32 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm	30 dB	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 99600 GHz 21.32 dBm
Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dB	Offset 3 SWT	40 ms	RBW 10 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 99600 GHz 21.32 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 99600 GHz 21.32 dBm
Ref Level Att Att SGL Count 2 I Pk Max I 10 dBm I 0 dBm I -10 dBm I -20 dBm I -30 dBm I	30 dB	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 99600 GHz 21.32 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 99600 GHz 21.32 dBm
Ref Level Att Att SGL Count 2 I Pk Max I 10 dBm I 0 dBm I -10 dBm I -20 dBm I -30 dBm I	30 dB	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 99600 GHz 21.32 dBm
Ref Level Att SGL Count 2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB 20/20	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 999600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB 20/20	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 999600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB 20/20	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.17	26.24 dBm 999600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -50 dBm -70 dBm	30 dB 20/20	Offset 3 SWT	40 ms		Mode S M M	weep 1[1] 2[1]		5.17 - 5.17	26.24 dBm 99600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB 20/20	Offset 3 SWT	40 ms	RBW 10 kHz VBW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 - 5.17	26.24 dBm 99600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.18 GH Markor Type	30 dB 20/20	Offset 3 SWT	.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz MMUW/M/M/M MMUW/M/M/M 1001 Y-value	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 - 5.17	26.24 dBm 99600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 I D dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm CF 5.18 GH. Marker	30 dB 20/20	Offset 3 SWT	.92 dB • 1 40 ms • 1	RBW 10 kHz YBW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 - 5.17	26.24 dBm 99600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm	30 dB 20/20	Offset 3 SWT	.92 dB ● 1 40 ms ● 1	RBW 10 kHz ув 30 kHz ини ини ини ини ини ини ини ини ини ин	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 - 5.17	26.24 dBm 99600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.18 GH; Marker Type M1 M2	30 dB 20/20	Offset 3 SWT	.92 dB • 1 40 ms • 1	RBW 10 kHz VBW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 - 5.17	26.24 dBm 99600 GHz 21.32 dBm 10800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.18 GH; Marker Type M1 M2	30 dB 20/20	Offset 3 SWT	.92 dB • 1 40 ms • 1	RBW 10 kHz VBW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.17 - 5.17	26.24 dBm 99600 GHz 21.32 dBm 10800 GHz




		_							
		Freq. St	tability 20	C 2.81V ac2	0 5200MF	Iz Ant2 0	Minutes		
Spectrum									₽
Ref Level 20	0.00 dBm	Offset 3	3.89 dB 🗰 🖡	RBW 10 kHz					(*)
Att	30 dB	SWT		BW 30 kHz	Mode St	weep			
SGL Count 20,	/20								
●1Pk Max					5.4	1[1]			-25.19 dBm
10.10						1[1]			000000 GHz
10 dBm					M	2[1]			-20.94 dBm
0 dBm							1	5.19	911200 GHz
10.10-									
-10 dBm		мэ.	e se colo	and an a			4 140		
-20 dBm			h hhan a n th	Apphilipping	Withmanall	MANAMIN			
20.40-					ſ				
-30 dBm							1		
-40 dBm		<u>(</u>							
E0 d0m		M					પ		
-50 dBm		, M					1		
-60 dBm	ah ar an datai						- Mark	ate a dife	
representation	where and a start of the second start of the s	n,ui					ંગા	ananina wanya ma	www.humana
-70 dBm									
CF 5.2 GHz				1001	nts			Snar	40.0 MHz
Marker				1001	pts			эра	1 40.0 MHZ
	Trc	X-value		Y-value	Func	tion	Fun	ction Resul	t l
M1	1		.2 GHz	-25.19 dB					
M2 M3	1		12 GHz 88 GHz	-20.94 dB -21.06 dB					
	(lo a div		130	22.09.2023
	L							- Martin	
Date: 22.87P.	2023 - 21	:01:33							
		Freq. S	stability 20)C 3.3V ac2	0 5200MH	z Ant2 0 ľ	Vinutes		
Sportrum		Freq. S	itability 20)C 3.3V ac2	0 5200MH	z Ant2 0 I	Vinutes		
Spectrum					0 5200MH	z Ant2 0 I	Vinutes		
Spectrum Ref Level 20	0.00 dBm 30 dB		3.89 dB 👄 F	RBW 10 kHz			Vinutes		(IIII) ⊽
Ref Level 20	30 dB	Offset 3	3.89 dB 👄 F		0 5200MH Mode St		Vinutes		(The second seco
Ref Level 20	30 dB	Offset 3	3.89 dB 👄 F	RBW 10 kHz	Mode St	weep	Vinutes		
Ref Level 20 Att SGL Count 20,	30 dB	Offset 3	3.89 dB 👄 F	RBW 10 kHz	Mode St		Minutes		-25.75 dBm
Ref Level 20 Att SGL Count 20,	30 dB	Offset 3	3.89 dB 👄 F	RBW 10 kHz	Mode St	weep 1[1]	Minutes	5.19	
Ref Level 20 Att SGL Count 20, PIPk Max 10 dBm	30 dB	Offset 3	3.89 dB 👄 F	RBW 10 kHz	Mode St	weep	Minutes	5.19	-25.75 dBm 999800 GHz
Ref Level 20 Att SGL Count 20, 1Pk Max	30 dB	Offset 3	3.89 dB 👄 F	RBW 10 kHz	Mode St	weep 1[1]	Minutes	5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, PIPk Max	30 dB	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, PIPk Max 10 dBm 0 dBm	30 dB	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB /20	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 099800 GHz -19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, IPK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB /20	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 999800 GHz -19.31 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB /20	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M	weep 1[1] 2[1]		5.19	-25.75 dBm 099800 GHz -19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm	30 dB /20	Offset 3 SWT	3.89 dB ● F 40 ms ● V		Mode Si M M	weep 1[1] 2[1]		5.19 5.19	-25.75 dBm 099800 GHz 19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, IPK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.2 GHz	30 dB /20	Offset 3 SWT	3.89 dB ● F 40 ms ● V	RBW 10 kHz /BW 30 kHz	Mode Si M M	weep 1[1] 2[1]		5.19 5.19	-25.75 dBm 099800 GHz -19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm -70 dBm -70 dBm	30 dB /20	M2 M2	3.89 dB • F 40 ms • V	10 kHz 20 kHz	Mode Si M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.19 5.19	-25.75 dBm 99800 GHz -19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm	30 dB /20	Offset 3 SWT	3.89 dB • F 40 ms • V	RBW 10 kHz //BW 30 kHz	Mode S	weep 1[1] 2[1]		5.19 5.19	-25.75 dBm 99800 GHz -19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, IPK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -60 dBm -70 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.89 dB • F 40 ms • V	RBW 10 kHz //BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.19 5.19	-25.75 dBm 99800 GHz -19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	8,89 dB • F 40 ms • V	BW 10 kHz // BW 30 kHz // ANA // AN	Mode S M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.19 5.19	-25.75 dBm 99800 GHz -19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, IPK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.89 dB • F 40 ms • V	RBW 10 kHz //BW 30 kHz ////////////////////////////////////	Mode S	weep 1[1] 2[1]		5.19 5.19	-25.75 dBm 99800 GHz -19.31 dBm 011200 GHz
Ref Level 20 Att SGL Count 20, IPK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.89 dB • F 40 ms • V	RBW 10 kHz //BW 30 kHz ////////////////////////////////////	Mode S	weep 1[1] 2[1]		5.19 5.19	-25.75 dBm 99800 GHz -19.31 dBm 011200 GHz

	Freq. Stabilit	ty 20C 3.80V ac20 5	5200MHz Ant	2 0 Minutes	
Spectrum					Ē
Ref Level 20.00 dBr	n Offset 3.89 df	B 👄 RBW 10 kHz			(*.
Att 30 d CCL Count 20 (20)	B SWT 40 m	s 👄 VBW 30 kHz (Mode Sweep		
SGL Count 20/20 1Pk Max					
			M1[1]		-27.56 dBm
10 dBm			M2[1]		5.1999800 GHz -22.72 dBm
0 dBm			MZ[1]		5.1910800 GHz
o ubin					
-10 dBm			1 1 1 1 1 1		
-20 dBm	MBM_MIAN	warmen warmen war	www.hullow	Mandel 3	
	1 J I ''	' I' ¥			
-30 dBm	Λ.			l.	
-40 dBm					
-50 dBm	l N			Yu Vu	
-50 0.511	l M			L L	
-60 dBm	Jun ^u			Muu.	Muther and the second and
-70 dBm					s
CF 5.2 GHz		1001 pt:	s		Span 40.0 MHz
Marker	¥	1 <u>N</u>	F	. .	tion Doorda
Type Ref Trc M1 1	X-value 5.19998 GH:	z -27.56 dBm	Function	Func	tion Result
M2 1	5.19108 GH:				
M3 1	5.20888 GH:	z –20.04 dBm			4 M 22 00 2023
			Ready		21:02:03
Date: 22.87P.2023 2	1:02:08				
	Even Chabili		200141-0-12		
	Freq. Stabili	ty -20C 3.3V ac20 5	200MHz Ant2	2 0 Minutes	
Spectrum	Freq. Stabili	ty -20C 3.3V ac20 5	200MHz Ant2	2 0 Minutes	[
Ref Level 20.00 dBr	n Offset 3.89 di	B 👄 RBW 10 kHz		2 0 Minutes	Ⅲ ▽
RefLevel 20.00 dBr Att 30 d	n Offset 3.89 di	B 👄 RBW 10 kHz	200MHz Ant2 Mode Sweep	2 0 Minutes	[□ ▽
Ref Level 20.00 dBr	n Offset 3.89 di	B 👄 RBW 10 kHz		2 0 Minutes	[₩ ▼
Ref Level 20.00 dBr Att 30 d SGL Count 20/20	n Offset 3.89 di	B 👄 RBW 10 kHz		2 0 Minutes	-27.44 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20	n Offset 3.89 di	B 👄 RBW 10 kHz	Mode Sweep M1[1]	2 0 Minutes	-27.44 dBm 5.1999800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 P1Pk Max 10 dBm	n Offset 3.89 di	B 👄 RBW 10 kHz	Mode Sweep	2 0 Minutes	-27.44 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 PIPK Max	n Offset 3.89 di	B 👄 RBW 10 kHz	Mode Sweep M1[1]	2 0 Minutes	-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 P1Pk Max 10 dBm	n Offset 3.89 dk	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 PIPk Max 10 dBm 0 dBm	n Offset 3.89 dk	B 👄 RBW 10 kHz	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	n Offset 3.89 dk	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	n Offset 3.89 dk	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm -10 dBm -20 dBm	n Offset 3.89 dł B SWT 40 m Wayn Mirky	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 I D dBm 0 0 dBm - -10 dBm - -20 dBm - -40 dBm -	n Offset 3.89 dk	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 10 dBm -10 dBm -20 dBm -30 dBm	n Offset 3.89 dł B SWT 40 m Wayn Mirky	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 10 dBm	n Offset 3.89 dk	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm 5.1910800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm -	n Offset 3.89 dk	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm -	n Offset 3.89 dk	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-27.44 dBm 5.1999800 GHz -21.71 dBm 5.1910800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 10 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -70 dBm - -70 dBm - -70 dBm - -70 dBm -	n Offset 3.89 dk	B • RBW 10 kHz s • VBW 30 kHz 1	Mode Sweep		-27.44 dBm 5.1999800 GHz -21.71 dBm 5.1910800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 I Pk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm - -70 dBm -	m Offset 3.89 db	B • RBW 10 kHz 5 • VBW 30 kHz 1 	Mode Sweep M1[1] M2[1] M1[M][M][M][M][M][M] N _N		-27.44 dBm 5.1999800 GHz -21.71 dBm 5.1910800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 10 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -70 dBm - -70 dBm - -70 dBm - -70 dBm -	n Offset 3.89 dk	B • RBW 10 kHz • VBW 30 kHz 1 	Mode Sweep		-27.44 dBm 5.1999800 GHz -21.71 dBm 5.1910800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 10 dBm - 0 dBm - -20 dBm - -30 dBm - -30 dBm - -50 dBm - -60 dBm - -70 dBm - -80 dBm - -90 dBm -	m Offset 3.89 dł B SWT 40 m	B • RBW 10 kHz • VBW 30 kHz • VBW 30 kHz • VBW 30 kHz • VBW 30 kHz • VBW 10 kHz	Mode Sweep M1[1] M2[1] M1[M][M][M][M][M][M] N		-27.44 dBm 5.1999800 GHz -21.71 dBm 5.1910800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -60 dBm - -70 dBm - -	n Offset 3.89 db B SWT 40 m Man Man Man Man Man Man Man Man Man Man Man Man Man Man Man Man Man	B • RBW 10 kHz • VBW 30 kHz • VBW 30 kHz • VBW 30 kHz • VBW 30 kHz • VBW 10 kHz	Mode Sweep M1[1] M2[1] M1[M][M][M][M][M][M] N		-27.44 dBm 5.1999800 GHz -21.71 dBm 5.1910800 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 10 dBm - 0 dBm - -20 dBm - -30 dBm - -30 dBm - -50 dBm - -60 dBm - -70 dBm - -80 dBm - -90 dBm -	m Offset 3.89 dł B SWT 40 m	B • RBW 10 kHz • VBW 30 kHz • VBW 30 kHz • VBW 30 kHz • VBW 30 kHz • VBW 10 kHz	Mode Sweep M1[1] M2[1] M1[M][M][M][M][M][M] N		-27.44 dBm 5.1999800 GHz -21.71 dBm 5.1910800 GHz


	Freq. Stability -	10C 3.3V ac20 52	00MHz Ant2	0 Minutes	
Spectrum					₽
Ref Level 20.00 dB	m Offset 3.89 dB 🖷	RBW 10 kHz			v ,
Att 30 c	dB SWT 40 ms 🖷	VBW 30 kHz M	de Sweep		
SGL Count 20/20 9 1Pk Max					٦
			M1[1]	-25.61 dBi	m
10 dBm			MOLT	5.1999800 GH	
0 dBm			M2[1]	-19.91 dBr 5.1911200 GH	
U GBM					
-10 dBm			4	Ma	-
-20 dBm	M2 MANUAN	And and which the market	Manappan	MUNT	
-30 dBm					
-40 dBm	_				4
-50 dBm	l N				
-50 dBill				4	
-60 dBm	160000			Whaterwalesterdenaries	
-70 dBm	ule. 10			1000 million and a solution and a solution of the solution of	/140
CF 5.2 GHz		1001 pts	I	Span 40.0 MHz	z
Marker	× 1 1				
Type Ref Trc M1 1	5.19998 GHz	-25.61 dBm	Function	Function Result	-
M2 1	5.19112 GHz	-19.91 dBm			
M3 1	5.20884 GHz	-18.47 dBm		22 00 2023	
Date: 22.87P.2023	21:02:22				
	E C. 1.111				
	Freq. Stability	0C 3.3V ac20 520	0MHz Ant2 0		_
Spectrum	Freq. Stability	0C 3.3V ac20 520	0MHz Ant2 0	Minutes	₽)
Ref Level 20.00 dB	m Offset 3.89 dB 🖷	RBW 10 kHz			₹
Ref Level 20.00 dB Att 30 d	m Offset 3.89 dB 🖷	RBW 10 kHz	OMHz Ant2 O		₽
Ref Level 20.00 dB	m Offset 3.89 dB 🖷	RBW 10 kHz			₽)
Ref Level 20.00 dB Att 30 c SGL Count 20/20	m Offset 3.89 dB 🖷	RBW 10 kHz		-26.21 dB	m
Ref Level 20.00 dB Att 30 c SGL Count 20/20	m Offset 3.89 dB 🖷	RBW 10 kHz	M1[1]	-26.21 dBr 5.200000 GH	m Iz
Ref Level 20.00 dB Att 30 of SGL Count 20/20 PR Max 10 dBm	m Offset 3.89 dB 🖷	RBW 10 kHz	o de Sweep	-26.21 dB	m -lz m
Ref Level 20.00 dB Att 30 d SGL Count 20/20	m Offset 3.89 dB 🖷	RBW 10 kHz	M1[1]	-26.21 dBi 5.200000 GH -19.19 dBi	m -lz m
Ref Level 20.00 dB Att 30 of SGL Count 20/20 PR Max 10 dBm	m Offset 3.89 dB B SWT 40 ms 	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBr 5.200000 GH -19.19 dBr 5.1911200 GH	m -lz m
Ref Level 20.00 dB Att 30 c SGL Count 20/20 1Pk Max 10 dBm 0 dBm	m Offset 3.89 dB B SWT 40 ms 	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBr 5.200000 GH -19.19 dBr 5.1911200 GH	m -lz m
Ref Level 20.00 dB Att 30 dS SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	m Offset 3.89 dB B SWT 40 ms 	RBW 10 kHz	M1[1] M2[1]	-26.21 dBr 5.200000 GH -19.19 dBr 5.1911200 GH	m -lz m
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 3.89 dB B SWT 40 ms 	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBr 5.200000 GH -19.19 dBr 5.1911200 GH	m -lz m
Ref Level 20.00 dB Att 30 dS SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	m Offset 3.89 dB B SWT 40 ms 	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBr 5.200000 GH -19.19 dBr 5.1911200 GH	m -lz m
Ref Level 20.00 dB Att 30 dS SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -40 dBm	m Offset 3.89 dB B SWT 40 ms 	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBr 5.200000 GH -19.19 dBr 5.1911200 GH	m -lz m
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm	m Offset 3.89 dB B SWT 40 ms 	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBr 5.200000 GH -19.19 dBr 5.1911200 GH	m -lz m
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -50 dBm	m Offset 3.89 dB able and a second se	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBi 5.200000 GH -19.19 dBi 5.1911200 GH	
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm	m Offset 3.89 dB able and a second se	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBr 5.200000 GH -19.19 dBr 5.1911200 GH	
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	m Offset 3.89 dB able and a second se	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBi 5.200000 GH -19.19 dBi 5.1911200 GH	
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.2 GHz	m Offset 3.89 dB able and a second se	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.21 dBi 5.200000 GH -19.19 dBi 5.1911200 GH	
Ref Level 20.00 dB Att 30 c SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -50 dBm -50 dBm -50 dBm -60 dBm -70 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm -70 dBm	m Offset 3.89 dB and a set of the	RBW 10 kHz VBW 30 kHz MMMM/M MMM/M	M1[1] M2[1]	-26.21 dBr 5.2000000 GH -19.19 dBr 5.1911200 GH 	
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.2 GHz	m Offset 3.89 dB able and a second se	RBW 10 kHz VBW 30 kHz Multiplication 10 kHz	M1[1] M2[1]	-26.21 dBi 5.200000 GH - 19.19 dBi 5.1911200 GH	
Ref Level 20.00 dB Att 30 dS SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -70 dBm -70 dBm Marker Type Ref M1 1 M2 1	m Offset 3.89 dB a b swt 40 ms a c c c c c c c c c c c c c c c c c c	RBW 10 kHz VBW 30 kHz MMMMMM MMMMMMM Image: State St	M1[1] M2[1]	-26.21 dBr 5.2000000 GH -19.19 dBr 5.1911200 GH 	
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.2 GHz Marker Type Ref Mark	m Offset 3.89 dB B SWT 40 ms M2 M M M M M M M M M M M M M M M M M M	RBW 10 kHz VBW 30 kHz Me	M1[1] M2[1]	-26.21 dBr 5.2000000 GH -19.19 dBr 5.1911200 GH 	
Ref Level 20.00 dB Att 30 dS SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -70 dBm -70 dBm Marker Type Ref M1 1 M2 1	m Offset 3.89 dB a b swt 40 ms a c c c c c c c c c c c c c c c c c c	RBW 10 kHz VBW 30 kHz MMMMMM MMMMMMM Image: State St	M1[1] M2[1]	-26.21 dBr 5.2000000 GH -19.19 dBr 5.1911200 GH 	


	Freq. Stability	y 10C 3.3V ac20 52	200MHz Ant2	0 Minutes	
Spectrum					₽
Ref Level 20.00 c	IBm Offset 3.89 dB	RBW 10 kHz			U°.
Att 30 SGL Count 20/20	dB SWT 40 ms	VBW 30 kHz N	lode Sweep		
IPk Max					
			M1[1]	-30.19	
10 dBm			M2[1]	5.199980	
0 dBm				5.191080	0 GHz
10 10-					
-10 dBm	M2	ANA ANA ANA ANA ANA ANA	سيمانقون التدامي	Linu see	
-20 dBm		shankalandalandalandalan	www.ll.Vhnum.	enjud na s	
-30 dBm		N			
40 d0m					
-40 dBm	l V			<u> </u>	
-50 dBm					
-60 dBm					
-70 dBm	ulhu uluw			Wellortyalitewighthouth	henderscraft
-70 0811					
CF 5.2 GHz		1001 pts	;	Span 40.0	MHz
Marker				1	
Type Ref Trc	X-value 5.19998 GHz	-30.19 dBm	Function	Function Result	
M2 1	5.19108 GHz	-20.00 dBm			
M3 1	5.20888 GHz	-21.62 dBm)	22.09.20	23
			Ready	6/0	
Date: 22.57P.2023	21:02:37				
	Fred Stability	20C 3 3V ac20 5	200N/Hz Ant2	0 Minutes	
	Freq. Stability	y 30C 3.3V ac20 52	200MHz Ant2	0 Minutes	
Spectrum			200MHz Ant2	0 Minutes	
Ref Level 20.00 c	IBm Offset 3.89 dB	 RBW 10 kHz 		0 Minutes	
Ref Level 20.00 c Att 30 SGL Count 20/20	IBm Offset 3.89 dB	 RBW 10 kHz 	200MHz Ant2 1ode Sweep	2 0 Minutes	₽
Ref Level 20.00 c	IBm Offset 3.89 dB	 RBW 10 kHz 	1ode Sweep		
Ref Level 20.00 c Att 30 SGL Count 20/20 PK Max	IBm Offset 3.89 dB	 RBW 10 kHz 		2 0 Minutes -26.71 5.200000	L dBm
Ref Level 20.00 c Att 30 SGL Count 20/20	IBm Offset 3.89 dB	 RBW 10 kHz 	1ode Sweep	-26.71 5.200000 -18.95	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 PK Max	IBm Offset 3.89 dB	 RBW 10 kHz 	Mode Sweep	-26.71 5.200000	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 5.200000 -18.95 5.191120	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 5.200000 -18.95 5.191120	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm	IBm Offset 3.89 dB dB SWT 40 ms	 RBW 10 kHz 	M1[1] M2[1]	-26.71 5.200000 -18.95 5.191120	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 5.200000 -18.95 5.191120	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 5.200000 -18.95 5.191120	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm -	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 5.200000 -18.95 5.191120	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -10 dBm -20 dBm -30 dBm -30 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 5.200000 -18.95 5.191120	L dBm O GHz 5 dBm
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm -	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 S.200000 -18.95 S.191120	L dBm 0 GHz 5 dBm 0 GHz
Ref Level 20.00 c Att 30 SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm -	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 5.200000 -18.95 5.191120	L dBm 0 GHz 5 dBm 0 GHz
Ref Level 20.00 c Att 30 SGL Count 20/20 10 IPk Max 10 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm -	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-26.71 S.200000 -18.95 S.191120	L dBm 0 GHz 5 dBm 0 GHz
Ref Level 20.00 c Att 30 SGL Count 20/20 10 ID dBm 0 0 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -60 dBm - -70 dBm - -70 dBm - -20 dBm - -30 dBm - -60 dBm - -70 dBm - -70 dBm -	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1] M2[1]	-26.71 S.200000 -18.95 S.191120	L dBm 0 GHz 5 dBm 0 GHz
Ref Level 20.00 c Att 30 SGL Count 20/20 10k Max 10 dBm 0 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm - -70 dBm -	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz N	Mode Sweep M1[1] M2[1] M2[1] M2[1]	-26.71 5.20000 -10.95 5.191120 	L dBm 0 GHz 5 dBm 0 GHz
Ref Level 20.00 c Att 30 SGL Count 20/20 10k Max 10 dBm 0 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm - -70 dBm - -70 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz N	Mode Sweep M1[1] M2[1] M2[1]	-26.71 S.200000 -18.95 S.191120 	L dBm 0 GHz 5 dBm 0 GHz
Ref Level 20.00 c Att 30 SGL Count 20/20 10k Max 10 dBm 0 0 dBm - -10 dBm - -20 dBm - -30 dBm - -60 dBm - -60 dBm - -70 dBm - -70 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz N	Mode Sweep M1[1] M2[1] M2[1] M2[1]	-26.71 5.20000 -10.95 5.191120 	L dBm 0 GHz 5 dBm 0 GHz
Ref Level 20.00 c Att 30 SGL Count 20/20 10k Max 10 dBm 0 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm - -70 dBm - -70 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz N	Mode Sweep M1[1] M2[1] M2[1] M2[1]	-26.71 5.20000 -10.95 5.191120 	L dBm 0 GHz 5 dBm 0 GHz
Ref Level 20.00 c Att 30 SGL Count 20/20 10k Max 10 dBm 0 0 dBm - -10 dBm - -20 dBm - -30 dBm - -60 dBm - -60 dBm - -70 dBm - -70 dBm	IBm Offset 3.89 dB dB SWT 40 ms	RBW 10 kHz VBW 30 kHz N	Mode Sweep M1[1] M2[1] M2[1] M2[1]	-26.71 5.20000 -10.95 5.191120 	L dBm 0 GHz 5 dBm 0 GHz


	Freq. Stability	y 40C 3.3V ac20 52	200MHz Ant2	0 Minutes	
Spectrum					Ē
Ref Level 20.00 dBr	m Offset 3.89 dB	RBW 10 kHz			(v)
● Att 30 d	IB SWT 40 ms	🔵 VBW 30 kHz 🛛 N	lode Sweep		
SGL Count 20/20 9 1Pk Max					
			M1[1]	-2	27.86 dBm
10 dBm			N0[1]		99600 GHz
0.40			M2[1]		20.04 dBm 10800 GHz
0 dBm					
-10 dBm		1			
-20 dBm	M2 maldala	phyliphyliphyl pyd	MMMMM	INM M3	
	ייון			~~	
-30 dBm					
-40 dBm					
-50 dBm	Ň			<u> </u>	
	l I l			<u></u>	
-60 dBm	lun p			"hale a human a hur ye	An De La Caracteria de La
-70 dBm	m -			the Automatical	ufficentiation and
CF 5.2 GHz		1001 pts		Span	40.0 MHz
Marker Type Ref Trc	X-value	Y-value	Function	Function Result	
M1 1	5.19996 GHz	-27.86 dBm	Function	Function Result	
M2 1 M3 1	5.19108 GHz 5.20884 GHz	-20.04 dBm -20.71 dBm			
	0.20004 GHz	20.71 00.01	Dondu	4.4%	2.09.2023
Date: 22.87P.2023	21:02:39				
	From Stability	· FOC 2 21/ 2020 F	000411- 4-+2	0 Minutos	
	Freq. Stability	y 50C 3.3V ac20 52	200MHz Ant2	0 Minutes	
Spectrum	Freq. Stability	y 50C 3.3V ac20 52	200MHz Ant2	0 Minutes	E
Ref Level 20.00 dBr	m Offset 3.89 dB	 RBW 10 kHz 		0 Minutes	
RefLevel 20.00 dBi Att 30 d	m Offset 3.89 dB	 RBW 10 kHz 	200MHz Ant2 Node Sweep	0 Minutes	
Ref Level 20.00 dB	m Offset 3.89 dB	 RBW 10 kHz 		0 Minutes	
Ref Level 20.00 dBi Att 30 d SGL Count 20/20	m Offset 3.89 dB	 RBW 10 kHz 			(⊽) 27.54 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20	m Offset 3.89 dB	 RBW 10 kHz 	Node Sweep	-5 5.200	(∇ 27.54 dBm 00000 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 1Pk Max 10 dBm	m Offset 3.89 dB	 RBW 10 kHz 	lode Sweep	 5.200 1	(⊽) 27.54 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm	m Offset 3.89 dB	 RBW 10 kHz 	Node Sweep	 5.200 1	27.54 dBm 00000 GHz 19.06 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 1Pk Max 10 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm	m Offset 3.89 dB B SWT 40 ms	 RBW 10 kHz 	M1[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -40 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-5 5.20 -5 5.19 	27.54 dBm 00000 GHz 19.06 dBm 11200 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -40 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm 11200 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Iode Sweep M1[1]	-5 5.20 -5 5.19 	27.54 dBm 00000 GHz 19.06 dBm 11200 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm -60 dBm -70 dBm -70 dBm -70 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Iode Sweep M1[1]	-5 5.20 -5 5.19 	27.54 dBm 00000 GHz 19.06 dBm 11200 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz N	Inde Sweep M1[1] M2[1] M4[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm 11200 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm GF 5.2 GHz Marker Type Ref Marker	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz N	Iode Sweep M1[1]	-5 5.20 -5 5.19 	27.54 dBm 00000 GHz 19.06 dBm 11200 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -60 dBm -70 dBm<	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz N	Inde Sweep M1[1] M2[1] M4[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm 11200 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm GF 5.2 GHz Marker Type Ref Marker	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz N	Inde Sweep M1[1] M2[1] M4[1] M2[1]	-5 5.200 -5 5.199 	27.54 dBm 00000 GHz 19.06 dBm 11200 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -60 dBm -70 dBm<	m Offset 3.89 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz N	Inde Sweep M1[1] M2[1] M4[1] M2[1]		27.54 dBm 00000 GHz 19.06 dBm 11200 GHz



		Freq. St	ability 20	C 3.80V ac2	0 5240MH	lz Ant2 C) Minutes		
Spectru	n								₽
-	el 20.00 (dBm Offset 3.	.90 dB 👄	RBW 10 kHz					(v)
Att ECL Course) dB SWT	40 ms 👄	VBW 30 kHz	Mode SV	weep			
SGL Coun IPk Max	l 20/20								
					M	1[1]			25.41 dBm
10 dBm						2[1]			99000 GHz -20.48 dBm
0 dBm					1412	2[1]			10800 GHz
o ubin									
-10 dBm—			dana d	بالمراجع والمراجع	athalau	and an te	L MO		
-20 dBm—		MEN	NAME AND	White the	waterant	www	LAN WE		
20 d0m				'I 🕴		, I			
-30 dBm—							N.		
-40 dBm—		-							
-50 dBm-		- J ^p					L		
		J. I					- h.		
-60 dBm Իկինիչթերիլ/Ա	4phale-alu	MANN					1 14	Allahana	Munhandra
-70 dBm—								with the second	
CF 5.24 G Marker	Hz			1001	pts			Span	40.0 MHz
Type R	ef Trc	X-value	1	Y-value	Funct	tion	Fun	ction Result	: 1
M1	1	5.239	9 GHz	-25.41 dBr	n				
M2 M3	1	5.2310		-20.48 dBr -19.20 dBr					
	Ì					e ad y		440	22.09.2023
Date: 22.9	7P.2023	21:05:37							
		Frea St	ahility -2	0C 3 3V ac20) 5240MH	z Ant2 0	Minutes		
		Freq. St	ability -2	0C 3.3V ac20) 5240MH	z Ant2 0	Minutes		
Spectru	n	Freq. St	ability -2	.0C 3.3V ac20) 5240MH	z Ant2 0	Minutes		
Ref Leve	el 20.00 (dBm Offset 3.	.90 dB 👄	RBW 10 kHz			Minutes		
Ref Leve Att	el 20.00 (30	dBm Offset 3.	.90 dB 👄) 5240MH Mode Sv		Minutes		(₹
Ref Leve	el 20.00 (30	dBm Offset 3.	.90 dB 👄	RBW 10 kHz	Mode St	weep	Minutes		
Ref Leve Att SGL Coun	el 20.00 (30	dBm Offset 3.	.90 dB 👄	RBW 10 kHz	Mode St		Minutes		(⊽) 24.05 dBm
Ref Leve Att SGL Coun	el 20.00 (30	dBm Offset 3.	.90 dB 👄	RBW 10 kHz	Mode Sv	weep	Minutes	5.24	
Ref Leve Att SGL Coun Pk Max	el 20.00 (30	dBm Offset 3.	.90 dB 👄	RBW 10 kHz	Mode Sv	weep 1[1]	Minutes	5.24	24.05 dBm 00000 GHz
Ref Leve Att SGL Coun PIPk Max 10 dBm 0 dBm	el 20.00 (30	dBm Offset 3.	.90 dB 👄	RBW 10 kHz	Mode Sv	weep 1[1]	Minutes	5.24	24.05 dBm 000000 GHz 17.70 dBm
Ref Leve Att SGL Coun 1Pk Max	el 20.00 (30	dBm Offset 3.) dB SWT	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm
Ref Leve Att SGL Coun PIPk Max 10 dBm 0 dBm	el 20.00 (30	dBm Offset 3.) dB SWT	.90 dB 🖷 40 ms 🖷	RBW 10 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm
Ref Leve Att SGL Coun 1Pk Max 10 dBm	el 20.00 (30	dBm Offset 3.) dB SWT	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm
Ref Levi Att SGL Coun 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	el 20.00 (30	dBm Offset 3.) dB SWT	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm
Ref Leve Att SGL Coun 1Pk Max 10 dBm- 0 dBm- -10 dBm- -20 dBm-	el 20.00 (30	dBm Offset 3.) dB SWT	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm
Ref Levi Att SGL Coun 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	el 20.00 (30	dBm Offset 3.) dB SWT	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm
Ref Levi Att SGL Coun 1Pk Max 10 dBm	al 20.00 0 30 t 20/20	dBm Offset 3.	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm 111200 GHz
Ref Levi Att SGL Coun 1Pk Max 10 dBm	al 20.00 0 30 t 20/20	dBm Offset 3.	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm 111200 GHz
Ref Levi Att SGL Coun 1Pk Max 10 dBm	al 20.00 0 30 t 20/20	dBm Offset 3.	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M:	weep 1[1] 2[1]		5.24	24.05 dBm 000000 GHz 17.70 dBm 111200 GHz
Ref Levi Att SGL Coun 1Pk Max 10 dBm	al 20.00 (30 t 20/20	dBm Offset 3.	.90 dB 🖷 40 ms 🖷	RBW 10 kHz VBW 30 kHz	Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	weep 1[1] 2[1]		5.24 - 5.23	24.05 dBm 00000 GHz 17.70 dBm 11200 GHz
Ref Levi Att SGL Coun 1Pk Max 10 dBm	al 20.00 (30 t 20/20	dBm Offset 3.	.90 dB 🖷 40 ms 🖷	RBW 10 kHz YBW 30 kHz	Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	weep 1[1] 2[1]		5.24 - 5.23	24.05 dBm 000000 GHz 17.70 dBm 111200 GHz
Ref Levi Att SGL Coun 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.24 G Marker Type	el 20.00 (30 t 20/20	ABm Offset 3.	90 dB • 40 ms •	RBW 10 kHz VBW 30 kHz	Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	weep 1[1] 2[1]		5.24 - 5.23	24.05 dBm 000000 GHz 17.70 dBm 11200 GHz
Ref Levi Att SGL Coun 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.24 G Marker Type M1	el 20.00 (30 t 20/20	ABm Offset 3.	90 dB • 40 ms • 44 GHz	RBW 10 kHz VBW 30 kHz	Mode Sv M: M: M: M: M: M: M: M: M: M: M: M: M:	weep 1[1] 2[1]		5.24 5.23	24.05 dBm 000000 GHz 17.70 dBm 11200 GHz
Ref Levi Att SGL Coun 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.24 G Marker Type	el 20.00 (30 t 20/20	ABm Offset 3.	90 dB • 40 ms •	RBW 10 kHz VBW 30 kHz	Mode Sv M: M: 	weep 1[1] 2[1]		5.24 5.23	24.05 dBm 000000 GHz 17.70 dBm 11200 GHz
Ref Levi Att SGL Coun 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	el 20.00 (30 1 20/20 20/20 4 4 4 4 5 5 7 7 7 7 7 7 7 1 1	Albm Offset 3. 0 dB SWT 3.	90 dB • 40 ms •	RBW 10 kHz VBW 30 kHz	Mode Sv M: M: 	weep 1[1] 2[1]		5.24 5.23	24.05 dBm 000000 GHz 17.70 dBm 11200 GHz
Ref Levi Att SGL Coun 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	el 20.00 0 30 t 20/20	ZBm Offset 3. 0 dB SWT	90 dB • 40 ms •	RBW 10 kHz VBW 30 kHz	Mode Sv M: M: 	weep 1[1] 2[1]		5.24 5.23	24.05 dBm 000000 GHz 17.70 dBm 11200 GHz







(Cur a attraction	Freq. Stability				
Cru a altra and		20C 2.81V ac20	5260MHz Ant	2 0 Minutes	
Spectrum					
Ref Level 20.00 dB	m Offset 3.90 dB	RBW 10 kHz			(-)
● Att 30 d	iB SWT 40 ms	👄 VBW 30 kHz	Mode Sweep		
SGL Count 20/20 9 1Pk Max					
TEK Max			M1[1]		-25.10 dBm
10 dBm					5.2599800 GHz
10 dbin			M2[1]		-22.61 dBm 5.2510800 GHz
0 dBm					3.2310800 GH2
-10 dBm					
	where here with	philipping philipping phil	в лана вала вала вала вала вала вала вал	LONA N3	
-20 dBm	- Material Consults		-It a late a george bar	hanana	
-30 dBm		v.			
-40 dBm	all			Ц.	
-50 dBm	- <u>}</u> "			<u> </u>	
-60 dBm				N. I	
manuallydenstration	how all			^{wi} lwy,	and the second and the second
-70 dBm					
CF 5.26 GHz		1001 pt	5		Span 40.0 MHz
Marker Type Ref Trc	X-value	Y-value	Function	Eunc	tion Result
M1 1	5.25998 GHz	-25.10 dBm	- unocion	- Tuno	
M2 1 M3 1	5.25108 GHz 5.26888 GHz	-22.61 dBm -19.67 dBm			
	5.20000 GHz	19/07 ubii) Davidu		AMA 22.09.2023 /
					21:09:24
Date: 22.87P.2023	21:09:24				
	Freq. Stability	/ 20C 3.3V ac20 5	260MHz Ant	2 () Minutes	
		,	20011112741122	e o minutes	
Spectrum					Ē
Ref Level 20.00 dB	m Offset 3.90 dB		20010112 / 4112		
RefLevel 20.00 dB Att 30 d		 RBW 10 kHz 	Mode Sweep		
Ref Level 20.00 dB Att 30 d SGL Count 20/20		 RBW 10 kHz 			
RefLevel 20.00 dB Att 30 d		 RBW 10 kHz 	Mode Sweep		
Ref Level 20.00 dB Att 30 d SGL Count 20/20 Pk Max		 RBW 10 kHz 	Mode Sweep		-25.66 dBm 5.2600000 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20		 RBW 10 kHz 	Mode Sweep		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 Pk Max		 RBW 10 kHz 	Mode Sweep		-25.66 dBm 5.2600000 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 1Pk Max 10 dBm		 RBW 10 kHz 	Mode Sweep		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm	iB SWT 40 ms	 RBW 10 kHz 	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]		-25.66 dBm 5.260000 GHz -21.76 dBm 5.2511200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep		-25.66 dBm 5.260000 GHz -21.76 dBm 5.2511200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm -60 dBm -70 dBm -70 dBm -70 dBm	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep		-25.66 dBm 5.260000 GHz -21.76 dBm 5.2511200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.26 GHz Marker	iB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1] M1[1] M2[1]		25.66 dBm 5.260000 GHz 21.76 dBm 5.2511200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm GF 5.26 GHz Marker Type Ref Type Ref	IB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep		-25.66 dBm 5.260000 GHz -21.76 dBm 5.2511200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm </td <td>IB SWT 40 ms</td> <td>RBW 10 kHz VBW 30 kHz VBW 30 kHz Interference Interference</td> <td>Mode Sweep M1[1] M2[1] M1[1] M2[1]</td> <td></td> <td>25.66 dBm 5.260000 GHz 21.76 dBm 5.2511200 GHz</td>	IB SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz Interference Interference	Mode Sweep M1[1] M2[1] M1[1] M2[1]		25.66 dBm 5.260000 GHz 21.76 dBm 5.2511200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm GF 5.26 GHz Marker Type Ref Type Ref	IB SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1] M1[1] M2[1]		25.66 dBm 5.260000 GHz 21.76 dBm 5.2511200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm </td <td>IB SWT 40 ms</td> <td>RBW 10 kHz VBW 30 kHz VBW 30 kHz Interference Interference</td> <td>Mode Sweep M1[1] M2[1] M1[1] M2[1]</td> <td></td> <td>25.66 dBm 5.260000 GHz 21.76 dBm 5.2511200 GHz</td>	IB SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz Interference Interference	Mode Sweep M1[1] M2[1] M1[1] M2[1]		25.66 dBm 5.260000 GHz 21.76 dBm 5.2511200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm </td <td>B SWT 40 ms</td> <td>RBW 10 kHz VBW 30 kHz VBW 30 kHz Interference Interference</td> <td>Mode Sweep M1[1] M2[1] M1[1] M2[1]</td> <td></td> <td>25.66 dBm 5.260000 GHz 21.76 dBm 5.2511200 GHz</td>	B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz Interference Interference	Mode Sweep M1[1] M2[1] M1[1] M2[1]		25.66 dBm 5.260000 GHz 21.76 dBm 5.2511200 GHz

Freq. Stability 20C 3.80V ac20 S260MHz Ant2 0 Minutes Spectrum Spectrum Stability 20C 3.80V do the RBW 10 MHz Made Sweep SUL Contra 2000 SMM do the RBW 10 MHz Made Sweep SUL Contra 2000 O dam Mate III Scatter IIII Scatter IIIII Scatter IIIIII Scatter IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII										
Ref Level 20:00 dbm Offset 3:90 db Ref VBW Mode Sweep SQL count 20:20 521.00 dbm 521.00 dbm 522.10 dbm 10 dbm 5.251.200 dbm 5.251.200 dbm 5.251.200 dbm 10 dbm 5.251.200 dbm 5.251.200 dbm 5.251.200 dbm 20 dbm 5.251.200 dbm 5.251.200 dbm 5.251.200 dbm 30 dbm 10.101 pts Span 40.0 Mbd Span 40.0 Mbd Mator 10.202 dbm 5.251.204 dbm 5.251.200 dbm 5.251.200 dbm Mator 10.5.251.200 dbm 5.251.200 dbm 5.250.200 dbm 5.250.200 dbm Mator 10.202 dbm 5.250.200 dbm 5.250.200 dbm 5.250.200 dbm 5.250.200 dbm <td< td=""><td></td><td></td><td>Freq. St</td><td>tability 20</td><td>C 3.80V ac2</td><td>0 5260MI</td><td>Hz Ant2 C</td><td>) Minutes</td><td></td><td></td></td<>			Freq. St	tability 20	C 3.80V ac2	0 5260MI	Hz Ant2 C) Minutes		
Ref Level 20:00 dbm Offset 3:90 db Ref VBW Mode Sweep SQL count 20:20 521.00 dbm 521.00 dbm 522.10 dbm 10 dbm 5.251.200 dbm 5.251.200 dbm 5.251.200 dbm 10 dbm 5.251.200 dbm 5.251.200 dbm 5.251.200 dbm 20 dbm 5.251.200 dbm 5.251.200 dbm 5.251.200 dbm 30 dbm 10.101 pts Span 40.0 Mbd Span 40.0 Mbd Mator 10.202 dbm 5.251.204 dbm 5.251.200 dbm 5.251.200 dbm Mator 10.5.251.200 dbm 5.251.200 dbm 5.250.200 dbm 5.250.200 dbm Mator 10.202 dbm 5.250.200 dbm 5.250.200 dbm 5.250.200 dbm 5.250.200 dbm <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>										
Att 30 db SWT 40 ms VBW 30 kHz Made 654. Count 20/201 919: Max	Spectrum									∇
SQL Count 20/20 27.18 dbm 0 BPK Max M1[1] 2.27.18 dbm 10 dbm M1[1] 2.20.00 dbm 0 dbm M1[1] 2.20.00 dbm 10 dbm M1[1] 2.20.00 dbm 20 dbm M1 1 20 dbm M2 1 20 dbm 1 5 M2 1 5 M2 1 5 M2	Ref Level 2	0.00 dBm	Offset 3	.90 dB 👄	RBW 10 kHz					
By Max MI[1] :27.10 dm 10 dBm	Att	30 dB	SWT	40 ms 👄	VBW 30 kHz	Mode S	weep			
10 dBm MI[1] ::27.18 dBm 0 dBm :20.60 dBm :20.60 dBm 0 dBm :20.60 dBm :20.60 dBm 20 dBm :20.60 dBm :20.60 dBm 20 dBm :21.20 GHz :20.60 dBm 20 dBm :21.20 GHz :21.20 GHz 20 dBm :21.20 GHz :22.57.20 GHz 20 dBm :22.57.20 GHz :20.00 GBm 20 dBm :25.200 GHz :27.10 dBm Mater :22.57.20 GHz :20.00 GBm M2 1 :25.200 GHz :27.20 GHz M2 1 :25.200 GHz :20.00 GHz Spectrum :25.200 GHz)/20								
10 dBm 5.250000 GHz 0 dBm 5.2511200 GHz 10 dBm 5.2511200 GHz 20 dBm 10 dBm 40 dBm 10 dBm 70 dBm 10 dBm 10 dBm 1 5.25112 GHz 70 dBm 1 5.2512 GHz 70 dBm 1 5.2510 GHz 70 dBm 1 5.2500 GHz 70 dBm 1 5.2500 GHz	😑 1Pk Max									
10 dam						M	1[1]			
0 dam	10 dBm					<u> </u>	0111			
0 dbm 10 dbm<						IVI	2[1]			
20 dsm 10 dsm	0 dBm								0.20	
20 dsm 10 dsm	10 40-1									
-30 dBm -40 dBm -40 dBm -40 dBm -30 dBm -50 dBm -40 dBm -40 dBm -40 dBm -50 dBm -60 dBm -70 dBm <t< td=""><td>-10 dBm</td><td></td><td></td><td>dia.</td><td>اللار بداريان</td><td>and the</td><td>and the st</td><td>M3</td><td></td><td></td></t<>	-10 dBm			dia.	اللار بداريان	and the	and the st	M3		
-30 dBm -40 dBm -40 dBm -40 dBm -30 dBm -50 dBm -40 dBm -40 dBm -40 dBm -50 dBm -60 dBm -70 dBm <t< td=""><td>-20 dBm</td><td></td><td>~</td><td>MMMM.</td><td>nunnun</td><td>MANNACI</td><td>ANAMAN</td><td>MM7</td><td></td><td></td></t<>	-20 dBm		~	MMMM.	nunnun	MANNACI	ANAMAN	MM7		
40 dbm 50 dbm 100 pts Span 40.0 MHz 40 dbm 1 S.25990 GHz -27.18 dbm 40 dbm 1 S.25990 GHz -27.18 dbm Function Result Markor 1 S.25990 GHz -20.60 dbm Span 40.0 MHz Markor 1 S.25990 GHz -20.60 dbm Span 40.0 MHz Mat 1 S.25990 GHz -20.60 dbm Span 40.0 MHz Mat 1 S.25990 GHz -20.60 dbm Span 40.0 MHz Mat 1 S.25990 GHz -20.60 dbm Span 40.0 Miz Mat 1 S.26884 GHz -10.39 dbm Span 40.0 Miz Mat 20.09 dbm Span 40.0 Miz Span 40.0 Miz Span 40.0 Miz Mat 1 S.26880 GHz Mat Span 40.0 Miz Span 40.0 Miz 0 dbm 0 dbm Mat Mat Span 40.0 Miz Span 40.0 Miz 0 dbm 0 dbm 0 dbm 0 dbm					1	1 - C	[•]	° I °		
SO dBm Image: state of the sta	-30 dBm							1		
SO dBm Image: state of the sta	40 d0m		n in the second se					" k		
Oddsm Average Average Span 40.0 MHz 100 dsm 1001 pts Span 40.0 MHz Marker Type Ref Trc X-value Punction Function Result Marker 1 5:25900 0Hz -27.19 dbm Function Result Punction Result Marker 1 5:25900 0Hz -27.19 dbm Punction Result Punction Result Marker 1 5:25808 GHz -19.39 dBm Punction Result Punction Result Nate: 22.872.2223 21:09:38 Precision Punction Result Punction Result Nate: 22.872.2223 21:09:38 Punction Result Punction Result Punction Result Nate: 22.872.2223 21:09:38 Punction Result Punction Res	-40 UBIII		Ŵ					<u></u>		
Multiply Multiply Multiply Multiply 70 dBm ID01 pts Span 40.0 MHz Type Ref Trc X-value Function Function Result M1 1 5-25906 GHz -20.00 dBm Function Function Result M2 1 5-25906 GHz -20.00 dBm Function Function Result M2 1 5-2512 GHz -20.00 dBm Function Function Result M3 1 5.25684 GHz -10.30 dBm Function Function Result M4 1 5.2512 GHz -20.00 dBm Function Result Function Result M3 1 5.25084 GHz -10.30 dB Function Result Tropic State Spectrum Image: State S	-50 dBm		/					<u> </u>		
Multiply Multiply Multiply Multiply 70 dBm ID01 pts Span 40.0 MHz Type Ref Trc X-value Function Function Result M1 1 5-25906 GHz -20.00 dBm Function Function Result M2 1 5-25906 GHz -20.00 dBm Function Function Result M2 1 5-2512 GHz -20.00 dBm Function Function Result M3 1 5.25684 GHz -10.30 dBm Function Function Result M4 1 5.2512 GHz -20.00 dBm Function Result Function Result M3 1 5.25084 GHz -10.30 dB Function Result Tropic State Spectrum Image: State S			JP I					۲.		
20 dBm Image: CF 5.26 GHz Image: CF 5.26 GHz </td <td>-60 dBm</td> <td>يد يحد ا</td> <td>uk^r</td> <td></td> <td></td> <td></td> <td></td> <td>4.6</td> <td>e islas a fototar</td> <td></td>	-60 dBm	يد يحد ا	uk ^r					4.6	e islas a fototar	
CF 5.26 GHz 1001 pts Span 40.0 MHz Marker Type Ref Trc X-value Function Function Function Result M1 1 5.25998 GHz -20.60 dBm -20.00 dB	Marin	water for th	ч().					۳ ۲	Alamerication	annanadamintan
Marker Y-volue Y-volue Function Function Result M1 1 5.25998 GHz -27.18 dbm Function Function Result M2 1 5.25998 GHz -20.60 dbm Function Function Result M2 1 5.25998 GHz -20.60 dbm Function Function Result M3 1 5.25984 GHz -10.39 dbm Function Function Result Pate: 22.972,2023 21:09:30 Function Function Result Function Result Pate: 22.972,2023 21:09:30 Function Function Result Function Result Pate: 22.972,2023 21:09:30 Function Result Function Result Function Result Pate: 22.972,2023 21:09:40 Function Result	-70 UBIII									
Marker Y-volue Y-volue Function Function Result M1 1 5.25998 GHz -27.18 dbm Function Function Result M2 1 5.25998 GHz -20.60 dbm Function Function Result M2 1 5.25998 GHz -20.60 dbm Function Function Result M3 1 5.25984 GHz -10.39 dbm Function Function Result Pate: 22.972,2023 21:09:30 Function Function Result Function Result Pate: 22.972,2023 21:09:30 Function Function Result Function Result Pate: 22.972,2023 21:09:30 Function Result Function Result Function Result Pate: 22.972,2023 21:09:40 Function Result					1001					
Type Ref Trc X-value Y-value Function Function M1 1 5.25990 GHz -27.18 dBm -27.18 dBm - M2 1 5.25112 GHz -20.60 dBm - - M3 1 5.2512 GHz -20.60 dBm - - Date: 22.579,2523 21:09:39 - - - Ref Level 20.00 dBm Offset 3.90 dB RBW 10 kHz - - Ref Level 20.00 dBm Offset 3.90 dB RBW 10 kHz - - - - Ref Level 20.00 dBm Offset 3.90 dB RBW 10 kHz -					1001	pts			spar	140.0 MHZ
Mi 1 5.2512 GHz -20.60 dBm M3 1 5.26184 GHz -10.39 dBm 220.253 Data: 22.572.2023 21:09:30 220.253 220.253 Data: 22.572.2023 21:09:30 220.253 220.253 Data: 22.572.2023 21:09:30 Image: Control of the c		T	¥	1		F	•! 1	F		
M2 1 5.25112 GHz -20.60 dBm M3 1 5.26844 GHz -10.39 dBm 220.572 Date: 22.572.5023 21:09:39 2000 220.572 Date: 22.572.5023 21:09:39 Freq. Stability -20C 3.3V ac20 5260MHz Ant2 0 Minutes Spectrum CCC Ref Level 20.00 dBm Offset 3.90 dB RBW 10 kHz Atta: 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL count 20/20 O IPK Max MI[1] -28.09 dBm 0 dBm MI[1] -28.09 dBm 0 dBm MI[1] -28.09 dBm -28.09 dBm S2.510800 GHz -10 dBm MI[1] -28.09 dBm -28.09 dBm S2.510800 GHz -28.09 dBm S2.510800 GHz -0 dBm							tion	Fun	ction Result	<u> </u>
Parte: 22.879,2023 21:09:39 Freq. Stability -20C 3.3V ac20 5260MHz Ant2 0 Minutes Ref Level 20.000 dBm Offset 3.90 dB RBW 10 kHz Att 30 dB SWT 40 ms YBW 30 kHz Mode Sweep SGL Count 2020 Image: Stability -20C 3.3V ac20 5260MHz Ant2 0 Minutes Mil [1] -28.09 dBm Index Max Mil [1] -28.09 dBm S.25909000 GHz Index Max Mil [1] -28.09 dBm S.25909000 GHz Index Max Mil [1] -28.09 dBm S.2510800 GHz -10 dBm Max Mil [1] S.2510800 GHz -19.41 dBm -20 dBm Max Mil [1] S.2510800 GHz -10 dBm -30 dBm Max Max Mil [1] S.2510800 GHz Mil [1] S.2510800 GHz -70 dBm Max Max Max Max Max Max Max Type Ref Trc X-value Function Function Result Mil 1 S.26088 GHz										
Freq. Stability -20C 3.3V ac20 5260MHz Ant2 0 Minutes Spectrum Ref Level 20.00 dbm Offset 3.90 db • RBW 10 kHz Att 30 dB SWT 40 ms • VBW 30 kHz Mode Sweep SGL Count 20/20 0 9 -28.09 dbm 10 dBm M1[1] 5.2599900 GHz -30.41 dbm 10 dBm M2[1] 5.2510800 GHz -19.41 dbm -20 dBm M2[1] -19.41 dbm -19.41 dbm -20 dBm M2[1] -19.41 dbm -19.41 dbm -20 dBm M2[1] -19.41 dbm -10.41 dbm -20 dBm M2[1] -10.41 dbm -10.41 dbm -20 dBm M2[1] -10.41 dbm -10.41 dbm -20 dBm -20.09 dbm -20.09 dbm -20.09 dbm -20 dBm	M3	1	5.2688	34 GHz	-19.39 dB	m				
Freq. Stability -20C 3.3V ac20 5260MHz Ant2 0 Minutes Spectrum Ref Level 20.00 dbm Offset 3.90 db • RBW 10 kHz Att 30 dB SWT 40 ms • VBW 30 kHz Mode Sweep SGL Count 20/20 0 9 -28.09 dbm 10 dBm M1[1] 5.2599900 GHz -30.41 dbm 10 dBm M2[1] 5.2510800 GHz -19.41 dbm -20 dBm M2[1] -19.41 dbm -19.41 dbm -20 dBm M2[1] -19.41 dbm -19.41 dbm -20 dBm M2[1] -19.41 dbm -10.41 dbm -20 dBm M2[1] -10.41 dbm -10.41 dbm -20 dBm M2[1] -10.41 dbm -10.41 dbm -20 dBm -20.09 dbm -20.09 dbm -20.09 dbm -20 dBm							Ready		4,40	22.09.2023
Freq. Stability -20C 3.3V ac20 5260MHz Ant2 0 Minutes Spectrum Ref Level 20.00 dbm Offset 3.90 db • RBW 10 kHz Att 30 dB SWT 40 ms • VBW 30 kHz Mode Sweep SGL Count 20/20 0 9 -28.09 dbm 10 dBm M1[1] 5.2599900 GHz -30.41 dbm 10 dBm M2[1] 5.2510800 GHz -19.41 dbm -20 dBm M2[1] -19.41 dbm -19.41 dbm -20 dBm M2[1] -19.41 dbm -19.41 dbm -20 dBm M2[1] -19.41 dbm -10.41 dbm -20 dBm M2[1] -10.41 dbm -10.41 dbm -20 dBm M2[1] -10.41 dbm -10.41 dbm -20 dBm -20.09 dbm -20.09 dbm -20.09 dbm -20 dBm										
Spectrum Transmission Ref Level 20.00 dBm Offset 3.90 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max M1[1] -28.09 dBm -28.09 dBm 10 dBm M2[1] -19.41 dBm 5.2599800 GHz -19.41 dBm 0 dBm M2[1] -19.41 dBm 5.2510800 GHz -19.41 dBm -20 dBm M2[1] -19.41 dBm -2510800 GHz -10.41 dBm -20 dBm M2[1] -10.41 dBm -2510800 GHz -10.41 dBm -20 dBm M2[1] -10.41 dBm -250 dBm -250 dBm -20.01 dBm -40 dBm -4	Date: 22.57P.	2023 21	:09:39							
Spectrum Transmission Ref Level 20.00 dBm Offset 3.90 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max M1[1] -28.09 dBm -28.09 dBm 10 dBm M2[1] -19.41 dBm 5.2599800 GHz -19.41 dBm 0 dBm M2[1] -19.41 dBm 5.2510800 GHz -19.41 dBm -20 dBm M2[1] -19.41 dBm -2510800 GHz -10.41 dBm -20 dBm M2[1] -10.41 dBm -2510800 GHz -10.41 dBm -20 dBm M2[1] -10.41 dBm -250 dBm -250 dBm -20.01 dBm -40 dBm -4										
Ref Level 20.00 dBm Offset 3.90 dB RBW 10 kHz SGL Count 20/20 SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 Max M1[1] -28.09 dBm 0 dBm M1[1] -28.09 dBm 5.2599800 GHz 10 dBm M2[1] 5.2510800 GHz -10 dBm M2[1] 5.2510800 GHz -20 dBm M1[1] -28.09 dBm -30 dBm Max Max -20 dBm Max Max Max -20 dBm Max Max Max -20 dBm Max Max Max -50 dBm Max Max Max -70 dBm Max Sagaa 40.0 MHz M										
Ref Level 20.00 dBm Offset 3.90 dB RBW 10 kHz SGL Count 20/20 SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 Max M1[1] -28.09 dBm 0 dBm M1[1] -28.09 dBm 5.2599800 GHz 10 dBm M2[1] 5.2510800 GHz -10 dBm M2[1] 5.2510800 GHz -20 dBm M1[1] -28.09 dBm -30 dBm Max Max -20 dBm Max Max Max -20 dBm Max Max Max -20 dBm Max Max Max -50 dBm Max Max Max -70 dBm Max Sagaa 40.0 MHz M			Freq. St	tability -2	0C 3.3V ac2	0 5260MF	lz Ant2 0	Minutes		
Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max		_	Freq. St	tability -2	OC 3.3V ac2	0 5260MH	lz Ant2 0	Minutes		
SGL Count 20/20 Max M1[1] -20.09 dBm 10 dBm M1[1] 5.2599800 GHz -10.41 dBm 0 dBm M2[1] -10.41 dBm -10.41 dBm -10 dBm M2[1] -20.09 dBm -10.41 dBm -20 dBm M2[1] -10.41 dBm -20.00 GHz -20 dBm M2[1] -10.41 dBm -10.41 dBm -20 dBm M2[1] -20.01 dBm -10.41 dBm -40 dBm -40 dBm -40 dBm -40 dBm -40 dBm -50 dBm -40 dBm -40 dBm -40 dBm -40 dBm -50 dBm -50 dBm -50 dBm -50 dBm -50 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm Marker -72 - 250 dHz -28.09 dBm -70 dBm <td>Spectrum</td> <td></td> <td>Freq. Si</td> <td>tability -2</td> <td>OC 3.3V ac2</td> <td>0 5260MF</td> <td>lz Ant2 0</td> <td>Minutes</td> <td></td> <td></td>	Spectrum		Freq. Si	tability -2	OC 3.3V ac2	0 5260MF	lz Ant2 0	Minutes		
● 1Pk Max M1[1] -28.09 dBm 10 dBm 5.2599800 GHz -19.41 dBm 0 dBm 5.2510800 GHz -19.41 dBm -10 dBm 5.2510800 GHz -19.41 dBm -20 dBm M2[1] -19.41 dBm -30 dBm -40 dBm -40 dBm -40 dBm -40 dBm -40 dBm -50 dBm -40 dBm -40 dBm -70 dBm -40 dBm -40 dBm -70 dBm -40 dBm -40 dBm -70 dBm -40 dBm -40 dBm -10 dBm -40 dBm -40 dBm -10 dBm -40 dBm -40 dBm -20 dBm -40 dBm -40 dBm -10 dBm -40 dBm -40 dBm -20 dBm	Ref Level 2		Offset 3	.90 dB 👄	RBW 10 kHz	0 5260MF	lz Ant2 0	Minutes		
10 dBm M1[1] -28.09 dBm 0 dBm .10 dBm .19.41 dBm 0 dBm .10 dBm .19.41 dBm -20 dBm .10 dBm .10 dBm <td< td=""><td>RefLevel 2 Att</td><td>30 dB</td><td>Offset 3</td><td>.90 dB 👄</td><td>RBW 10 kHz</td><td></td><td></td><td>Minutes</td><td></td><td>Ţ</td></td<>	RefLevel 2 Att	30 dB	Offset 3	.90 dB 👄	RBW 10 kHz			Minutes		Ţ
10 dBm 5.2599800 GHz 0 dBm -10.41 dBm 0 dBm 5.2510800 GHz -10 dBm 5.2510800 GHz -20 dBm -10.41 dBm -20 dBm -10.41 dBm -30 dBm -10.41 dBm -40 dBm -10.41 dBm -50 dBm -10.41 dBm -70 dBm -10.41 dBm -70 dBm -10.41 dBm -20 dBm -28.09 dBm -20 dBm -29.19 dBm -20 dBm -20.41 dBm -20 dBm -20.09 dBm -20 dBm -29.09 dBm -20 dBm -29.09 dBm -20 dBm -29.09 dBm -20 dBm -20.09 dBm -20 dBm -20.09 dBm -20 dBm -21.53 dBm	Ref Level 2 Att SGL Count 20	30 dB	Offset 3	.90 dB 👄	RBW 10 kHz			Minutes		
10 dBm -19.41 dBm 0 dBm 5.2510800 GHz -10 dBm -10.41 dBm -20 dBm -10.41 dBm -30 dBm -10.41 dBm -30 dBm -10.41 dBm -30 dBm -10.41 dBm -20 dBm -10.41 dBm -20 dBm -10.41 dBm -30 dBm -10.41 dBm -30 dBm -10.41 dBm -30 dBm -10.41 dBm -20 dBm -10.41 dBm -20 dBm -21.53 dBm	Ref Level 2 Att SGL Count 20	30 dB	Offset 3	.90 dB 👄	RBW 10 kHz	Mode S	weep	Minutes		
0 dBm 5.2510800 GHz -10 dBm -20 dBm -20 dBm -20 dBm -30 dBm -20 dBm -50 dBm -20 dBm -50 dBm -20 dBm -50 dBm -20 dBm -70 dBm -21 S2508 GHz -21 S2 dBm -21 S2 dBm -21 S2 dBm -21 S2 dBm	Ref Level 2 Att SGL Count 20 1Pk Max	30 dB	Offset 3	.90 dB 👄	RBW 10 kHz	Mode S	weep	Minutes		-28.09 dBm
-10 dBm	Ref Level 2 Att SGL Count 20 1Pk Max	30 dB	Offset 3	.90 dB 👄	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.25	-28.09 dBm 599800 GHz
-20 dBm -30 dBm -40 dBm -40 dBm -50 dBm -60 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -80 dBm -90	Ref Level 2 Att SGL Count 20 1Pk Max 10 dBm	30 dB	Offset 3	.90 dB 👄	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.28	-28.09 dBm 599800 GHz -19.41 dBm
-30 dBm -40 dBm -50 dBm -50 dBm -50 dBm -50 dBm -50 dBm -70 dBm -77	Ref Level 2 Att SGL Count 20 1Pk Max 10 dBm	30 dB	Offset 3	.90 dB 👄	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.28	-28.09 dBm 599800 GHz -19.41 dBm
-30 dBm -40 dBm -50 dBm -50 dBm -50 dBm -50 dBm -50 dBm -70 dBm -77	Ref Level 2 Att SGL Count 20 PIPK Max 10 dBm 0 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
-40 dBm -50 dBm -40 dBm <t< td=""><td>Ref Level 2 Att SGL Count 20 PIPK Max 10 dBm 0 dBm -10 dBm</td><td>30 dB</td><td>Offset 3 SWT</td><td>40 ms ●</td><td>RBW 10 kHz VBW 30 kHz</td><td>Mode S M</td><td>weep 1[1] 2[1]</td><td></td><td>5.28</td><td>-28.09 dBm 599800 GHz -19.41 dBm</td></t<>	Ref Level 2 Att SGL Count 20 PIPK Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
-40 dBm -50 dBm -40 dBm <t< td=""><td>Ref Level 2 Att SGL Count 20 PIPK Max 10 dBm 0 dBm -10 dBm</td><td>30 dB</td><td>Offset 3 SWT</td><td>40 ms ●</td><td>RBW 10 kHz VBW 30 kHz</td><td>Mode S M</td><td>weep 1[1] 2[1]</td><td></td><td>5.28</td><td>-28.09 dBm 599800 GHz -19.41 dBm</td></t<>	Ref Level 2 Att SGL Count 20 PIPK Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
-50 dBm -60 dBm -60 dBm -70 dBm -77	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
-60 dBm -70 dBm <t< td=""><td>Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm</td><td>30 dB</td><td>Offset 3 SWT</td><td>40 ms ●</td><td>RBW 10 kHz VBW 30 kHz</td><td>Mode S M</td><td>weep 1[1] 2[1]</td><td></td><td>5.28</td><td>-28.09 dBm 599800 GHz -19.41 dBm</td></t<>	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
-60 dBm -70 dBm <t< td=""><td>Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm</td><td>30 dB</td><td>Offset 3 SWT</td><td>40 ms ●</td><td>RBW 10 kHz VBW 30 kHz</td><td>Mode S M</td><td>weep 1[1] 2[1]</td><td></td><td>5.28</td><td>-28.09 dBm 599800 GHz -19.41 dBm</td></t<>	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
Oddsm I I I -60 dBm II III IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
Mythusuutuviterit Uutuviterit Uutuviterit -70 dBm -70 dBm -70 dBm CF 5.26 GHz 1001 pts Span 40.0 MHz Markar -70 dBm -70 dBm Markar -70 dBm -70 dBm Markar -70 dBm -70 dBm M1 1 5.25999 GHz -29.09 dBm M2 1 5.25108 GHz -19.41 dBm M3 1 5.26888 GHz -21.53 dBm	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
Type Ref Trc X-value Y-value Function Function Result M1 1 5.25998 GHz -28.09 dBm 22.012/123 22.012/123	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.28	-28.09 dBm 599800 GHz -19.41 dBm
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.25998 GHz -29.09 dBm - 1 - - - - - - - 1 <td>Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm</td> <td>30 dB 1/20</td> <td>Offset 3 SWT</td> <td>40 ms ●</td> <td>RBW 10 kHz VBW 30 kHz</td> <td>Mode S M</td> <td>weep 1[1] 2[1]</td> <td></td> <td>5.2</td> <td>-28.09 dBm 599800 GHz 19.41 dBm 510800 GHz</td>	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB 1/20	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.2	-28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.25998 GHz -29.09 dBm - 1 - - - - - - - 1 <td>Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm</td> <td>30 dB 1/20</td> <td>Offset 3 SWT</td> <td>40 ms ●</td> <td>RBW 10 kHz VBW 30 kHz</td> <td>Mode S M</td> <td>weep 1[1] 2[1]</td> <td></td> <td>5.2</td> <td>-28.09 dBm 599800 GHz 19.41 dBm 510800 GHz</td>	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB 1/20	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.2	-28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.25998 GHz -29.09 dBm - 1 - - - - - - - 1 <td>Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm</td> <td>30 dB 1/20</td> <td>Offset 3 SWT</td> <td>40 ms ●</td> <td>RBW 10 kHz VBW 30 kHz</td> <td>Mode S M</td> <td>weep 1[1] 2[1]</td> <td></td> <td>5.2</td> <td>-28.09 dBm 599800 GHz 19.41 dBm 510800 GHz</td>	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB 1/20	Offset 3 SWT	40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.2	-28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
Type Ref Trc X-value Y-value Function Function Result M1 1 5.25998 GHz -28.09 dBm	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -50 dBm -70 dBm	30 dB 1/20	Offset 3 SWT	40 ms ●		Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.28 5.28	-28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
M1 1 5.25998 GHz -28.09 dBm M2 1 5.25108 GHz -19.41 dBm M3 1 5.26888 GHz -21.53 dBm	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.26 GHz	30 dB 1/20	Offset 3 SWT	40 ms ●		Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.28 5.28	-28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
M3 1 5.26888 GHz -21.53 dBm Control Pearly 22092023	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm GF 5.26 GHz Marker	30 dB 1/20	Offset 3 SWT	.90 dB ● 40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.28 5.28 เข้าปุ่นไปประเทศ เข้าปุ่นไปประเทศ Spar	28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
Peady 22.09.2023	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm -70 dBm GF 5.26 GHz Marker Type Ref	30 dB 1/20	Offset 3 SWT	.90 dB ● 40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.28 5.28 เข้าปุ่นไปประเทศ เข้าปุ่นไปประเทศ Spar	28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
Date: 22.879.2023 21:09:46	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm <	30 dB 1/20 1/20 1/20 1 1 1	Offset 3 SWT	.90 dB ● 40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.28 5.28 เข้าปุ่นไปประเทศ เข้าปุ่นไปประเทศ Spar	28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
Date: 22.879.2023 21:09:46	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm <	30 dB 1/20 1/20 1/20 1 1 1	Offset 3 SWT	.90 dB ● 40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.28 5.28 เข้าปุ่นไปปัญหายังเกม เข้าปุ่นไปปัญหายังเกม	28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
Date: 22.570.2023 21:09:46	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm <	30 dB 1/20 1/20 1/20 1 1 1	Offset 3 SWT	.90 dB ● 40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.28 5.28 เข้าปุ่นไปปัญหายังเกม เข้าปุ่นไปปัญหายังเกม	28.09 dBm 599800 GHz 19.41 dBm 510800 GHz
	Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.26 GHz Marker Type Ref M1 M2 M3	30 dB 1/20	Offset 3 SWT	.90 dB ● 40 ms ●	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.28 5.28 เข้าปุ่นไปปัญหายังเกม เข้าปุ่นไปปัญหายังเกม	28.09 dBm 599800 GHz 19.41 dBm 510800 GHz

		Freq. St	tability -1	0C 3.3V ac2	0 5260MH	lz Ant2 0	Minutes		
Spectrum									E
Ref Level 2	0.00 dBm	Offset 3	.90 dB 😑 I	RBW 10 kHz					(*)
Att SGL Count 20	30 dB	SWT	40 ms 😑 '	VBW 30 kHz	Mode S	weep			
BGE COURT 20 1Pk Max	1/20								
					М	1[1]			-25.03 dBm
10 dBm					м	2[1]			599800 GHz -19.29 dBm
0 dBm								5.25	511200 GHz
-10 dBm		M2		uppyhinninghty.		hadrater	. M3		
-20 dBm		1 /4	NUTANUM PAR	Add manual of	<u>namantina n</u>	Abnambarrah	WWW -		
-30 dBm				- 1					
40.40-							ų.		
-40 dBm		d.					Ц.		
-50 dBm		1					- ⁴ 4		
-60 dBm		ľ					<u> </u>		
n rubulkeequivantit	hholintalid	Man					- W	hallowharlowed	and ration that the state of th
-70 dBm									
CF 5.26 GHz				1001	pts			Spar	1 40.0 MHz
Marker									
Type Ref M1	1 1	X-value 5,2599		-25.03 dBr	Func	tion	Fund	ction Result	t
M2	1	5.2511	12 GHz	-19.29 dBr	n				
M3	1	5.2688	34 GHz	-19.78 dBr	n				
								4/4	
Date: 22.87P.	2023 21	1:09:33							
							. .		
		Freq. S	Stability 0	C 3.3V ac20	5260MHz	2 Ant2 0 N	/linutes		
Spectrum		Freq. S	Stability O	C 3.3V ac20	5260MHz	2 Ant2 0 N	/ inutes		(IIII) I
Ref Level 2		Offset 3	.90 dB 🕳 I	RBW 10 kHz			/linutes		(III)
RefLevel 2 Att	30 dB	Offset 3	.90 dB 🕳 I		5260MHz Mode S		Ainutes		₹
Ref Level 2	30 dB	Offset 3	.90 dB 🕳 I	RBW 10 kHz			Ainutes		
Ref Level 2 Att SGL Count 20	30 dB	Offset 3	.90 dB 🕳 I	RBW 10 kHz	Mode S		Ainutes		(∇) -26.96 dBm
Ref Level 2 Att SGL Count 20	30 dB	Offset 3	.90 dB 🕳 I	RBW 10 kHz	Mode S	weep	/linutes	5.25)
Ref Level 2 Att SGL Count 20 1Pk Max	30 dB	Offset 3	.90 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]	Ainutes	5.28	-26.96 dBm 599800 GHz
Ref Level 2 Att SGL Count 20 PIPK Max 10 dBm	30 dB	Offset 3	.90 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]	Ainutes	5.28	-26.96 dBm 599800 GHz -19.69 dBm
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.28	-26.96 dBm 599800 GHz -19.69 dBm
Ref Level 2 Att SGL Count 20 PIPK Max 10 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz	Mode S M M	weep 1[1] 2[1]		5.28	-26.96 dBm 599800 GHz -19.69 dBm
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.28	-26.96 dBm 599800 GHz -19.69 dBm
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.28	-26.96 dBm 599800 GHz -19.69 dBm
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.28	-26.96 dBm 599800 GHz -19.69 dBm
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.28	-26.96 dBm 599800 GHz -19.69 dBm
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.2	-26.96 dBm 599800 GHz -19.69 dBm 510800 GHz
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.2	-26.96 dBm 599800 GHz -19.69 dBm
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.2	-26.96 dBm 599800 GHz -19.69 dBm 510800 GHz
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.28 5.28	-26.96 dBm 599800 GHz -19.69 dBm 510800 GHz
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -50 dBm -50 dBm -70 dBm CF 5.26 GHz Marker	30 dB 1/20	M2	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz Ammunication 10 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1] Думци/ИД		5.25 5.25	-26.96 dBm 599800 GHz -19.69 dBm 510800 GHz
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm CF 5.26 GHz Marker Type Ref	30 dB 1/20	Offset 3 SWT	.90 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1] Думци/ИД		5.28 5.28	-26.96 dBm 599800 GHz -19.69 dBm 510800 GHz
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm GF 5.26 GHz Marker Type Ref M1 M2	30 dB 1/20	Offset 3 SWT	.90 dB • 1 40 ms • 1	RBW 10 kHz VBW 30 kHz VBW 30 kHz VADA ADA ADA ADA ADA ADA ADA AD	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1] Думци/ИД		5.25 5.25	-26.96 dBm 599800 GHz -19.69 dBm 510800 GHz
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.26 GHz Marker Type Ref M1	30 dB 1/20 1/20	Offset 3 SWT	.90 dB • 1 40 ms • 1	RBW 10 kHz VBW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1] Думци/ИД		5.25 5.25 مرابط برمان المرابع Spar	-26.96 dBm 599800 GHz -19.69 dBm 510800 GHz
Ref Level 2 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm GF 5.26 GHz Marker Type Ref M1 M2	30 dB 1/20	Offset 3 SWT	.90 dB • 1 40 ms • 1	RBW 10 kHz VBW 30 kHz VBW 30 kHz VADA ADA ADA ADA ADA ADA ADA AD	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1] Думци/ИД		5.25 5.25	-26.96 dBm 599800 GHz -19.69 dBm 510800 GHz

	Freq. Stability	10C 3.3V ac20 52	260MHz Ant2	0 Minutes	
Spectrum					E
Ref Level 20.00 dBr	m Offset 3.90 dB	RBW 10 kHz			(°
Att 30 dl ECL Count 20/20	B SWT 40 ms	🖷 VBW 30 kHz 🛛 N	lode Sweep		
SGL Count 20/20 1Pk Max					
			M1[1]		-27.15 dBm
10 dBm			M2[1]		5.2600000 GHz -19.42 dBm
0 dBm			MZ[1]		5.2511200 GHz
0 ubin					
-10 dBm	- MO - N				
-20 dBm	- Mana Maria	and the property of the	Jan Malan	MMM 12	
00 d0-		· · · · · · · · · · · · · · · · · · ·			
-30 dBm	1			N.	
-40 dBm					
-50 dBm-				h,	
	J. I			<u> </u>	
-60 dBm	at what			- WWW	Manha Mile Highlight and March
-70 dBm					
CF 5.26 GHz Marker		1001 pts			Span 40.0 MHz
Type Ref Trc	X-value	Y-value	Function	Func	tion Result
M1 1 M2 1	5.26 GHz 5.25112 GHz	-27.15 dBm -19.42 dBm			
M3 1	5.26888 GHz	-20.49 dBm			
			Ready		22.09.2023
Date: 22.87P.2023 2					
MOG: 22.3 P.2.22	(1110100				
	Freq. Stability	v 30C 3.3V ac20 52	260MHz Ant2	0 Minutes	
(Co.o. otw. upp	Freq. Stability	v 30C 3.3V ac20 52	260MHz Ant2	0 Minutes	Ē
Spectrum			260MHz Ant2	0 Minutes	
Spectrum Ref Level 20.00 dBr Att 30 dl	n Offset 3.90 dB	RBW 10 kHz		0 Minutes	
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20	n Offset 3.90 dB	RBW 10 kHz	260MHz Ant2 Node Sweep	0 Minutes	
RefLevel 20.00 dBr Att 30 db	n Offset 3.90 dB	RBW 10 kHz	lode Sweep	0 Minutes	[\[\]
Ref Level 20,00 dBr Att 30 di SGL Count 20/20 1Pk Max	n Offset 3.90 dB	RBW 10 kHz		0 Minutes	-26.99 dBm 5.2600000 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20	n Offset 3.90 dB	RBW 10 kHz	lode Sweep	0 Minutes	-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20,00 dBr Att 30 di SGL Count 20/20 1Pk Max	n Offset 3.90 dB	RBW 10 kHz	Node Sweep	0 Minutes	-26.99 dBm 5.2600000 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 PIPk Max 10 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 Ith Max 10 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz	M1[1] M2[1]		-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.2600000 GHz -20.57 dBm 5.2511200 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.260000 CHz -20.57 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.99 dBm 5.2600000 GHz -20.57 dBm 5.2511200 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	lode Sweep м1[1] м2[1]		-26.99 dBm 5.2600000 GHz -20.57 dBm 5.2511200 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -60 dBm -70 dBm	n Offset 3.90 dB B B SWT 40 ms b	RBW 10 kHz VBW 30 kHz N	lode Sweep M1[1] M2[1]	47/10/14/17/3 41/17 	-26.99 dBm 5.2600000 GHz -20.57 dBm 5.2511200 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm	n Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	lode Sweep м1[1] м2[1]	47/10/14/17/3 41/17 	-26.99 dBm 5.2600000 GHz -20.57 dBm 5.2511200 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm	n Offset 3.90 dB B B SWT 40 ms b Minute Anno 1990 Minute	RBW 10 kHz VBW 30 kHz VBW 30 kHz N VBW 30 kHz N 1 101 pts Y-value -26.99 dBm -20.57 dBm	lode Sweep M1[1] M2[1]	47/10/14/17/3 41/17 	-26.99 dBm 5.2600000 GHz -20.57 dBm 5.2511200 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm	n Offset 3.90 d8 8 B SWT 40 ms 9	RBW 10 kHz VBW 30 kHz N	lode Sweep M1[1] M2[1]	47/10/14/17/3 41/17 	-26.99 dBm 5.260000 GHz -20.57 dBm 5.2511200 GHz
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm	n Offset 3.90 dB B B SWT 40 ms b Minute Anno 1990 Minute	RBW 10 kHz VBW 30 kHz VBW 30 kHz N VBW 30 kHz N 1 101 pts Y-value -26.99 dBm -20.57 dBm	lode Sweep M1[1] M2[1]	47/10/14/17/3 41/17 	-26.99 dBm 5.2600000 GHz -20.57 dBm 5.2511200 GHz

	Freq. Stability	y 40C 3.3V ac20 52	260MHz Ant2	0 Minutes	
Spectrum					E
Ref Level 20.00 dBi	m Offset 3.90 dB	🖷 RBW 10 kHz			(v
Att 30 d SGL Count 20/20	iB SWT 40 ms	VBW 30 kHz N	iode Sweep		
● 1Pk Max					
			M1[1]		-25.54 dBm
10 dBm			M2[1]		5.2599600 GHz -22.53 dBm
0 dBm					5.2510800 GHz
-10 dBm		hipergravity handly here	ash the taxaaa a	M3	
-20 dBm	- Menthanta	niha Mini Ja Mura Mali Manai	transforther and the second	warpy	
-30 dBm					
10 40	1 N 1			_ I N _ I	
-40 dBm	J ^r			Ч	
-50 dBm				- <u></u>	
-60 dBm				N	1.1
mountaneitherestration	Num			"[Nr ^a	hphilacentelianternerrowthat
-70 dBm					
CF 5.26 GHz		1001 pts			Span 40.0 MHz
Marker					
Type Ref Trc M1 1	X-value 5.25996 GHz	-25.54 dBm	Function	Func	tion Result
M2 1	5.25108 GHz	-22.53 dBm			
M3 1	5.26884 GHz	-19.17 dBm			22.09.2023
			Ready		1/10 21-10-20 //
Date: 22.87P.2023	21:10:30				
	Eroa Stability		0601447 00+2	0 Minutos	
	Freq. Stability	y 50C 3.3V ac20 52	260MHz Ant2	0 Minutes	
Spectrum	Freq. Stability	y 50C 3.3V ac20 52	260MHz Ant2	0 Minutes	⊞ ⊽
Ref Level 20.00 dBr	m Offset 3.90 dB	 RBW 10 kHz 		0 Minutes	
	m Offset 3.90 dB	 RBW 10 kHz 	260MHz Ant2 1ode Sweep	0 Minutes	
RefLevel 20.00 dBi Att 30 d	m Offset 3.90 dB	 RBW 10 kHz 	lode Sweep	0 Minutes	[\[\]
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 1Pk Max	m Offset 3.90 dB	 RBW 10 kHz 		0 Minutes	{-26.82 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20	m Offset 3.90 dB	 RBW 10 kHz 	lode Sweep	0 Minutes	-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 1Pk Max	m Offset 3.90 dB	 RBW 10 kHz 	1ode Sweep 	0 Minutes	 -26.82 dBm 5.2599800 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm 0 dBm	m Offset 3.90 dB	 RBW 10 kHz 	1ode Sweep 	0 Minutes	-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm 0 dBm	m Offset 3.90 dB B SWT 40 ms	 RBW 10 kHz 	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -10 dBm -20 dBm -30 dBm -30 dBm	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 Ithe Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -40 dBm	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -50 dBm -	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm 5.2510800 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -50 dBm -	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm 5.2510800 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm 5.2510800 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm -60 dBm -70 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -70 dBm -70 dBm	m Offset 3.90 dB 8 SWT 40 ms	RBW 10 kHz VBW 30 kHz N	M1[1] M2[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm 5.2510800 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz N	M1[1] M2[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm 5.2510800 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm<	m Offset 3.90 dB B SWT 40 ms 	RBW 10 kHz VBW 30 kHz VBW 30 kHz N	M1[1] M2[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm 5.2510800 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm	m Offset 3.90 dB B SWT 40 ms 	RBW 10 kHz VBW 30 kHz VBW 30 kHz N	M1[1] M2[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm 5.2510800 GHz
Ref Level 20.00 dBi Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm<	m Offset 3.90 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz N	M1[1] M2[1] M2[1]		-26.82 dBm 5.2599800 GHz -22.39 dBm 5.2510800 GHz

		Freq. St	tability 20	C 2.81V ac2	0 5300MI	lz Ant2	0 Minutes		
Spectrum									
Ref Level 2	0.00 dBm	Offset 3	3.92 dB 😐 I	RBW 10 kHz					
🖷 Att	30 dB	SWT	40 ms 👄 '	VBW 30 kHz	Mode S	weep			
SGL Count 20	/20								
😑 1Pk Max									
					M	1[1]			28.41 dBm
10 dBm					<u> </u>	0[1]			99800 GHz
					IMI	2[1]			20.44 dBm 11200 GHz
0 dBm									
10 40 -									
-10 dBm				and a sta	و ایرا در در	the state of the	MB		
-20 dBm			MUMUM	youngalway	NUMBER	www.	Million		
				1 1 1	ł '	· ·			
-30 dBm				1			- L		
40 d0m							l 🔥		
-40 dBm		J.					՝կ		
-50 dBm									
		JN .					٦.		
-60 dBm	بالباريين بال						1	a tao taon	Large Large
-70 dBm	aal Abaardh	HU						and the second	annanhammana
-70 UBIII									
05 5 0 011									
CF 5.3 GHz				1001	pts			span	40.0 MHz
Marker	T	¥		W	Fund	N 1	F		
Type Ref M1	1 Trc	X-value 5.2000	98 GHz	<u>Y-value</u> -28.41 dB		tion	Fun	ction Result	<u> </u>
M2	1		12 GHz	-20.44 dB					
M3	1	5.3088	34 GHz	-19.48 dB	m				
	(leady		4,40	22.09.2023
Date: 22.87P.	2023 21	:13:49							
		Freq. S	stability 20)C 3.3V ac2	0 5300MH	z Ant2 C) Minutes		
	_	Freq. S	Stability 20)C 3.3V ac2	0 5300MH	z Ant2 () Minutes		
Spectrum		Freq. S	itability 20	DC 3.3V ac2	0 5300MH	z Ant2 () Minutes		Ē
Spectrum Ref Level 2	0.00 dBm	-	-	OC 3.3V ac2	0 5300MH	lz Ant2 () Minutes		
Ref Level 2 Att	30 dB		3.92 dB 🕳 I		0 5300MH Mode S) Minutes		(▼
Ref Level 20 Att SGL Count 20	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz) Minutes		
Ref Level 2 Att	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep) Minutes		
Ref Level 20 Att SGL Count 20	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S) Minutes		27.74 dBm
Ref Level 20 Att SGL Count 20	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]) Minutes	5.30	27.74 dBm 00000 GHz
Ref Level 20 Att SGL Count 20 PIPk Max	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep) Minutes	5.30	27.74 dBm
Ref Level 20 Att SGL Count 20 1Pk Max	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]) Minutes	5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 20 Att SGL Count 20 PIPK Max 10 dBm	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]) Minutes	5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 20 Att SGL Count 20 PIPk Max	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 20 Att SGL Count 20 PIPK Max 10 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 21 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 21 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	8.92 dB	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]	Mana 13	5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB /20	Offset 3 SWT	8.92 dB	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]	Mana 13	5.30	27.74 dBm 100000 GHz 19.93 dBm
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB /20	Offset 3 SWT	8.92 dB	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 00000 GHz 19.93 dBm 11200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB /20	Offset 3 SWT	8.92 dB	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 00000 GHz 19.93 dBm 11200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB /20	Offset 3 SWT	8.92 dB	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	27.74 dBm 00000 GHz 19.93 dBm 11200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.92 dB	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29	27.74 dBm 00000 GHz 19.93 dBm 11200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.92 dB	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29	27.74 dBm 00000 GHz 19.93 dBm 11200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29 	27.74 dBm 00000 GHz 19.93 dBm 111200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm GF 5.3 GHz Marker Type Ref	30 dB /20	Offset 3 SWT	3.92 dB • 1 40 ms • 1	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29	27.74 dBm 00000 GHz 19.93 dBm 111200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29 	27.74 dBm 00000 GHz 19.93 dBm 111200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm CF 5.3 GHz Marker Type Ref M1	30 dB /20	Offset 3 SWT	3.92 dB	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29 	27.74 dBm 00000 GHz 19.93 dBm 111200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm -70 dBm -30 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	40 ms • 1	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29 	27.74 dBm 00000 GHz 19.93 dBm 111200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm -70 dBm -30 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	40 ms • 1	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29 	27.74 dBm 00000 GHz 19.93 dBm 111200 GHz
Ref Level 20 Att SGL Count 20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm -70 dBm -30 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	40 ms • 1	RBW 10 kHz VBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - - 5.29 	27.74 dBm 00000 GHz 19.93 dBm 111200 GHz

		Freq. St	tability 20	C 3.80V ac2	0 5300MH	lz Ant2 (0 Minutes		
Spectrum									₽
Ref Level 20	0.00 dBm	Offset 3	3.92 dB 🛑 I	RBW 10 kHz					(*)
Att	30 dB	SWT	40 ms 👄 '	VBW 30 kHz	Mode S	weep			
SGL Count 20, IPk Max	/20								
					м	1[1]			-29.56 dBm
10 dBm						2[1]			999800 GHz -22.34 dBm
0 40					IVI	2[1]			-22.34 UBM 910800 GHz
0 dBm									
-10 dBm				<u> </u>					
-20 dBm		Mark	Malah	with my hand	www.	hallhoule	AWW KN 3		
20 0011		Y	a sultar			v 1			
-30 dBm				l f					
-40 dBm									
		J.					ų,		
-50 dBm		- A							
-60 dBm		. W						N 4 1	
where the states and	perfectuality	ph ^a					للرسة	monthe	1) Washington
-70 dBm									
CF 5.3 GHz				1001	nts			Snar	1 40.0 MHz
Marker				1001	505			opa	110.01112
	Trc	X-value		Y-value	Func	tion	Fun	nction Result	t
M1 M2	1		98 GHz 08 GHz	-29.56 dBr -22.34 dBr					
M3	1		38 GHz	-20.47 dBr					
	(te a d y		4,40	22.09.2023
Date: 22.87P.3									
		Eroa S	tability 2			17 A n+2 (Minutos		
		Freq. S	tability -20	0C 3.3V ac20	0 5300MH	lz Ant2 () Minutes		
Spectrum			-		0 5300MH	lz Ant2 () Minutes		⊽
Ref Level 20		Offset 3	3.92 dB 🕳 I	RBW 10 kHz) Minutes		₹
	30 dB	Offset 3	3.92 dB 🕳 I		0 5300MH Mode S) Minutes		
Ref Level 20 Att	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep	0 Minutes		(▽)
Ref Level 20 Att SGL Count 20,	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S		0 Minutes		(⊽) -28.73 dBm
Ref Level 20 Att SGL Count 20,	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep) Minutes	5.29	(▽)
Ref Level 20 Att SGL Count 20, 1Pk Max	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]) Minutes	5.29	-28.73 dBm 299800 GHz
Ref Level 20 Att SGL Count 20, PIPk Max 10 dBm 0 dBm	30 dB	Offset 3	3.92 dB 🕳 I	RBW 10 kHz	Mode S	weep 1[1]) Minutes	5.29	-28.73 dBm 999800 GHz -23.25 dBm
Ref Level 20 Att SGL Count 20, 1Pk Max	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.29	-28.73 dBm 999800 GHz -23.25 dBm
Ref Level 20 Att SGL Count 20, PIPk Max 10 dBm 0 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz	Mode S M	weep 1[1] 2[1]		5.29	-28.73 dBm 999800 GHz -23.25 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.29	-28.73 dBm 999800 GHz -23.25 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.29	-28.73 dBm 999800 GHz -23.25 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.29	-28.73 dBm 999800 GHz -23.25 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.29	-28.73 dBm 999800 GHz -23.25 dBm
Ref Level 20 Att SGL Count 20, 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.29	-28.73 dBm 999800 GHz -23.25 dBm
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB /20	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.24	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB /20	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.29	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB /20	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.24	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M WMUJW	weep 1[1] 2[1]		5.29 5.29	-29.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 dB /20	Offset 3 SWT	8.92 dB ● 1 40 ms ● 1	RBW 10 kHz VBW 30 kHz	Mode S M M WMUJW	weep 1[1] 2[1]		5.29 5.29	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm CF 5.3 GHz Marker Type Ref	30 dB /20	Offset 3 SWT	8.92 dB • 1 40 ms • 1	RBW 10 kHz VBW 30 kHz VBW 30 kHz VBW 10 kHz 10 kHz VBW 10 kHz VEX 10 kHz 10 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.29 5.29	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm wijghtshuhtshuhtshuhtshuhtshuhtshuhtshuhtsh	30 dB /20	Offset 3 SWT	8,92 dB • 1 40 ms • 1	RBW 10 kHz yBW 30 kHz wWW/W/W/W/W/W/W/W/W/W/W/W/W/W/W/W/W/W/W	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.25 5.25	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm CF 5.3 GHz Marker Type Ref	30 dB /20	Offset 3 SWT	8.92 dB • 1 40 ms • 1	RBW 10 kHz VBW 30 kHz VBW 30 kHz VBW 10 kHz 10 kHz VBW 10 kHz VEX 10 kHz 10 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.25 5.25	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.92 dB • 1 40 ms • 1	RBW 10 kHz YBW 30 kHz YBW 30 kHz YBW 10 kHz YBW 10 kHz N N N N N N N N N N N N N	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.25 5.25	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz
Ref Level 20 Att SGL Count 20, IPK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm	30 dB /20	Offset 3 SWT	8.92 dB • 1 40 ms • 1	RBW 10 kHz YBW 30 kHz YBW 30 kHz YBW 10 kHz YBW 10 kHz N N N N N N N N N N N N N	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.24 5.24 مردابطالیام الال مردابطالیام الالا Spar	-28.73 dBm 999800 GHz -23.25 dBm 010800 GHz

	Freq. Stability	-10C 3.3V ac20 5	300MHz Ant2	0 Minutes	
Spectrum					Ē
Ref Level 20.00 dBm	Offset 3.92 dB	🖷 RBW 10 kHz			(°)
Att 30 dB ECL Count 30 (20)	3 SWT 40 ms	👄 VBW 30 kHz 🛛 M	Node Sweep		
SGL Count 20/20 1Pk Max					
			M1[1]		-26.81 dBm
10 dBm			M2[1]	5.3	2999800 GHz -20.27 dBm
0 dBm				5.5	2910800 GHz
-10 dBm	M2 July 14 1	de contratta ser l'ara	all non-a hada	. IAu w M3	
-20 dBm		the work when the	zynta wyklitywych	MAN AND A	
-30 dBm					
40 d0m					
-40 dBm	. W			L.	
-50 dBm				<u> </u>	
-60 dBm				<u> </u>	
-00 dBm pupper-namphilichardet/// -70 dBm	Meili.			Analder and a second second	Wethermologications
-70 0811					
CF 5.3 GHz		1001 pts	5	Spa	an 40.0 MHz
Marker	× 1 1				
Type Ref Trc M1 1	X-value 5.29998 GHz	<u>-26.81 dBm</u>	Function	Function Resu	
M2 1 M3 1	5.29108 GHz 5.30888 GHz	-20.27 dBm -20.41 dBm			
	3.30666 GH2	-20.41 080	Deady	4.40	22.09.2023
)		
Date: 22.87P.2023 2	1:14:18				
	Freq. Stability	y OC 3.3V ac20 53	00MHz Ant2 () Minutes	
Spectrum	Freq. Stability	y OC 3.3V ac20 53	00MHz Ant2 () Minutes	e
Spectrum			00MHz Ant2 () Minutes	
RefLevel 20.00 dBm Att 30 dB	n Offset 3.92 dB	• RBW 10 kHz	00MHz Ant2 (Node Sweep) Minutes	
Ref Level 20.00 dBm Att 30 dB SGL Count 20/20	n Offset 3.92 dB	• RBW 10 kHz) Minutes	
RefLevel 20.00 dBm Att 30 dB	n Offset 3.92 dB	• RBW 10 kHz) Minutes	-27.11 dBm
Ref Level 20.00 dBm Att 30 dB SGL Count 20/20	n Offset 3.92 dB	• RBW 10 kHz	Mode Sweep M1[1]		-27.11 dBm 2999600 GHz
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 PIPk Max 10 dBm	n Offset 3.92 dB	• RBW 10 kHz	Node Sweep	5.1	(⊽) -27.11 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 1Pk Max	n Offset 3.92 dB	• RBW 10 kHz	Mode Sweep M1[1]	5.1	-27.11 dBm 2999600 GHz -20.49 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 PIPk Max 10 dBm	n Offset 3.92 dB 3 SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	5.:	-27.11 dBm 2999600 GHz -20.49 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 INK Max 10 dBm	n Offset 3.92 dB 3 SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	5.:	-27.11 dBm 2999600 GHz -20.49 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	n Offset 3.92 dB 3 SWT 40 ms	• RBW 10 kHz	Mode Sweep M1[1] M2[1]	5.:	-27.11 dBm 2999600 GHz -20.49 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 10 dBm -10 dBm	n Offset 3.92 dB 3 SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	5.:	-27.11 dBm 2999600 GHz -20.49 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -20 dBm	n Offset 3.92 dB 3 SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	5.:	-27.11 dBm 2999600 GHz -20.49 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -10 dBm -20 dBm	n Offset 3.92 dB 3 SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	5.:	-27.11 dBm 2999600 GHz -20.49 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm -	M Offset 3.92 dB 3 SWT 40 ms of MP ANNA MP ANNA ANNA MP ANNA AN	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	5.: 5.: VILV V3	-27.11 dBm 2999600 GHz -20.49 dBm 2910800 GHz
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 10 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm -	M Offset 3.92 dB 3 SWT 40 ms of MP ANNA MP ANNA ANNA MP ANNA AN	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	5.: 5.: VILV V3	-27.11 dBm 2999600 GHz -20.49 dBm
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm -	M Offset 3.92 dB 3 SWT 40 ms of MP ANNA MP ANNA ANNA MP ANNA AN	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	5.: 5.: VILV V3	-27.11 dBm 2999600 GHz -20.49 dBm 2910800 GHz
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 0 dBm	M Offset 3.92 dB 3 SWT 40 ms of MP ANNA MP ANNA ANNA MP ANNA AN	BW 10 kHz VBW 30 kHz	Иоde Sweep M1[1] M2[1]	5.: 5.: VILA 193	-27.11 dBm 2999600 GHz -20.49 dBm 2910800 GHz
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 10 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm -	M Offset 3.92 dB 3 SWT 40 ms of MP ANNA MP ANNA ANNA MP ANNA AN	RBW 10 kHz VBW 30 kHz	Иоde Sweep M1[1] M2[1]	5.: 5.: VILA 193	-27.11 dBm 2999600 GHz -20.49 dBm 2910800 GHz
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 ● 1Pk Max 10 dBm 10 dBm -0 dBm -10 dBm	Monthead Section 2 (1997)	RBW 10 kHz VBW 30 kHz	Иоde Sweep M1[1] M2[1]	5.: 5.: VILA 193	-27.11 dBm 2999600 GHz -20.49 dBm 2910800 GHz
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 10 dBm - 0 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -60 dBm - -70 dBm 1	Offset 3.92 dB 3 SWT 40 ms WI	RBW 10 kHz VBW 30 kHz VBW 30 kHz	Mode Sweep	5.: 5.: 11	-27.11 dBm 2999600 GHz -20.49 dBm 2910800 GHz
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 10 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm - -70 dBm - -70 dBm - -70 dBm	Offset 3.92 d8 is 3 SWT 40 ms is	RBW 10 kHz VBW 30 kHz VBW 30 kHz VBW 10 kHz VBW 30 kHz IOU Pte C7.11 dBm	Mode Sweep	5.: 5.: 11	-27.11 dBm 2999600 GHz -20.49 dBm 2910800 GHz
Ref Level 20.00 dBm Att 30 dE SGL Count 20/20 IPk Max 10 dBm 10 dBm - 0 dBm - -10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -60 dBm - -70 dBm 1	Offset 3.92 dB 3 SWT 40 ms WI	RBW 10 kHz VBW 30 kHz VBW 30 kHz	Mode Sweep	5.: 5.: 11/11/11/11 11/11/11/11/11/11/11/11/11/	-27.11 dBm 2999600 GHz -20.49 dBm 2910800 GHz

		Freq. Sta	bility 10	C 3.3V ac20	5300MH	z Ant2	0 Minu	ites			
Spectrum											₽
Ref Level	20.00 dBm	n Offset 3.92	2 dB 🖷 🖲	RBW 10 kHz							UV.
Att	30 dE	B SWT 40) ms 👄 🎙	/BW 30 kHz	Mode S	weep					
SGL Count 2 9 1Pk Max	20/20										— <u> </u>
					М	1[1]				-25.6	6 dBm
10 dBm						2[1]			5.	299980	00 GHz 18 dBm
0 dBm					M	2[1]			5.	291080	
0 abm											
-10 dBm			1							+	
-20 dBm		MRIAN	yhrahahad	mannann	NUMMAN	WWWWW	Hor AN)			
			1	1 1							
-30 dBm		1									
-40 dBm								1		+	
-50 dBm		ľ						٩			
								Դ.			
-60 dBm	harderlettere	WH WH						Nely	hillinghryfi	Langer March	under
-70 dBm		~							гт итр	~ U	10.104.11
CF 5.3 GHz				1001	pts				Sp	an 40.() MHZ
Marker Type Ref	Trc	X-value	1	Y-value	Func	tion		Fund	tion Res	ult	
M1	1	5.29998		-25.66 dBr	n						
M2 M3	1	5.29108 5.30888		-22.08 dBr -20.50 dBr							
)r					leady	- 11		436	22.09.2	023
							-		-		
Date: 22.877	2023 2	1:14:33									
		Freg Sta	hility 30	IC 3 3V ac20	5300MH	z Ant2	0 Minu	ites			
	_	Freq. Sta	bility 30	IC 3.3V ac20) 5300MH	z Ant2	0 Minu	ites			
Spectrum) 5300MH	z Ant2	0 Minu	ıtes			
Ref Level		n Offset 3.9	2 dB 👄 🛙	RBW 10 kHz			0 Minu	ites			⊞ ⊽
-	30 dE	n Offset 3.9	2 dB 👄 🛙) 5300MH Mode S		0 Minu	ıtes			₽
Ref Level Att	30 dE	n Offset 3.9	2 dB 👄 🛙	RBW 10 kHz	Mode S	weep	0 Minu	ites			<u>(</u> _)
Ref Level Att SGL Count 2 1Pk Max	30 dE	n Offset 3.9	2 dB 👄 🛙	RBW 10 kHz	Mode S		0 Minu	ites	5.		[⊽]
Ref Level Att SGL Count 2	30 dE	n Offset 3.9	2 dB 👄 🛙	RBW 10 kHz	Mode S	weep	0 Minu	ites		299980 -22.8	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 1Pk Max	30 dE	n Offset 3.9	2 dB 👄 🛙	RBW 10 kHz	Mode S	weep 1[1]	0 Minu	ites		299980	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dE	n Offset 3.9	2 dB 👄 🛙	RBW 10 kHz	Mode S	weep 1[1]	0 Minu	ites		299980 -22.8	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 1Pk Max	30 dE	n Offset 3.93 3 SWT 40	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]				299980 -22.8	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dE	n Offset 3.93 3 SWT 40	2 dB 👄 R) ms 👄 V	RBW 10 kHz	Mode S M	weep 1[1] 2[1]				299980 -22.8	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm	30 dE	n Offset 3.93 3 SWT 40	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]				299980 -22.8	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dE	n Offset 3.93 3 SWT 40	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]		3		299980 -22.8	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dE	n Offset 3.93 3 SWT 40	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]	WHAT WE	3		299980 -22.8	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dE	n Offset 3.93 3 SWT 40	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]	WHAT WE	3		299980 -22.8	(⊽ i6 dBm 00 GHz i2 dBm
Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 d£	Market 3.92	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]	WHAT WE		5.	29998(-22.8 29108([♥]
Ref Level Att SGL Count 2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 d£	Market 3.92	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]	WHAT WE			29998(-22.8 29108([♥]
Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 d£	Market 3.92	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]	WHAT WE		5.	29998(-22.8 29108([♥]
Ref Level Att SGL Count 2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm JMu, J, Jyuy -70 dBm	30 d£	Market 3.92	2 dB 👄 R) ms 👄 V		Mode S M M	weep 1[1] 2[1]	WHAT WE		5.	29998(-22.8 29108((∇)
Ref Level Att SGL Count 2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	30 d£	Market 3.92	2 dB 👄 R) ms 👄 V	XBW 10 kHz YBW 30 kHz	Mode S M M	weep 1[1] 2[1]	WHAT WE		5.	29998(-22.8 29108((∇)
Ref Level Att SGL Count 2 ● 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	30 de 20/20	A Offset 3.93 SWT 40		XBW 10 kHz /BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]	WHAT WE		5.	29998(-22.8 29108((∇)
Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm Marker Type Ref Mal	30 de 20/20	Contraction Contra		10 kHz /////// /////// /////// //////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]	WHAT WE		5.	29998(-22.8 29108((∇)
Ref Level Att SGL Count 2 ● 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	30 de 20/20	A Offset 3.93 SWT 40	2 dB R R	XBW 10 kHz /BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]	WHAT WE		5.	29998(-22.8 29108((∇)
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.3 GHz Marker Type M1 M2	30 dE 20/20	Contraction Contra	2 dB R R	RBW 10 kHz /BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]	WHAT WE		5.	29998(-22.8 29108((∇)
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.3 GHz Marker Type M1 M2	30 dE 20/20	Contraction of the second seco	2 dB R R	RBW 10 kHz /BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]	WHAT WE		5. المراجع المراجع المراجع Sp :tion Res	29998(-22.8 29108((∇)

		Freq. S	Stability 40	C 3.3V ac20) 5300MH	z Ant2 0 M	Vinutes		
Spectrum									E
Ref Level 20.	.00 dBm	Offset 3	3.92 dB 🛑 🛚	RBW 10 kHz					(*)
Att SGL Count 20/2	30 dB	SWT	40 ms 👄 🖌	BW 30 kHz	Mode S	weep			
 1Pk Max 	20								
					М	1[1]			-25.26 dBm
10 dBm					м	2[1]			999800 GHz -22.94 dBm
0 dBm								5.29	010800 GHz
-10 dBm									
-10 0811		bita	in the set in	uninun	ailsondhaa	hannakulaa	ulul.		
-20 dBm		1 Mart	etek seren ilik sast dit.	LUND AND AND	too do pilinatiti	hid and tool	alat -		
-30 dBm				n					
-40 dBm							<u> </u>		
-50 dBm		w					۲ų –		
-30 0811		, M					۳ų M		
-60 dBm	Abundy	will th					- Inn	haluman	+millionshiphuiphi
-70 dBm								1.000 1.11 0.01	
CF 5.3 GHz Marker				1001	pts			Spar	140.0 MHz
	rc	X-value	.	Y-value	Func	tion	Fund	ction Result	t
M1 M2	1		98 GHz 38 GHz	-25.26 dBr -22.94 dBr					
M3	1		B8 GHz	-23.30 dBr					
						te ad y		4/0	22.09.2023
Date: 22.87P.23	023 21:	:14:35							
		Freq. S	stability 50	C 3.3V ac20) 5300MH	z Ant2 0 M	Vinutes		
Spectrum	ר	Freq. S	itability 50	C 3.3V ac20) 5300MH	z Ant2 0 N	Vinutes		
Spectrum Ref Level 20.	00 dBm	-		C 3.3V ac20) 5300MH	z Ant2 O M	Vinutes		
Ref Level 20. Att	30 dB	-	3.92 dB 🛑 R) 5300MH Mode S		Vinutes		Ē
Ref Level 20.	30 dB	Offset 3	3.92 dB 🛑 R	RBW 10 kHz			Vinutes		
Ref Level 20. Att SGL Count 20/2	30 dB	Offset 3	3.92 dB 🛑 R	RBW 10 kHz	Mode S		Minutes		(⊽) -26.39 dBm
Ref Level 20. Att SGL Count 20/2	30 dB	Offset 3	3.92 dB 🛑 R	RBW 10 kHz	Mode S	weep	Minutes	5.30	(▽)
Ref Level 20. Att SGL Count 20/2 1Pk Max	30 dB	Offset 3	3.92 dB 🛑 R	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.30	-26.39 dBm 000000 GHz
Ref Level 20. Att SGL Count 20/2 PIPk Max 10 dBm 0 dBm	30 dB	Offset 3	3.92 dB 🛑 R	RBW 10 kHz	Mode S	weep 1[1]	Minutes	5.30	-26.39 dBm 000000 GHz -21.20 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 0 dBm -10 dBm -10 dBm	30 dB	Offset 3 SWT	3.92 dB ● R 40 ms ● V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	-26.39 dBm 000000 GHz -21.20 dBm
Ref Level 20. Att SGL Count 20/2 PIPk Max 10 dBm 0 dBm	30 dB	Offset 3 SWT	3.92 dB ● R 40 ms ● V	RBW 10 kHz	Mode S M	weep 1[1] 2[1]		5.30	-26.39 dBm 000000 GHz -21.20 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 0 dBm -10 dBm -10 dBm	30 dB	Offset 3 SWT	3.92 dB ● R 40 ms ● V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	-26.39 dBm 000000 GHz -21.20 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	3.92 dB ● R 40 ms ● V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	-26.39 dBm 000000 GHz -21.20 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB	Offset 3 SWT	3.92 dB ● R 40 ms ● V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	-26.39 dBm 000000 GHz -21.20 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	30 dB	Offset 3 SWT	3.92 dB ● R 40 ms ● V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	-26.39 dBm 000000 GHz -21.20 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB 20	Offset 3 SWT	3.92 dB ● R 40 ms ● V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	.26.39 dBm 000000 GHz -21.20 dBm 011200 GHz
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB 20	Offset 3 SWT	3.92 dB ● R 40 ms ● V	XBW 10 kHz YBW 30 kHz	Mode S M	weep 1[1] 2[1]		5.30	-26.39 dBm 000000 GHz -21.20 dBm
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm	30 dB 20	Offset 3 SWT	3.92 dB ● R 40 ms ● V	ABW 10 KHz JBW 30 KHz	Mode S	weep 1[1] 2[1]		5.30 - 5.29 	-26.39 dBm 000000 GHz -21.20 dBm 011200 GHz
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -70 dBm -70 dBm	30 dB 20	Offset 3 SWT	3.92 dB ● R 40 ms ● V	XBW 10 kHz YBW 30 kHz	Mode S	weep 1[1] 2[1]		5.30 - 5.29 	.26.39 dBm 000000 GHz -21.20 dBm 011200 GHz
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm CF 5.3 GHz Marker	30 dB 20	Offset 3 SWT	3.92 dB R 40 ms V	ABW 10 KHz JBW 30 KHz	Mode S	weep 1[1] 2[1]		5.30 - 5.29 	26.39 dBm 000000 GHz -21.20 dBm 011200 GHz
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	30 dB 20	Offset 3 SWT	8,92 dB • R 40 ms • V	XBW 10 kHz YBW 30 kHz M/M/M/M/M M/M/M/M/M M/M/M/M/M M/M/M/M/M M/M/M/M/M M/M/M/M M/M/M/M/M M/M/M/M/M M/M/M/M/M M/M/M/M/M M/M/M/M/M M/M/M/M/M	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.30 5.29 (แก่งหงุญญา (มาง	26.39 dBm 000000 GHz -21.20 dBm 011200 GHz
Ref Level 20. Att SGL Count 20/2 ID dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm GF 5.3 GHz Marker Type Ref	30 dB 20	Offset 3 SWT	3.92 dB • R 40 ms • V	28W 10 kHz 78W 30 kHz 1001 Y-value	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.30 5.29 (แก่งหงุญญา (มาง	26.39 dBm 000000 GHz -21.20 dBm 011200 GHz
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm OWNALKAPOLIAL PARA -60 dBm -70 dBm -70 dBm -80 dBm -90 dBm	30 dB 20 ///////////////////////////////////	Offset 3 SWT	3.92 dB R 40 ms V	10 kHz /BW 30 kHz //BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.30 5.29 (แก่งหงุญญา (มาง	26.39 dBm 000000 GHz -21.20 dBm 011200 GHz
Ref Level 20. Att SGL Count 20/2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm OWNALKAPOLIAL PARA -60 dBm -70 dBm -70 dBm -80 dBm -90 dBm	30 dB 20	Offset 3 SWT	3.92 dB R 40 ms V	10 kHz /BW 30 kHz //BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.30 5.29 (แก่งหงุญญา (มาง	26.39 dBm 000000 GHz -21.20 dBm 011200 GHz


		Freq. Stat	bility 200	2.81V ac2	0 5320MH	lz Ant2 0	Minutes		
Spectrum									E
Ref Level	20.00 dBm	Offset 3.9	3 dB 😑 R	BW 10 kHz					(*)
Att ECL Count ?	30 dB	8 SWT 40	🗆 ms 👄 🗸	BW 30 kHz	Mode S	weep			
SGL Count 2 9 1Pk Max	20/20								
					М	1[1]			-28.05 dBm
10 dBm					м	2[1]			200000 GHz -19.16 dBm
0 dBm									11200 GHz
-10 dBm		M2	. de fica a	A DE DE MARTE			4 142		
-20 dBm		144 44	an hinder	Munupumpi	mududindia	urmanan	WAGE -		
-30 dBm									
							<u> </u>		
-40 dBm							ų.		
-50 dBm							- 4 N.		
-60 dBm							"		
hypertopolour whe	whithereter	will will be a second sec					- MA	Harlistasipuli	Minullhuroperiod
-70 dBm									
CF 5.32 GH	z			1001	pts			Span	40.0 MHz
Marker									
Type Ref M1	1 Trc	X-value 5.32	GH7	-28.05 dBr	Func	tion	Fund	ction Result	t
M2	1	5.31112	GHz	-19.16 dBr	n				
M3	1	5.32888	GHz	-20.86 dBi	n]
	Л							4/0	21:21:42 ///
Date: 22.877	P.2023 2	1:21:42							
		Freq. Sta	bility 20	C 3.3V ac20) 5320MH	z Ant2 0 I	Minutes		_
Spectrum		Freq. Sta	bility 20	C 3.3V ac20) 5320MH	z Ant2 0 I	Minutes		Ē
Ref Level		n Offset 3.9	3 dB 👄 R	BW 10 kHz			Minutes		Ē
Ref Level Att	30 dB	n Offset 3.9	3 dB 👄 R) 5320MH Mode S		Minutes		
Ref Level	30 dB	n Offset 3.9	3 dB 👄 R	BW 10 kHz			Minutes		
Ref Level Att SGL Count 2	30 dB	n Offset 3.9	3 dB 👄 R	BW 10 kHz	Mode S		Minutes		(⊽) -25.43 dBm
Ref Level Att SGL Count 2	30 dB	n Offset 3.9	3 dB 👄 R	BW 10 kHz	Mode S	weep 1[1]	Minutes	5.31	(⊽)
Ref Level Att SGL Count 2 1Pk Max	30 dB	n Offset 3.9	3 dB 👄 R	BW 10 kHz	Mode S	weep	Minutes	5.31	-25.43 dBm 199800 GHz
Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dB	n Offset 3.9	3 dB 👄 R	BW 10 kHz	Mode S	weep 1[1]	Minutes	5.31	-25.43 dBm 199800 GHz -22.90 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm	30 dB	Offset 3.9 3 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.31	-25.43 dBm 199800 GHz -22.90 dBm
Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dB	Offset 3.9 3 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz	Mode S M	weep 1[1] 2[1]		5.31	-25.43 dBm 199800 GHz -22.90 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 3.9 3 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.31	-25.43 dBm 199800 GHz -22.90 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm	30 dB	Offset 3.9 3 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.31	-25.43 dBm 199800 GHz -22.90 dBm
Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB	Offset 3.9 3 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.31	-25.43 dBm 199800 GHz -22.90 dBm
Ref Level Att Att SGL Count 2 I Pk Max I 10 dBm I 0 dBm I -10 dBm I -20 dBm I -30 dBm I	30 dB	Ministration of the second sec	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.31	-25.43 dBm 199800 GHz -22.90 dBm
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 de 20/20	MOTISET 3.9 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.31	25.43 dBm 199800 GHz -22.90 dBm 110800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -60 dBm	30 de 20/20	MOTISET 3.9 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.31	-25.43 dBm 199800 GHz -22.90 dBm
Ref Level Att SGL Count 2 ID dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 de 20/20	MOTISET 3.9 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M	weep 1[1] 2[1]		5.31	25.43 dBm 199800 GHz -22.90 dBm 110800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm	30 de 20/20	MOTISET 3.9 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.31 - 5.31	25.43 dBm 199800 GHz -22.90 dBm 10800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GH	30 de 20/20	MOTISET 3.9 SWT 40	3 dB 👄 R) ms 👄 V	BW 10 kHz BW 30 kHz	Mode S M M	weep 1[1] 2[1]		5.31 - 5.31	25.43 dBm 199800 GHz -22.90 dBm 110800 GHz
Ref Level Att SGL Count 2 I PK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GH Markor Type Ref	30 de 20/20) Offset 3.9 SWT 40 Might 40 Migh	3 dB • R D ms • V	BW 10 kHz BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.31 - 5.31	-25.43 dBm 199800 GHz -22.90 dBm 100800 GHz
Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm	30 de 20/20	Mithematical Stress Str	3 dB R R	BW 10 kHz BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.31 5.31	-25.43 dBm 199800 GHz -22.90 dBm 100800 GHz
Ref Level Att SGL Count 2 I PK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GH Markor Type Ref	30 de 20/20) Offset 3.9 SWT 40 Might 40 Migh	3 dB R R D ms V	BW 10 kHz BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.31 5.31	-25.43 dBm 199800 GHz -22.90 dBm 100800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GH2 Marker Type M1 M2	30 db 20/20 z	0 Offset 3.9. 3 SWT 40 	3 dB R R D ms V	BW 10 kHz BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.31 5.31	-25.43 dBm 199800 GHz -22.90 dBm 100800 GHz
Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GH2 Marker Type M1 M2	30 de 20/20	Offset 3.9 SWT 40 SWT 40 SUT 40 SU	3 dB R R D ms V	BW 10 kHz BW 30 kHz	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1]		5.31 5.31 ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا	-25.43 dBm 199800 GHz -22.90 dBm 100800 GHz


		200 2 001 20 52	201411- 4-+-	0.0.1	
	Freq. Stability	20C 3.80V ac20 53	201VIHZ ANI	2 0 Minutes	
Spectrum					
Ref Level 20.00 dB	m Offset 3.93 dB (BRBW 10 kHz			
■ Att 30 d	dB SWT 40 ms (VBW 30 kHz M	o de Sweep		
SGL Count 20/20 9 1Pk Max					
TEK Max			M1[1]		-25.29 dBm
10 dBm					5.3199800 GHz
TO UBIN			M2[1]		-23.23 dBm
0 dBm					5.3110800 GHz
10.40-					
-10 dBm		يريد والمتعالية والمتعالية	Inc. Act.	L.U.M2	
-20 dBm	MANNMAN	Were and when the trade	utra para para para para para para para p	MARAN -	
00 dB		Ĭ			
-30 dBm					
-40 dBm					
50 10	ľ				
-50 dBm				Ч,	
-60 dBm				- Wilder	
hald will be prively and had	the set			"Universite of the second	www.www.
-70 dBm					
CF 5.32 GHz		1001 mtg			Span 40.0 MHz
Marker		1001 pts			span 40.0 MHz
Type Ref Trc	X-value	Y-value	Function	Function I	Result
M1 1	5.31998 GHz	-25.29 dBm			
M2 1 M3 1	5.31108 GHz 5.32888 GHz	-23.23 dBm -20.23 dBm			
			Doachu	4.44	22.09.2023
				- Aller	
Date: 22.87P.2023	21:21:56				
	Freq. Stability	-20C 3.3V ac20 53	20MHz Ant2	0 Minutes	
Spectrum	Freq. Stability	-20C 3.3V ac20 53	20MHz Ant2	0 Minutes	ē
Spectrum			20MHz Ant2	0 Minutes	▼
Spectrum Ref Level 20.00 dB Att 30 d	m Offset 3.93 dB (RBW 10 kHz	20MHz Ant2	0 Minutes	
Ref Level 20.00 dB Att 30 c SGL Count 20/20	m Offset 3.93 dB (RBW 10 kHz		0 Minutes	
Ref Level 20.00 dB Att 30 d	m Offset 3.93 dB (RBW 10 kHz	ode Sweep	0 Minutes	
Att 30 c SGL Count 20/20	m Offset 3.93 dB (RBW 10 kHz		0 Minutes	-25.49 dBm
Ref Level 20.00 dB Att 30 c SGL Count 20/20	m Offset 3.93 dB (RBW 10 kHz	ode Sweep	2 0 Minutes	
Ref Level 20.00 dB Att 30 c SGL Count 20/20 PIPk Max 10 dBm	m Offset 3.93 dB (RBW 10 kHz	ode Sweep	2 0 Minutes	-25.49 dBm 5.3199800 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm	m Offset 3.93 dB (RBW 10 kHz	ode Sweep	2 0 Minutes	-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 c SGL Count 20/20 1Pk Max 10 dBm	m Offset 3.93 dB (iB SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm	m Offset 3.93 dB (iB SWT 40 ms (RBW 10 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	m Offset 3.93 dB (iB SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 3.93 dB (iB SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 3.93 dB (iB SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -40 dBm	m Offset 3.93 dB (iB SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 3.93 dB (iB SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -50 dBm	m Offset 3.93 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110900 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	m Offset 3.93 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -50 dBm	m Offset 3.93 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110900 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm	m Offset 3.93 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz Mi	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm -60 dBm -70 dBm	m Offset 3.93 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110900 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm	m Offset 3.93 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz Mi	M1[1] M2[1]		-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz
Ref Level 20.00 dB Att 30 c SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	m Offset 3.93 dB a B SWT 40 ms a mmultinum mmultinum mmultinum mmultinum state X-value 5.31998 GHz	RBW 10 kHz VBW 30 kHz Mi	р de Sweep M1[1] M2[1] Mл/уум/уу 		-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -60 dBm -70 dBm </td <td>m Offset 3.93 dB a B SWT 40 ms a MMMU/M/M MMMU/M/M MMMU/M/M MMMU/M/M MMMU/M/M</td> <td>RBW 10 kHz VBW 30 kHz M</td> <td>рde Sweep M1[1] M2[1] Mл/уум/уу </td> <td></td> <td>-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz</td>	m Offset 3.93 dB a B SWT 40 ms a MMMU/M/M MMMU/M/M MMMU/M/M MMMU/M/M MMMU/M/M	RBW 10 kHz VBW 30 kHz M	р de Sweep M1[1] M2[1] Mл/уум/уу 		-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz
Ref Level 20.00 dB Att 30 c SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	m Offset 3.93 dB a B SWT 40 ms a mmultiple mmultiple mmultiple mmultiple Mmultiple	RBW 10 kHz VBW 30 kHz Mi	р de Sweep M1[1] M2[1] Mл/уум/уу 	Function I	-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -60 dBm -70 dBm </td <td>m Offset 3.93 dB a B SWT 40 ms a MMMU/M/M MMMU/M/M MMMU/M/M MMMU/M/M MMMU/M/M</td> <td>RBW 10 kHz VBW 30 kHz M</td> <td>рde Sweep M1[1] M2[1] Mл/уум/уу </td> <td></td> <td>-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz</td>	m Offset 3.93 dB a B SWT 40 ms a MMMU/M/M MMMU/M/M MMMU/M/M MMMU/M/M MMMU/M/M	RBW 10 kHz VBW 30 kHz M	р de Sweep M1[1] M2[1] Mл/уум/уу 		-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -60 dBm -70 dBm </td <td>m Offset 3.93 dB a B SWT 40 ms a Minute Market Minute Market S.31998 GHz 5.31998 GHz 5.32888 GHz</td> <td>RBW 10 kHz VBW 30 kHz M</td> <td>рde Sweep M1[1] M2[1] Mл/уум/уу </td> <td>Function I</td> <td>-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz</td>	m Offset 3.93 dB a B SWT 40 ms a Minute Market Minute Market S.31998 GHz 5.31998 GHz 5.32888 GHz	RBW 10 kHz VBW 30 kHz M	р de Sweep M1[1] M2[1] Mл/уум/уу 	Function I	-25.49 dBm 5.3199800 GHz -22.31 dBm 5.3110800 GHz


Spectrum Employee Ref Level 20.00 dbm Offset 3.93 db RBW 10 bH2 Att 30 db SWT 40 ms VBW 30 kH2 Made Sweep SQL count 20/20 IPI Max			Freq. Sta	bility -10	C 3.3V ac2	0 5320MH	lz Ant2 0 N	Ainutes			
Ref Level 200 dbm Offset 3.93 db RBW 10 Ht; 30 db Mode Sweep SGL count 20200 919: Max -25.5 dbm -25.5 dbm 10 dbm -25.5 dbm -10.0 dbm -25.5 dbm 20 dbm -25.5 dbm -10.0 dbm -5.311200 dH 20 dbm -25.5 dbm -10.0 dbm -5.311200 dH 20 dbm -25.2 dbm -25.5 dbm -10.0 dbm -10.0 dbm 20 dbm -25.2 dbm -25.2 dbm -25.5 dbm -25.2 dbm 20 dbm -25.2 dbm -25.2 dbm -25.2 dbm -25.2 dbm 20 dbm -25.2 dbm -25.2 dbm -25.2 dbm -25.2 dbm -25.2 dbm 20 dbm -25.2 dbm -25.2 dbm -25.2 dbm -25.2 dbm -25.2 dbm 20 dbm -10.2 dbm -25.2 dbm -25.2 dbm -25.2 dbm -25.2 dbm -25.2 dbm	Spectrum									₽	
SQL count 30/20 91P. Max 10 dBm 5.319000 ofty 10 dBm 5.311200 ofty 10 dBm 5.311200 ofty 10 dBm 5.311200 ofty 10 dBm 5.311200 ofty 20 dBm 5.311200 ofty 20 dBm 10 dBm 10 dBm 10 dBm 11 S.3190 dHe 25.25 dBm 12 S.2120 HE 100 dBm 13 S.2280 Hz 10 0 7 dBm 14 d1 S.3190 dHe 25.25 dBm 12 S.2280 Hz 10 0 7 dBm 13 S.2280 Hz 10 0 7 dBm 14 S.3120 Oft </td <td>-</td> <td>20.00 dBm</td> <td>Offset 3.9</td> <td>93 dB 👄 R</td> <td>BW 10 kHz</td> <td></td> <td></td> <td></td> <td></td> <td>(*)</td>	-	20.00 dBm	Offset 3.9	93 dB 👄 R	BW 10 kHz					(*)	
10k Max 25.25 dm 10 dBm 5.310000 GHz 10 dBm 5.311200 GHz 10 dBm 5.311200 GHz 10 dBm 5.311200 GHz 10 dBm 5.311200 GHz 20 dBm 5.311200 GHz 20 dBm 5.311200 GHz 20 dBm 10 dFm 20 dBm 10 lpts Spon 40.0 MHz MARer 10 lpts Marker 20.2523 10 lpts Spon 40.0 MHz Spoctrum 20.00 dEm 10 dEm 0 dFs 10 dEm <td></td> <td></td> <td>SWT 4</td> <td>0 ms 👄 V</td> <td>BW 30 kHz</td> <td>Mode St</td> <td>weep</td> <td></td> <td></td> <td></td>			SWT 4	0 ms 👄 V	BW 30 kHz	Mode St	weep				
10 d8m S.3.19000 GHz 0 d8m S.3.11200 GHz 10 d8m S.3.11200 GHz 20 d8m S.3.11200 GHz 40 d8m S.3.11200 GHz 40 d8m S.3.11200 GHz 40 d8m S.3.11200 GHz 70 d8m S.3.1120 GHz 70 d8m S.3.1120 GHz 70 d8m S.3.1120 GHz 70 d8m S.3.1120 GHz 10 1 5.31120 GHz S.2.0 72.823 70 d8m S.3.1120 GHz 70 d8m S.3.1120 GHz 10 d8m S.3.1120 GHz		:0/20									
10 dam						М	1[1]				
0 dam -10 dam -20 dam -20 dam -20 dam -40 dam -40 dam -50	10 dBm					M	2[1]				
20 dsm Mathematical Mathmatematical Mathematical Mathmatematical Mathematical Mat	0 dBm								5.31	11200 GHz	
20 dbm 10 dbm	10.d0m										
30 dbm 40 dbm	-10 UBIII		M2	anhe kikun	and water	o i finali s del March	ما السارين	Mз			
40 d8m	-20 dBm		- Mar	tetter algariation	almoster, ith	- Million and	no and				
S0 d8m Image: state of the sta	-30 dBm				۳ ا						
S0 d8m Image: state of the sta	-40 dBm		L L					<u> </u>			
Co dBm August and the second sec			, M ^{ar}					Ч. –			
Image Scheduling and Michael a	-50 dBm		ا ال					<u> </u>			
20 dBm Image: CF 5.32 GHz Image: CF 5.32 GHz <thimage: 5.32="" cf="" ghz<="" th=""> <thimage: 5.32="" cf="" ghz<="" td="" th<=""><td>-60 dBm</td><td>an a stille As PA</td><td></td><td></td><td></td><td></td><td></td><td>, Nau</td><td>Alle anistere</td><td>and have the star</td></thimage:></thimage:>	-60 dBm	an a stille As PA						, Nau	Alle anistere	and have the star	
Narker Yvel Ref Trc X -value Function Function Result M1 1 5.31998 GHz -25.25 dbm Function Result Function Result M3 1 5.31112 GHz -10.07 dbm Function Result Function Result M3 1 5.31112 GHz -10.07 dbm Function Result Function Result M4 5.3112 GHz -10.78 dbm Function Result Function Result M3 1 5.32884 GHz -10.78 dbm Function Result Pate: 22, 879, 2023 21:22:11 Function Result Function Result Function Result Spectrum Freq. Stability OC 3.3V ac20 5320MHz Ant2 0 Minutes Function Result Function Result Function Result Spectrum State 20.00 dbm Offset 3.93 db & RBW 10 kHz M1[1] -26.693 dbm -20.42 dbm 10 dbm M2[1] -26.693 dbm S.9311200 GHz -20.42 dbm -70 dbm -70.41000 HHz -70.4200 HHz -70.4200 H	-70 dBm	patter inter in	U I *					1.14	k a addeddai headw	and an and a second second	
Narker Yvel Ref Trc X -value Function Function Result M1 1 5.31998 GHz -25.25 dbm Function Result Function Result M3 1 5.31112 GHz -10.07 dbm Function Result Function Result M3 1 5.31112 GHz -10.07 dbm Function Result Function Result M4 5.3112 GHz -10.78 dbm Function Result Function Result Main 5.3112 GHz -10.78 dbm Function Result Function Result Pater 22, 879, 2023 21:22:11 Function Result Function Result Function Result Pater 22, 879, 2023 21:22:11 Function Result Function Result Function Result Spectrum Spectrum Spectrum Spectrum Spectrum Spectrum Ref Level 20.00 dbm Offset 3.93 db RBW 10 KHz Main 10 dbm Spectrum Spectr											
Type Ref Trc X-value Y-value Function Function M1 1 5,31996 GHz -26.25 dBm		z			1001	pts			Spar	40.0 MHz	
Mi 1 5.31996 GHz -25.85 dBm M3 1 5.32192 GHz -19.07 dBm 2000000000000000000000000000000000000		Trc	X-value	1	Y-value	Fund	tion	Fund	tion Result	t [
M3 1 5.32884 GHz -10.78 dBm Date: 22.579,2223 21:22:11 Freq. Stability OC 3.3V ac20 5320MHz Ant2 0 Minutes Spectrum Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2" Spectrum Image: Colspan="2">Colspan="2" Ref Level 20.00 dBm Offset 3.93 dB • RBW 10 kHz Att 30 dB • RBW 10 kHz Att 30 dB SWT 40 ms • VBW 30 kHz Mode Sweep SGL Count 20/20 M1[1] -26.93 dBm M1[1] -26.93 dBm 0 dBm M2[1] -26.93 dBm -20 dBm -26.93 dBm -26.93 dBm <th col<="" td=""><td>M1</td><td>1</td><td>5.31998</td><td></td><td>-25.25 dBr</td><td>n</td><td></td><td></td><td></td><td></td></th>	<td>M1</td> <td>1</td> <td>5.31998</td> <td></td> <td>-25.25 dBr</td> <td>n</td> <td></td> <td></td> <td></td> <td></td>	M1	1	5.31998		-25.25 dBr	n				
Freq. Stability OC 3.3V ac20 5320MHz Ant2 0 Minutes Spectrum Ref Level 20.00 dBm Offset 3.93 dB • RBW 10 kHz 30 dB SWT 40 ms • VBW 30 kHz Mode Sweep SGL Count 20/20 • -26.93 dBm • IPK Mak M1[1] 5.3200000 GHz 0 dBm M2[1] 5.3200000 GHz -20.42 dBm M2[1] -20.42 dBm -10 dBm M2[1] 5.311120 GHz -20 dBm M2[1] -20.42 dBm -30 dBm M2[1] -20.42 dBm -50 dBm M2[1] Span 40.0 MHz -70 dBm M2[1] Span 40.0 MHz Marker M2[1] Span 40.0 MHz Mai 1 Span 80 dBm -20.42 dBm M3 1 Span 80 dBm -20.42 dBm <											
Freq. Stability OC 3.3V ac20 5320MHz Ant2 0 Minutes Spectrum Ref Level 20.00 dBm Offset 3.93 dB • RBW 10 kHz 30 dB SWT 40 ms • VBW 30 kHz Mode Sweep SGL Count 20/20 • -26.93 dBm • IPK Mak M1[1] 5.3200000 GHz 0 dBm M2[1] 5.3200000 GHz -20.42 dBm M2[1] -20.42 dBm -10 dBm M2[1] 5.311120 GHz -20 dBm M2[1] -20.42 dBm -30 dBm M2[1] -20.42 dBm -50 dBm M2[1] Span 40.0 MHz -70 dBm M2[1] Span 40.0 MHz Marker M2[1] Span 40.0 MHz Mai 1 Span 80 dBm -20.42 dBm M3 1 Span 80 dBm -20.42 dBm <		Υ					eady		4/4	22.09.2023	
Freq. Stability OC 3.3V ac20 5320MHz Ant2 0 Minutes Spectrum Ref Level 20.00 dBm Offset 3.93 dB • RBW 10 kHz 30 dB SWT 40 ms • VBW 30 kHz Mode Sweep SGL Count 20/20 • -26.93 dBm • IPK Mak M1[1] 5.3200000 GHz 0 dBm M2[1] 5.3200000 GHz -20.42 dBm M2[1] -20.42 dBm -10 dBm M2[1] 5.311120 GHz -20 dBm M2[1] -20.42 dBm -30 dBm M2[1] -20.42 dBm -50 dBm M2[1] Span 40.0 MHz -70 dBm M2[1] Span 40.0 MHz Marker M2[1] Span 40.0 MHz Mai 1 Span 80 dBm -20.42 dBm M3 1 Span 80 dBm -20.42 dBm <	Data: 22.971		1.22.11								
Spectrum Image: Construct of the state of t	ACG: 22.30		1.22.11								
Spectrum Image: Spectrum <thimage: spectrum<="" th=""> Image: Spectrum <thimage: spectrum<="" th=""> Image: Spectrum<td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></thimage:></thimage:>											
Ref Level 20.00 dBm Offset 3.93 dB RBW 10 kHz Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 9 IPk Max			Freq. St	ability 00	C 3.3V ac20	5320MHz	Ant2 0 M	inutes			
Att 30 dB SWT 40 ms VBW 30 kHz Mode Sweep SGL Count 20/20 IPk Max	Spectrum		Freq. St	ability 00	C 3.3V ac20	5320MHz	2 Ant2 0 M	inutes			
IPk Max M1[1] -26.93 dBm 10 dBm 5.3200000 GHz -20.42 dBm 0 dBm 5.3111200 GHz -20.42 dBm -10 dBm 5.3111200 GHz -20.42 dBm -20 dBm -20.42 dBm -20.42 dBm -30 dBm -20.42 dBm -20.42 dBm -30 dBm -20.42 dBm -20.42 dBm -20 dBm -20.42 dBm -20.42 dBm	-	20.00 dBm	-			5320MHz	2 Ant2 0 M	inutes			
10 dBm M1[1] -26.93 dBm 10 dBm M2[1] -20.42 dBm 0 dBm M2[1] -20.42 dBm -10 dBm -20 dBm -20.42 dBm -20 dBm M1 4 -20 dBm -20 dBm -20 dBm -20 dBm -30 dBm -20 dBm -20 dBm -40 dBm -20 dBm -20 dBm -50 dBm -20 dBm -20 dBm -70 dBm -20 dBm -20 dBm -70 dBm -20 dBm -20 dBm Marker -20 dBm -20 dBm M1 1 1 5.32 GHz Ype Ref Trc X-value M1 1 5.31112 GHz -20.78 dBm -20.78 dBm M3 1 5.3288 GHz -20.78 dBm -20.78 dBm	Ref Level Att	30 dB	o Offset 3.9)3 dB 👄 R	BW 10 kHz			inutes			
10 dBm	Ref Level Att SGL Count 2	30 dB	o Offset 3.9)3 dB 👄 R	BW 10 kHz			inutes			
0 dBm 5.3111200 GHz -10 dBm -20 dBm -20 dBm -20 dBm -30 dBm -20 dBm -50 dBm -20 dBm -50 dBm -20 dBm -50 dBm -20 dBm -70 dBm -20 dBm </td <td>Ref Level Att SGL Count 2</td> <td>30 dB</td> <td>o Offset 3.9</td> <td>)3 dB 👄 R</td> <td>BW 10 kHz</td> <td>Mode St</td> <td>weep</td> <td>inutes</td> <td></td> <td>(⊽)</td>	Ref Level Att SGL Count 2	30 dB	o Offset 3.9)3 dB 👄 R	BW 10 kHz	Mode St	weep	inutes		(⊽)	
-10 dBm -20 dBm -30 dBm	Ref Level Att SGL Count 2 1Pk Max	30 dB	o Offset 3.9)3 dB 👄 R	BW 10 kHz	Mode St	weep 1[1]	inutes	5.32	-26.93 dBm 200000 GHz	
-20 dBm -30 dBm -40 dBm -40 dBm -50 dBm -50 dBm -50 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -80 dBm -90	Ref Level Att SGL Count 2 PIPk Max 10 dBm	30 dB	o Offset 3.9)3 dB 👄 R	BW 10 kHz	Mode St	weep 1[1]	inutes	5.32	-26.93 dBm 200000 GHz -20.42 dBm	
-30 dBm -40 dBm -50 dBm -50 dBm -50 dBm -50 dBm -70 dBm -77 dBm -70	Ref Level Att SGL Count 2 PIPk Max 10 dBm	30 dB	o Offset 3.9)3 dB 👄 R	BW 10 kHz	Mode St	weep 1[1]	inutes	5.32	-26.93 dBm 200000 GHz -20.42 dBm	
40 dBm	Ref Level Att SGL Count 2 1Pk Max 10 dBm 0 dBm	30 dB) Offset 3.9 b SWT 4	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]		5.32	-26.93 dBm 200000 GHz -20.42 dBm	
40 dBm	Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm	30 dB) Offset 3.9 b SWT 4	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]		5.32	-26.93 dBm 200000 GHz -20.42 dBm	
-50 dBm -60 dBm -70	Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB) Offset 3.9 b SWT 4	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]		5.32	-26.93 dBm 200000 GHz -20.42 dBm	
FOO dBm Image: Constraint of the second	Ref Level Att SGL Count 2 PIPk Max 10 dBm 0 dBm -10 dBm -20 dBm	30 dB) Offset 3.9 b SWT 4	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]		5.32	-26.93 dBm 200000 GHz -20.42 dBm	
Marker Function Function Result M1 1 5.32 GHz -26.93 dBm M2 1 5.31112 GHz -20.42 dBm M3 1 5.32888 GHz -20.78 dBm	Ref Level Att Att SGL Count 2 I Pk Max I 10 dBm I 0 dBm I -10 dBm I -20 dBm I -30 dBm I	30 dB) Offset 3.9) SWT 4	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]	M3	5.32	-26.93 dBm 200000 GHz -20.42 dBm	
Marker Function Function Result M1 1 5.32 GHz -20.93 dBm M2 1 5.31112 GHz -20.42 dBm M3 1 5.32888 GHz -20.78 dBm	Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	30 dB) Offset 3.9) SWT 4	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]	M3	5.32	-26.93 dBm 200000 GHz -20.42 dBm	
CF 5.32 GHz 1001 pts Span 40.0 MHz Marker Y-value Function Function Result M1 1 5.32 GHz -26.93 dBm -26.93 dBm M2 1 5.3112 GHz -20.42 dBm -20.78 dBm M3 1 5.32888 GHz -20.78 dBm -20.78 dBm	Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	30 dB 20/20	Market 3.9	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]		5.31	26.93 dBm 200000 GHz -20.42 dBm L11200 GHz	
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.32 GHz -26.93 dBm -26.93 dBm -26.93 dBm -20.93	Ref Level Att SGL Count 2 I PK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -50 dBm	30 dB 20/20	Market 3.9	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]		5.31	26.93 dBm 200000 GHz -20.42 dBm L11200 GHz	
Marker Type Ref Trc X-value Y-value Function Function Result M1 1 5.32 GHz -26.93 dBm -26.93 dBm -26.93 dBm -20.93	Ref Level Att SGL Count 2 I PK Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -50 dBm	30 dB 20/20	Market 3.9	93 dB 👄 R O ms 👄 V	2BW 10 kHz 7BW 30 kHz	Mode St	weep 1[1] 2[1]		5.31	26.93 dBm 200000 GHz -20.42 dBm L11200 GHz	
M1 1 5.32 GHz -26.93 dBm M2 1 5.31112 GHz -20.42 dBm M3 1 5.32888 GHz -20.78 dBm	Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -70 dBm	30 de 20/20	Market 3.9	93 dB 👄 R O ms 👄 V	10 kHz увж 30 kHz	Mode S	weep 1[1] 2[1]		5.32 5.31	26.93 dBm 200000 GHz -20.42 dBm L11200 GHz	
M2 1 5.31112 GHz -20.42 dBm M3 1 5.32888 GHz -20.78 dBm	Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GH	30 de 20/20	Market 3.9	93 dB 👄 R O ms 👄 V	10 kHz увж 30 kHz	Mode S	weep 1[1] 2[1]		5.32 5.31	26.93 dBm 200000 GHz -20.42 dBm L11200 GHz	
M3 1 5.32888 GHz -20.78 dBm 22.09.2023	Ref Level Att SGL Count 2 ● 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GHt Markor Type	30 dP 20/20) Offset 3.9 SWT 4		28W 10 kHz 78W 30 kHz 1001 Y-value	Mode S	weep 1[1] 2[1] 		5.32 5.31	-26.93 dBm 200000 GHz -20.42 dBm 111200 GHz	
	Ref Level Att SGL Count 2 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -60 dBm -70 dBm	30 de 20/20) Offset 3.9) SWT 4	Bigging Constant of the second	28W 10 kHz //BW 30 kHz ////////////////////////////////////	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1] 		5.32 5.31	-26.93 dBm 200000 GHz -20.42 dBm 111200 GHz	
Date: 22.579.2023 21:22:18	Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GH2 Marker Type M1 M2	30 dB 20/20 เ _{เข} จ.ม.ก.ไตรังเป็น z z	0 Offset 3.9 5 SWT 4	GHz	BW 10 kHz //BW 30	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1] 		5.32 5.31	-26.93 dBm 200000 GHz -20.42 dBm 111200 GHz	
	Ref Level Att SGL Count 2 I Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm CF 5.32 GH2 Marker Type M1 M2	30 dB 20/20 เ _{เข} จ.ม.ก.ไตรังเป็น z z	0 Offset 3.9 5 SWT 4	GHz	BW 10 kHz //BW 30	Mode S M M M M M M M M M M M M M M M M M M M	weep 1[1] 2[1] 		5.32 5.31 Մինչպերկովս Span	-26.93 dBm 200000 GHz -20.42 dBm 111200 GHz	


	Freq. Stability	y 10C 3.3V ac20 53	320MHz Ant2	0 Minutes	
Spectrum					₽
Ref Level 20.00 dBn	n Offset 3.93 dB	 RBW 10 kHz 			(v)
Att 30 d8 SGL Count 20/20	B SWT 40 ms	VBW 30 kHz N	1ode Sweep		
 1Pk Max 					
			M1[1]	-28.08	
10 dBm			M2[1]	5.3199800 -22.05	
0 dBm				5.3110800	
-10 dBm					
-10 GBW	un de la de la de	And manufally and high	and had a beat one	Ma Ma	
-20 dBm	- Address -	VI AMAGATIN AND AND AND AND AND AND AND AND AND AN	nand Microsoft ad the	Mr.Albyk	_
-30 dBm		Ť			_
-40 dBm					
	∦			<u> </u>	
-50 dBm					_
-60 dBm	N N			Murke the settle to the	1.11.1
-70 dBm	งาชเ			Warang and a start	pyphys.
CF 5.32 GHz		1001 pts		Span 40.0 M	инz
Marker Type Ref Trc	X-value	Y-value	Function	Function Result]
M1 1	5.31998 GHz	-28.08 dBm	Function	Function Result	
M2 1 M3 1	5.31108 GHz 5.32888 GHz	-22.05 dBm -20.68 dBm			
			Ready	22.09.202	3
)		
Date: 22.57P.2023 2	(1:22:25				
	Freq. Stability	y 30C 3.3V ac20 53	320MHz Ant2	0 Minutes	
Chooteum	Freq. Stability	y 30C 3.3V ac20 53	320MHz Ant2	0 Minutes	
Spectrum			320MHz Ant2	0 Minutes	
Ref Level 20.00 dBn Att 30 dB	n Offset 3.93 dB	RBW 10 kHz	320MHz Ant2 1ode Sweep	0 Minutes	
Ref Level 20.00 dBn Att 30 dE SGL Count 20/20	n Offset 3.93 dB	RBW 10 kHz		0 Minutes	
Ref Level 20.00 dBn Att 30 dB	n Offset 3.93 dB	RBW 10 kHz		0 Minutes	
Ref Level 20.00 dBn Att 30 dE SGL Count 20/20	n Offset 3.93 dB	RBW 10 kHz	10de Sweep 	-25.55 5.3199800	dBm GHz
Ref Level 20.00 dBn Att 30 db SGL Count 20/20 PIPk Max 10 dBm	n Offset 3.93 dB	RBW 10 kHz	1ode Sweep	-25.55	dBm GHz dBm
Ref Level 20,00 dBm Att 30 df SGL Count 20/20 1Pk Max	n Offset 3.93 dB	RBW 10 kHz	10de Sweep 	-25.55 5.3199800 -19.87	dBm GHz dBm
Ref Level 20.00 dBn Att 30 db SGL Count 20/20 PIPk Max 10 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm
Ref Level 20.00 dBn Att 30 dB SGL Count 20/20 IPk Max 10 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm
Ref Level 20.00 dBn Att 30 dB SGL Count 20/20 IPk Max 10 dBm -10 dBm -20 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm
Ref Level 20.00 dBn Att 30 db SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm
Ref Level 20.00 dBn Att 30 dB SGL Count 20/20 IPk Max 10 dBm -10 dBm -20 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm
Ref Level 20.00 dBn Att 30 db SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm
Ref Level 20.00 dBn Att 30 db SGL Count 20/20 IPk Max 10 dBm 0 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm GHz
Ref Level 20.00 dBm Att 30 db SGL Count 20/20 IPk Max 10 dBm 10 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm -	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm GHz
Ref Level 20.00 dBn Att 30 db SGL Count 20/20 IPk Max 10 dBm 0 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	-25.55 5.3199800 -19.87 5.3110800	dBm GHz dBm GHz
Ref Level 20.00 dBn Att 30 db SGL Count 20/20 IPk Max 10 dBm 0 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	10de Sweep M1[1] M2[1] лифиририници	-25.55 5.3199800 -19.87 5.3110800 	dBm GHz dBm GHz
Ref Level 20.00 dBn Att 30 dB SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm -70 dBm -60 dBm -70 dBm	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz N	iode Sweep M1[1] M2[1] 	-25.55 5.3199800 -19.87 5.3110800 	dBm GHz dBm GHz
Ref Level 20.00 dBm Att 30 dB SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -50 dBm - -60 dBm - -70 dBm -	n Offset 3.93 dB SWT 40 ms	RBW 10 kHz VBW 30 kHz N	10de Sweep M1[1] M2[1] лифиририници	-25.55 5.3199800 -19.87 5.3110800 	dBm GHz dBm GHz
Ref Level 20.00 dBm Att 30 db SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -30 dBm - -20 dBm - -30 dBm - -70 dBm 1	n Offset 3.93 dB B SWT 40 ms M200000000000000000000000000000000000	RBW 10 kHz VBW 30 kHz NU	iode Sweep M1[1] M2[1] 	-25.55 5.3199800 -19.87 5.3110800 	dBm GHz dBm GHz
Ref Level 20.00 dBm Att 30 db SGL Count 20/20 IPk Max 10 dBm 10 dBm - -20 dBm - -30 dBm - -40 dBm - -50 dBm - -60 dBm - -70 dBm - -70 dBm - -70 dBm	n Offset 3.93 dB SWT 40 ms	RBW 10 kHz VBW 30 kHz N	iode Sweep M1[1] M2[1] 	-25.55 5.3199800 -19.87 5.3110800 	dBm GHz dBm GHz
Ref Level 20.00 dBm Att 30 db SGL Count 20/20 IPk Max 10 dBm 0 dBm - -10 dBm - -20 dBm - -30 dBm - -30 dBm - -20 dBm - -30 dBm - -70 dBm 1	n Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz NU	iode Sweep M1[1] M2[1] 	-25.55 5.3199800 -19.87 5.3110800 	dBm GHz dBm GHz


	Freq. Stability	y 40C 3.3V ac20 53	320MHz Ant2	2 0 Minutes	
Spectrum				٩	₽
Ref Level 20.00 dBr	m Offset 3.93 dB	RBW 10 kHz			v
Att 30 d	IB SWT 40 ms	VBW 30 kHz	Node Sweep		
SGL Count 20/20 1Pk Max					\neg
			M1[1]	-27.26 dE	Bm
10 dBm			MOLT	5.3200000 G	
0 40			M2[1]	-18.90 dE 5.3111200 G	
0 dBm					
-10 dBm		1 1 1			-
-20 dBm	TANK MA	uhan phanaphing put	uphing many	MAN PURS	
		1 N N	• T.		
-30 dBm				M.	
-40 dBm					_
-50 dBm	- M			1.	
-50 0.511	l N				
-60 dBm	half the second s			Hipport Laborar	Nilus
-70 dBm	10				- Wr
CF 5.32 GHz		1001 pts	5	Span 40.0 MH	ΙZ
Marker Type Ref Trc	X-value	Y-value	Function	Function Result	_
M1 1	5.32 GHz	-27.26 dBm	Function	Function Result	
M2 1 M3 1	5.31112 GHz 5.32888 GHz	-18.90 dBm -21.43 dBm			
	3.32000 GH2	-21,43 08/1	De sulo:	22.09.2023	
)	- Andrew - A	
Date: 22.87P.2023 2	21:22:47				
	Even Chaldille	FOC 2 21/ 20 F	2201411-0-12		
	Freq. Stability	y 50C 3.3V ac20 53	320MHz Ant2	2 0 Minutes	_
Spectrum	Freq. Stability	y 50C 3.3V ac20 53	320MHz Ant2	ſ	₽
Ref Level 20.00 dBr	m Offset 3.93 dB	RBW 10 kHz		ſ	₩)
RefLevel 20.00 dBr Att 30 d	m Offset 3.93 dB	RBW 10 kHz	320MHz Ant2 Mode Sweep	ſ	₩)
Ref Level 20.00 dBr	m Offset 3.93 dB	RBW 10 kHz		ſ	₽)
Ref Level 20.00 dBr Att 30 d SGL Count 20/20	m Offset 3.93 dB	RBW 10 kHz		-26.50 dE	⊽) Bm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20	m Offset 3.93 dB	RBW 10 kHz	Mode Sweep	-26.50 dE 5.3199800 G	⊽ Bm iHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 PIPk Max 10 dBm	m Offset 3.93 dB	RBW 10 kHz	Aode Sweep	-26.50 dE	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 Ith Max 10 dBm 0 dBm	m Offset 3.93 dB	RBW 10 kHz	Mode Sweep	-26.50 dE 5.3199800 G -19.94 dE	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 PIPk Max 10 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 Ith Max 10 dBm 0 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	⊽ Bm iHz Bm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	▼ BBm HHZ BH HHZ
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	▼ BBm HHZ BH HHZ
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep M1[1] M2[1]	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	▼ BBm HHZ BH HHZ
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm -70 dBm -70 dBm -70 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G	▼ Bm Hz Bm Hz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm -30 dBm -60 dBm -70 dBm -70 dBm -70 dBm -70 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep	-26.50 dE 5.3109600 G -10.94 dE 5.3110800 G	▼ Bm Hz Bm Hz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz NUMMUMUMUM NUMUMUMUM IOO1 pts Y-value -26.50 dBm	Mode Sweep	-26.50 dE 5.3199800 G -19.94 dE 5.3110800 G -19.94 dE 5.3110800 G -19.94 dE -19.94 dE -19.9	▼ Bm Hz Bm Hz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -10 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz MMMMMMM MMMMMMM I	Mode Sweep	-26.50 dE 5.3109600 G -10.94 dE 5.3110800 G	▼ Bm Hz Bm Hz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz NUMMUMUMUM NUMU 1001 pts Y-value -26.50 dBm	Mode Sweep	-26.50 dE 5.3109600 G -10.94 dE 5.3110800 G	▼ Bm Hz Bm Hz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -10 dBm	m Offset 3.93 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz VBW 30 kHz MMMMMMM MMMMMMM I	Mode Sweep	-26.50 dE 5.3109600 G -10.94 dE 5.3110800 G	▼ Bm Hz Bm Hz












	Frog Stability	20C 2.81V ac20 5	600MHz Ant	0 Minutos	
	Treq. Stability	200 2.017 4020 5		E o Williaces	
Spectrum					
Ref Level 20.00 dB Att 30 d			Inde Cursen		
SGL Count 20/20	a awi 401131	SUKHZ N	lode Sweep		
🔵 1Pk Max					
			M1[1]		-24.51 dBm 5.6000000 GHz
10 dBm			M2[1]		-18.26 dBm
0 dBm					5.5911200 GHz
-10 dBm	M2,	يت بدر مرز بر ا	. Internet	L L MO	
-20 dBm		the produced and produced and	wheel wheel the	naldinarithe	
-30 dBm		Π			
-30 0811				N.	
-40 dBm					
-50 dBm				<u>h</u>	
	l 🖉			<u>بر</u>	
-60 dBm թումերիումթերմեկիցինինուկցում	"In July"			ĥω	randerlydosedywhatilinawarym
-70 dBm					
CF 5.6 GHz		1001 pts		-	Span 40.0 MHz
Marker	Maria I	Musha I	E		den Denvik
Type Ref Trc M1 1	X-value 5.6 GHz	-24.51 dBm	Function	Func	tion Result
M2 1	5.59112 GHz	-18.26 dBm			
M3 1	5.60888 GHz	-19.71 dBm			
		,			21:37:03
Date: 22.87P.2023	21:37:07				
	Freq. Stability	20C 3.3V ac20 56	600MHz Ant2	0 Minutes	
Spectrum	Freq. Stability	20C 3.3V ac20 56	00MHz Ant2	0 Minutes	Ē
Spectrum			600MHz Ant2	0 Minutes	
Spectrum Ref Level 20.00 dB Att 30 c	m Offset 4.12 dB	RBW 10 kHz	00MHz Ant2	0 Minutes	
Ref Level 20.00 dB Att 30 c SGL Count 20/20	m Offset 4.12 dB	RBW 10 kHz		0 Minutes	
Ref Level 20.00 dB Att 30 d	m Offset 4.12 dB	RBW 10 kHz	lode Sweep	0 Minutes	
Att 30 c SGL Count 20/20	m Offset 4.12 dB	RBW 10 kHz	M1[1]	0 Minutes	-24.99 dBm 5.600000 GHz
Ref Level 20.00 dB Att 30 c SGL Count 20/20	m Offset 4.12 dB	RBW 10 kHz	lode Sweep	0 Minutes	-24.99 dBm 5.600000 GHz -18.32 dBm
Att 30 c SGL Count 20/20	m Offset 4.12 dB	RBW 10 kHz	M1[1]	0 Minutes	-24.99 dBm 5.600000 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm	m Offset 4.12 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 4.12 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 Ith Max 10 dBm 0 dBm	m Offset 4.12 dB (B SWT 40 ms (RBW 10 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 4.12 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 4.12 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm	m Offset 4.12 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]	KANNAN ANA	-24.99 dBm 5.600000 GHz -18.32 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 4.12 dB (B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm	m Offset 4.12 dB (B B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz
Ref Level 20.00 dB Att 30 c SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	m Offset 4.12 dB (B B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm	m Offset 4.12 dB (B B SWT 40 ms (RBW 10 kHz VBW 30 kHz	M1[1] M2[1]		-24.99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -20 dBm -70 dBm -70 dBm	m Offset 4.12 dB (B B SWT 40 ms (Iode Sweep M1[1] M2[1] MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM		-24.99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -70 dBm -70 dBm -70 dBm -70 dBm -70 dBm	m Offset 4.12 dB (B B SWT 40 ms (RBW 10 kHz VBW 30 kHz	Iode Sweep M1[1] M2[1] MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM		-24.99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -20 dBm -70 dBm -70 dBm	m Offset 4.12 dB (B B SWT 40 ms (Iode Sweep M1[1] M2[1] MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM		-24.99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz
Ref Level 20.00 dB Att 30 c SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -20 dBm -20 dBm -20 dBm -30 dBm -70 dBm -70 dBm CF 5.6 GHz Marker Type Ref Marker Type Ref	m Offset 4.12 dB of B SWT 40 ms of M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2	RBW 10 kHz VBW 30 kHz VBW 30 kHz UINUMWING UINUMWING UINUMUNE	Inde Sweep M1[1] M2[1] M1[1] M2[1]		-24,99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm	m Offset 4.12 dB 6 B SWT 40 ms 6	RBW 10 kHz VBW 30 kHz VBW 30 kHz Uppel/upper/particular 1001 pts Y-value	Inde Sweep M1[1] M2[1] M1[1] M2[1]		-24,99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm -70 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm </td <td>m Offset 4.12 dB (B) SWT 40 ms (C) (C) (C) (C) (C) (C) (C) (C) (C) (C)</td> <td>RBW 10 kHz VBW 30 kHz VBW 30 kHz UppHullhum/npp Impediately the second se</td> <td>Inde Sweep M1[1] M2[1] M1[1] M2[1]</td> <td></td> <td>-24,99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz</td>	m Offset 4.12 dB (B) SWT 40 ms (C)	RBW 10 kHz VBW 30 kHz VBW 30 kHz UppHullhum/npp Impediately the second se	Inde Sweep M1[1] M2[1] M1[1] M2[1]		-24,99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz
Ref Level 20.00 dB Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -60 dBm -70 dBm -60 dBm -70 dBm -70 dBm -20 dBm -30 dBm -30 dBm -60 dBm -70 dBm </td <td>m Offset 4.12 dB o B SWT 40 ms o M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2</td> <td>RBW 10 kHz VBW 30 kHz VBW 30 kHz UppHullhum/npp Impediately the second se</td> <td>Inde Sweep M1[1] M2[1] M1[1] M2[1]</td> <td></td> <td>-24,99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz</td>	m Offset 4.12 dB o B SWT 40 ms o M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2 M2	RBW 10 kHz VBW 30 kHz VBW 30 kHz UppHullhum/npp Impediately the second se	Inde Sweep M1[1] M2[1] M1[1] M2[1]		-24,99 dBm 5.600000 GHz -18.32 dBm 5.5911200 GHz



	Freq. Stabilit	y -10C 3.3V ac20 5	600MHz Ant	2 0 Minutes	
Spectrum					E
Ref Level 20.00 dBr	m Offset 4.12 dB	👄 RBW 10 kHz			(*)
Att 30 d SGL Count 20/20	B SWT 40 ms	👄 VBW 30 kHz I	Mode Sweep		
● 1Pk Max]
			M1[1]		-25.08 dBm
10 dBm			M2[1]		5.6000000 GHz -18.60 dBm
0 dBm					5.5911200 GHz
-10 dBm					
-10 0811	M2 and the	www.	la statululu ha sa	A	
-20 dBm	1. A A A A A A A A A A A A A A A A A A A	And Adversion and addition of	a add the added for the A	All all and a	
-30 dBm		P			
-40 dBm				<u>\</u>	
	N.			14	
-50 dBm				Ξ.	
-60 dBm	ALA			- Contraction of the second se	Autholight of the anti-
-70 dBm	· YUN				and a state of the
, o abiii					
CF 5.6 GHz		1001 pt:	5		Span 40.0 MHz
Marker Type Ref Trc	X-value	Y-value	Function	Euro	tion Result
M1 1	5.6 GHz	-25.08 dBm	Function	Func	cton Result
M2 1 M3 1	5.59112 GHz 5.60888 GHz				
			Ready		22.09.2023
Date: 22.87P.2023 2	21:37:36				
	Freq. Stabili	ity 0C 3.3V ac20 56	600MHz Ant2	0 Minutes	
Spectrum	Freq. Stabili	ity 0C 3.3V ac20 56	600MHz Ant2	0 Minutes	ē
Spectrum Ref Level 20.00 dBr		ity OC 3.3V ac20 56	500MHz Ant2	0 Minutes	
RefLevel 20.00 dBr Att 30 d	m Offset 4.12 dB	• RBW 10 kHz	600MHz Ant2 Mode Sweep	0 Minutes	(IIII) ∀
Ref Level 20.00 dBr Att 30 d SGL Count 20/20	m Offset 4.12 dB	• RBW 10 kHz		0 Minutes	(₩
RefLevel 20.00 dBr Att 30 d	m Offset 4.12 dB	• RBW 10 kHz		0 Minutes	-26.08 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20	m Offset 4.12 dB	• RBW 10 kHz	Mode Sweep M1[1]	0 Minutes	-26.08 dBm 5.600000 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm	m Offset 4.12 dB	• RBW 10 kHz	Mode Sweep	0 Minutes	-26.08 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 Ith Max 10 dBm 0 dBm 0 dBm	m Offset 4.12 dB	• RBW 10 kHz	Mode Sweep M1[1]	0 Minutes	-26.08 dBm 5.600000 GHz -18.27 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-26.08 dBm 5.600000 GHz -18.27 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 Ith Max 10 dBm 0 dBm 0 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz	Mode Sweep M1[1] M2[1]		-26.08 dBm 5.600000 GHz -18.27 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-26.08 dBm 5.600000 GHz -18.27 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-26.08 dBm 5.600000 GHz -18.27 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 Ithe Max 10 dBm 0 dBm -10 dBm -20 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]	ylinnen 2	-26.08 dBm 5.600000 GHz -18.27 dBm
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-26.08 dBm 5.600000 GHz -18.27 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-26.08 dBm 5.600000 GHz -18.27 dBm 5.5911200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-26.08 dBm 5.600000 GHz -18.27 dBm
Ref Level 20.00 dBr Att 30 dl SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep M1[1] M2[1]		-26.08 dBm 5.600000 GHz -18.27 dBm 5.5911200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm	m Offset 4.12 dB B SWT 40 ms	• RBW 10 kHz • VBW 30 kHz 1	Mode Sweep		-26.08 dBm 5.600000 GHz -18.27 dBm 5.5911200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -50 dBm -50 dBm -70 dBm	m Offset 4.12 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep		-26.08 dBm 5.600000 GHz -18.27 dBm 5.5911200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm GF 5.6 GHz Marker Type Ref	m Offset 4.12 dB B SWT 40 ms	RBW 10 kHz VBW 30 kHz	Mode Sweep		-26.00 dBm 5.6000000 GHz -18.27 dBm 5.5911200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm<	m Offset 4.12 dB B SWT 40 ms 40 ms 4	RBW 10 kHz VBW 30 kHz VBW 40 kHz	Mode Sweep		-26.08 dBm 5.600000 GHz -18.27 dBm 5.5911200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -30 dBm -50 dBm -50 dBm -70 dBm	m Offset 4.12 dB B SWT 40 ms M2 M2 M2 M4 M4 M4 M4 M4 M4 M4 M4 M4 M4 M4 M4 M4	RBW 10 kHz VBW 30 kHz VBW 40 kHz	Mode Sweep		-26.08 dBm 5.600000 GHz -18.27 dBm 5.5911200 GHz
Ref Level 20.00 dBr Att 30 d SGL Count 20/20 IPk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm<	m Offset 4.12 dB B SWT 40 ms 40 ms 4	RBW 10 kHz VBW 30 kHz VBW 40 kHz	Mode Sweep		-26.08 dBm 5.600000 GHz -18.27 dBm 5.5911200 GHz

