-- Model: KG3608

1. Specification

- -- Membrane Keyboard
- -- Size: Keyboard: 326.1 x 123.5 x 18.5 mm Touchpad: 72.5x 62.0 mm Receiver: 14.5*6.5*18.5mm




-- Keys: 79 keys, 5 Separate multi-media keys; Left/right Mouse button


-- 2*AAA battery

2.Appearance drawing


1)、top cover



2)、bottom cover



3)、Structure



3. Products features

1)、Keyboard

RF specification

Frequency 2.405GHz-2.472GHz

OS support: Mac OS, Windows 2000/XP/Vista/Windows 7/ Windows 8/ Windows 10

Connection/Power: On/Off Switch

LED: Caps Lock indicaing,Low power indicating,Pair indicating

Main IC: DKK303

Touchpad IC: Pixart PCT1322



Channel Nos: 68 Channel bandwidth:1MHz Modulation: GFSK Working distance: up to 8m Data transfer rate:1Mbps

2) Pairing mode: Switch on the keyboard, put on the USB dongle at the PC,

Holding on ESC+K,red LED shines,

Put the keyboard near the receiver within 20cm, red LED stop shining

Pairing successfully, keyboard works

Pairing working current: <30mA,

3) Working voltage:2.0-3.0V

Working Current

Working mode 1: Touchpanel at working ,current : 15.0mA@3V;

Working mode 2: Keyboard at working ,current : 5mA@3V;

Stand-by 1: Only keyboard on working ,current : 2mA@3V;

Stand-by 2: Touchpanel and keyboard ceased work for 1 minute :0.50mA@3V;

Sleeping mode: 40uA@3V

4) Mechanical specification


- 1. drawing force : \geq 0.8kgf
- 2. resiliency : 55+20gf
- 3. Material : ABS
- 4. key stroke life : 5 million times
- 5. Environment Temperature
 - 1. Working temperature $:5^{\circ}C \sim 50^{\circ}C$
 - 2. Storage temperature:-20 $^\circ\!\mathrm{C}\!\sim\!65\,^\circ\!\mathrm{C}$
- 6. Temperature
 - 1. Working : 10% \sim 90% RH 25 $^{\circ}$ C
 - 2. Storage : 5%~95% RH 25℃

5) Gesture Functionality Support

Finger Gesture	Finger Action	Mouse Function
E Contraction of the second se	Single-finger slide	Mouse cursor manipulation

EV EV	Single tap	Click at cursor location
	Two-finger slide (Horizontally or vertically)	Horizontal or vertical scroll (mouse wheel)
	Pinch on the touchpad with two fingers for zooming. Pinch open to zoom in or pinch close to zoom out.	

6)、Fn Media keys









4

=END

Fn+

深圳市乐翔电气有限公司

Þ	Volume -
	Volume+
	Backwards
$(\mathbf{\bullet})$	Forwards

FCC STATEMENT :

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.