


|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT20<br>Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Vertical                              | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPμV) | Factor<br>(dB) | Actual<br>FS<br>(dBPμV/m) | Limit<br>@3m<br>(dBPμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|--------------------------------------|----------------|---------------------------|---------------------------|----------------|
| 4874.00        | Peak                           | 36.20                                | 1.57           | 37.76                     | 74.00                     | -36.24         |
| 4874.00        | Average                        | 26.72                                | 1.57           | 28.29                     | 54.00                     | -25.71         |
| 7311.00        | Peak                           | 33.72                                | 7.72           | 41.45                     | 74.00                     | -32.55         |
| 7311.00        | Average                        | 25.48                                | 7.72           | 33.20                     | 54.00                     | -20.80         |
| N/A            |                                |                                      |                |                           |                           |                |
|                |                                |                                      |                |                           |                           |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT20<br>Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                            | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPμV) | Factor<br>(dB) | Actual<br>FS<br>(dBPμV/m) | Limit<br>@3m<br>(dBPμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|--------------------------------------|----------------|---------------------------|---------------------------|----------------|
| 4874.00        | Peak                           | 36.06                                | 1.57           | 37.62                     | 74.00                     | -36.38         |
| 4874.00        | Average                        | 26.70                                | 1.57           | 28.27                     | 54.00                     | -25.73         |
| 7311.00        | Peak                           | 33.88                                | 7.72           | 41.60                     | 74.00                     | -32.40         |
| 7311.00        | Average                        | 24.84                                | 7.72           | 32.57                     | 54.00                     | -21.43         |
| N/A            |                                |                                      |                |                           |                           |                |
|                |                                |                                      |                |                           |                           |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                        |               |                 |
|-----------|----------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT20<br>High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                               | Test Date     | June 19, 2023   |
| Polarize  | Vertical                               | Test Engineer | Ray Li          |
| Detector  | Peak / Average                         |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4924.00        | Peak                           | 35.90                               | 1.96           | 37.86                    | 74.00                    | -36.14         |
| 4924.00        | Average                        | 26.66                               | 1.96           | 28.62                    | 54.00                    | -25.38         |
| 7386.00        | Peak                           | 34.70                               | 7.59           | 42.29                    | 74.00                    | -31.71         |
| 7386.00        | Average                        | 25.48                               | 7.59           | 33.07                    | 54.00                    | -20.93         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                        |               |                 |
|-----------|----------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT20<br>High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                               | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                             | Test Engineer | Ray Li          |
| Detector  | Peak / Average                         |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4924.00        | Peak                           | 35.89                               | 1.96           | 37.85                    | 74.00                    | -36.15         |
| 4924.00        | Average                        | 26.44                               | 1.96           | 28.40                    | 54.00                    | -25.60         |
| 7386.00        | Peak                           | 34.23                               | 7.59           | 41.82                    | 74.00                    | -32.18         |
| 7386.00        | Average                        | 24.68                               | 7.59           | 32.26                    | 54.00                    | -21.74         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT40<br>Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Vertical                              | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4844.000       | Peak                           | 35.55                               | 1.35           | 36.90                    | 74.00                    | -37.10         |
| 4844.000       | Average                        | 27.37                               | 1.35           | 28.73                    | 54.00                    | -25.27         |
| 7266.000       | Peak                           | 33.51                               | 7.71           | 41.22                    | 74.00                    | -32.78         |
| 7266.000       | Average                        | 25.37                               | 7.71           | 33.08                    | 54.00                    | -20.92         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT40<br>Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                            | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPV) | Factor<br>(dB) | Actual<br>FS<br>(dBPV/m) | Limit<br>@3m<br>(dBPV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4844.000       | Peak                           | 36.82                               | 1.35           | 38.17                    | 74.00                    | -35.83         |
| 4844.000       | Average                        | 27.33                               | 1.35           | 28.68                    | 54.00                    | -25.32         |
| 7266.000       | Peak                           | 35.58                               | 7.71           | 43.29                    | 74.00                    | -30.71         |
| 7266.000       | Average                        | 25.19                               | 7.71           | 32.91                    | 54.00                    | -21.09         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT40<br>Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Vertical                              | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPV) | Factor<br>(dB) | Actual<br>FS<br>(dBPV/m) | Limit<br>@3m<br>(dBPV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 35.21                               | 1.57           | 36.78                    | 74.00                    | -37.22         |
| 4874.00        | Average                        | 27.15                               | 1.57           | 28.71                    | 54.00                    | -25.29         |
| 7311.00        | Peak                           | 33.04                               | 7.72           | 40.76                    | 74.00                    | -33.24         |
| 7311.00        | Average                        | 25.67                               | 7.72           | 33.40                    | 54.00                    | -20.60         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT40<br>Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                            | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBUV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 35.90                               | 1.57           | 37.47                    | 74.00                    | -36.53         |
| 4874.00        | Average                        | 27.50                               | 1.57           | 29.07                    | 54.00                    | -24.93         |
| 7311.00        | Peak                           | 33.06                               | 7.72           | 40.78                    | 74.00                    | -33.22         |
| 7311.00        | Average                        | 25.18                               | 7.72           | 32.90                    | 54.00                    | -21.10         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                        |               |                 |
|-----------|----------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT40<br>High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                               | Test Date     | June 19, 2023   |
| Polarize  | Vertical                               | Test Engineer | Ray Li          |
| Detector  | Peak / Average                         |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPμV) | Factor<br>(dB) | Actual<br>FS<br>(dBPμV/m) | Limit<br>@3m<br>(dBPμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|--------------------------------------|----------------|---------------------------|---------------------------|----------------|
| 4904.00        | Peak                           | 35.83                                | 1.81           | 37.64                     | 74.00                     | -36.36         |
| 4904.00        | Average                        | 27.00                                | 1.81           | 28.81                     | 54.00                     | -25.19         |
| 7356.00        | Peak                           | 33.55                                | 7.65           | 41.20                     | 74.00                     | -32.80         |
| 7356.00        | Average                        | 25.90                                | 7.65           | 33.55                     | 54.00                     | -20.45         |
| N/A            |                                |                                      |                |                           |                           |                |
|                |                                |                                      |                |                           |                           |                |

**Remark:**

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                        |               |                 |
|-----------|----------------------------------------|---------------|-----------------|
| Test Mode | Mode 1<br>IEEE 802.11n HT40<br>High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                               | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                             | Test Engineer | Ray Li          |
| Detector  | Peak / Average                         |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4904.00        | Peak                           | 35.51                               | 1.81           | 37.32                    | 74.00                    | -36.68         |
| 4904.00        | Average                        | 27.02                               | 1.81           | 28.83                    | 54.00                    | -25.17         |
| 7356.00        | Peak                           | 34.64                               | 7.65           | 42.29                    | 74.00                    | -31.71         |
| 7356.00        | Average                        | 25.31                               | 7.65           | 32.97                    | 54.00                    | -21.03         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                               |               |                 |
|-----------|-------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11b Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                      | Test Date     | June 19, 2023   |
| Polarize  | Vertical                      | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4824.00        | Peak                           | 36.72                               | 1.29           | 38.01                    | 74.00                    | -35.99         |
| 4824.00        | Average                        | 30.19                               | 1.29           | 31.48                    | 54.00                    | -22.52         |
| 7236.00        | Peak                           | 34.20                               | 7.72           | 41.91                    | 74.00                    | -32.09         |
| 7236.00        | Average                        | 27.78                               | 7.72           | 35.50                    | 54.00                    | -18.50         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                               |               |                 |
|-----------|-------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11b Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                      | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                    | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4824.00        | Peak                           | 36.52                               | 1.29           | 37.80                    | 74.00                    | -36.20         |
| 4824.00        | Average                        | 31.21                               | 1.29           | 32.50                    | 54.00                    | -21.50         |
| 7236.00        | Peak                           | 34.56                               | 7.72           | 42.28                    | 74.00                    | -31.72         |
| 7236.00        | Average                        | 32.44                               | 7.72           | 40.16                    | 54.00                    | -13.84         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                               |               |                 |
|-----------|-------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11b Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                      | Test Date     | June 19, 2023   |
| Polarize  | Vertical                      | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 35.87                               | 1.57           | 37.43                    | 74.00                    | -36.57         |
| 4874.00        | Average                        | 26.76                               | 1.57           | 28.33                    | 54.00                    | -25.67         |
| 7311.00        | Peak                           | 33.47                               | 7.72           | 41.19                    | 74.00                    | -32.81         |
| 7311.00        | Average                        | 29.78                               | 7.72           | 37.50                    | 54.00                    | -16.50         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                               |               |                 |
|-----------|-------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11b Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                      | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                    | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 35.04                               | 1.57           | 36.61                    | 74.00                    | -37.39         |
| 4874.00        | Average                        | 30.15                               | 1.57           | 31.72                    | 54.00                    | -22.28         |
| 7311.00        | Peak                           | 35.70                               | 7.72           | 43.43                    | 74.00                    | -30.57         |
| 7311.00        | Average                        | 31.77                               | 7.72           | 39.49                    | 54.00                    | -14.51         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                |               |                 |
|-----------|--------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11b High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                       | Test Date     | June 19, 2023   |
| Polarize  | Vertical                       | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                 |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4924.00        | Peak                           | 35.08                               | 1.96           | 37.04                    | 74.00                    | -36.96         |
| 4924.00        | Average                        | 27.28                               | 1.96           | 29.24                    | 54.00                    | -24.76         |
| 7386.00        | Peak                           | 33.53                               | 7.59           | 41.12                    | 74.00                    | -32.88         |
| 7386.00        | Average                        | 28.20                               | 7.59           | 35.79                    | 54.00                    | -18.21         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                |               |                 |
|-----------|--------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11b High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                       | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                     | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                 |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4924.00        | Peak                           | 34.91                               | 1.96           | 36.87                    | 74.00                    | -37.13         |
| 4924.00        | Average                        | 29.02                               | 1.96           | 30.98                    | 54.00                    | -23.02         |
| 7386.00        | Peak                           | 34.93                               | 7.59           | 42.52                    | 74.00                    | -31.48         |
| 7386.00        | Average                        | 31.46                               | 7.59           | 39.05                    | 54.00                    | -14.95         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                               |               |                 |
|-----------|-------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11g Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                      | Test Date     | June 19, 2023   |
| Polarize  | Vertical                      | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4824.00        | Peak                           | 35.59                               | 1.29           | 36.87                    | 74.00                    | -37.13         |
| 4824.00        | Average                        | 26.94                               | 1.29           | 28.23                    | 54.00                    | -25.77         |
| 7236.00        | Peak                           | 33.92                               | 7.72           | 41.64                    | 74.00                    | -32.36         |
| 7236.00        | Average                        | 26.71                               | 7.72           | 34.43                    | 54.00                    | -19.57         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                               |               |                 |
|-----------|-------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11g Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                      | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                    | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4824.00        | Peak                           | 36.02                               | 1.29           | 37.31                    | 74.00                    | -36.69         |
| 4824.00        | Average                        | 27.00                               | 1.29           | 28.29                    | 54.00                    | -25.71         |
| 7236.00        | Peak                           | 35.22                               | 7.72           | 42.94                    | 74.00                    | -31.06         |
| 7236.00        | Average                        | 29.26                               | 7.72           | 36.98                    | 54.00                    | -17.02         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                               |               |                 |
|-----------|-------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11g Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                      | Test Date     | June 19, 2023   |
| Polarize  | Vertical                      | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 35.93                               | 1.57           | 37.49                    | 74.00                    | -36.51         |
| 4874.00        | Average                        | 26.69                               | 1.57           | 28.26                    | 54.00                    | -25.74         |
| 7311.00        | Peak                           | 35.93                               | 7.72           | 43.65                    | 74.00                    | -30.35         |
| 7311.00        | Average                        | 26.43                               | 7.72           | 34.15                    | 54.00                    | -19.85         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                               |               |                 |
|-----------|-------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11g Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                      | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                    | Test Engineer | Tony Chao       |
| Detector  | Peak / Average                |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBUV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 34.86                               | 1.57           | 36.43                    | 74.00                    | -37.57         |
| 4874.00        | Average                        | 26.71                               | 1.57           | 28.28                    | 54.00                    | -25.72         |
| 7311.00        | Peak                           | 35.51                               | 7.72           | 43.24                    | 74.00                    | -30.76         |
| 7311.00        | Average                        | 29.91                               | 7.72           | 37.63                    | 54.00                    | -16.37         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                |               |                 |
|-----------|--------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11g High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                       | Test Date     | June 19, 2023   |
| Polarize  | Vertical                       | Test Engineer | Ray Li          |
| Detector  | Peak / Average                 |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4924.00        | Peak                           | 35.76                               | 1.96           | 37.72                    | 74.00                    | -36.28         |
| 4924.00        | Average                        | 26.73                               | 1.96           | 28.69                    | 54.00                    | -25.31         |
| 7386.00        | Peak                           | 34.26                               | 7.59           | 41.84                    | 74.00                    | -32.16         |
| 7386.00        | Average                        | 26.52                               | 7.59           | 34.11                    | 54.00                    | -19.89         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                |               |                 |
|-----------|--------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11g High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                       | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                     | Test Engineer | Ray Li          |
| Detector  | Peak / Average                 |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBμV/m) | Limit<br>@3m<br>(dBμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4924.00        | Peak                           | 35.53                               | 1.96           | 37.49                    | 74.00                    | -36.51         |
| 4924.00        | Average                        | 26.62                               | 1.96           | 28.58                    | 54.00                    | -25.42         |
| 7386.00        | Peak                           | 36.10                               | 7.59           | 43.69                    | 74.00                    | -30.31         |
| 7386.00        | Average                        | 29.65                               | 7.59           | 37.24                    | 54.00                    | -16.76         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT20<br>Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Vertical                              | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPV) | Factor<br>(dB) | Actual<br>FS<br>(dBPV/m) | Limit<br>@3m<br>(dBPV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4824.00        | Peak                           | 36.85                               | 1.29           | 38.14                    | 74.00                    | -35.86         |
| 4824.00        | Average                        | 28.82                               | 1.29           | 30.11                    | 54.00                    | -23.89         |
| 7236.00        | Peak                           | 34.39                               | 7.72           | 42.10                    | 74.00                    | -31.90         |
| 7236.00        | Average                        | 27.11                               | 7.72           | 34.83                    | 54.00                    | -19.18         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT20<br>Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                            | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPV) | Factor<br>(dB) | Actual<br>FS<br>(dBPV/m) | Limit<br>@3m<br>(dBPV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4824.00        | Peak                           | 36.70                               | 1.29           | 37.99                    | 74.00                    | -36.01         |
| 4824.00        | Average                        | 27.32                               | 1.29           | 28.60                    | 54.00                    | -25.40         |
| 7236.00        | Peak                           | 36.89                               | 7.72           | 44.61                    | 74.00                    | -29.39         |
| 7236.00        | Average                        | 27.76                               | 7.72           | 35.48                    | 54.00                    | -18.52         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT20<br>Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Vertical                              | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPV) | Factor<br>(dB) | Actual<br>FS<br>(dBPV/m) | Limit<br>@3m<br>(dBPV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 35.55                               | 1.57           | 37.11                    | 74.00                    | -36.89         |
| 4874.00        | Average                        | 26.94                               | 1.57           | 28.51                    | 54.00                    | -25.49         |
| 7311.00        | Peak                           | 33.26                               | 7.72           | 40.98                    | 74.00                    | -33.02         |
| 7311.00        | Average                        | 26.88                               | 7.72           | 34.61                    | 54.00                    | -19.39         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT20<br>Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                            | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBUV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 36.05                               | 1.57           | 37.61                    | 74.00                    | -36.39         |
| 4874.00        | Average                        | 26.82                               | 1.57           | 28.38                    | 54.00                    | -25.62         |
| 7311.00        | Peak                           | 35.33                               | 7.72           | 43.05                    | 74.00                    | -30.95         |
| 7311.00        | Average                        | 27.99                               | 7.72           | 35.71                    | 54.00                    | -18.29         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                        |               |                 |
|-----------|----------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT20<br>High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                               | Test Date     | June 19, 2023   |
| Polarize  | Vertical                               | Test Engineer | Ray Li          |
| Detector  | Peak / Average                         |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4924.00        | Peak                           | 36.62                               | 1.96           | 38.58                    | 74.00                    | -35.42         |
| 4924.00        | Average                        | 26.56                               | 1.96           | 28.52                    | 54.00                    | -25.48         |
| 7386.00        | Peak                           | 33.88                               | 7.59           | 41.47                    | 74.00                    | -32.53         |
| 7386.00        | Average                        | 25.88                               | 7.59           | 33.47                    | 54.00                    | -20.53         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

#### Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                        |               |                 |
|-----------|----------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT20<br>High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                               | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                             | Test Engineer | Ray Li          |
| Detector  | Peak / Average                         |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4924.00        | Peak                           | 36.18                               | 1.96           | 38.14                    | 74.00                    | -35.86         |
| 4924.00        | Average                        | 27.06                               | 1.96           | 29.02                    | 54.00                    | -24.98         |
| 7386.00        | Peak                           | 36.48                               | 7.59           | 44.07                    | 74.00                    | -29.93         |
| 7386.00        | Average                        | 28.44                               | 7.59           | 36.03                    | 54.00                    | -17.97         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT40<br>Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Vertical                              | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4844.00        | Peak                           | 36.48                               | 1.35           | 37.83                    | 74.00                    | -36.17         |
| 4844.00        | Average                        | 27.44                               | 1.35           | 28.79                    | 54.00                    | -25.21         |
| 7266.00        | Peak                           | 34.29                               | 7.71           | 42.00                    | 74.00                    | -32.00         |
| 7266.00        | Average                        | 26.05                               | 7.71           | 33.77                    | 54.00                    | -20.23         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT40<br>Low CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                            | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4844.00        | Peak                           | 36.33                               | 1.35           | 37.68                    | 74.00                    | -36.32         |
| 4844.00        | Average                        | 27.45                               | 1.35           | 28.80                    | 54.00                    | -25.20         |
| 7266.00        | Peak                           | 35.32                               | 7.71           | 43.03                    | 74.00                    | -30.97         |
| 7266.00        | Average                        | 27.65                               | 7.71           | 35.36                    | 54.00                    | -18.64         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT40<br>Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Vertical                              | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBPμV) | Factor<br>(dB) | Actual<br>FS<br>(dBPμV/m) | Limit<br>@3m<br>(dBPμV/m) | Margin<br>(dB) |
|----------------|--------------------------------|--------------------------------------|----------------|---------------------------|---------------------------|----------------|
| 4874.00        | Peak                           | 35.38                                | 1.57           | 36.95                     | 74.00                     | -37.05         |
| 4874.00        | Average                        | 27.40                                | 1.57           | 28.97                     | 54.00                     | -25.03         |
| 7311.00        | Peak                           | 33.75                                | 7.72           | 41.47                     | 74.00                     | -32.53         |
| 7311.00        | Average                        | 25.75                                | 7.72           | 33.47                     | 54.00                     | -20.53         |
| N/A            |                                |                                      |                |                           |                           |                |
|                |                                |                                      |                |                           |                           |                |

**Remark:**

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                       |               |                 |
|-----------|---------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT40<br>Mid CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                              | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                            | Test Engineer | Ray Li          |
| Detector  | Peak / Average                        |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBUV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4874.00        | Peak                           | 35.43                               | 1.57           | 37.00                    | 74.00                    | -37.00         |
| 4874.00        | Average                        | 27.47                               | 1.57           | 29.04                    | 54.00                    | -24.96         |
| 7311.00        | Peak                           | 37.64                               | 7.72           | 45.36                    | 74.00                    | -28.64         |
| 7311.00        | Average                        | 28.44                               | 7.72           | 36.16                    | 54.00                    | -17.84         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                        |               |                 |
|-----------|----------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT40<br>High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                               | Test Date     | June 19, 2023   |
| Polarize  | Vertical                               | Test Engineer | Ray Li          |
| Detector  | Peak / Average                         |               |                 |




| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4904.00        | Peak                           | 35.78                               | 1.81           | 37.59                    | 74.00                    | -36.41         |
| 4904.00        | Average                        | 27.19                               | 1.81           | 29.00                    | 54.00                    | -25.00         |
| 7356.00        | Peak                           | 35.15                               | 7.65           | 42.80                    | 74.00                    | -31.20         |
| 7356.00        | Average                        | 26.99                               | 7.65           | 34.64                    | 54.00                    | -19.36         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

#### Remark:

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

|           |                                        |               |                 |
|-----------|----------------------------------------|---------------|-----------------|
| Test Mode | Mode 2<br>IEEE 802.11n HT40<br>High CH | Temp/Hum      | 24.3(°C)/ 58%RH |
| Test Item | Harmonic                               | Test Date     | June 19, 2023   |
| Polarize  | Horizontal                             | Test Engineer | Ray Li          |
| Detector  | Peak / Average                         |               |                 |



| Freq.<br>(MHz) | Detector<br>Mode<br>(PK/QP/AV) | Spectrum<br>Reading Level<br>(dBμV) | Factor<br>(dB) | Actual<br>FS<br>(dBUV/m) | Limit<br>@3m<br>(dBUV/m) | Margin<br>(dB) |
|----------------|--------------------------------|-------------------------------------|----------------|--------------------------|--------------------------|----------------|
| 4904.00        | Peak                           | 35.73                               | 1.81           | 37.54                    | 74.00                    | -36.46         |
| 4904.00        | Average                        | 27.62                               | 1.81           | 29.43                    | 54.00                    | -24.57         |
| 7356.00        | Peak                           | 34.49                               | 7.65           | 42.14                    | 74.00                    | -31.86         |
| 7356.00        | Average                        | 27.89                               | 7.65           | 35.54                    | 54.00                    | -18.46         |
| N/A            |                                |                                     |                |                          |                          |                |
|                |                                |                                     |                |                          |                          |                |

**Remark:**

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

**- End of Test Report -**