



REPORT NO.: 4790489019-1-RF-2

Page 113 of 128

Appendix F: Band Edge

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-43.51	≤-30	Pass
	2462		-52.56	≤-30	Pass
g	2412		-35.5	≤-30	Pass
	2462		-47.77	≤-30	Pass
n20	2412		-37.67	≤-30	Pass
	2462		-47.26	≤-30	Pass
n40	2422		-41.02	≤-30	Pass
	2452		-39.17	≤-30	Pass






























REPORT NO.: 4790489019-1-RF-2

Page 120 of 128

Appendix G: Conducted RF Spurious Emission

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	- Ant1	-45.37	≤-30	Pass
	2437		-46.23	≤-30	Pass
	2462		-45.83	≤-30	Pass
g	2412		-43.53	≤-30	Pass
	2437		-43.9	≤-30	Pass
	2462		-44.29	≤-30	Pass
n20	2412		-44.3	≤-30	Pass
	2437		-44.24	≤-30	Pass
	2462		-44.69	≤-30	Pass
n40	2422		-42.1	≤-30	Pass
	2437		-41.6	≤-30	Pass
	2452		-42.41	≤-30	Pass






































**END OF REPORT**