



**Conducted Spurious Emission (worst) @151.850 MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 151.850MHz With 12.5 KHz Channel Separation-4W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @161.610 MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 161.610MHz With 12.5 KHz Channel Separation-4W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @173.975 MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 173.975MHz With 12.5 KHz Channel Separation-4W**


1GHz-12.75GHz




**Conducted Spurious Emission (worst) @136.025MHz With 12.5 KHz Channel Separation-1W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 136.025MHz With 12.5 KHz Channel Separation-1W**  
1GHz-12.75GHz



**Conducted Spurious Emission (worst) @151.850 MHz With 12.5 KHz Channel Separation-1W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 151.850MHz With 12.5 KHz Channel Separation-1W**  
1GHz-12.75GHz




**Conducted Spurious Emission (worst) @161.610 MHz With 12.5 KHz Channel Separation-1W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 161.610MHz With 12.5 KHz Channel Separation-1W**


1GHz-12.75GHz



**Conducted Spurious Emission (worst) @173.975MHz With 12.5 KHz Channel Separation-1W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 173.975MHz With 12.5 KHz Channel Separation-1W**  
1GHz-12.75GHz




Digital:

**Conducted Spurious Emission (worst) @136.025MHz With 12.5 KHz Channel Separation-1W**  
 30MHz-1GHz




**Conduct Spurious Emission (worst) @ 136.025MHz With 12.5 KHz Channel Separation-1W**  
 1GHz-12.75GHz






**Conducted Spurious Emission (worst) @151.850 MHz With 12.5 KHz Channel Separation-1W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 151.850MHz With 12.5 KHz Channel Separation-1W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @161.610 MHz With 12.5 KHz Channel Separation-1W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 161.610MHz With 12.5 KHz Channel Separation-1W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @173.975 MHz With 12.5 KHz Channel Separation-1W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 173.975MHz With 12.5 KHz Channel Separation-1W**


1GHz-12.75GHz



**Conducted Spurious Emission (worst) @136.025MHz With 12.5 KHz Channel Separation-4W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 136.025MHz With 12.5 KHz Channel Separation-4W**  
1GHz-12.75GHz




**Conducted Spurious Emission (worst) @151.850 MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 151.850MHz With 12.5 KHz Channel Separation-4W**


1GHz-12.75GHz




**Conducted Spurious Emission (worst) @161.610 MHz With 12.5 KHz Channel Separation-4W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 161.610MHz With 12.5 KHz Channel Separation-4W**  
1GHz-12.75GHz



**Conducted Spurious Emission (worst) @173.975 MHz With 12.5 KHz Channel Separation-4W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 173.975MHz With 12.5 KHz Channel Separation-4W**  
1GHz-12.75GHz




**Note:** only result the worst case in this part.

UHF:  
Analog:

**Conducted Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-1W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-1W**  
1GHz-12.75GHz






**Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-1W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-1W**  
1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 454.025MHz With 12.5 KHz Channel Separation-0.2W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 454.025MHz With 12.5 KHz Channel Separation-0.2W**


1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-1W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-1W**  
1GHz-12.75GHz



**Conducted Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-4W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-4W**  
1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-6W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-6W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 454.025MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 454.025MHz With 12.5 KHz Channel Separation-4W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz



**Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-4W**


1GHz-12.75GHz




Note: All the test frequencies was tested, but only the worst data be recorded in this part.

**Digital:**

**Conducted Spurious Emission (worst) @400.025MHz With 12.5 KHz Channel Separation-1W**  
 30MHz-1GHz




**Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-1W**  
 1GHz-12.75GHz







**Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-1W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-1W**  
1GHz-12.75GHz



**Conducted Spurious Emission (worst) @ 454.025MHz With 12.5 KHz Channel Separation-1W**  
30MHz-1GHz




**Conduct Spurious Emission (worst) @ 454.025MHz With 12.5 KHz Channel Separation-1W**  
1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 479.975 MHz With 12.5 KHz Channel Separation-1W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 479.975 MHz With 12.5 KHz Channel Separation-1W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 400.025MHz MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 400.025MHz MHz With 12.5 KHz Channel Separation-4W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-4W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 454.025MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz




**Conduct Spurious Emission (worst) @ 454.025MHz With 12.5 KHz Channel Separation-4W**

1GHz-12.75GHz




**Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-4W**

30MHz-1GHz



**Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-4W**

1GHz-12.75GHz



Note: All the test frequencies was tested, but only the worst data be recorded in this part.

**10. TRANSMITTER FREQUENCY BEHAVIOR**

**10.1 PROVISIONS APPLICABLE**

FCC §90.214

Time intervals <sup>1, 2</sup>	Maximum frequency difference <sup>3</sup>	All equipment	
		150 to 174 MHz	421 to 512 MHz
Transient Frequency Behavior for Equipment Designed to Operate on 25 kHz Channels			
t <sub>1</sub> <sup>4</sup> .....	± 25.0 kHz	5.0 ms	10.0 ms
t <sub>2</sub> .....	± 12.5 kHz	20.0 ms	25.0 ms
t <sub>3</sub> <sup>4</sup> .....	± 25.0 kHz	5.0 ms	10.0 ms
Transient Frequency Behavior for Equipment Designed to Operate on 12.5 kHz Channels			
t <sub>1</sub> <sup>4</sup> .....	± 12.5 kHz	5.0 ms	10.0 ms
t <sub>2</sub> .....	± 6.25 kHz	20.0 ms	25.0 ms
t <sub>3</sub> <sup>4</sup> .....	± 12.5 kHz	5.0 ms	10.0 ms
Transient Frequency Behavior for Equipment Designed to Operate on 6.25 kHz Channels			
t <sub>1</sub> <sup>4</sup> .....	± 6.25 kHz	5.0 ms	10.0 ms
t <sub>2</sub> .....	± 3.125 kHz	20.0 ms	25.0 ms
t <sub>3</sub> <sup>4</sup> .....	± 6.25 kHz	5.0 ms	10.0 ms

<sup>1</sup> t<sub>on</sub> is the instant when a 1 kHz test signal is completely suppressed, including any capture time due to phasing.

t<sub>1</sub> is the time period immediately following t<sub>on</sub>.

t<sub>2</sub> is the time period immediately following t<sub>1</sub>.

t<sub>3</sub> is the time period from the instant when the transmitter is turned off until t<sub>off</sub>.

t<sub>off</sub> is the instant when the 1 kHz test signal starts to rise.

<sup>2</sup> During the time from the end of t<sub>2</sub> to the beginning of t<sub>3</sub>, the frequency difference must not exceed the limits specified in §90.213.

<sup>3</sup> Difference between the actual transmitter frequency and the assigned transmitter frequency.

<sup>4</sup> If the transmitter carrier output power rating is 6 watts or less, the frequency difference during this time period may exceed the maximum frequency difference for this time period.

**10.2 TEST METHOD**

TIA/EIA-603 2.2.19.3



### 10.3 DESCRIBE LIMIT LINE OF TRANSMITTER FREQUENCY BEHAVIOR


**ton:** The switch-on instant  $t_{on}$  of a transmitter is defined by the condition when the output power, measured at the antenna terminal, exceeds 0,1 % of the full output power (-30 dBc).

**t1:** period of time starting at  $t_{on}$  and finishing according to above 11.1

**t2:** period of time starting at the end of  $t_1$  and finishing according to above 11.1

**toff:** switch-off instant defined by the condition when the output power falls below 0,1 % of the full output power (-30 dBc).


**t3:** period of time that finishing at  $t_{off}$  and starting according to above 11.1




### 10.4 MEASURE RESULT

VHF:

Transmitter Frequency Behavior @ 12.5 KHz Channel Separation--Off to On




Transmitter Frequency Behavior @ 12.5 KHz Channel Separation--On to Off




UHF:

Transmitter Frequency Behavior @ 12.5 KHz Channel Separation--Off to On



Transmitter Frequency Behavior @ 12.5 KHz Channel Separation--On to Off



## 11. AUDIO LOW PASS FILTER RESPONSE

### 11.1. TEST LIMITS

**2.1047(a):** Voice modulated communication equipment. A curve or equivalent data showing the frequency response of the audio modulating circuit over a range of 100 to 5000 Hz shall be submitted. For equipment required to have an audio low-pass filter, a curve showing the frequency response of the filter or of all circuitry installed between the modulation limiter and the modulated stage shall be submitted.

**90.242(b)(8):** Recommended audio filter attenuation characteristics are given below:

Audio band	Minimum Attenuation Rel. to 1 KHz Attenuation
3 –20 KHz	$60 \log_{10}(f/3)$ dB where f is in KHz
20 – 30 KHz	50dB

### 11.2. METHOD OF MEASUREMENTS


The rated audio input signal was applied to the input of the audio low-pass filter (or of all modulation stages) using an audio oscillator, this input signal level and its corresponding output signal were then measured and recorded using the FFT Digital Spectrum Analyzer. Tests were repeated at different audio signal frequencies from 0 to 50 KHz.

**11.3.MEASURE RESULT**

Analog:


**12.5 KHZ CHANNEL SPACING, F3E, FREQUENCY OF ALL MODULATION STATES (TEST RESULT FOR UHF)-4W**

Audio Frequency (kHz)	Response Attenuation (dB)	Limit (dB)
1	0	/
3	-1.84	0.00
4	-6.84	-5.00
5	-10.71	-8.87
6	-13.88	-12.04
7	-16.56	-14.72
8	-18.88	-17.04
9	-20.92	-19.08
10	-22.76	-20.92
15	-29.84	-28.00
20	-29.84	-28.00
30	-29.84	-28.00
50	-29.84	-28.00
70	-29.84	-28.00





**12.5KHZ CHANNEL SPACING, F3E, FREQUENCY OF ALL MODULATION STATES (TEST RESULT FOR VHF)-4W**

Audio Frequency (kHz)	Response Attenuation (dB)	Limit (dB)
1	0	/
3	-1.95	0.00
4	-6.95	-5.00
5	-10.82	-8.87
6	-13.99	-12.04
7	-16.67	-14.72
8	-18.99	-17.04
9	-21.03	-19.08
10	-22.87	-20.92
15	-29.95	-28.00
20	-29.95	-28.00
30	-29.95	-28.00
50	-29.95	-28.00
70	-29.95	-28.00



**APPENDIX I: PHOTOGRAPHS OF SETUP**  
RADIATED EMISSION TEST SETUP





### APPENDIX II PHOTOGRAPHS OF EUT

TOTAL VIEW OF EUT



TOP VIEW OF EUT





BOTTOM VIEW OF EUT



FRONT VIEW OF EUT



BACK VIEW OF EUT



LEFT VIEW OF EUT






RIGHT VIEW OF EUT




OPEN VIEW-1 OF EUT



OPEN VIEW-2 OF EUT




OPEN VIEW-3 OF EUT






INTERNAL VIEW-1 OF EUT




INTERNAL VIEW-2 OF EUT






INTERNAL VIEW-3 OF EUT




INTERNAL VIEW-4 OF EUT






INTERNAL VIEW-5 OF EUT




INTERNAL VIEW-6 OF EUT






INTERNAL VIEW-7 OF EUT




OPEN VIEW-4 OF EUT







OPEN VIEW-5 OF EUT




INTERNAL VIEW-8 OF EUT



INTERNAL VIEW-9 OF EUT



INTERNAL VIEW-10 OF EUT



----END OF REPORT----