LTE Band4



Page 93 of 116



Page 94 of 116



Page 95 of 116



Page 96 of 116

LTE Band5



Page 97 of 116



Page 98 of 116



Page 99 of 116

LTE Band7



Page 100 of 116



Page 101 of 116



Page 102 of 116

LTE Band17



Page 103 of 116



Page 104 of 116

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch. FORM NO: 10-SL-F0035

6.7 FIELD STRENGTH OF SPURIOUS RADIATION

RULE PART(S)

FCC: §2.1053, §22.917, §24.238, §27.53

LIMIT

Part §22.917(a) ,§24.238(a), §27.53(h)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log (P) dB.

Part §27.53(m)

At least $55 + 10 \log (P) dB$ on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section.

TEST SETUP

Test Setup for Below 1G



Test Setup for Above 1G



TEST PROCEDURE

KDB 971168 D01 Section 7

Below 1GHz test procedure as below:

- 1. The EUT was placed on a rotatable wooden table with 0.8 meter above ground.
- 2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.

Page 105 of 116

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch. FORM NO: 10-SL-F0035

3. The table was rotated 360 degrees to determine the position of the highest spurious emission.

4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.

5. Taking the record of maximum spurious emission.

6. A horn antenna was substituted in place of the EUT and was driven by a signal generator.

7. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.

8. Taking the record of output power at antenna port.

9. Repeat step 7 to step 8 for another polarization.

10. Calculate power in dBm by the following formula:

ERP(dBm) = Pg(dBm) - cable loss (dB) + antenna gain (dBd)

Where:

Pd is the dipole equivalent power, Pg is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to Pg [dBm] – cable loss [dB]. The calculated Pd levels are then compared to the absolute spurious emission limit of -13dBm which is equivalent to the required minimum attenuation of 43 + 10log10(Power [Watts]).

Above 1GHz test procedure as below:

1. The EUT was placed on a rotatable wooden table with 0.8 meter above ground.

2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.

3. The table was rotated 360 degrees to determine the position of the highest spurious emission.

4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.

5. Taking the record of maximum spurious emission.

6. A horn antenna was substituted in place of the EUT and was driven by a signal generator.

7. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.

8. Taking the record of output power at antenna port.

9. Repeat step 7 to step 8 for another polarization.

10. Calculate power in dBm by the following formula:

EIRP(dBm) = Pg(dBm) - cable loss (dB) + antenna gain (dBi)

EIRP=ERP+2.15dB

Where: Pg is the generator output power into the substitution antenna.

11. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from 43 + 10log(P)dB below the transmitter power P(Watts)

= P(W) - [43 + 10log(P)] (dB)

 $= [30 + 10\log(P)] (dBm) - [43 + 10\log(P)] (dB)$

= -13dBm.

NOTE 1: Radiated spurious emissions were investigated below 30MHz, 30MHz – 1GHz and above 1GHz. There were no emissions found on below 30MHz and 30MHz – 1GHz. Although these tests were performed other than open area test site, adequate comparison measurements were confirmed against 30 m open are test site.

Therefore sufficient tests were made to demonstrate that the alternative site produces results that correlate with the one of tests made in an open field based on KDB 414788.

NOTE 2: Please refer to section 5.4 for bandwidth and RB setting about LTE bands.

RESULTS

See the following pages

Page 106 of 116

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch. FORM NO: 10-SL-F0035

Radiated spurious emissions results between 30MHz and 1GHz

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
57.16	-77.14	-13.00	-64.14	Horizontal		39.70	-79.73	-13.00	-66.73	Vertical
189.08	-79.29	-13.00	-66.29	Horizontal		115.36	-82.40	-13.00	-69.40	Vertical
417.03	-76.94	-13.00	-63.94	Horizontal		164.83	-78.48	-13.00	-65.48	Vertical
539.25	-66.87	-13.00	-53.87	Horizontal	1	203.63	-79.42	-13.00	-66.42	Vertical
559.62	-56.21	-13.00	-43.21	Horizontal		375.32	-74.49	-13.00	-61.49	Vertical
585.81	-40.89	-13.00	-27.89	Horizontal		712.88	-45.00	-13.00	-32.00	Vertical
Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
(MHz)	Ecver (ub)	cimic ciric (db)	Over Einik (db)	TOBIZEDOT		(MHz)	Level (dD)	Limit Line (db)	Over Linik (db)	1 Oldriz duori
39.70	-78.06	-13.00	-65.06	Vertical		39.70	-78.06	-13.00	-65.06	Vertical
110.51	-82.98	-13.00	-69.98	Vertical		110.51	-82.98	-13.00	-69.98	Vertical
165.80	-78.24	-13.00	-65.24	Vertical		165.80	-78.24	-13.00	-65.24	Vertical
199.75	-78.99	-13.00	-05.99	Vertical		199.75	-78.99	-13.00	-65.99	Vertical
622.27	-75.40	-13.00	-00.40	Vertical		341.37	-79.40	-13.00	-00.40	Vertical
032.57	50.00	-15.00	-00.11	Vertical	_	032.37	-71.11	-13.00	-00.11	verucai
		LTE	B2					LTE	B4	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
61.04	-76.81	-13.00	-63.81	Vertical		31.94	-72.70	-25.00	-47.70	Vertical
177.44	-71.20	-13.00	-58.20	Vertical		56.19	-77.41	-25.00	-52.41	Vertical
289.96	-70.30	-13.00	-57.30	Vertical		156.10	-77.82	-25.00	-52.82	Vertical
488.81	-66.60	-13.00	-53.60	Vertical		250.19	-78.28	-25.00	-53.28	Vertical
671.17	-61.93	-13.00	-48.93	Vertical		403.45	-95.20	-25.00	-70.20	Vertical
971.87	-59.49	-13.00	-46.49	Vertical		628.49	-95.20	-25.00	-70.20	Vertical
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
112.45	-76.86	-13.00	-63.86	Vertical		30.97	-72.59	-25.00	-47.59	Vertical
193.9299	-70.39	-13.00	-57.39	Vertical		116.33	-82.84	-25.00	-57.84	Vertical
342.34	-69.39	-13.00	-56.39	Vertical		167.74	-78.41	-25.00	-53.41	Vertical
552.83	-65.55	-13.00	-52.55	Vertical		283.17	-79.27	-25.00	-54.27	Vertical
674.08	-60.94	-13.00	-47.94	Vertical		375.32	-73.49	-25.00	-48.49	Vertical
893.3	-08.93	-13.00	-40.93	verucai	1	649.83	-70.09	-25.00	-45.09	venical
		LTE	B5					LTE	B7	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization						
150.28	-74.02	-13.00	-61.02	Vertical						
199.75	-70.22	-13.00	-57.22	Vertical						
280.26	-70.60	-13.00	-57.60	Vertical						
405.39	-66.61	-13.00	-53.61	Vertical						
608.12	-62.40	-13.00	-49.40	Vertical						
873.90	-59.68	-13.00	-46.68	Vertical						
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization						
177.44	-69.92	-13.00	-56.92	Vertical						
285.11	-69.90	-13.00	-56.90	Vertical						
4/4.26	-66.31	-13.00	-53.31	Vertical						
625.58	-63.09	-13.00	-50.09	Vertical						
005.45	-09.07	-13.00	-40.07	Vertical						
800.40	-00.00	-13.00	-40.00	Verucai	-					
		LTEI	B17							

Radiated spurious emissions results Above 1GHz

LTE Band 2

Frequency	1 1(10)	1	0.11.11.00	D L 1 <i>K</i>					
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1324.00	-43.39	-13.00	-30.39	Horizontal	1209.00	42.65	12.00	20.6E	Horizontal
1534.00	-41.71	-13.00	-28.71	Horizontal	1550.00	-42.00	-13.00	-29.00	Horizontal
1850.00	25.65	-13.00	1	Horizontal	1558.00	-42.28	-13.00	-29.28	Horizontal
1930.00	-33.92	-13.00	-20.92	Horizontal	1880.00	26.59	-13.00	1	Horizontal
2320.00	-35.98	-13.00	-22.98	Horizontal	1960.00	-36.11	-13.00	-23.11	Horizontal
2850.00	-32.48	-13.00	-19.48	Horizontal	2360.00	-36.75	-13.00	-23.75	Horizontal
3690.00	-26.70	-13.00	-13.70	Horizontal	2730.00	-33.95	-13.00	-20.95	Horizontal
5550.00	-43.62	-13.00	-30.62	Horizontal	3750.00	-28.98	-13.00	-15.98	Horizontal
7395.00	-44.64	-13.00	-31.64	Horizontal	5640.00	-47.34	-13.00	-34.34	Horizontal
11535.00	-46.32	-13.00	-33.32	Horizontal	7515.00	-45.17	-13.00	-32.17	Horizontal
14085.00	-44 72	-13.00	-31 72	Horizontal	11535.00	-46.62	-13.00	-33.62	Horizontal
17025.00	-43.34	-13.00	-30.34	Horizontal	12300.00	-44.06	-13.00	-31.06	Horizontal
Frequency					16680.00	-44.73	-13.00	-31.73	Horizontal
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency	Laural (dD)	Line (HD)	Oursel List (HD)	Delevization
1406.00	-43.53	-13.00	-30.53	Vertical	(MHz)	Level (uB)	LITTIC LITTE (UB)	Over Linnic (dB)	Foidrization
1742.00	-40.18	-13.00	-27.18	Vertical	1240.00	-44.32	-13.00	-31.32	Vertical
1850.00	27.11	-13.00	1	Vertical	1624.00	-41.34	-13.00	-28.34	Vertical
1930.00	-27.25	-13.00	-14 25	Vertical	1880.00	25.83	-13.00	1	Vertical
2386.00	-36.36	-13.00	-23.36	Vertical	1960.00	-28.37	-13.00	-15.37	Vertical
2630.00	-34.56	-13.00	-21.56	Vertical	2396.00	-36.20	-13.00	-23.20	Vertical
3690.00	-24.05	-13.00	-11.05	Vertical	2830.00	-32.69	-13.00	-19.69	Vertical
5550.00	-24.05	-13.00	-11.05	Vertical	3750.00	-27.78	-13.00	-14.78	Vertical
7395.00	-43.97	-13.00	-11.03	Vertical	5640.00	-48.34	-13.00	-35.34	Vertical
0215.00	46.61	12.00	-50.81	Vertical	7515.00	-47.09	-13.00	-34.09	Vertical
14420.00	47.76	-13.00	-33.01	Vertical	10530.00	-46.75	-13.00	-33.75	Vertical
16975.00	-41.70	-13.00	-34.70	Vertical	14445.00	-43.80	-13.00	-30,80	Vertical
10075.00	-99.72	-13.00	-31.72	vertical	17760.00	-43.29	-13.00	-30.29	Vertical

Page 107 of 116

	L	TE B2 QPS	SK-1.4M-Low				l	LTE B2 QPS	SK-1.4M-Mid	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1394.00	-43.46	-13.00	-30.46	Horizontal		1474.00	-42.52	-13.00	-29.52	Horizontal
1724.00	-41.04	-13.00	-28.04	Horizontal		1746.00	-28.36	-13.00	-15.36	Horizontal
1910.00	24.87	-13.00	1	Horizontal		1850.00	24.88	-13.00	1	Horizontal
2142.00	-36.43	-13.00	-23.43	Horizontal		2162.00	-37.28	-13.00	-24.28	Horizontal
2498.00	-35.55	-13.00	-22.55	Horizontal		2552.00	-35.25	-13.00	-22.25	Horizontal
2702.00	-33.25	-13.00	-20.25	Horizontal		2866.00	-32.95	-13.00	-19.95	Horizontal
3810.00	-31.46	-13.00	-18.46	Horizontal		3690.00	-26.36	-13.00	-13.36	Horizontal
5730.00	-48.94	-13.00	-35.94	Horizontal		5550.00	-41.46	-13.00	-28.46	Horizontal
7635.00	-44.21	-13.00	-31.21	Horizontal		7395.00	-45.14	-13.00	-32.14	Horizontal
11280.00	-45.93	-13.00	-32.93	Horizontal		12270.00	-45.72	-13.00	-32.72	Horizontal
14445.00	-43.68	-13.00	-30.68	Horizontal		14730.00	-44.65	-13.00	-31.65	Horizontal
17790.00	-43.10	-13.00	-30.10	Horizontal		16995.00	-43.50	-13.00	-30.50	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1066.00	-44.18	-13.00	-31.18	Vertical		1628.00	-41.58	-13.00	-28.58	Vertical
1432.00	-41.25	-13.00	-28.25	Vertical		1750.00	-29.34	-13.00	-16.34	Vertical
1910.00	23.63	-13.00	1	Vertical		1850.00	26.92	-13.00	1	Vertical
1990.00	-28.27	-13.00	-15.27	Vertical		1930.00	-28.79	-13.00	-15.79	Vertical
2476.00	-35.83	-13.00	-22.83	Vertical		2490.00	-35.62	-13.00	-22.62	Vertical
2732.00	-33.03	-13.00	-20.03	Vertical		2838.00	-33.06	-13.00	-20.06	Vertical
3810.00	-30.15	-13.00	-17.15	Vertical		3690.00	-25.73	-13.00	-12.73	Vertical
5730.00	-49.92	-13.00	-36.92	Vertical		5550.00	-25.73	-13.00	-12.73	Vertical
9630.00	-48.30	-13.00	-35.30	Vertical		9315.00	-43.90	-13.00	-30.90	Vertical
13095.00	-45.91	-13.00	-32.91	Vertical	1	12195.00	-47.64	-13.00	-34.64	Vertical
14415.00	-44.55	-13.00	-31.55	Vertical		15045.00	-45.45	-13.00	-32.45	Vertical
16965.00	-43.50	-13.00	-30.50	Vertical		17715.00	-44.07	-13.00	-31.07	Vertical
	L	TE B2 QPS	K-1.4M-High				L	TE B2 16Q/	AM-1.4M-Low	

					-				
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1762.00	-30.75	-13.00	-17.75	Horizontal	1416.00	-42.37	-13.00	-29.37	Horizontal
1880.00	26.01	-13.00	1	Horizontal	1746.00	-31.80	-13.00	-18.80	Horizontal
1960.00	-34.99	-13.00	-21.99	Horizontal	1876.00	-26.37	-13.00	-13.37	Horizontal
2328.00	-36.07	-13.00	-23.07	Horizontal	1910.00	25.00	-13.00	1	Horizontal
2580.00	-34.62	-13.00	-21.62	Horizontal	2396.00	-35.48	-13.00	-22.48	Horizontal
2654.00	-34.15	-13.00	-21.15	Horizontal	2860.00	-32.67	-13.00	-19.67	Horizontal
3750.00	-30.73	-13.00	-17.73	Horizontal	3810.00	-32.86	-13.00	-19.86	Horizontal
5640.00	-47.39	-13.00	-34.39	Horizontal	5730.00	-50.28	-13.00	-37.28	Horizontal
7515.00	-45.54	-13.00	-32.54	Horizontal	7635.00	-44.47	-13.00	-31.47	Horizontal
11100.00	-46.96	-13.00	-33.96	Horizontal	9300.00	-48.11	-13.00	-35.11	Horizontal
14430.00	-44.24	-13.00	-31.24	Horizontal	13170.00	-45.97	-13.00	-32.97	Horizontal
17775.00	-41.94	-13.00	-28.94	Horizontal	16890.00	-43.18	-13.00	-30.18	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1750.00	-36.33	-13.00	-23.33	Vertical	1750.00	-30.12	-13.00	-17.12	Vertical
1880.00	25.83	-13.00	1	Vertical	1910.00	23.44	-13.00	1	Vertical
1960.00	-28.78	-13.00	-15.78	Vertical	1990.00	-27.82	-13.00	-14.82	Vertical
2246.00	-37.73	-13.00	-24.73	Vertical	2314.00	-36.92	-13.00	-23.92	Vertical
2488.00	-35.70	-13.00	-22.70	Vertical	2532.00	-35.18	-13.00	-22.18	Vertical
2696.00	-33.43	-13.00	-20.43	Vertical	2770.00	-32.86	-13.00	-19.86	Vertical
3750.00	-29.74	-13.00	-16.74	Vertical	3810.00	-31.22	-13.00	-18.22	Vertical
5640.00	-49.83	-13.00	-36.83	Vertical	7230.00	-48.94	-13.00	-35.94	Vertical
7515.00	-46.47	-13.00	-33.47	Vertical	7635.00	-46.75	-13.00	-33.75	Vertical
9315.00	-47.46	-13.00	-34.46	Vertical	12315.00	-46.03	-13.00	-33.03	Vertical
14430.00	-44.28	-13.00	-31.28	Vertical	14655.00	-44.73	-13.00	-31.73	Vertical
17790.00	-43.28	-13.00	-30.28	Vertical	16800.00	-43.29	-13.00	-30.29	Vertical

LTE B2 16QAM-1.4M-Mid

LTE B2 16QAM-1.4M-High

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Free (M
1424.00	-42.67	-13.00	-29.67	Horizontal	13
1752.00	-27.66	-13.00	-14.66	Horizontal	17
1860.00	26.02	-13.00	1	Horizontal	18
1948.00	-32.12	-13.00	-19.12	Horizontal	19
2338.00	-37.07	-13.00	-24.07	Horizontal	23
2738.00	-33.79	-13.00	-20.79	Horizontal	26
3720.00	-28.03	-13.00	-15.03	Horizontal	37
5580.00	-44.60	-13.00	-31.60	Horizontal	56
7440.00	-43.82	-13.00	-30.82	Horizontal	75
10515.00	-46.38	-13.00	-33.38	Horizontal	117
13125.00	-45.66	-13.00	-32.66	Horizontal	148
15195.00	-45.13	-13.00	-32.13	Horizontal	178
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Free (N
1334.00	-42.01	-13.00	-29.01	Vertical	15
1746.00	-31.66	-13.00	-18.66	Vertical	17
1860.00	27.41	-13.00	1	Vertical	18
1938.00	-25.15	-13.00	-12.15	Vertical	19
2462.00	-36.10	-13.00	-23.10	Vertical	23
2708.00	-33.82	-13.00	-20.82	Vertical	26
3720.00	-24.37	-13.00	-11.37	Vertical	37
5580.00	-24.37	-13.00	-11.37	Vertical	56
7440.00	-46.60	-13.00	-33.60	Vertical	93
10560.00	-47.03	-13.00	-34.03	Vertical	123
13170.00	-46.46	-13.00	-33.46	Vertical	144
13995.00	-44.86	-13.00	-31.86	Vertical	168

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1384.00	-42.24	-13.00	-29.24	Horizontal
1760.00	-25.42	-13.00	-12.42	Horizontal
1880.00	26.37	-13.00	1	Horizontal
1964.00	-32.70	-13.00	-19.70	Horizontal
2380.00	-36.17	-13.00	-23.17	Horizontal
2600.00	-34.81	-13.00	-21.81	Horizontal
3750.00	-30.82	-13.00	-17.82	Horizontal
5640.00	-48.09	-13.00	-35.09	Horizontal
7515.00	-44.79	-13.00	-31.79	Horizontal
11730.00	-46.13	-13.00	-33.13	Horizontal
14850.00	-43.89	-13.00	-30.89	Horizontal
17820.00	-43.07	-13.00	-30.07	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1556.00	-41.72	-13.00	-28.72	Vertical
1754.00	-27.93	-13.00	-14.93	Vertical
1880.00	25.94	-13.00	1	Vertical
1962.00	-25.45	-13.00	-12.45	Vertical
2344.00	-36.86	-13.00	-23.86	Vertical
2620.00	-34.15	-13.00	-21.15	Vertical
3750.00	-28.23	-13.00	-15.23	Vertical
5640.00	-48.24	-13.00	-35.24	Vertical
9315.00	-47.23	-13.00	-34.23	Vertical
12330.00	-45.84	-13.00	-32.84	Vertical
14400.00	-43.86	-13.00	-30.86	Vertical
16890.00	-43.54	-13.00	-30.54	Vertical

Page 108 of 116

Polarization Horizontal Polarization Vertical Vertical

	I	LTE B2 QPS	SK-20M-Low				LTE B2 QP	SK-20M-Mid	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1546.00	-42.06	-13.00	-29.06	Horizontal	1750.00	-25.98	-13.00	-12.98	Horizontal
1750.00	-29.81	-13.00	-16.81	Horizontal	1860.00	25.69	-13.00	1	Horizontal
1900.00	26.01	-13.00	1	Horizontal	2072.00	-37.96	-13.00	-24.96	Horizontal
1986.00	-33.70	-13.00	-20.70	Horizontal	2384.00	-35.74	-13.00	-22.74	Horizontal
2354.00	-37.02	-13.00	-24.02	Horizontal	2632.00	-34.89	-13.00	-21.89	Horizontal
2762.00	-33.72	-13.00	-20.72	Horizontal	2856.00	-32.15	-13.00	-19.15	Horizontal
3795.00	-32.41	-13.00	-19.41	Horizontal	3720.00	-27.67	-13.00	-14.67	Horizontal
5700.00	-48.40	-13.00	-35.40	Horizontal	5580.00	-42.92	-13.00	-29.92	Horizontal
7590.00	-45.57	-13.00	-32.57	Horizontal	1440.00	-40.43	-13.00	-33.43	Horizontal
14025-00	-40.00	-13.00	-33.00	Horizontal	12915.00	-45.00	-13.00	-32.00	Horizontal
14025.00	-44.72	-13.00	-31.12	Horizontal	16845.00	42.03	-13.00	-32.38	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1586.00	-41.50	-13.00	-28.50	Vertical	1528.00	-42.02	-13.00	-29.02	Vertical
1762.00	-31.67	-13.00	-18.67	Vertical	1754.00	-25.45	-13.00	-12.45	Vertical
1900.00	25.08	-13.00	1	Vertical	1860.00	26.53	-13.00	1	Vertical
1976.00	-25.65	-13.00	-12.65	Vertical	1938.00	-25.96	-13.00	-12.96	Vertical
2358.00	-36.18	-13.00	-23.18	Vertical	2492.00	-35.40	-13.00	-22.40	Vertical
2732.00	-33.69	-13.00	-20.69	Vertical	2730.00	-33.95	-13.00	-20.95	Vertical
3795.00	-30.08	-13.00	-17.08	Vertical	3720.00	-25.70	-13.00	-12.70	Vertical
5700.00	-48.63	-13.00	-35.63	Vertical	5580.00	-25.70	-13.00	-12.70	Vertical
7590.00	-46.66	-13.00	-33.66	Vertical	7440.00	-46.12	-13.00	-33.12	Vertical
11310.00	-45.71	-13.00	-32.71	Vertical	12330.00	-46.32	-13.00	-33.32	Vertical
13920.00	-43.92	-13.00	-30.92	Vertical	14/90.00	-45.81	-13.00	-32.81	Vertical
17850.00	-42.80	-13.00	-29.86	vertical	17790.00	-44.77	-13.00	-31.77	verucai
	l	_TE B2 QPS	SK-20M-High			L	.TE B2 16Q	AM-20M-Low	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1314.00	-43.15	-13.00	-30.15	Horizontal	1436.00	-42.72	-13.00	-29.72	Horizontal
1760.00	-30.24	-13.00	-17.24	Horizontal	1752.00	-26.96	-13.00	-13.96	Horizontal
1066.00	20.11	-13.00	20.14	Horizontal	1900.00	26.33	-13.00	/	Horizontal
2638.00	-35.09	-13.00	-20.14	Horizontal	1978.00	-33.57	-13.00	-20.57	Horizontal
2844.00	-32.60	-13.00	-19.60	Horizontal	2552.00	-35.55	-13.00	-22.00	Horizontal
3750.00	-29.45	-13.00	-16.45	Horizontal	3795.00	-31.77	-13.00	-18.77	Horizontal
5640.00	-48.51	-13.00	-35.51	Horizontal	5700.00	-50.34	-13.00	-37.34	Horizontal
7515.00	-45.51	-13.00	-32.51	Horizontal	7605.00	-46.25	-13.00	-33.25	Horizontal
10485.00	-46.76	-13.00	-33.76	Horizontal	12315.00	-46.16	-13.00	-33.16	Horizontal
14445.00	-43.98	-13.00	-30.98	Horizontal	14400.00	-43.13	-13.00	-30.13	Horizontal
16860.00	-43.69	-13.00	-30.69	Horizontal	16860.00	-43.52	-13.00	-30.52	Horizontal
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1106.00	-44.04	-13.00	-31.04	Vertical	1630.00	-41.52	-13.00	-28.52	Vertical
1759.00	-42.09	-13.00	-29.09	Vertical	1000.00	-20.90	-13.00	-13.90	Vertical
1880.00	-20.00	-13.00	-13.00	Vertical	1978.00	25.07	-13.00	12.88	Vertical
1954.00	20.04	-13.00	13.38	Vertical	2460.00	-23.88	-13.00	-12.00	Vertical
2690.00	-33.40	-13.00	-20.40	Vertical	2670.00	-34.35	-13.00	-21.35	Vertical
3750.00	-28.41	-13.00	-15.41	Vertical	3795.00	-28.96	-13.00	-15.96	Vertical
5640.00	-48.94	-13.00	-35.94	Vertical	5700.00	-48.09	-13.00	-35.09	Vertical
10470.00	-46.09	-13.00	-33.09	Vertical	7590.00	-47.84	-13.00	-34.84	Vertical
13980.00	-44.42	-13.00	-31.42	Vertical	11205.00	-46.58	-13.00	-33.58	Vertical
16905.00	-43.53	-13.00	-30.53	Vertical	14400.00	-44.66	-13.00	-31.66	Vertical
17745.00	-42.40	-13.00	-29.40	Vertical	17775.00	-42.89	-13.00	-29.89	Vertical
	L	_TE B2 16Q	AM-20M-Mid			L	TE B2 16Q/	AM-20M-High	

LTE Band 4

Γ	Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	1	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)
l F	1520.00	.41.71	-13.00	-28.71	Horizontal	-	1428.00	-42.18	-13.00	-29.18
l h	1710.00	21.00	13.00	-20.11	Horizontal	1	1732.00	23.34	-13.00	1
l ł	1760.00	22.07	12.00	9.07	Horizontal	1	1760.00	-23.95	-13.00	-10.95
H	2110.00	-34.22	-13.00	-3.07	Horizontal	-	2132.00	-34.44	-13.00	-21.44
H	2680.00	-34.15	-13.00	-21.22	Horizontal		2510.00	-34.57	-13.00	-21.57
	2856.00	-32.02	-13.00	-19.02	Horizontal	1	2862.00	-32.78	-13.00	-19.78
	3420.00	-21.92	-13.00	-8.92	Horizontal		3465.00	-23.31	-13.00	-10.31
	5130.00	-39.62	-13.00	-26.62	Horizontal		5190.00	-40.55	-13.00	-27.55
	6840.00	-45 70	-13.00	-32.70	Horizontal	1	6930.00	-44 12	-13.00	-31.12
	10485.00	-45.59	-13.00	-32.59	Horizontal		9330.00	-47.33	-13.00	-34.33
	14400.00	-43.96	-13.00	-30.96	Horizontal		13995.00	-44.62	-13.00	-31.62
l t	17070.00	-42.32	-13.00	-29.32	Horizontal		16860.00	-43.27	-13.00	-30.27
	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	ĺ	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)
	1492.00	-42.85	-13.00	-29.85	Vertical	1	1732.00	23.89	-13.00	1
	1710.00	23.66	-13.00	1	Vertical	1	1752 00	-23.68	-13 00	-10.68
	1762.00	-23.50	-13.00	-10.50	Vertical	1	1924 00	-38.87	-13 00	-25.87
	2112.00	-25.29	-13.00	-12.29	Vertical	1	2132.00	-25.86	-13.00	-12.86
	2660.00	-34 72	12.00	04.70	11 0 1	1	2102.00	20.00	10.00	12.00
		-04.72	-13.00	-21.72	vertical		2680.00	_33.35	-13.00	-20135
	2846.00	-33.23	-13.00	-21.72 -20.23	Vertical		2680.00	-33.35	-13.00	-20.35
	2846.00 3420.00	-33.23 -23.13	-13.00 -13.00 -13.00	-21.72 -20.23 -10.13	Vertical Vertical Vertical		2680.00 2844.00 3465.00	-33.35 -32.90 -23.21	-13.00 -13.00	-20.35 -19.90
	2846.00 3420.00 5130.00	-33.23 -23.13 -23.13	-13.00 -13.00 -13.00 -13.00	-21.72 -20.23 -10.13 -10.13	Vertical Vertical Vertical Vertical		2680.00 2844.00 3465.00 5190.00	-33.35 -32.90 -23.21 -38.56	-13.00 -13.00 -13.00 -13.00	-20.35 -19.90 -10.21 -25.56
	2846.00 3420.00 5130.00 6840.00	-33.23 -23.13 -23.13 -39.42	-13.00 -13.00 -13.00 -13.00 -13.00	-21.72 -20.23 -10.13 -10.13 -26.42	Vertical Vertical Vertical Vertical Vertical		2680.00 2844.00 3465.00 5190.00 6930.00	-33.35 -32.90 -23.21 -38.56 -45.20	-13.00 -13.00 -13.00 -13.00 -13.00	-20.35 -19.90 -10.21 -25.56 -32.20
	2846.00 3420.00 5130.00 6840.00 9555.00	-33.23 -23.13 -23.13 -39.42 -45.90	-13.00 -13.00 -13.00 -13.00 -13.00 -13.00	-21.72 -20.23 -10.13 -10.13 -26.42 -32.90	Vertical Vertical Vertical Vertical Vertical Vertical	-	2680.00 2844.00 3465.00 5190.00 6930.00 10485.00	-33.35 -32.90 -23.21 -38.56 -45.20 -46.30	-13.00 -13.00 -13.00 -13.00 -13.00 -13.00	-20.35 -19.90 -10.21 -25.56 -32.20 -33.30
	2846.00 3420.00 5130.00 6840.00 9555.00 14385.00	-33.23 -23.13 -23.13 -39.42 -45.90 -47.54	-13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	-21.72 -20.23 -10.13 -10.13 -26.42 -32.90 -34.54	Vertical Vertical Vertical Vertical Vertical Vertical Vertical		2680.00 2844.00 3465.00 5190.00 6930.00 10485.00 14025.00	-33.35 -32.90 -23.21 -38.56 -45.20 -46.30 -44.44	-13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	-20.35 -19.90 -10.21 -25.56 -32.20 -33.30 -31.44
	2846.00 3420.00 5130.00 6840.00 9555.00 14385.00 17805.00	-33.23 -23.13 -23.13 -39.42 -45.90 -47.54 -43.80	-13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	-21.72 -20.23 -10.13 -10.13 -26.42 -32.90 -34.54 -30.80	Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical		2680.00 2844.00 3465.00 5190.00 6930.00 10485.00 14025.00 16905.00	-33.35 -32.90 -23.21 -38.56 -45.20 -46.30 -44.44 -43.14	-13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	-20.35 -19.90 -10.21 -25.56 -32.20 -33.30 -31.44 -30.14

Page 109 of 116

	L	TE B4 QPS	SK-1.4M-Low				LTE B4 QP	SK-1.4M-Mid	
Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequen	cy Level (d	3) Limit Line (dB)	Over Limit (dB)	Polarization
1436.00	-42.82	-13.00	-29.82	Horizontal	1710.0	21.84	-13.00	1	Horizontal
1694.00	-35.36	-13.00	-22.36	Horizontal	1760.0) -22.58	-13.00	-9.58	Horizontal
1754.00	22.77	-13.00	/	Horizontal	1948.0) -38.14	-13.00	-25.14	Horizontal
2154.00	-35.18	-13.00	-22.18	Horizontal	2110.0) -35.14	-13.00	-22.14	Horizontal
2776.00	-33.36	-13.00	-20.36	Horizontal	2754.0	-33.77	-13.00	-20.77	Horizontal
3495.00	-23.75	-13.00	-10.75	Horizontal	3420.0	-23.51	-13.00	-10.51	Horizontal
5265.00	-40.45	-13.00	-27.45	Horizontal	5130.0) -38.50	-13.00	-25.50	Horizontal
7020.00	-41.41	-13.00	-28.41	Horizontal	6840.0) -44.01	-13.00	-31.01	Horizontal
11505.00	-46.23	-13.00	-33.23	Horizontal	11250.0	0 -46.32	-13.00	-33.32	Horizontal
16905.00	-44.15	-13.00	-30.59	Horizontal	16695 (0 -40.28	-13.00	-33.29	Horizontal
Frequency	10.00	10.00	00.00	TIONZONIA	Erequen	-10.70	10.00		Honzontai
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	-y Level (d	 Limit Line (dB) 	Over Limit (dB)	Polarization
1038.00	-44.33	-13.00	-31.33	Vertical	1484.0) -42.40	-13.00	-29.40	Vertical
1594.00	-42.10	-13.00	-29.10	Vertical	1710.0) 23.18	-13.00	1	Vertical
1732.00	-17.43	-13.00	-4.43	Vertical	1758.0	-23.00	-13.00	-10.00	Vertical
2154.00	-25.62	-13.00	-12.62	Vertical	2110.0	25.04	-13.00	-12.04	Vertical
2784.00	-33.82	-13.00	-20.82	Vertical	2548.0	-32.69	-13.00	-22.09	Vertical
3495.00	-24.84	-13.00	-11.84	Vertical	3420.0	-23.15	-13.00	-10.15	Vertical
5265.00	-37.97	-13.00	-24.97	Vertical	5130.0	-23.15	-13.00	-10.15	Vertical
7020.00	-41.40	-13.00	-28.40	Vertical	6840.0) -39.06	-13.00	-26.06	Vertical
11490.00	-45.93	-13.00	-32.93	Vertical	11520.0	0 -45.08	-13.00	-32.08	Vertical
14460.00	-43.94	-13.00	-30.94	Vertical	14430.0	u -45.71	-13.00	-32.71	Vertical
17025.00	-40.17	-13.00	-30.17	vertical	17595.0	u -43.31	-13.00	-30.31	vertical
	L	TE B4 QPS	K-1.4M-High				LTE B4 16Q	AM-1.4M-Low	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequen (MHz)	Level (d	3) Limit Line (dB)	Over Limit (dB)	Polarization
1394.00	-43.62	-13.00	-30.62	Horizontal	1428.0	-43.08	-13.00	-30.08	Horizontal
1732.00	23.36	-13.00	1	Horizontal	1754.0	22.23	-13.00	1	Horizontal
2088.00	-38.11	-13.00	-25.11	Horizontal	2118.0	-37.66	-13.00	-24.66	Horizontal
2132.00	-34.31	-13.00	-21.31	Horizontal	2154.0	-34.35	-13.00	-21.35	Horizontal
2500.00	-34.88	-13.00	-21.88	Horizontal	2582.0) -34.42	-13.00	-21.42	Horizontal
3465.00	-32.81	-13.00	-19.97	Horizontal	3495.0	-32.83	-13.00	-10.40	Horizontal
5190.00	-40.82	-13.00	-27.82	Horizontal	5265.0	-39.34	-13.00	-26.34	Horizontal
6930.00	-45.86	-13.00	-32.86	Horizontal	7020.0	-42.56	-13.00	-29.56	Horizontal
11385.00	-45.57	-13.00	-32.57	Horizontal	11490.0	0 -45.90	-13.00	-32.90	Horizontal
13740.00	-44.93	-13.00	-31.93	Horizontal	14490.0	0 -44.25	-13.00	-31.25	Horizontal
16950.00	-43.27	-13.00	-30.27	Horizontal	16890.0	0 -42.90	-13.00	-29.90	Horizontal
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (d	3) Limit Line (dB)	Over Limit (dB)	Polarization
1604.00	-44.00	-13.00	-31.00	Vertical	1754.0) -42.00	-13.00	-29.00	Vertical
1732.00	23.47	-13.00	/	Vertical	2084.0) -37.79	-13.00	-24,79	Vertical
2132.00	-25.05	-13.00	-12.05	Vertical	2154.0) -25.12	-13.00	-12.12	Vertical
2486.00	-36.00	-13.00	-23.00	Vertical	2552.0) -35.57	-13.00	-22.57	Vertical
2712.00	-33.63	-13.00	-20.63	Vertical	2724.0) -33.80	-13.00	-20.80	Vertical
3465.00	-24.23	-13.00	-11.23	Vertical	3495.0) -24.93	-13.00	-11.93	Vertical
6930.00	-39.40	-13.00	-20.40	Vertical	7020.0	-39.38	-13.00	-20.38	Vertical
10530.00	-46.32	-13.00	-33.32	Vertical	10455.0	0 -46.70	-13.00	-33.70	Vertical
13200.00	-44.26	-13.00	-31.26	Vertical	13575.0	0 -43.89	-13.00	-30.89	Vertical
17775.00	-42.50	-13.00	-29.50	Vertical	16875.0	0 -42.93	-13.00	-29.93	Vertical
	L	TE B4 16Q/	AM-1.4M-Mid				LTE B4 16Q	AM-1.4M-High	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequen (MHz)	Cy Level (d	3) Limit Line (dB)	Over Limit (dB)	Polarization
1430.00	-43.07	-13.00	-30.07	Horizontal	1518.0	-42.57	-13.00	-29.57	Horizontal
1754.00	-24 92	-13.00	-11 92	Horizontal	213/ 0	23.26	-13.00	_19.85	Horizontal
2120.00	-31.11	-13.00	-18.11	Horizontal	2382.0) -35.97	-13.00	-22.97	Horizontal
2476.00	-35.38	-13.00	-22.38	Horizontal	2708.0	-34.00	-13.00	-21.00	Horizontal
2620.00	-34.19	-13.00	-21.19	Horizontal	2840.0	-32.97	-13.00	-19.97	Horizontal
3435.00	-34.49	-13.00	-21.49	Horizontal	3465.0) -34.27	-13.00	-21.27	Horizontal
5160.00	-49.12	-13.00	-36.12	Horizontal	5190.0	-43.62	-13.00	-30.62	Horizontal
11370.00	-30.21	-13.00	-34.27	Horizontal	10965 0	, -49.55 0 _40.16	-13.00	-30.00	Horizontal
14400.00	-46.16	-13.00	-33.16	Horizontal	14400.0	0 -45.35	-13.00	-32.35	Horizontal
17805.00	-44.53	-13.00	-31.53	Horizontal	16650.0	0 -45.21	-13.00	-32.21	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequen (MHz)	Level (d	3) Limit Line (dB)	Over Limit (dB)	Polarization
1014.00	-44.10	-13.00	-31.10	Vertical	1526.0	-42.75	-13.00	-29.75	Vertical
1606.00	-41.17	-13.00	-28.17	Vertical	1732.0	24.27	-13.00	1	Vertical
1/20.00	24.36	-13.00	/	Vertical	2134.0	-22.18	-13.00	-9.18	Vertical
2120.00	-22.47	-13.00	-9.47	Vertical	2400.0	-35.99	-13.00	-22.99	Vertical
2848.00	-32.48	-13.00	-19.48	Vertical	2862.0	-34.78	-13.00	-19.57	Vertical
3435.00	-31.78	-13.00	-18.78	Vertical	3465.0	-28.02	-13.00	-15.02	Vertical
5160.00	-31.78	-13.00	-18.78	Vertical	5190.0	-52.60	-13.00	-39.60	Vertical
7455.00	-48.40	-13.00	-35.40	Vertical	7185.0	-49.85	-13.00	-36.85	Vertical
11505.00	-50.67	-13.00	-37.67	Vertical	10470.0	0 -49.16	-13.00	-36.16	Vertical
14145.00	-47.31	-13.00	-34.31	Vertical	14385.0	U -45.83	-13.00	-32.83	Vertical
10075.00	-90.17	-13.00	-33.17	vertical	10920.0	-45.18	-13.00	-32.10	venucai
	I	LTE B4 QPS	SK-20M-Low				LTE B4 QP	SK-20M-Mid	

Page 110 of 116

-

(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1204.00	-44.27	-13.00	-31.27	Horizontal	1408.00	-42.84	-13.00	-29.84	Horizontal
1582.00	-41.74	-13.00	-28.74	Horizontal	1720.00	22.57	-13.00	1	Horizontal
1744 00	23.99	-13.00	1	Horizontal	1948.00	-38.73	-13.00	-25 73	Horizontal
2148.00	-31.75	-13.00	-18.75	Horizontal	2118.00	-30.22	-13.00	-17.22	Horizontal
2528.00	-35.34	-13.00	-22.34	Horizontal	2504.00	-35.14	-13.00	-22.14	Horizontal
2822.00	-33.20	-13.00	-20.20	Horizontal	2820.00	-33 10	-13 00	-20.10	Horizontal
3480.00	-22.21	-13.00	-9.21	Horizontal	3435.00	-23.49	-13.00	-10.49	Horizontal
5235.00	-37.93	-13.00	-24.93	Horizontal	5160.00	-40.98	-13.00	-27 98	Horizontal
6975.00	-47.36	-13.00	-34.36	Horizontal	6870.00	-44 20	-13.00	-31.20	Horizontal
11355.00	-46.27	-13.00	-33.27	Horizontal	11385.00	-45.43	-13.00	-32.43	Horizontal
14445.00	-43.68	-13.00	-30.68	Horizontal	14745.00	-40.72	-13 00	-27 72	Horizontal
17715.00	-42.86	-13.00	-29.86	Horizontal	18000.00	-35.39	-13.00	-22.39	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1108.00	-44.42	-13.00	-31.42	Vertical	1588.00	-41.40	-13.00	-28.40	Vertical
1418.00	-42.89	-13.00	-29.89	Vertical	1720.00	24.15	-13.00	1	Vertical
1744.00	24.85	-13.00	1	Vertical	1778.00	-35.46	-13.00	-22.46	Vertical
2148.00	-21.79	-13.00	-8.79	Vertical	2122.00	-22.27	-13.00	-9.27	Vertical
2552.00	-34.78	-13.00	-21.78	Vertical	2598.00	-35.12	-13.00	-22.12	Vertical
2670.00	-34.07	-13.00	-21.07	Vertical	2830.00	-32.85	-13.00	-19.85	Vertical
3480.00	-31.90	-13.00	-18.90	Vertical	3435.00	-23.79	-13.00	-10.79	Vertical
5235.00	-46.43	-13.00	-33.43	Vertical	5160.00	-23.79	-13.00	-10.79	Vertical
7215.00	-49.61	-13.00	-36.61	Vertical	6870.00	-39.94	-13.00	-26.94	Vertical
11235.00	-48.15	-13.00	-35.15	Vertical	12330.00	-46.41	-13.00	-33.41	Vertical
14475.00	-45.81	-13.00	-32.81	Vertical	16455.00	-44.44	-13.00	-31.44	Vertical
16800.00	-45.22	-13.00	-32.22	Vertical	18000.00	-39.63	-13.00	-26.63	Vertical
Frequency					Frequency	- -			
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz) 1348.00	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1732.00	22.86	-13.00	/	Horizontal	1604.00	-41.51	-13.00	-28.51	Horizontal
1952.00	-38.19	-13.00	-25.19	Horizontal	1744.00	22.78	-13.00	1	Horizontal
2130.00	-32.00	-13.00	-19.00	Horizontal	2140.00	-32.10	-13.00	-19.10	Horizontal
2620.00	-34.70	-13.00	-21.70	Horizontal	2488.00	-36.00	-13.00	-23.00	Horizontal
2858.00	-32.93	-13.00	-19.93	Horizontal	2822.00	-32.90	-13.00	-19.90	Horizontal
3465.00	-24.82	-13.00	-11.82	Horizontal	3480.00	-24.64	-13.00	-11.64	Horizontal
5190.00	-41.68	-13.00	-28.68	Horizontal	5235.00	-39.88	-13.00	-26.88	Horizontal
6930.00	-43.21	-13.00	-30.21	Horizontal	6975.00	-44.78	-13.00	-31.78	Horizontal
10470.00	-46.30	-13.00	-33.30	Horizontal	11280.00	-44.06	-13.00	-31.06	Horizontal
13575.00	-42.32	-13.00	-29.32	Horizontal	14430.00	-40.71	-13.00	-27.71	Horizontal
17010.00	-37.72	-13.00	-24.72	Horizontal	16890.00	-37.67	-13.00	-24.67	Horizontal
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1520.00	-41.50	-13.00	-28.50	Vertical	1256.00	-44.46	-13.00	-31.46	Vertical
1/32.00	24.39	-13.00	/	Vertical	1544.00	-42.37	-13.00	-29.37	Vertical
1//8.00	-33.32	-13.00	-20.32	Vertical	1/44.00	24.66	-13.00	1	Vertical
2140.00	-22.22	-13.00	-9.22	Vertical	2152.00	-21.68	-13.00	-8.68	Vertical
2002.00	-30.32	-13.00	-22.32	Vertical	2490.00	-34.48	-13.00	-21.48	Vertical
2000.00	-32.70	-13.00	-19.70	Vertical	2/10.00	-33.00	-13.00	-20.00	Vertical
5405.00	-25.25	-13.00	-12.20	Vertical	5225.00	-24.40	-13.00	-11.4U 27.09	Vertical
6930.00	-41.04	-13.00	-20.04	Vertical	6975.00	-40.00	-13.00	-21.00	Vertical
10485.00	-46.43	-13.00	-33.43	Vertical	10455.00	-40.00	-13.00	-33.00	Vertical
12630.00	-43.11	-13.00	-30.11	Vertical	13815.00	-42.12	-13.00	-02.20	Vertical
16680.00	-38.72	-13.00	-25.72	Vertical	16905.00	-37.35	-13.00	-24.35	Vertical
	L	TE B4 16Q	AM-20M-Mid	,,		L	TE B4 16Q/	AM-20M-High	

LTE Band 5

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1648	-35.65	-13.00	-22.65	Horizontal	1666	-38.66	-13.00	-25.66	Horizontal
2467	-45.61	-13.00	-32.61	Horizontal	2503	-43.92	-13.00	-30.92	Horizontal
3295	-52.75	-13.00	-39.75	Horizontal	3340	-46.90	-13.00	-33.90	Horizontal
4123	-51.58	-13.00	-38.58	Horizontal	4186	-46.82	-13.00	-33.82	Horizontal
7507	-49.22	-13.00	-36.22	Horizontal	7318	-49.67	-13.00	-36.67	Horizontal
9361	-49.01	-13.00	-36.01	Horizontal	9460	-49.08	-13.00	-36.08	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1648	-35.52	-13.00	-22.52	Vertical	1666	-38.37	-13.00	-25.37	Vertical
2467	-46.56	-13.00	-33.56	Vertical	2503	-42.64	-13.00	-29.64	Vertical
3295	-49.27	-13.00	-36.27	Vertical	3349	-47.53	-13.00	-34.53	Vertical
4123	-48.89	-13.00	-35.89	Vertical	4186	-45.15	-13.00	-32.15	Vertical
7192	-50.05	-13.00	-37.05	Vertical	7192	-49.99	-13.00	-36.99	Vertical
8488	-50.08	-13.00	-37.08	Vertical	9577	-49.47	-13.00	-36.47	Vertical
	I	_TE B5 QPS	SK-1.4M-Low			I	LTE B5 QPS	SK-1.4M-Mid	

Page 111 of 116

Frequency (MHz) 1693 2539 3394 4240 5941 7273 Frequency (MHz)									
(MHz) 1693 2539 3394 4240 5941 7273 Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
2539 3394 4240 5941 7273 Frequency (MHz)	00.70	12.00	20.72	Horizontel	(MHz)	00.50	40.00	202.50	Horizontal
2039 3394 4240 5941 7273 Frequency (MHz)	-33.72	-13.00	-20.72	Horizontal	1648	-30.59	-13.00	-23.59	Horizontal
4240 5941 7273 Frequency (MHz)	-29.00	-13.00	-10.00	Horizontal	24/0	-47.30	-13.00	-34.30	Horizontal
4240 5941 7273 Frequency (MHz)	-47.48	-13.00	-34.48	Horizontal	3295	-51.65	-13.00	-38.00	Horizontal
7273 Frequency (MHz)	-44.70	-13.00	-31./0	Horizontal	4123	-49.52	-13.00	-30.52	Horizontal
Frequency (MHz)	-47.08	-13.00	-34.08	Horizontal	1309	-49.47	-13.00	-30.47	Horizontal
(MHz)	-48.11	-15.00	-30.11	TIONZONIA	9298 Frequency	-49.30	-15.00	-30.30	Horizonial
a secol data d	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1693	-38.04	-13.00	-25.04	Vertical	1648	-36.29	-13.00	-23 29	Vertical
2539	-38.31	-13.00	-25.31	Vertical	2467	-47.94	-13.00	-34.94	Vertical
3394	-47.23	-13.00	-34.23	Vertical	3295	-52 16	-13 00	-39.16	Vertical
4240	-45.58	-13.00	-32.58	Vertical	4123	-50.15	-13.00	-37.15	Vertical
5941	-50.03	-13.00	-37.03	Vertical	7291	-49.22	-13.00	-36.22	Vertical
7534	-49.29	-13.00	-36.29	Vertical	9235	-49.39	-13.00	-36.39	Vertical
	L	TE B5 QPS	K-1.4M-High		0200	L	TE B5 16QA	M-1.4M-Low	
Frequency	Lovel (dP)	Limit Line (dB)	Over Limit (dD)	Polorization	Frequency	Laural (dD)	Limit Line (dD)	Ourse Lissie (dD)	Delevization
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1666	-39.13	-13.00	-26.13	Horizontal	1693	-36.08	-13.00	-23.08	Horizontal
2503	-41.26	-13.00	-28.26	Horizontal	2539	-32.25	-13.00	-19.25	Horizontal
3340	-50.64	-13.00	-37.64	Horizontal	3394	-47.93	-13.00	-34.93	Horizontal
4186	-46.84	-13.00	-33.84	Horizontal	4240	-45.17	-13.00	-32.17	Horizontal
7255	-49.36	-13.00	-36.36	Horizontal	5941	-50 54	-13.00	-37 54	Horizontal
8380	-50 54	-13.00	-37.54	Horizontal	7219	-49.30	-13.00	-36.30	Horizontal
Frequency	50.0T				Frequency	10.00	10.00		B. L. S. M.
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1666	-39.23	-13.00	-26.23	Vertical	1693	-35.75	-13.00	-22.75	Vertical
2503	-45.59	-13.00	-32.59	Vertical	2539	-39.17	-13.00	-26.17	Vertical
3340	-49.68	-13 00	-36.68	Vertical	3394	-45.66	-13.00	-32.66	Vertical
4177	-46.44	-13.00	_22 44	Vertical	4240	-44 20	-13.00	_31.20	Vertical
7207	-40.44	10.00	-00.44	Vortical	4240	40.70	10.00	-01.00	Vortical
1321	-49.91	-13.00	-36.91	Ventical	1/228	-49.72	-13.00	-36.72	Ventical
9334	-49.90	-13.00	-36.90	venical	9424	-50.07	-13.00	-37.07	vertical
	L	TE B5 16Q/	AM-1.4M-Mid			Ľ	TE B5 16QA	M-1.4M-High	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1648	-36 59	-13.00	-23 59	Horizontal	1666	-39.13	-13.00	-26.13	Horizontal
2476	-47 35	-13.00	-34.35	Horizontal	2503	-41.26	-13.00	-28 26	Horizontal
2205		12.00	20.05	Horizontal	2000	50.64	13.00	27.64	Horizontel
3290	-01.05	-13.00	-38.00	Haricantal	3340	-30.04	-13.00	-37.04	Horizontal
4123	-49.52	-13.00	-36.52	Horizontal	4186	-46.84	-13.00	-33.84	Hurizontal
7309	-49.47	-13.00	-36.47	Horizontal	7255	-49.36	-13.00	-36.36	Horizontal
9298	-49.36	-13.00	-36.36	Horizontal	8380	-50.54	-13.00	-37.54	Horizontal
requency	level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency	evel (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
(MHz)	Level (uB)	LITTIL LITTE (UB)	Over Littik (ub)	FUIdHZduUH	(MHz)	Level (ub)	Limit Line (ub)		FUIdHZation
1648	-36.29	-13.00	-23.29	Vertical	1666	-39.23	-13.00	-26.23	Vertical
2467	-47.94	-13.00	-34.94	Vertical	2503	-45.59	-13.00	-32.59	Vertical
3295	-52.16	-13 00	-39.16	Vertical	3340	-49.68	-13.00	-36.68	Vertical
4123	-50.15	-13.00	-37 15	Vertical	4177	-46 44	-13.00	-33 44	Vertical
7291	-49.22	-13.00	-36.22	Vertical	7327	-49.91	-13.00	-36.91	Vertical
9235	-49.39	-13.00	-36.39	Vertical	9334	-49.90	-13.00	-36.90	Vertical
	I	TE B5 QPS	K-10M-Low				LTE B5 QPS	SK-10M-Mid	
	Lovel (dP)								
Frequency	Level (0B)	Limit Line (dD)	Over Limit (dD)	Polarization	Frequency		Limit Line (dD)	Over Limit (dB)	Polorization
Frequency (MHz)		Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
Frequency (MHz) 1693	-36.08	Limit Line (dB) -13.00	Over Limit (dB)	Polarization Horizontal	Frequency (MHz) 1648	Level (dB) -35.59	Limit Line (dB) -13.00	Over Limit (dB) -22.59	Polarization Horizontal
Frequency (MHz) 1693 2539	-36.08 -32.25	Limit Line (dB) -13.00 -13.00	Over Limit (dB) -23.08 -19.25	Polarization Horizontal Horizontal	Frequency (MHz) 1648 2467	Level (dB) -35.59 -47.69	Limit Line (dB) -13.00 -13.00	Over Limit (dB) -22.59 -34.69	Polarization Horizontal Horizontal
Frequency (MHz) 1693 2539 3394	-36.08 -32.25 -47.93	Limit Line (dB) -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93	Polarization Horizontal Horizontal Horizontal	Frequency (MHz) 1648 2467 4123	Level (dB) -35.59 -47.69 -52.37	Limit Line (dB) -13.00 -13.00 -13.00	Over Limit (dB) -22.59 -34.69 -39.37	Polarization Horizontal Horizontal Horizontal
requency (MHz) 1693 2539 3394 4240	-36.08 -32.25 -47.93 -45.17	Limit Line (dB) -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17	Polarization Horizontal Horizontal Horizontal Horizontal	Frequency (MHz) 1648 2467 4123 7273	Level (dB) -35.59 -47.69 -52.37 -49.61	Limit Line (dB) -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61	Polarization Horizontal Horizontal Horizontal Horizontal
requency (MHz) 1693 2539 3394 4240 5941	-36.08 -32.25 -47.93 -45.17 -50.54	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54	Polarization Horizontal Horizontal Horizontal Horizontal	Frequency (MHz) 1648 2467 4123 7273 8263	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76	Polarization Horizontal Horizontal Horizontal Horizontal
Frequency (MHz) 1693 2539 3394 4240 5941 7219	-36.08 -32.25 -47.93 -45.17 -50.54 -49.20	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.20	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal	Frequency (MHz) 1648 2467 4123 7273 8263 9523	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.76 -36.76	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal
requency (MHz) 1693 2539 3394 4240 5941 7219	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal
requency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz)	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB)	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB)	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB)	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz)	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB)	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB)	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB)	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarizontal
Frequency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz) 1693	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Verical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical
requency (MHz) 1693 2539 3394 4240 5941 7219 requency (MHz) 1693 2520	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 29.17	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 Limit Line (dB) -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.47	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.40	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 Limit Line (dB) -13.00	Over Limit (dB) -22 59 -34 69 -39 37 -36 61 -36 76 -36 51 Over Limit (dB) -23 41 -32 40	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical
Frequency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz) 1693 2539 2324	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -10.00 -10.	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -28.17 -20.00	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 2005	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.49 -36.41	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -25.00	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical
Frequency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz) 1693 2539 3394	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical	Frequency (MHz) 1648 2467 4123 9523 Frequency (MHz) 1648 2467 3295	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.49 -48.99 -48.99	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -22 59 -34 69 -39 37 -36 61 -36 76 -36 51 Over Limit (dB) -23 41 -32 49 -35 99 -35 99	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical
requency (MHz) 1693 2539 3394 4240 5941 7219 requency (MHz) 1693 2539 3394 4240	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 2395 4123	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.49 -48.99 -50.10	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -22 59 -34 69 -39 37 -36 61 -36 76 -36 51 Over Limit (dB) -23 41 -32 49 -35 59 -37 10	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical
Frequency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz) 1693 2539 3394 4240 7228	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical	Frequency (MH2) 1648 2467 4123 7273 8263 9523 Frequency (MH2) 1648 2467 3295 4123 7489	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.49 -48.99 -50.10 -49.93	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -35.99 -37.10 -36.93	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical
Frequency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz) 1693 2539 3394 4240 7228 9424	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical	Frequency (MH2) 1648 2467 4123 7273 8263 9523 Frequency (MH2) 1648 2467 3295 4123 7489 9271	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.49 -48.99 -50.10 -49.93 -48.90	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	Over Limit (dB) -22 59 -34 69 -39 37 -36 61 -36 76 -36 51 Over Limit (dB) -23 41 -32 49 -35 99 -37 10 -36 93 -35 90	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical
Frequency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz) (MHz) 1693 2539 3394 4240 7228 9424	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 K-10M-High	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical Vertical	Frequency (MH2) 1648 2467 4123 7273 8263 9523 Frequency (MH2) 1648 2467 2295 4123 7489 9271	Level (dB) -35.59 -47.69 -52.37 -52.37 -49.61 -49.51 Level (dB) -36.41 -45.54 -49.51 Level (dB) -36.41 -49.50 -49.51 Level (dB) -36.41 -49.50 -49.51 Level (dB) -36.41 -49.50 -49.51 Level (dB) -36.41 -49.50 -49.51 Level (dB) -36.41 -49.50 -49.50 -49.51 -49.51 -49.50 -49.50 -49.51 -49.50 -49.51 -49.50 -4	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00	Over Limit (dB) -22 59 -34 69 -39 37 -36 61 -36 76 -36 51 Over Limit (dB) -23 41 -32 49 -35 99 -37 10 -36 93 -35 90 AM-10M-Low	Polarization Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical
Frequency (MHz) 1693 2539 3394 4240 5941 7219 2539 3394 4240 2539 3394 4240 7228 9424	-36 08 -32 25 -47 93 -45 17 -50 54 -49 30 Level (dB) -35 75 -39 17 -45 66 -44 38 -44 38 -44 38 -44 27 -50 07	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 K-10M-High Over Limit (dB)	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Polarization	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 3295 4123 7489 9271 Frequency (MHz)	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -38.41 -45.49 -48.99 -50.10 -48.99 -60.10 Level (dB) Level (dB)	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB)	Over Limit (dB) -22 59 -34 69 -39 37 -36 61 -36 76 -36 51 Over Limit (dB) -23 41 -32 49 -35 99 -37 10 -36 93 -35 90 AM-10M-Low Over Limit (dB)	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Polarization
requency (MHz) 1693 2539 3394 4240 5941 7219 7219 7219 1693 2539 3394 4240 7228 9424 9424	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -45.66 -44.38 -49.72 -50.07 Level (dB) -33.98	Limit Line (dB) -13.00 -13.0	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 2295 4123 7489 9271 Frequency (MHz)	Level (dB) -35.59 -47.69 -52.37 -52.37 -49.61 -49.51 Level (dB) -36.41 -45.49 -48.90 -48.90 -48.90 Level (dB) -38.00	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -35.99 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -28.00	Polarization Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical Polarization Polarization Horizontal
Frequency (MHz) 1693 2539 3394 4240 5941 59419 Frequency (MHz) 1693 3394 4240 Frequency (MHz) 1657 2494	-38.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -31.98	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98 -23.94	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical	Frequency (MH2) 1648 2467 4123 7273 8283 9523 Frequency (MH2) 1648 2467 3295 4123 7489 9271 Frequency (MH2)	Level (dB) -35.59 -47.69 -62.37 -49.61 -49.76 -49.76 -49.75 Level (dB) -36.41 -45.49 -45.49 -45.49 -45.99 -45.99 -45.90 Level (dB) -39.00 -49.70 -49.90 -40.90 -4	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -35.99 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -28.00 -20.02	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical
requency (MHz) 1693 2539 3394 4240 5941 7219 requency (MHz) 1693 2539 3394 4240 7228 9424 7228 9424	-36.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -45.66 -44.38 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -33.94 -36.94 -56.94	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -10 -10 -10 -10 -10 -10 -10 -	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 K-10M-High Over Limit (dB) -18.98 -23.94 -27.9	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 3295 4123 7489 9271 Frequency (MHz) 1675 2512 3260	Level (dB) -35,59 -47,69 -52,37 -52,37 -49,81 -49,76 -49,51 Level (dB) -36,41 -45,49 -48,99 -48,99 -48,99 -48,99 -48,90 Level (dB) -39,00 -43,32 -54,50 -5	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22 59 -34 69 -39 37 -36 61 -36 76 -36 51 Over Limit (dB) -23 41 -32 49 -35 99 -37 10 -36 93 -35 90 AM-1OM-LOW Over Limit (dB) -26 00 -30 32 41 50	Polarization Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical
requency (MHz) 1693 2539 4240 5941 7219 requency (MHz) 1693 2539 2539 3394 4240 7228 9424 7228 9424 7228 9424 728 9424 728 9424 728 9424 728 9424	-36.08 -32.25 -47.93 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 Level (dB) -31.98 -33.94 -50.39 -50.39	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -10 -10 -10 -10 -10 -10 -10 -	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -27.99	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal	Frequency (MH2) 1648 2467 4123 7273 8263 9523 Frequency (MH2) 1648 2467 3295 4123 7489 9271 Frequency (MH2) 1675 2512 3358 4057	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.49 -45.49 -45.99 -45.99 -45.99 -49.93 -49.95 -49.95 -49.95 -59.95	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -35.99 -37.10 -38.93 -35.90 AM-10M-Low Over Limit (dB) -26.00 -30.32 -41.50 -27.00	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal
requency (MHz) 1693 2539 3394 4240 5941 7219 requency (MHz) 1693 2539 3394 4240 7228 9424 9424 9424 7228 9424 7228 9424 1657 2494 3331	-38.08 -32.25 -47.93 -45.17 -50.54 -49.30 -49.30 -49.30 -49.35 -50.07 -50.07 -20.07 -20.07 -20.07 -20.07 -20.07 -20.07 -20.07 -20.07 -20.07 -20.07 -20.09 -20.09 -20.09 -20.09 -20.07 -2	Limit Line (dB) -13.00 -13.0	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 K-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Polarization Horizontal Horizontal Horizontal	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 3295 4123 7489 9271 Frequency (MHz) 1675 2512 33568 4195	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -38.41 -45.49 -48.99 -60.10 -49.93 -48.90 Level (dB) -39.00 -43.32 -54.50 -50.48	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22 59 -34 69 -39 37 -36 61 -36 76 -36 51 Over Limit (dB) -23 41 -32 49 -35 99 -37 10 -36 69 -35 90 AM-10M-Low Over Limit (dB) -26 00 -30 32 -41 50 -37 48	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Nertical Horizontal Horizontal Horizontal Horizontal
requency (MHz) 1693 2539 3394 4240 5941 7219 7219 7219 7219 7219 7229 3394 4240 7228 9424 7228 9424 728 9424 728 9424 728 9424 728 9424 728 9424	-36.08 -32.25 -47.93 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -36.94 -50.39 -44.08 -44.08	Limit Line (dB) -13.00 -13.0	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08 -26.48	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 3295 4123 7489 9271 Frequency (MHz) 1675 2512 3358 4195 6878 971	Level (dB) -35.59 -47.69 -52.37 -52.37 -49.61 -49.51 Level (dB) -36.41 -45.49 -48.90 -48.90 -48.90 Level (dB) -39.00 -43.32 -54.50 -50.48 -50.58 -50.48 -5	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -35.99 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -26.00 -30.32 -41.50 -37.48 -39.68	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal
requency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz) 1693 3394 4240 7219 7293 3394 4240 7228 9424 1667 2494 3331 4159 6824 7282	-36.08 -32.25 -47.93 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -31.98 -36.94 -50.39 -44.08 -49.48 -49.48	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00 -1.0	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08 -36.48 -38.24	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal	Frequency (MH2) 1648 2467 4123 7273 8263 9523 Frequency (MH2) 1648 2467 3295 4123 7489 9271 Frequency (MH2) 1675 2512 3358 4195 6878 7318 Frequency	Level (dB) -35.59 -47.69 -62.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.49 -45.49 -45.49 -45.49 -45.49 -45.49 -45.49 -45.49 -45.45 -55.45	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -35.99 -37.10 -36.93 -35.90 AM-1OM-LOW Over Limit (dB) -26.00 -30.32 -41.50 -37.48 -37.15 -27.15	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal
Frequency (MHz) 1693 2539 3394 4240 5941 7219 Frequency (MHz) 1693 2539 3394 4240 7228 9424 Frequency (MHz) 1657 2494 3331 4159 5824 7282 Frequency (MHz)	-38.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -36.94 -36.94 -36.94 -36.94 -36.94 -36.94 -36.94 Level (dB) Level (dB) -31.98 -36.94	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00 -1.0	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 -37.07 -37.07 -37.07 -37.07 -37.07 -37.07 -37.39 -37.39 -31.08 -36.48 -36.24 Over Limit (dB)	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical Polarization Horizontal Horizontal Horizontal Polarization	Frequency (MH2) 1648 2467 4123 7273 8263 9523 Frequency (MH2) 1648 2467 3295 4123 7489 9271 Frequency (MH2) 1675 2512 3368 4195 6878 7318 Frequency (MH2)	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.76 -49.75 Level (dB) -36.41 -45.49 -45.49 -49.93 -49.93 -49.93 -49.93 -49.93 -49.93 -49.93 -49.94 -59.04 -59.04 -59.04 -59.04 -50.48 -50.16 -50.16 -50.48 -50.15 Level (dB)	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16QJ Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -35.99 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -28.00 -30.32 -41.50 -37.48 -39.68 -37.15 Over Limit (dB)	Polarization Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal
requency (MHz) 1693 2539 4240 5941 7219 1693 2539 4240 72539 3394 4240 7228 9424 7228 9424 1657 2494 3331 1657 2494 3331 4159 5824 7282 7282 7282 7282 7282 7282 7282 7	-36 08 -32 25 -47 93 -45 17 -50 54 -49 30 Level (dB) -35 75 -39 17 -45 66 -44 38 -45 66 -44 38 -45 66 -44 38 -49 72 -50 07 Level (dB) -31 98 -36 94 -50 39 -44 08 -49 48 -49 48 -49 28 -55 26 -55 26 -56 26 -	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00 -1.0	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08 -36.24 Over Limit (dB) -22.26	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 3295 4123 7489 9271 Frequency (MHz) 1675 2512 3358 4195 6878 7318 Frequency (MHz) 1675	Level (dB) -35.59 -47.69 -52.37 -52.37 -49.61 -49.76 -49.51 Level (dB) -36.41 -45.49 -48.99 -48.90 -48.90 -48.90 -48.90 -48.90 Level (dB) -39.00 -43.32 -54.50 -50.15 Level (dB) -20.15 Level (dB) -41.37 -52.68 -50.15 Level (dB) -41.37 -52.68 -50.15 -54.15 -54.15 -54.15 -54.15 -54.15 -54.55 -54.55 -54.55 -55.55	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -37.10 -36.93 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -28.00 -37.15 Over Limit (dB) -28.37	Polarization Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal
requency (MHz) 1693 2539 3394 4240 5941 7219 requency (MHz) 1693 2539 3394 4240 7228 9424 7228 9424 requency (MHz) 1857 2494 3331 4159 5824 7282 requency (MHz) 1857 2494	-38.08 -32.25 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -36.94 -50.39 -36.94 -49.84 -49.24 Level (dB) -32.526 -39.24 -39.24	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 -37.07 -37.07 -37.07 -38 -38.72 -37.07 -37.07 -38 -38.72 -37.07 -38 -38 -36.72 -37.07 -37.08 -36.48 -36.24 Over Limit (dB) -22.26 -26.24 -26.24	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical Horizontal Vertical Vertical Vertical	Frequency (MH2) 1648 2467 4123 7273 8263 9523 Frequency (MH2) 1648 2467 3295 4123 7489 9271 Frequency (MH2) 1675 2512 3358 4195 6878 7318 Frequency (MH2) 1675 2512 3359 4195 5878 7318 Frequency (MH2) 1675	Level (dB) -35.59 -47.69 -62.37 -49.61 -49.76 -49.76 -49.76 -49.75 Level (dB) -36.41 -45.49 -45.49 -49.93 -49.93 -49.93 -49.93 -49.93 -49.90 -43.32 -54.50 -52.68 -50.15 Level (dB) -52.68 -50.15 Level (dB) -45.17 -52.68 -50.15 Level (dB) -52.68 -50.15 Level (dB) -51.58 -50.48 -52.68 -50.15 Level (dB) -51.58 -50.15 Level (dB) -51.58 -50.15 Level (dB) -51.58 -50.15 -50.48 -50.15 -5	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -26.00 -30.32 -41.50 -37.48 -39.68 -37.15 Over Limit (dB) -28.37 -22.18	Polarization Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical
requency (MHz) 1693 2539 3394 4240 5941 7219 1693 2539 3394 4240 7228 9424 1657 2494 3331 1657 2494 4159 5824 7282 7282 7282 7282 7282 7282 7294 4159 5824 7282 7282 7282 7282 7282 7282 7282 7	-38.08 -32.25 -47.93 -45.17 -50.54 -49.30 -49.30 -49.30 -49.30 -49.30 -49.30 -49.30 -49.37 -50.07 -50.07 -50.07 -50.07 -50.07 -23.94 -33.98 -36.94 -49.48 -49.48 -49.48 -49.48 -49.48 -49.48 -49.48 -49.26 -52.66 -39.26 -39.26 -35.26 -39.04 -35.26 -39.04 -35.26 -39.04 -35.00 -3	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 iK-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08 -36.48 -36.24 Over Limit (dB) -22.26 -26.24 -72.94	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 3295 4123 7489 9271 Frequency (MHz) 1675 2512 3358 4195 5878 7318 Frequency (MHz) 1675 2512 3568 4195 5878 7318 Frequency (MHz) 1675 2512 3568	Level (dB) -35,59 -47,69 -52,37 -49,81 -49,76 -49,51 Level (dB) -38,41 -45,49 -48,99 -50,10 -49,93 -48,99 -48,90 -48,90 -43,50 -50,48 -50,48 -50,48 -50,18 -41,37	Limit Line (dB) -13.00 -13.0	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.76 -36.71 Over Limit (dB) -23.41 -32.49 -37.10 -36.93 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -28.00 -37.48 -39.68 -37.15 Over Limit (dB) -28.37 -32.18 -38.78	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical
requency (MHz) 1693 2539 4240 5941 72539 7641 7228 9424 7228 9424 7228 9424 7228 9424 728 9424 728 9424 728 9424 728 729 729 729 729 729 729 729 729 729 729	-38.08 -32.25 -47.93 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -35.98 -36.99 -31.98 -36.93 -40.03 -40.82 Level (dB) -31.98 -36.93 -40.33 -40.92 Level (dB) -31.98 -35.98 -40.92 -50.39 -40.92	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08 -36.48 -36.24 Over Limit (dB) -22.26 -26.24 -37.91 -27.54 -26.24 -27.55 -26.24 -37.91 -27.55 -26.24 -27.55 -26.24 -37.91 -27.55 -26.25 -26.25 -26.24 -37.91 -27.55 -26.25 -27.5	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Polarization Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical	Frequency (MH2) 1648 2467 4123 7273 8283 9523 9523 1648 2467 1412 1648 2467 3295 4123 7489 9271 675 2512 3358 4195 5878 7318 Frequency (MH2) 1675 2512 3358 4195 5878 7318 Frequency (MH2) 1675 2512 3358 4355	Level (dB) -35.59 -47.69 -62.37 -49.61 -49.76 -49.76 -49.51 Level (dB) -36.41 -45.49 -49.93 -49.93 -49.93 -49.93 -49.93 -49.93 -49.93 -49.93 -49.90 -39.00 -39.00 -43.50 -54.50 -50.48 -52.68 -50.15 Level (dB) -41.77 -43.64 -52.68 -50.15 Level (dB) -41.77 -43.64 -52.68 -50.15 Level (dB) -43.77 -54.50 -52.68 -50.15 Level (dB) -45.49 -45.49 -54.50 -54.50 -52.68 -50.15 Level (dB) -45.49 -45.49 -45.49 -45.49 -45.49 -54.50 -50.15 Level (dB) -45.49 -45.49 -54.50 -50.15 Level (dB) -45.49 -45.49 -54.50 -54.50 -50.15 Level (dB) -45.49 -45.49 -54.50	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 TE B5 16Q/ Limit Line (dB) -13.00	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -37.10 -38.93 -35.90 AM-10M-Low Over Limit (dB) -26.00 -30.32 -41.50 -37.48 -39.68 -37.15 Over Limit (dB) -28.37 -22.18 -38.78 -39.78 -39.78 -39.788 -39.788 -39.788 -39.788 -39.788 -39.788	Polarization Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Vertical
requency (MHz) 1693 2539 3394 4240 5941 7219 requency (MHz) 1693 2539 3394 4240 7228 9424 7228 9424 7228 9424 1657 2494 3331 1657 2494 4159 5824 728 2782 728 2494 3332 1657 2494 4159 5824 728 728 728 728 728 728 728 728 728 728	-38.08 -32.25 -47.93 -45.17 -50.54 -49.30 -49.30 -49.30 -49.30 -49.37 -50.07 -5	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00 -1.0	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 iK-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08 -36.48 -36.48 -36.24 Over Limit (dB) -22.26 -26.24 -37.91 -22.26 -26.24 -37.91 -22.94 -37.91 -22.94 -37.91 -22.94 -37.91 -22.94 -22.95 -26.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.94 -22.95 -22.94 -22.9	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Vertical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 3295 4123 7489 9271 Frequency (MHz) 1675 2512 3358 4195 5673 2512 3358 4195 6175 2512 3358 4195	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -38.41 -45.49 -48.99 -60.10 -49.93 -48.90 Level (dB) -39.00 -43.32 -54.50 -50.48 -52.68 -50.48 -52.68 -50.48 -52.68 -50.48 -52.68 -50.15 Level (dB) -41.37 -45.18 -49.78 -49.98 -49.99 -49.78	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00 -1.	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -37.10 -36.93 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -26.00 -30.32 -41.50 -37.48 -39.68 -37.15 Over Limit (dB) -28.37 -32.18 -36.78 -36.78 -36.78 -36.78 -36.36 -36.78 -36.36 -36.78 -36.36 -36.78 -36.36 -36.37 -36.36 -36.36 -36.36 -36.36 -36.36 -36.36 -36.37 -36.36 -36.36 -36.37 -36.36 -36.37 -36.36 -36.36 -36.36 -36.37 -36.36 -36.37 -36.36 -36.36 -36.37 -36.36 -36.36 -36.36 -36.37 -36.36 -36.37 -36.36 -36.37 -36.36 -36.36 -36.37 -36.36 -36.36 -36.37 -36.37 -36.36 -36.36 -36.37 -36.36 -36.36 -36.36 -36.37 -36.37 -36.37 -36.36 -36.37 -36.36 -36.37 -36.37 -36.37 -36.36 -36.36 -36.37 -36.36 -36.36 -36.37 -36.36 -36.37 -36.36 -36.37 -36.37 -36.37 -36.37 -36.37 -36.36 -36.36 -36.36 -36.37 -36.36 -36.36 -36.36 -36.37 -36.36	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical
requency (MH2) 1693 2539 3394 4240 5941 7219 7219 7219 7219 7228 9424 7228 9424 7228 9424 7228 9424 728 9424 728 9424 728 728 9424 728 728 9424 728 728 728 729 729 729 729 729 729 729 729 729 729	-36.08 -32.25 -47.93 -47.93 -45.17 -50.54 -49.30 Level (dB) -35.75 -39.17 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -36.94 -50.39 -44.08 -49.24 Level (dB) -35.26 -39.24 -50.29 -39.24 -50.91 -50.91 -42.43 -50.91 -50.	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00 -1.	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08 -36.48 -38.24 Over Limit (dB) -22.26 -26.24 -37.91 -29.43 -38.18 -38.18	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical	Frequency (MH2) 1648 2467 4123 7273 8263 9523 Frequency (MH2) 1648 2467 3295 4123 7489 9271 Frequency (MH2) 1675 2512 3358 4195 5878 7318 Frequency (MH2) 1675 2512 3358 4195 4195 4195 4195 4195	Level (dB) -35.59 -47.69 -62.37 -49.61 -49.76 -49.76 -49.51 Level (dB) -36.41 -45.49 -45.49 -45.49 -49.93 -48.90 Level (dB) -39.00 -49.33 -48.90 Level (dB) -39.00 -49.75 -50.15 Level (dB) -41.37 -45.45 -50.15 Level (dB) -45.49 -45.49 -50.15 Level (dB) -45.49 -45.49 -50.15 Level (dB) -45.49 -45.49 -50.15 Level (dB) -45.49 -45.49 -50.15 Level (dB) -45.49 -45.49 -50.15 Level (dB) -45.49 -45.49 -50.15 Level (dB) -45.49 -45.49 -50.15 Level (dB) -45.45 -50.15 Level (dB) -45.45 -50.15 Level (dB) -45.45 -45.45 -50.15 Level (dB) -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.45 -45.26 -45.26 -45.26 -45.27 -45.26 -45.27 -4	Limit Line (dB) -13.00 -13.0	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -37.10 -38.93 -35.90 AM-10M-Low Over Limit (dB) -26.00 -30.32 -41.50 -37.15 Over Limit (dB) -28.37 -32.18 -38.36 -36.78 -38.36 -36.27	Polarization Horizontal Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical
requency (MHz) 1693 2539 3394 4240 5941 7219 requency (MHz) 1693 2539 3394 4240 7228 9424 7228 9424 7228 9424 7228 9424 728 728 728 728 728 728 728 728 728 728	-38.08 -32.25 -47.93 -45.17 -50.54 -49.30 -25.75 -39.17 -45.66 -44.38 -49.72 -45.66 -44.38 -49.72 -50.07 Level (dB) -31.98 -36.94 -36.94 -36.94 -36.94 -39.24 2.50.94 Level (dB) -35.26 -39.24 -50.94 -35.26 -39.24 -36.94 -36.94 -36.94 -39.24 -36.94 -49.28 -39.24 -39.24 -36.94 -36.94 -36.50 -39.24 -36.94 -36.50 -39.24	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -1.00 -1.0	Over Limit (dB) -23.08 -19.25 -34.93 -32.17 -37.54 -36.30 Over Limit (dB) -22.75 -26.17 -32.66 -31.38 -36.72 -37.07 :K-10M-High Over Limit (dB) -18.98 -23.94 -37.39 -31.08 -36.48 -36.48 -36.24 Over Limit (dB) -22.26 -26.24 -37.91 -32.94 -38.18 -38.99	Polarization Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical Horizontal Vertical	Frequency (MHz) 1648 2467 4123 7273 8263 9523 Frequency (MHz) 1648 2467 3295 4123 7489 9271 <	Level (dB) -35.59 -47.69 -52.37 -49.61 -49.76 -49.51 Level (dB) -38.41 -45.49 -48.99 -50.10 -48.99 -60.10 -48.90 Level (dB) -39.00 -43.32 -54.50 -50.48 -52.68 -50.48 -52.68 -50.48 -52.68 -50.16 Level (dB) -41.37 -49.38 -49.38 -49.38 -49.38 -49.38 -49.38 -49.38 -49.54 -50.48 -51.58 -52.57 -52.37 -52.57	Limit Line (dB) -13.00 -13.00 -13.00 -13.00 -13.00 Limit Line (dB) -13.00 -13.	Over Limit (dB) -22.59 -34.69 -39.37 -36.61 -36.76 -36.51 Over Limit (dB) -23.41 -32.49 -35.99 -37.10 -36.93 -35.90 AM-10M-Low Over Limit (dB) -26.00 -30.32 -41.50 -37.48 -39.68 -37.15 Over Limit (dB) -28.37 -32.18 -36.78 -36.78 -36.36 -36.27 -37.02	Polarization Horizontal Horizontal Horizontal Polarization Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Vertical Horizontal Horizontal Horizontal Horizontal Horizontal Horizontal Vertical

Page 112 of 116

LTE Band 7

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	
1692.00	-40.85	-25.00	-15.85	Horizontal		1426.00	-41.95	-25.00	-16.95	Horizontal	
1994.00	-38.01	-25.00	-13.01	Horizontal		1902.00	-38.55	-25.00	-13.55	Horizontal	
2124.00	-37.87	-25.00	-12.87	Horizontal		2130.00	-37.63	-25.00	-12.63	Horizontal	
2414.00	-36.66	-25.00	-11.66	Horizontal		2400.00	-36.51	-25.00	-11.51	Horizontal	
2504.00	18.46	-25.00	1	Horizontal		2536.00	18.80	-25.00	1	Horizontal	
2624.00	-29.32	-25.00	-4.32	Horizontal		2656.00	-29.04	-25.00	-4.04	Horizontal	
4995.00	-41.38	-25.00	-16.38	Horizontal		5070.00	-38.71	-25.00	-13.71	Horizontal	
7500.00	-47.08	-25.00	-22.08	Horizontal		6960.00	-46.87	-25.00	-21.87	Horizontal	
10620.00	-45.82	-25 00	-20.82	Horizontal		10140.00	-46.88	-25.00	-21.88	Horizontal	
13350.00	-43.11	-25.00	-18 11	Horizontal		13485.00	-43.29	-25.00	-18.29	Horizontal	
14430.00	-40.76	-25.00	-15.76	Horizontal		14775.00	-40.78	-25.00	-15.78	Horizontal	
17535.00	-37.02	-25.00	-12.02	Horizontal		17820.00	-35.61	-25.00	-10.61	Horizontal	
Erequency						Frequency					
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	
1424.00	-43 18	-25.00	-18 18	Vertical		1536.00	-42 11	-25.00	-17 11	Vertical	
1762.00	-29.62	-25.00	-4.62	Vertical		1812.00	-39.43	-25.00	-14 43	Vertical	
2076.00	-37.27	-25.00	-12 27	Vertical		1974.00	-38.94	-25.00	-13.94	Vertical	
2474 00	-36.22	-25.00	-11.22	Vertical		2290.00	-36.29	-25.00	-11.29	Vertical	
2504.00	26.51	-25.00	/	Vertical		2536.00	26.22	-25.00	/	Vertical	
4995.00	-42.94	-25.00	-17 94	Vertical		5070.00	-41.90	-25.00	-16.90	Vertical	
6885.00	-42.94	-25.00	-17 94	Vertical		6990.00	-46.99	-25.00	-21.99	Vertical	
10290.00	-46.57	-25.00	-21.57	Vertical		10365.00	-45.80	-25.00	-20.80	Vertical	
13530.00	-46.76	-25.00	-21.76	Vertical		13155.00	-43.00	-25.00	-17.89	Vertical	
14400.00	-41 72	-25.00	-16 72	Vertical	1	14835.00	-40.64	-25.00	-15.64	Vertical	
16950.00	-40.50	-25.00	-15.50	Vertical		17760.00	-10.04	-25.00	-11.04	Vertical	
10000.00	10.00	20.00	10.00	, or do da	_	11100.00	-30.33	-23.00	-11.00	Verticul	
Froguepov		LTE B7 QP	SK-5M-Low	1		Fraguaday		LTE B7 QF	PSK-5M-Mid		
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	
1510.00	-42.44	-25.00	-17.44	Horizontal		1004.00	-44.25	-25.00	-19.25	Horizontal	
1814.00	-39.47	-25.00	-14.47	Horizontal		1386.00	-43.36	-25.00	-18.36	Horizontal	
1942.00	-37.84	-25.00	-12.84	Horizontal	1	1812.00	-39.05	-25.00	-14.05	Horizontal	
2374.00	-36.14	-25.00	-11.14	Horizontal		2218.00	-37.50	-25.00	-12.50	Horizontal	
2568.00	19.33	-25.00	1	Horizontal		2504.00	18.34	-25.00	1	Horizontal	
2688.00	-29.38	-25.00	-4.38	Horizontal		2624.00	-29.06	-25.00	-4.06	Horizontal	
5130.00	-36.13	-25.00	-11.13	Horizontal		4995.00	-39.95	-25.00	-14.95	Horizontal	
7350.00	-48.43	-25.00	-23.43	Horizontal		7500.00	-46.19	-25.00	-21.19	Horizontal	
11430.00	-45.92	-25.00	-20.92	Horizontal		11265.00	-46.23	-25.00	-21.23	Horizontal	
13620.00	-45.36	-25.00	-20.36	Horizontal		14040.00	-44.34	-25.00	-19.34	Horizontal	
14415.00	-43.77	-25.00	-18.77	Horizontal		14430.00	-43.53	-25.00	-18.53	Horizontal	
Frequency	-42.03	-23.00	-17.05	TIONZONICA		Frequency	-42.22	-23.00	-11.22	Tionzontar	
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	
1420.00	-43.28	-25.00	-18.28	Vertical		1590.00	-40.33	-25.00	-15.33	Vertical	
1764.00	-39.80	-25.00	-14.80	Vertical		1716.00	-39.47	-25.00	-14.47	Vertical	
1972.00	-38.51	-25.00	-13.51	Vertical		1950.00	-38.23	-25.00	-13.23	Vertical	
2156.00	-37.22	-25.00	-12.22	Vertical		2306.00	-36.93	-25.00	-11.93	Vertical	
2568.00	26.82	-25.00	1	Vertical		2504.00	26.53	-25.00	1	Vertical	
5130.00	-41.72	-25.00	-16.72	Vertical		4995.00	-39.97	-25.00	-14.97	Vertical	
6570.00	-46.86	-25.00	-21.86	Vertical		7260.00	-39.97	-25.00	-14.97	Vertical	
6915.00	-46.96	-25.00	-21.96	Vertical		11280.00	-48.04	-25.00	-23.04	Vertical	
11070.00	-45.61	-25.00	-20.61	Vertical		14010.00	-45.65	-25.00	-20.65	Vertical	
13890.00	-41.68	-25.00	-16.68	Vertical		14835.00	-44.56	-25.00	-19.56	Vertical	
16470.00	-39.12	-25.00	-14.12	Vertical		16935.00	-44.02	-25.00	-19.02	Vertical	
Frequency	Level (dB)	LTE B7 QP	SK-5M-High	Polarization		Frequency	Level (dB)	LTE B7 16C	AM-5M-Low	Polarization	
(MHz) 1428.00	-42.88	_25.00	-17.99	Horizontal		(MHz)	_43.75	-25.00	-18 75	Horizontal	
1642.00	-41.00	-25.00	-16.00	Horizontal		1482.00	-43.16	-25.00	-18.16	Horizontal	
2040.00	-38.07	-25.00	-13.07	Horizontal		1844.00	-39.34	-25.00	-14 34	Horizontal	
2398.00	-36 29	-25.00	-11 29	Horizontal		2172.00	-37.94	-25 00	-12.94	Horizontal	
2536.00	18 74	-25.00	/	Horizontal		2568.00	19.01	-25 00	1	Horizontal	
2656.00	-28.96	-25.00	-3.96	Horizontal		2690.00	-29.45	-25.00	-4.45	Horizontal	
5070.00	-37.28	-25.00	-12.28	Horizontal		5130.00	-37 24	-25.00	-12.24	Horizontal	
7605.00	-47 10	-25.00		Horizontal		7605.00	-46.20	-25.00	-12.24	Horizontal	
11/00.00	-11.10	-25.00	_20.71	Horizontal	1	11310.00	-40.08	-23.00		Horizontal	
12215.00	-45.51	-25.00	-20.71	Horizontal		13845.00	-40.00	-23.00	-21.33	Horizontal	
14010.00	-44 12	-25.00	-19 12	Horizontal		14370.00	-43.35	-25.00	-18.35	Horizontal	
17805.00	-43.00	-25.00	-18.00	Horizontal		17760.00	-43.13	-25.00	-18.13	Horizontal	
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	
1414.00	-42.72	-25.00	-17.72	Vertical		1014.00	-43.90	-25.00	-18.90	Vertical	
1/22.00	-40.52	-25.00	-15.52	Vertical		1348.00	-43.75	-25.00	-18./5	Vortical	
1950.00	-38.62	-25.00	-13.02	Vertical		2159 00	-38.07	-20.00	-14.07	Vertical	
2294.00	-30.99	-25.00	-11.99	Vertical		2100.00	-37.29	-20.00	-12.29	Vertical	
2030.00	_20.49	-20.00	14 44	Vertical		5130.00	20.31	-20.00	13.63	Vertical	
7275.00	-33.44	-25.00	-14.44	Vertical		7695.00	-30.03	-25.00	-13.03	Vertical	
11265.00	-46.52	-25.00	-21.59	Vertical		11295.00	-45.89	-25.00	-20.89	Vertical	
13845.00	-45.52	-25.00	-21.52	Vertical		14400.00	-44 23	-25.00	-19.23	Vertical	
14775.00	-44.87	-25.00	-19.87	Vertical		15195.00	-44 22	-25.00	-19.23	Vertical	
16950.00	-43.46	-25.00	-18.46	Vertical		17805.00	-42.95	-25.00	-17.95	Vertical	
		1 20.00	10.10								
	LTE B7 16QAM-5M-Mid					LTE B7 16QAM-5M-High					

Page 113 of 116

-					-						
Frequency (MH-r)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1264.00	44.11	25.00	10.11	Horizontal	1229.00	42.01	25.00	10.01	Horizontal		
1710.00	-44.11	-20.00	-13.11	Horizontal	1400.00	42.60	-20.00	-10.01	Horizontal		
1710.00	-39.72	-25.00	-14.72	Horizontal	1466.00	-42.09	-25.00	-17.09	Horizontal		
1808.00	-38.59	-25.00	-13.59	Horizontal	1960.00	-38.74	-25.00	-13.74	Horizontal		
2042.00	-37.70	-25.00	-12.70	Horizontal	2404.00	-30.09	-25.00	-11.09	Horizontal		
2510.00	18.34	-25.00	1 07	Horizontal	2536.00	18.73	-25.00	1	Horizontal		
2630.00	-29.07	-25.00	-4.07	Horizontal	2650.00	-28.14	-25.00	-3.14	Horizontal		
5010.00	-36.96	-25.00	-11.96	Horizontal	5070.00	-36.21	-25.00	-11.21	Horizontal		
7530.00	-47.09	-25.00	-22.09	Horizontal	7245.00	-48.71	-25.00	-23.71	Horizontal		
10470.00	-46.09	-25.00	-21.09	Horizontal	9405.00	-48.11	-25.00	-23.11	Horizontal		
12285.00	-45.74	-25.00	-20.74	Horizontal	10380.00	-46.95	-25.00	-21.95	Horizontal		
13830.00	-43.98	-25.00	-18.98	Horizontal	13035.00	-46.11	-25.00	-21.11	Horizontal		
16815.00	-43.38	-25.00	-18.38	Horizontal	16875.00	-42.49	-25.00	-17.49	Horizontal		
Frequency	1 1/10		0.11.1400	B 1 1 <i>m</i>	Frequency	1 1 (10)	11.001.000	0.11.200	B 1 1 1		
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1332.00	-42.72	-25.00	-17.72	Vertical	1174.00	-44.32	-25.00	-19.32	Vertical		
1664.00	-40.83	-25.00	-15.83	Vertical	1510.00	-42 39	-25.00	-17 39	Vertical		
1964.00	-38.83	-25.00	-13.83	Vertical	1924 00	-38 40	-25.00	-13 40	Vertical		
2296.00	-36.93	-25.00	-11.93	Vertical	2184.00	-37.04	-25.00	-12.04	Vertical		
2510.00	26.33	-25.00	1	Vertical	2536.00	26.11	-25.00	1	Vertical		
5010.00	38.69	25.00	13.69	Vertical	£070.00	20.11	-25.00	14.54	Vertical		
9295.00	-30.05	-25.00	-13.00	Vertical	7205.00	-35.34	-25.00	-14.04	Vertical		
11525.00	-30.03	-25.00	-13.03	Vertical	7305.00	-47.57	-25.00	-22.57	Vertical		
11535.00	-40.27	-25.00	-23.27	Vertical	11280.00	-46.84	-25.00	-21.84	vertical		
13905.00	-40.92	-25.00	-20.92	VerdCal	13905.00	-44.80	-25.00	-19.80	venical		
15240.00	-45.35	-25.00	-20.35	vertical	14775.00	-44.66	-25.00	-19.66	Vertical		
17805.00	-44.30	-25.00	-19.30	vertical	16890.00	-43.81	-25.00	-18.81	Vertical		
		LTE B7 QPS	SK-20M-Low				LTE B7 QP	SK-20M-Mid			
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1210.00	-44 01	-25.00	-19.01	Horizontal	1006.00	-43.99	-25 00	-18.99	Horizontal		
1860.00	-39.61	-25.00	-10.01	Horizontal	1504.00	-42.59	-25.00	-17.50	Horizontal		
2132.00	-37.79	-25.00	-12.01	Horizontal	1796.00	_39.96	-25.00	-14.96	Horizontal		
2132.00	-37.70	-25.00	-12.70	Horizontal	2066.00	-39.90	-25.00	-14.30	Horizontal		
2390.00	-30.01	-25.00	-11.01	Horizontal	2000.00	-30.00	-25.00	-13.00	Horizontal		
2560.00	19.31	-25.00	1	Horizontal	2510.00	18.20	-25.00	105	Horizontal		
2674.00	-29.39	-25.00	-4.39	Horizontal	2632.00	-29.25	-25.00	-4.25	Horizontal		
5115.00	-36.19	-25.00	-11.19	Horizontal	5010.00	-37.50	-25.00	-12.50	Horizontal		
/4/0.00	-47.78	-25.00	-22.78	Horizontal	7530.00	-46.31	-25.00	-21.31	Horizontal		
11340.00	-46.82	-25.00	-21.82	Horizontal	10395.00	-47.44	-25.00	-22.44	Horizontal		
13215.00	-45.17	-25.00	-20.17	Horizontal	13050.00	-45.64	-25.00	-20.64	Horizontal		
14415.00	-44.32	-25.00	-19.32	Horizontal	16680.00	-43.72	-25.00	-18.72	Horizontal		
17760.00	-43.40	-25.00	-18.40	Horizontal	17760.00	-43.22	-25.00	-18.22	Horizontal		
Frequency	Level (dD)	Lingit Ling (dD)	Oues Liesit (dD)	Delevization	Frequency	Louis (dD)	Lingit Ling (dD)	Over Limit (dB)	Delerization		
(MHz)	Level (dB)	Limit Line (db)	Over Limit (db)	Foldrization	(MHz)	Level (uB)	Limit Line (ub)	Over Limit (dB)	Foldrization		
1634.00	-41.01	-25.00	-16.01	Vertical	1498.00	-42.13	-25.00	-17.13	Vertical		
1800.00	-40.10	-25.00	-15.10	Vertical	1780.00	-40.00	-25.00	-15.00	Vertical		
1962.00	-38.80	-25.00	-13.80	Vertical	2064.00	-38.38	-25.00	-13.38	Vertical		
2372.00	-36.77	-25.00	-11.77	Vertical	2354.00	-36.95	-25.00	-11.95	Vertical		
2560.00	25.90	-25.00	1	Vertical	2510.00	26.59	-25.00	1	Vertical		
5115.00	-38.96	-25.00	-13.96	Vertical	5010.00	-40.54	-25.00	-15.54	Vertical		
7245.00	-48.83	-25.00	-23.83	Vertical	7530.00	-40.54	-25.00	-15.54	Vertical		
9330.00	-48.40	-25.00	-23.40	Vertical	12405.00	-46.77	-25.00	-10.04	Vertical		
11475.00	-46.11	-25.00	-21.11	Vertical	13950.00	-45.83	-25.00	-20.83	Vertical		
12050.00	44.74	25.00	10.74	Vertical	14400.00	45.00	-25.00	20.05	Vertical		
17005.00	42.02	-23.00	-10.74	Vertical	17700.00	-43.01	-23.00	-20.01	Vertical		
17605.00	-43.03	-25.00	-10.03	vertical	17700.00	-44.79	-25.00	-19.79	venicai		
Frequency	I	LTE B7 QPS	SK-20M-High		Frequency	L	.TE B7 16Q	AM-20M-Low	<u></u>		
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1732.00	-39.37	-25.00	-14.37	Horizontal	1598.00	-41.96	-25.00	-16.96	Horizontal		
1944.00	-38.54	-25.00	-13.54	Horizontal	1832.00	-38.68	-25.00	-13.68	Horizontal		
2258.00	-36.98	-25.00	-11.98	Horizontal	2030.00	-37.30	-25.00	-12.30	Horizontal		
2536.00	19.00	-25.00	1	Horizontal	2346.00	-36.41	-25.00	-11.41	Horizontal		
2652.00	-29.40	-25.00	-4.40	Horizontal	2560.00	18.89	-25.00	1	Horizontal		
2840.00	-32.06	-25.00	-7.06	Horizontal	2678.00	-28.76	-25.00	-3.76	Horizontal		
5070.00	-34.92	-25.00	-9.92	Horizontal	5115.00	-38.00	-25.00	-13.00	Horizontal		
7605.00	-46.69	-25.00	-21.69	Horizontal	7485.00	-48.47	-25.00	-23.47	Horizontal		
10395.00	-47.48	-25.00	-22.48	Horizontal	11415.00	-46.39	-25.00	-21.39	Horizontal		
12255.00	-45 71	-25 00	-20 71	Horizontal	13905.00	-44.86	-25 00	-19.86	Horizontal		
14430.00	-44 21	-25 00	-19.21	Horizontal	14445.00	-44.33	-25 00	-19.33	Horizontal		
17730.00	-43 73	-25 00	-18 73	Horizontal	17775.00	-43.58	-25 00	-18.58	Horizontal		
Frequency					Frequency						
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1326.00	-43.61	-25.00	-18.61	Vertical	1360.00	-43.77	-25.00	-18.77	Vertical		
1584.00	-41.72	-25.00	-16.72	Vertical	1616.00	-41.48	-25.00	-16.48	Vertical		
1862.00	-38.47	-25.00	-13.47	Vertical	1880.00	-37.81	-25.00	-12.81	Vertical		
2180.00	-37.07	-25.00	-12.07	Vertical	2334.00	-36.84	-25 00	-11.84	Vertical		
2536.00	26.24	-25.00	1	Vertical	2560.00	25.80	-25.00	1	Vertical		
5070.00	-40.02	-25.00	-15.02	Vertical	5115.00	_41.04	-25.00	-16.04	Vertical		
7605.00	-46.56	-25.00	-10.02	Vertical	7470.00	47.50	-20.00	-10.04	Vertical		
10440.00	_/IC 00	-20.00	-2 1.00 04 00	Vartical	1470.00	-47.08	-20.00	-22.08	Ventical		
10440.00	-40.82	-20.00	-21.82	Ventical	10395.00	-40.79	-25.00	-21.79	Vertical		
13725.00	-40.41	-25.00	-20.41	Vertical	13500.00	-45.84	-25.00	-20.84	vertical		
16905.00	-43.31	-25.00	-18.31	vertical	14865.00	-44.37	-25.00	-19.37	Vertical		
17805.00	-42.36	-25.00	-17.36	venical	17790.00	-43.49	-25.00	-18.49	Vertical		
					1						
	LTE B7 16QAM-20M-Mid					LTE B7 16QAM-20M-High					

Page 114 of 116

LTE Band 17

Frequency	Level (dD)	Line (ID)	Others Lineate (HD)	Deterimetica	Frequency				D 1 1 <i>n</i>		
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1405.00	25.66	13.00	12.66	Horizontal	1414.00	22.04	12.00	10.94	Horizontal		
1403.00	-20.00	-10.00	-12.00	Honzonka	1414.00	-23.04	-13.00	-10.84	Honzontal		
2116.00	-38.24	-13.00	-25.24	Horizontai	2125.00	-37.51	-13.00	-24.51	Horizontal		
2827.00	-48.03	-13.00	-35.03	Horizontal	2836.00	-46.03	-13.00	-33.03	Horizontal		
4240.00	-49.16	-13.00	-36.16	Horizontal	4258.00	-50 15	-13.00	-37 15	Horizontal		
7471.00	47.66	12.00	24 55	Horizontal	6462.00	54.04	10.00	20.64	Herizental		
7471.00	-47.55	-13.00	-34.55	Horizonia	6463.00	-51.04	-13.00	-38.64	Horizoniai		
9892.00	-47.01	-13.00	-34.01	Horizontal	7228.00	-48.36	-13.00	-35.36	Horizontal		
Frequency	Laurel (allD)	Line (Line (JD)	Owned Lineit (HD)	Deleviseties	Frequency	1. 1.(10)	1.	0.11.11.00	D L L R		
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1405.00	-27.55	-13.00	-14 55	Vertical	1414.00	27.66	12.00	14.66	Vertical		
0440.00	-27.00	-10.00	-14.00	Vertical	1414.00	-21.00	-13.00	-14.00	Vertical		
2110.00	-35.98	-13.00	-22.98	verucai	2125.00	-33.89	-13.00	-20.89	vertical		
2827.00	-38.26	-13.00	-25.26	Vertical	2836.00	-37.61	-13.00	-24.61	Vertical		
4240.00	/0.58	13.00	36.58	Vertical	4259.00	50.24	12.00	27.24	Vertical		
4240.00	-40.00	-10.00	-50.50	Verdedi	42.30.00	-30.24	-13.00	-31.24	Vertical		
6085.00	-52.68	-13.00	-39.68	vertical	7318.00	-47.44	-13.00	-34.44	Vertical		
7372.00	-48.07	-13.00	-35.07	Vertical	9649.00	-47.05	-13.00	-34.05	Vertical		
·					-						
	LTE B17 QPSK-5M-Low						LTE B17 QF	PSK-5M-Mid			
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1422.00	27.76	13.00	14.70	Horizontal	1405.00	2E.04	12.00	12.04	Horizontal		
1423.00	-21.10	-13.00	-14.70	Horizontal	1405.00	-20.01	-13.00	-12.01	Horizonia		
2134.00	-42.21	-13.00	-29.21	Horizontal	2116.00	-39.77	-13.00	-26.77	Horizontal		
2854.00	-42.97	-13.00	-29.97	Horizontal	2827.00	-50.65	-13.00	-37.65	Horizontal		
2565.00	40.92	12.00	26.92	Horizontal	2520.00	52.72	12.00	20.72	Horizontal		
4005.00	-10.00	-10.00		Horizottal	40.10.00	-02.10	-10.00	-55.75	Line of the		
4285.00	-50.39	-13.00	-37.39	Horizontal	4240.00	-49.87	-13.00	-36.87	Horizontal		
7318.00	-48.16	-13.00	-35.16	Horizontal	7264.00	-48.37	-13.00	-35.37	Horizontal		
Frequency			_		Frequency						
(MH-)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MH=)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
(10112)	00.07	40.00	47.07	Vortic -!	(20172)	07.70	40.00	44.70	Martic -1		
1423.00	-30.27	-13.00	-17.27	vertical	1405.00	-21.13	-13.00	-14.73	vertical		
2134.00	-36.98	-13.00	-23.98	Vertical	2116.00	-36.20	-13.00	-23.20	Vertical		
2854.00	-36 19	-13.00	-23 10	Vertical	2827.00	_30.77	-13.00	-26 77	Vertical		
2004.00	40.00	40.00	-20.10	Vertical	4040.00	54.50	40.00	-20.11	Vention		
3565.00	-49.68	-13.00	-36.68	venicai	4240.00	-51.58	-13.00	-38.58	vertical		
4285.00	-48.61	-13.00	-35.61	Vertical	7282.00	-47.19	-13.00	-34.19	Vertical		
7291.00	-48.30	-13.00	-35.30	Vertical	9424.00	-46.95	-13.00	-33.95	Vertical		
	LTE B17 QPSK-5M-High					L	TE B17 160	QAM-5M-Low			
Frequency					Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	(MHZ)			. ,			
1414.00	25.12	12.00	10.10	Horizontal	1423.00	-28.17	-13.00	-15.17	Horizontal		
1414.00	-23.12	-13.00	-12.12	Tionzontai	2134.00	-41.47	-13.00	-28.47	Horizontal		
2125.00	-37.70	-13.00	-24.70	Horizontal	2954.00	44.01	12.00	31.01	Horizontal		
2836.00	-46.75	-13.00	-33.75	Horizontal	2004.00	-44.01	-13.00	-51.01	Honzontal		
3547.00	-52.03	-13.00	-39.03	Horizontal	3565.00	-51.52	-13.00	-38.52	Horizontal		
4050.00	40.04	10.00	00.00	Herizentel	4285.00	-50.53	-13.00	-37.53	Horizontal		
4258.00	-49.01	-13.00	-30.01	HUIIZUIItai	7165.00	-48.55	-13.00	-35.55	Horizontal		
Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Froquoney	10.00	10.00	00.00			
(MHz)	Level (ub)	LITTIC LITTE (UD)	Over Linii (dB)	Foldrization	Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1414.00	-27 47	-13.00	-14 47	Vertical	(MHZ)	/					
0105.00	-21.41	-10.00	-14.47	Vertical	1423.00	-29.96	-13.00	-16.96	Vertical		
2125.00	-34.33	-13.00	-21.33	vertical	2134.00	-37.16	-13.00	-24.16	Vertical		
2836.00	-37.98	-13.00	-24.98	Vertical	2101.00	07.70	-10.00	-24.10	Martia		
3547.00	-53.01	-13.00	-40.01	Vertical	2854.00	-35.73	-13.00	-22.13	vertical		
4259.00	40.92	12.00	26.92	Vertical	3565.00	-51.17	-13.00	-38.17	Vertical		
4230.00	-43.02	-13.00	-30.82	Vertical	4285.00	-50.01	-13.00	-37.01	Vertical		
7309.00	-48.34	-13.00	-35.34	vertical	7336.00	-48.06	-13.00	-35.06	Vertical		
	L	_TE B17 160	QAM-5M-Mid		LTE B17 16QAM-5M-High						
Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
	04.00	40.00	44.00	Horizontal	(MHZ)			44-1	United 11		
1414.00	-24.96	-13.00	-11.96	Horizontai	1414.00	-24.91	-13.00	-11.91	Horizontal		
2125.00	-37.58	-13.00	-24.58	Horizontal	2125.00	-39.27	-13.00	-26.27	Horizontal		
2836.00	-46.80	-13.00	-33.80	Horizontal	2836.00	-46.26	-13.00	-33.26	Horizontal		
3547.00	-52 50	-13.00	-39.50	Horizontal	3547.00	-51.98	-13.00	39.06	Horizontal		
4010.00	-02.00	-10.00	-00.00	Laging st-1	3347.00	-01.00	-13.00	-30.00	Horizofila		
4249.00	-01.10	-13.00	-38.10	nonzontai	4258.00	-50.40	-13.00	-37.40	Horizontal		
7255.00	-48.46	-13.00	-35.46	Horizontal	7318.00	-48.29	-13.00	-35.29	Horizontal		
Frequency	Laure Const	11-011 (1P)		Dalaria di	Frequency						
(MHz)	Level (dB)	LIMIT LINE (dB)	Over Limit (dB)	Polarization	(MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1414.00	27.22	12.00	14.00	Vertical	1444.00	27.22	12.00	14.00	Vortical		
1414.00	-21.23	-13.00	-14.20	VCIUCAI	1414.00	-21.33	-13.00	-14.33	venucai		
2125.00	-34.42	-13.00	-21.42	vertical	2125.00	-35.18	-13.00	-22.18	Vertical		
2836.00	-40.60	-13.00	-27.60	Vertical	2836.00	-37.40	-13.00	-24.40	Vertical		
3547.00	-52.91	-13.00	_39.81	Vertical	4250 00	-50.20	_13.00	_37.20	Vertical		
0.041.00	-02.01	-13.00	-30.01	V	4206.00	-00.30	-13.00	-31.3U	veruudi		
4249.00	-49.86	-13.00	-30.86	verucal	/453.00	-48.44	-13.00	-35.44	vertical		
7264.00	-47.81	-13.00	-34.81	Vertical	9568.00	-46.44	-13.00	-33.44	Vertical		
	LTE B17 QPSK-10M-Low					LTE B17 QPSK-10M-Mid					
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
1414.00	-24.07	-13.00	-11.07	HUNZUNIA	1414.00	-20.28	-13.00	-12.28	riunzufital		
2134.00	-40.51	-13.00	-27.51	Horizontal	2125.00	-37.54	-13.00	-24.54	Horizontal		
2845.00	-45.32	-13.00	-32.32	Horizontal	2836.00	-47.35	-13.00	-34.35	Horizontal		
3558.00	-50.10	.13.00	27 10	Horizontal	2547.00	.53.00	13.00	10 00	Horizontal		
4007.00	50.10	10.00	-07.10	Horizontal	4050.00	50.30	10.00	-10.00	Horizontal		
4267.00	-50.77	-13.00	-31.11	Horizontai	4258.00	-50.79	-13.00	-37.79	HULIZUNTAI		
7498.00	-47.80	-13.00	-34.80	Horizontal	7228.00	-48.32	-13.00	-35.32	Horizontal		
Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization	Frequency	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		
(MHz)	Lever (ub)	Cirine (uD)	Croi Linin (UD)	i olarizau011	(MHz)		CITIC LINE (UD)	Cror Linnic (UD)	i vianzauvit		
1414.00	-28.70	-13.00	-15.70	Vertical	1414.00	-26.59	-13.00	-13.59	Vertical		
2124.00	_95.10	.12.00	22.10	Vertical	212F 00	_22.00	.12.00	20.00	Vertical		
2134.00	-50.18	-13.00	-22.18	veruCal	2125.00	-53.90	-13.00	-20.90	verucal		
2845.00	-36.80	-13.00	-23.80	Vertical	2836.00	-40.86	-13.00	-27.86	Vertical		
3556.00	-49.76	-13.00	-36.76	Vertical	3547.00	-51.33	-13.00	-38.33	Vertical		
4267.00	-48.50	-13.00	-35 50	Vertical	4249.00	-48 79	-13.00	-35 79	Vertical		
7400.00	47.05	40.00	24.05	Vortical	7400.00	40.00	10.00	05.10	Vortical		
/498.00	-47.85	-13.00	-34.85	venicai	/489.00	48.06	-13.00	-35.00	venucai		
	LTE B17 QPSK-10M-High					LTE B17 16QAM-10M-Low					

Page 115 of 116

Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1414.00	-26.72	-13.00	-13.72	Horizontal		1414.00	-25.97	-13.00	-12.97	Horizontal
2125.00	-39.46	-13.00	-26.46	Horizontal	1	2134.00	-40.25	-13.00	-27.25	Horizontal
2836.00	-46.36	-13.00	-33.36	Horizontal	1	2845.00	-45.06	-13.00	-32.06	Horizontal
3547.00	-51.94	-13.00	-38.94	Horizontal	1	3556.00	-50.37	-13.00	-37.37	Horizontal
4258.00	-50.97	-13.00	-37.97	Horizontal	1	4267.00	-51.32	-13.00	-38.32	Horizontal
7255.00	-48.07	-13.00	-35.07	Horizontal	1	7300.00	-48.42	-13.00	-35.42	Horizontal
Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization		Frequency (MHz)	Level (dB)	Limit Line (dB)	Over Limit (dB)	Polarization
1414.00	-27.20	-13.00	-14.20	Vertical		1414.00	-28.85	-13.00	-15.85	Vertical
2125.00	-34.83	-13.00	-21.83	Vertical		2134.00	-35.92	-13.00	-22.92	Vertical
2836.00	-38.14	-13.00	-25.14	Vertical		2845.00	-36.84	-13.00	-23.84	Vertical
3547.00	-53.93	-13.00	-40.93	Vertical		3556.00	-50.15	-13.00	-37.15	Vertical
4258.00	-51.20	-13.00	-38.20	Vertical		4267.00	-48.64	-13.00	-35.64	Vertical
7282.00	-47.91	-13.00	-34.91	Vertical		7318.00	-48.57	-13.00	-35.57	Vertical
	LTE B17 16QAM-10M-Mid						Ľ	FE B17 16Q	AM-10M-High	

END OF REPORT

Page 116 of 116