




# 1. Duty Cycle

## 1.1 Ant1


### 1.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	/	/	2.067	2.083	99.23	0.03	0.03
		5200	/	/	2.066	2.082	99.23	0.03	0.03
		5240	/	/	2.067	2.083	99.23	0.03	0.04
802.11n (HT20)	MIMO	5180	/	/	1.920	1.939	99.02	0.04	0.03
		5200	/	/	1.922	1.939	99.12	0.04	0.03
		5240	/	/	1.923	1.939	99.17	0.04	0.03
802.11n (HT40)	MIMO	5190	/	/	1.538	1.554	98.97	0.04	0.00
		5230	/	/	1.539	1.555	98.97	0.04	0.03
802.11ac (VHT20)	MIMO	5180	/	/	5.010	5.026	99.68	0.01	0.00
		5200	/	/	5.010	5.026	99.68	0.01	0.00
		5240	/	/	5.010	5.026	99.68	0.01	0.04
802.11ac (VHT40)	MIMO	5190	/	/	1.547	1.564	98.91	0.05	0.03
		5230	/	/	1.546	1.562	98.98	0.04	0.03
802.11ac (VHT80)	MIMO	5210	/	/	2.244	2.260	99.29	0.03	0.04
802.11ax (HEW20)	MIMO	5180	RU242	Left	3.815	3.832	99.56	0.02	0.03
		5200	RU242	Left	3.815	3.832	99.56	0.02	0.03
		5240	RU242	Left	3.814	3.832	99.53	0.02	0.03
802.11ax (HEW40)	MIMO	5190	RU484	Left	1.242	1.268	97.95	0.09	0.03
		5230	RU484	Left	1.242	1.268	97.95	0.09	0.03
802.11ax (HEW80)	MIMO	5210	RU996	Left	0.172	0.188	91.49	0.39	0.10


1.1.2 Test Graph




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV



802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV







802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV



802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV







802.11ax(HEW20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV






## 2. Bandwidth

### 2.1 OBW

#### 2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	17.049	/	Pass
		5200	/	/	1	16.996	/	Pass
		5240	/	/	1	17.135	/	Pass
802.11n (HT20)	MIMO	5180	/	/	1	18.040	/	Pass
		5200	/	/	1	17.962	/	Pass
		5240	/	/	1	17.997	/	Pass
802.11n (HT40)	MIMO	5190	/	/	1	36.148	/	Pass
		5230	/	/	1	36.113	/	Pass
802.11ac (VHT20)	MIMO	5180	/	/	1	17.983	/	Pass
		5200	/	/	1	17.981	/	Pass
		5240	/	/	1	17.979	/	Pass
802.11ac (VHT40)	MIMO	5190	/	/	1	36.264	/	Pass
		5230	/	/	1	36.103	/	Pass
802.11ac (VHT80)	MIMO	5210	/	/	1	75.326	/	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	1	19.117	/	Pass
		5200	RU242	Left	1	19.117	/	Pass
		5240	RU242	Left	1	19.110	/	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	1	37.985	/	Pass
		5230	RU484	Left	1	37.902	/	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	1	77.887	/	Pass

### 2.1.2 Test Graph







802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV



802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV







802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV






## 2.2 26dB BW

### 2.2.1 Test Result


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	20.584	/	Pass
		5200	/	/	1	20.660	/	Pass
		5240	/	/	1	20.597	/	Pass
802.11n (HT20)	MIMO	5180	/	/	1	20.884	/	Pass
		5200	/	/	1	20.614	/	Pass
		5240	/	/	1	20.876	/	Pass
802.11n (HT40)	MIMO	5190	/	/	1	38.888	/	Pass
		5230	/	/	1	38.991	/	Pass
802.11ac (VHT20)	MIMO	5180	/	/	1	20.697	/	Pass
		5200	/	/	1	20.758	/	Pass
		5240	/	/	1	20.765	/	Pass
802.11ac (VHT40)	MIMO	5190	/	/	1	38.910	/	Pass
		5230	/	/	1	39.049	/	Pass
802.11ac (VHT80)	MIMO	5210	/	/	1	80.322	/	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	1	20.788	/	Pass
		5200	RU242	Left	1	21.251	/	Pass
		5240	RU242	Left	1	21.167	/	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	1	40.061	/	Pass
		5230	RU484	Left	1	40.376	/	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	1	81.576	/	Pass




### 2.2.2 Test Graph




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV



802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV







802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV



### 3. Maximum Conducted Output Power

#### 3.1 Power

##### 3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	/	/	1.57	2.85	/	<=23.98	Pass
		5200	/	/	1.25	2.65	/	<=23.98	Pass
		5240	/	/	-0.49	0.85	/	<=23.98	Pass
802.11n (HT20)	MIMO	5180	/	/	1.44	3.02	5.31	<=23.98	Pass
		5200	/	/	1.08	2.07	4.61	<=23.98	Pass
		5240	/	/	-0.51	0.87	3.24	<=23.98	Pass
802.11n (HT40)	MIMO	5190	/	/	-1.05	0.48	2.79	<=23.98	Pass
		5230	/	/	-3.18	-3.12	-0.14	<=23.98	Pass
802.11ac (VHT20)	MIMO	5180	/	/	-0.58	1.14	3.37	<=23.98	Pass
		5200	/	/	-1.38	0.35	2.58	<=23.98	Pass
		5240	/	/	-2.36	-0.84	1.48	<=23.98	Pass
802.11ac (VHT40)	MIMO	5190	/	/	2.68	4.52	6.71	<=23.98	Pass
		5230	/	/	1.13	2.97	5.16	<=23.98	Pass
802.11ac (VHT80)	MIMO	5210	/	/	2.31	3.81	6.13	<=23.98	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	2.06	3.73	5.99	<=23.98	Pass
		5200	RU242	Left	1.06	3.00	5.15	<=23.98	Pass
		5240	RU242	Left	-0.09	1.49	3.78	<=23.98	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	0.62	2.45	4.64	<=23.98	Pass
		5230	RU484	Left	-0.43	1.07	3.39	<=23.98	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	0.10	1.32	3.76	<=23.98	Pass
Note1: Antenna Gain: Ant1: 2.09dBi; Ant2: 1.56dBi; Note2: Directional Gain: Uncorrelated(Directional Gain = 4.84dBi)									




## 4. Maximum Power Spectral Density

### 4.1 PSD


#### 4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
					ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	/	/	-7.16	-5.83	/	<=11	Pass
		5200	/	/	-7.39	-6.08	/	<=11	Pass
		5240	/	/	-9.15	-7.99	/	<=11	Pass
802.11n (HT20)	MIMO	5180	/	/	-7.59	-5.82	-3.68	<=11	Pass
		5200	/	/	-7.77	-6.88	-4.34	<=11	Pass
		5240	/	/	-9.34	-8.10	-5.69	<=11	Pass
802.11n (HT40)	MIMO	5190	/	/	-12.57	-10.82	-8.69	<=11	Pass
		5230	/	/	-14.63	-14.60	-11.64	<=11	Pass
802.11ac (VHT20)	MIMO	5180	/	/	-9.27	-7.71	-5.44	<=11	Pass
		5200	/	/	-10.22	-8.53	-6.29	<=11	Pass
		5240	/	/	-11.33	-9.73	-7.52	<=11	Pass
802.11ac (VHT40)	MIMO	5190	/	/	-8.88	-6.79	-4.71	<=11	Pass
		5230	/	/	-10.29	-8.53	-6.35	<=11	Pass
802.11ac (VHT80)	MIMO	5210	/	/	-11.68	-9.95	-7.72	<=11	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	-8.34	-6.60	-4.38	<=11	Pass
		5200	RU242	Left	-9.41	-7.28	-5.34	<=11	Pass
		5240	RU242	Left	-10.45	-8.95	-6.68	<=11	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	-14.22	-12.22	-10.31	<=11	Pass
		5230	RU484	Left	-15.26	-13.70	-11.55	<=11	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	-17.61	-16.29	-13.95	<=11	Pass
Note1: Antenna Gain: Ant1: 2.09dBi; Ant2: 1.56dBi; Note2: Directional Gain: Uncorrelated(Directional Gain = 4.84dBi)									


### 4.1.2 Test Graph




802.11a\_MCH\_5200MHz\_Ant1\_NTNV




802.11a\_MCH\_5200MHz\_Ant2\_NTNV




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_HCH\_5240MHz\_Ant2\_NTNV




802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5180MHz\_Ant2\_NTNV



802.11n(HT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5200MHz\_Ant2\_NTNV







802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11n(HT20)\_HCH\_5240MHz\_Ant2\_NTNV




802.11n(HT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5190MHz\_Ant2\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11n(HT40)\_HCH\_5230MHz\_Ant2\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant2\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant2\_NTNV



802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant2\_NTNV







802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5190MHz\_Ant2\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant2\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant2\_NTNV




802.11ax(HEW20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_LCH\_5180MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_5200MHz\_RU242\_Left\_Ant2\_NTNV



802.11ax(HEW20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_5240MHz\_RU242\_Left\_Ant2\_NTNV







802.11ax(HEW40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_LCH\_5190MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_5230MHz\_RU484\_Left\_Ant2\_NTNV



802.11ax(HEW80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HEW80)\_MCH\_5210MHz\_RU996\_Left\_Ant2\_NTNV



## 5. Frequency Stability

### 5.1 Ant1

#### 5.1.1 Test Result

Ant1										
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict			
Carrier Wave	SISO	5180	20	102	5179.981	5150 to 5250	Pass			
				120	5179.981	5150 to 5250	Pass			
				138	5179.981	5150 to 5250	Pass			
			5200	-30	120	5179.981	5150 to 5250	Pass		
					-20	120	5179.981	5150 to 5250	Pass	
					-10	120	5179.981	5150 to 5250	Pass	
				5240	0	120	5179.981	5150 to 5250	Pass	
						10	120	5179.981	5150 to 5250	Pass
						30	120	5179.981	5150 to 5250	Pass
		5190			40	120	5179.981	5150 to 5250	Pass	
						50	120	5179.981	5150 to 5250	Pass
						20	102	5199.981	5150 to 5250	Pass
			5230		20	120	5199.981	5150 to 5250	Pass	
						138	5199.981	5150 to 5250	Pass	
						-30	120	5199.981	5150 to 5250	Pass
				5180	-20	120	5199.981	5150 to 5250	Pass	
						-10	120	5199.981	5150 to 5250	Pass
						0	120	5199.981	5150 to 5250	Pass
		5200			10	120	5199.981	5150 to 5250	Pass	
						30	120	5199.981	5150 to 5250	Pass
						40	120	5199.981	5150 to 5250	Pass
			5240		50	120	5199.981	5150 to 5250	Pass	
						20	102	5239.991	5150 to 5250	Pass
						120	5239.991	5150 to 5250	Pass	
				5190	-30	138	5239.991	5150 to 5250	Pass	
						120	5239.991	5150 to 5250	Pass	
						-20	120	5239.991	5150 to 5250	Pass
		5230			-10	120	5239.991	5150 to 5250	Pass	
						0	120	5239.991	5150 to 5250	Pass
						10	120	5239.991	5150 to 5250	Pass
			5180		30	120	5239.991	5150 to 5250	Pass	
						40	120	5239.991	5150 to 5250	Pass
						50	120	5239.991	5150 to 5250	Pass
				5200	20	102	5190.471	5150 to 5250	Pass	
						120	5189.981	5150 to 5250	Pass	
						138	5189.981	5150 to 5250	Pass	
		5240			-30	120	5189.981	5150 to 5250	Pass	
						-20	120	5189.981	5150 to 5250	Pass
						-10	120	5189.981	5150 to 5250	Pass
			5190		0	120	5189.981	5150 to 5250	Pass	
						10	120	5189.981	5150 to 5250	Pass
						30	120	5189.981	5150 to 5250	Pass
				5230	40	120	5189.981	5150 to 5250	Pass	
						50	120	5189.981	5150 to 5250	Pass
						20	102	5229.971	5150 to 5250	Pass
5200	20	120			5229.971	5150 to 5250	Pass			
		138			5229.971	5150 to 5250	Pass			

			-30	120	5229.971	5150 to 5250	Pass
			-20	120	5229.971	5150 to 5250	Pass
			-10	120	5229.971	5150 to 5250	Pass
			0	120	5229.971	5150 to 5250	Pass
			10	120	5229.971	5150 to 5250	Pass
			30	120	5229.971	5150 to 5250	Pass
			40	120	5229.971	5150 to 5250	Pass
			50	120	5229.971	5150 to 5250	Pass
		5210	20	102	5209.971	5150 to 5250	Pass
				120	5209.971	5150 to 5250	Pass
				138	5209.971	5150 to 5250	Pass
			-30	120	5209.971	5150 to 5250	Pass
			-20	120	5209.971	5150 to 5250	Pass
			-10	120	5209.971	5150 to 5250	Pass
			0	120	5209.971	5150 to 5250	Pass
			10	120	5209.971	5150 to 5250	Pass
			30	120	5209.971	5150 to 5250	Pass
			40	120	5209.971	5150 to 5250	Pass
			50	120	5209.971	5150 to 5250	Pass

▶▶▶ END OF REPORT ◀◀◀