

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	/	/	12.417	12.440	99.82	0.01	0.00
		2437	/	/	12.417	12.440	99.82	0.01	0.03
		2462	/	/	12.417	12.440	99.82	0.01	0.03
802.11g	SISO	2412	/	/	2.065	2.083	99.14	0.04	0.03
		2437	/	/	2.065	2.083	99.14	0.04	0.04
		2462	/	/	2.065	2.083	99.14	0.04	0.04
802.11n (HT20)	SISO	2412	/	/	1.920	1.939	99.02	0.04	0.03
		2437	/	/	1.921	1.940	99.02	0.04	0.03
		2462	/	/	1.921	1.940	99.02	0.04	0.03
802.11ax (HEW20)	SISO	2412	RU242	Left	1.488	1.507	98.74	0.06	0.03
		2437	RU242	Left	1.489	1.507	98.81	0.05	0.00
		2462	RU242	Left	1.488	1.508	98.67	0.06	0.07

1.2 Test Graph


1.2.1 Ant1




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11b	SISO	2412	/	/	1	11.677	/	Pass
		2437	/	/	1	11.747	/	Pass
		2462	/	/	1	11.678	/	Pass
802.11g	SISO	2412	/	/	1	17.498	/	Pass
		2437	/	/	1	17.504	/	Pass
		2462	/	/	1	17.430	/	Pass
802.11n (HT20)	SISO	2412	/	/	1	18.285	/	Pass
		2437	/	/	1	18.262	/	Pass
		2462	/	/	1	18.200	/	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	1	19.125	/	Pass
		2437	RU242	Left	1	19.159	/	Pass
		2462	RU242	Left	1	19.111	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11b	SISO	2412	/	/	1	8.046	≥ 0.5	Pass
		2437	/	/	1	8.048	≥ 0.5	Pass
		2462	/	/	1	8.047	≥ 0.5	Pass
802.11g	SISO	2412	/	/	1	16.398	≥ 0.5	Pass
		2437	/	/	1	16.391	≥ 0.5	Pass
		2462	/	/	1	16.402	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	/	/	1	17.640	≥ 0.5	Pass
		2437	/	/	1	17.628	≥ 0.5	Pass
		2462	/	/	1	17.625	≥ 0.5	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	1	18.890	≥ 0.5	Pass
		2437	RU242	Left	1	18.860	≥ 0.5	Pass
		2462	RU242	Left	1	18.610	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV




2.2.2 6dB BW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Peak Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	11.87	<=30	Pass
		2437	/	/	11.02	<=30	Pass
		2462	/	/	11.67	<=30	Pass
802.11g	SISO	2412	/	/	10.88	<=30	Pass
		2437	/	/	10.51	<=30	Pass
		2462	/	/	10.90	<=30	Pass
802.11n (HT20)	SISO	2412	/	/	10.82	<=30	Pass
		2437	/	/	10.23	<=30	Pass
		2462	/	/	10.72	<=30	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	10.84	<=30	Pass
		2437	RU242	Left	10.65	<=30	Pass
		2462	RU242	Left	10.12	<=30	Pass

Note1: Antenna Gain: Ant1: 2.08dBi;



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/3kHz)		Verdict
					ANT1	Limit	
802.11b	SISO	2412	/	/	-19.57	<=8	Pass
		2437	/	/	-18.94	<=8	Pass
		2462	/	/	-17.52	<=8	Pass
802.11g	SISO	2412	/	/	-24.29	<=8	Pass
		2437	/	/	-22.89	<=8	Pass
		2462	/	/	-23.42	<=8	Pass
802.11n (HT20)	SISO	2412	/	/	-24.44	<=8	Pass
		2437	/	/	-23.80	<=8	Pass
		2462	/	/	-23.02	<=8	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	-26.06	<=8	Pass
		2437	RU242	Left	-26.00	<=8	Pass
		2462	RU242	Left	-24.88	<=8	Pass

Note1: Antenna Gain: Ant1: 2.08dBi;




4.2 Test Graph


4.2.1 PSD




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV



802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)
802.11b	SISO	2412	/	/	1	-4.55
		2437	/	/	1	-4.20
		2462	/	/	1	-3.53
802.11g	SISO	2412	/	/	1	-11.40
		2437	/	/	1	-10.72
		2462	/	/	1	-10.59
802.11n (HT20)	SISO	2412	/	/	1	-11.33
		2437	/	/	1	-10.94
		2462	/	/	1	-10.23
802.11ax (HEW20)	SISO	2412	RU242	Left	1	-12.45
		2437	RU242	Left	1	-11.70
		2462	RU242	Left	1	-11.20

5.1.2 CSE


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	/	/	1	-3.53	-23.53	Pass
		2437	/	/	1	-3.53	-23.53	Pass
		2462	/	/	1	-3.53	-23.53	Pass
802.11g	SISO	2412	/	/	1	-10.59	-30.59	Pass
		2437	/	/	1	-10.59	-30.59	Pass
		2462	/	/	1	-10.59	-30.59	Pass
802.11n (HT20)	SISO	2412	/	/	1	-10.23	-30.23	Pass
		2437	/	/	1	-10.23	-30.23	Pass
		2462	/	/	1	-10.23	-30.23	Pass
802.11ax (HEW20)	SISO	2412	RU242	Left	1	-11.20	-31.20	Pass
		2437	RU242	Left	1	-11.20	-31.20	Pass
		2462	RU242	Left	1	-11.20	-31.20	Pass

5.2 Test Graph


5.2.1 Ref




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11ax(HEW20)_LCH_2412MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_MCH_2437MHz_RU242_Left_Ant1 (SISO)_NTNV




802.11ax(HEW20)_HCH_2462MHz_RU242_Left_Ant1 (SISO)_NTNV




5.2.2 CSE




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV

