




Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1415.000	-57.09	-56.44	-13.00	-44.09	-0.65	Peak	Horizontal
2 PP	2120.000	-53.40	-57.46	-13.00	-40.40	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-57.18	-56.76	-13.00	-44.18	-0.42	Peak	Vertical
2 PP	2122.500	-53.89	-57.81	-13.00	-40.89	3.92	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1413.000	-53.11	-52.46	-13.00	-40.11	-0.65	Peak	Horizontal
2	2122.500	-53.23	-57.29	-13.00	-40.23	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1415.000	-56.98	-56.57	-13.00	-43.98	-0.41	Peak	Vertical
2 PP	2120.000	-53.89	-57.80	-13.00	-40.89	3.91	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE B13

CHANNEL BANDWIDTH: 5MHz / QPSK

CH23205

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1560.000	-57.76	-57.82	-40.00	-17.76	0.06	Peak	Horizontal
2	2338.500	-53.08	-57.93	-13.00	-40.08	4.85	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1559.000	-57.40	-57.79	-40.00	-17.40	0.39	Peak	Vertical
2	2337.000	-54.09	-58.59	-13.00	-41.09	4.50	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH23230

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-57.82	-57.94	-40.00	-17.82	0.12	Peak	Horizontal
2	2346.000	-53.47	-58.35	-13.00	-40.47	4.88	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	PoI/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1564.000	-58.31	-58.74	-40.00	-18.31	0.43	Peak	Vertical
2	2344.000	-53.54	-58.06	-13.00	-40.54	4.52	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH23255

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1569.000	-57.61	-57.75	-40.00	-17.61	0.14	Peak	Horizontal
2	2351.000	-52.89	-57.79	-13.00	-39.89	4.90	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-57.78	-58.23	-40.00	-17.78	0.45	Peak	Vertical
2	2353.500	-53.58	-58.12	-13.00	-40.58	4.54	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 10MHz /QPSK

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1564.000	-58.41	-58.51	-40.00	-18.41	0.10	Peak	Horizontal
2	2344.000	-53.01	-57.88	-13.00	-40.01	4.87	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-56.21	-56.66	-40.00	-16.21	0.45	Peak	Vertical
2	2346.000	-52.33	-56.85	-13.00	-39.33	4.52	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-230313W001RF03

LTE B66

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3510.000	-51.01	-58.36	-13.00	-38.01	7.35	Peak	Horizontal
2	PP 5267.000	-48.38	-58.49	-13.00	-35.38	10.11	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3516.000	-51.02	-58.36	-13.00	-38.02	7.34	Peak	Vertical
2 PP	5265.000	-47.65	-58.16	-13.00	-34.65	10.51	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3516.000	-50.32	-57.68	-13.00	-37.32	7.36	Peak	Horizontal
2 PP	5265.000	-47.75	-57.86	-13.00	-34.75	10.11	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3510.000	-51.34	-58.67	-13.00	-38.34	7.33	Peak	Vertical
2 PP	5267.000	-47.81	-58.32	-13.00	-34.81	10.51	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3510.000	-50.41	-57.76	-13.00	-37.41	7.35	Peak	Horizontal
2 PP	5267.000	-47.86	-57.97	-13.00	-34.86	10.11	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3516.000	-51.49	-58.83	-13.00	-38.49	7.34	Peak	Vertical
2 PP	5265.000	-48.04	-58.55	-13.00	-35.04	10.51	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3516.000	-50.99	-58.35	-13.00	-37.99	7.36	Peak	Horizontal
2 PP	5265.000	-48.29	-58.40	-13.00	-35.29	10.11	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3510.000	-51.17	-58.50	-13.00	-38.17	7.33	Peak	Vertical
2 PP	5267.000	-47.56	-58.07	-13.00	-34.56	10.51	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 15MHz / QPSK
CH132047

MODE	TX channel 132047	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3431.000	-51.10	-58.33	-13.00	-38.10	7.23	Peak	Horizontal
2 PP	5152.500	-48.47	-58.40	-13.00	-35.47	9.93	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132047	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3435.000	-50.94	-58.16	-13.00	-37.94	7.22	Peak	Vertical
2 PP	5148.000	-48.55	-58.95	-13.00	-35.55	10.40	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3516.000	-51.71	-59.07	-13.00	-38.71	7.36	Peak	Horizontal
2 PP	5265.000	-48.51	-58.62	-13.00	-35.51	10.11	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3510.000	-50.45	-57.78	-13.00	-37.45	7.33	Peak	Vertical
2 PP	5267.000	-47.41	-57.92	-13.00	-34.41	10.51	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH132597

MODE	TX channel 132597	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3550.000	-51.56	-59.01	-13.00	-38.56	7.45	Peak	Horizontal
2 PP	5317.500	-48.74	-58.93	-13.00	-35.74	10.19	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132597	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3431.000	-51.08	-58.29	-13.00	-38.08	7.21	Peak	Vertical
2 PP	5317.500	-47.69	-58.25	-13.00	-34.69	10.56	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3510.000	-51.45	-58.80	-13.00	-38.45	7.35	Peak	Horizontal
2 PP	5267.000	-48.82	-58.93	-13.00	-35.82	10.11	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3516.000	-50.72	-58.06	-13.00	-37.72	7.34	Peak	Vertical
2 PP	5265.000	-47.88	-58.39	-13.00	-34.88	10.51	Peak	Vertical






Test Report No.: W7L-230313W001RF03

LTE B85

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-56.75	-56.10	-13.00	-43.75	-0.65	Peak	Horizontal
2 PP	2121.000	-53.61	-57.67	-13.00	-40.61	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-57.66	-57.25	-13.00	-44.66	-0.41	Peak	Vertical
2 PP	2120.000	-54.59	-58.50	-13.00	-41.59	3.91	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

CH134052

MODE	TX channel 134052	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1406.000	-58.18	-57.51	-13.00	-45.18	-0.67	Peak	Horizontal
2 PP	2106.000	-53.86	-57.86	-13.00	-40.86	4.00	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134052	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1406.000	-57.67	-57.22	-13.00	-44.67	-0.45	Peak	Vertical
2 PP	2109.000	-53.29	-57.17	-13.00	-40.29	3.88	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH134092

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-58.03	-57.38	-13.00	-45.03	-0.65	Peak	Horizontal
2 PP	2121.000	-54.22	-58.28	-13.00	-41.22	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-57.16	-56.75	-13.00	-44.16	-0.41	Peak	Vertical
2 PP	2120.000	-53.16	-57.07	-13.00	-40.16	3.91	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH134132

MODE	TX channel 134132	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1420.000	-58.28	-57.65	-13.00	-45.28	-0.63	Peak	Horizontal
2 PP	2133.000	-54.10	-58.20	-13.00	-41.10	4.10	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134132	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1422.000	-57.64	-57.26	-13.00	-44.64	-0.38	Peak	Vertical
2 PP	2134.000	-54.20	-58.15	-13.00	-41.20	3.95	Peak	Vertical





Test Report No.: W7L-230313W001RF03

LTE NB-IOT

BELOW 1GHz WORST-CASE DATA


30 MHz – 1GHz data:

LTE Band 13

SUBCARRIER SPACING: 3.75KHz / QPSK

MODE	TX channel 23230	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	62.010	-58.45	-39.20	-13.00	-45.45	-19.25	Peak	Horizontal
2	168.710	-59.44	-43.09	-13.00	-46.44	-16.35	Peak	Horizontal
3	263.770	-60.53	-48.80	-13.00	-47.53	-11.73	Peak	Horizontal
4	321.000	-67.87	-55.92	-13.00	-54.87	-11.95	Peak	Horizontal
5	423.820	-69.54	-59.94	-13.00	-56.54	-9.60	Peak	Horizontal
6	595.510	-69.08	-64.85	-13.00	-56.08	-4.23	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	PoI/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	33.880	-64.37	-44.61	-13.00	-51.37	-19.76	Peak	Vertical
2	62.010	-58.12	-35.13	-13.00	-45.12	-22.99	Peak	Vertical
3 PP	99.840	-41.51	-35.00	-13.00	-28.51	-6.51	Peak	Vertical
4	168.710	-63.01	-45.46	-13.00	-50.01	-17.55	Peak	Vertical
5	274.440	-70.84	-58.60	-13.00	-57.84	-12.24	Peak	Vertical
6	407.330	-65.91	-56.98	-13.00	-52.91	-8.93	Peak	Vertical





BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

ABOVE 1GHz

Note: For higher frequency, the emission is too low to be detected.


WORST-CASE DATA

LTE Band 8

SUBCARRIER SPACING: 3.75KHz /QPSK

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1799.000	-40.80	-42.79	-13.00	-27.80	1.99	Peak	Horizontal
2 PP	2700.000	-37.17	-43.09	-13.00	-24.17	5.92	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1799.000	-39.35	-41.48	-13.00	-26.35	2.13	Peak	Vertical
2	PP 2700.000	-36.47	-42.05	-13.00	-23.47	5.58	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK
CH21627

MODE	TX channel 21627	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1807.500	-41.59	-43.65	-13.00	-28.59	2.06	Peak	Horizontal
2 PP	2691.500	-35.79	-41.69	-13.00	-22.79	5.90	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21627	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1799.000	-38.02	-40.15	-13.00	-25.02	2.13	Peak	Vertical
2 PP	2691.500	-36.69	-42.24	-13.00	-23.69	5.55	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH21640

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1799.000	-41.63	-43.62	-13.00	-28.63	1.99	Peak	Horizontal
2 PP	2700.000	-35.01	-40.93	-13.00	-22.01	5.92	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1799.000	-41.30	-43.43	-13.00	-28.30	2.13	Peak	Vertical
2 PP	2700.000	-32.08	-37.66	-13.00	-19.08	5.58	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH21653

MODE	TX channel 21653	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1799.000	-41.56	-43.55	-13.00	-28.56	1.99	Peak	Horizontal
2 PP	2700.000	-37.24	-43.16	-13.00	-24.24	5.92	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21653	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1799.000	-40.56	-42.69	-13.00	-27.56	2.13	Peak	Vertical
2 PP	2700.000	-35.60	-41.18	-13.00	-22.60	5.58	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE BAND 12

SUBCARRIER SPACING: 3.75KHz / QPSK

CH23012

MODE	TX channel 23012	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Po1/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1399.500	-42.53	-41.84	-13.00	-29.53	-0.69	Peak	Horizontal
2	2096.500	-48.44	-52.41	-13.00	-35.44	3.97	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23012	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1399.500	-45.26	-44.79	-13.00	-32.26	-0.47	Peak	Vertical
2	2096.500	-47.67	-51.52	-13.00	-34.67	3.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1416.500	-41.33	-40.69	-13.00	-28.33	-0.64	Peak	Horizontal
2	2122.500	-47.19	-51.25	-13.00	-34.19	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1416.500	-46.80	-46.40	-13.00	-33.80	-0.40	Peak	Vertical
2	2122.500	-49.90	-53.82	-13.00	-36.90	3.92	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH23178

MODE	TX channel 23178	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1433.500	-44.38	-43.78	-13.00	-31.38	-0.60	Peak	Horizontal
2	2147.500	-44.75	-48.91	-13.00	-31.75	4.16	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23178	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1433.500	-44.07	-43.74	-13.00	-31.07	-0.33	Peak	Vertical
2	2147.500	-48.46	-52.44	-13.00	-35.46	3.98	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1416.500	-41.93	-41.29	-13.00	-28.93	-0.64	Peak	Horizontal
2	2122.000	-47.12	-51.18	-13.00	-34.12	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1415.000	-47.01	-46.60	-13.00	-34.01	-0.41	Peak	Vertical
2	2122.000	-49.58	-53.50	-13.00	-36.58	3.92	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE B13

SUBCARRIER SPACING: 3.75KHz / QPSK

CH23182

MODE	TX channel 23182	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1553.000	-44.46	-44.47	-13.00	-31.46	0.01	Peak	Horizontal
2	2330.000	-46.16	-50.98	-13.00	-33.16	4.82	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23182	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1553.000	-46.68	-47.03	-13.00	-33.68	0.35	Peak	Vertical
2	2330.000	-51.63	-56.11	-13.00	-38.63	4.48	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CH23230

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-43.55	-43.67	-40.00	-3.55	0.12	Peak	Horizontal
2	2344.000	-46.18	-51.05	-13.00	-33.18	4.87	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-49.01	-49.46	-40.00	-9.01	0.45	Peak	Vertical
2	2346.000	-50.61	-55.13	-13.00	-37.61	4.52	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH23278

MODE	TX channel 23278	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1574.000	-44.20	-44.38	-40.00	-4.20	0.18	Peak	Horizontal
2	2358.000	-46.38	-51.30	-13.00	-33.38	4.92	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23278	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1574.000	-48.17	-48.67	-40.00	-8.17	0.50	Peak	Vertical
2	2360.400	-49.01	-53.57	-13.00	-36.01	4.56	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-45.18	-45.30	-40.00	-5.18	0.12	Peak	Horizontal
2	2344.000	-45.93	-50.80	-13.00	-32.93	4.87	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1567.000	-48.67	-49.12	-40.00	-8.67	0.45	Peak	Vertical
2	2344.000	-51.28	-55.80	-13.00	-38.28	4.52	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE B66

SUBCARRIER SPACING: 3.75KHz / QPSK

CH131974

MODE	TX channel 131974	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3414.000	-44.34	-51.54	-13.00	-31.34	7.20	Peak	Horizontal
2	5130.600	-48.24	-58.13	-13.00	-35.24	9.89	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 131974	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3414.000	-40.47	-47.65	-13.00	-27.47	7.18	Peak	Vertical
2	5131.000	-49.18	-59.57	-13.00	-36.18	10.39	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3482.000	-43.41	-50.71	-13.00	-30.41	7.30	Peak	Horizontal
2	5235.000	-49.75	-59.81	-13.00	-36.75	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3490.000	-39.36	-46.66	-13.00	-26.36	7.30	Peak	Vertical
2	5233.000	-48.30	-58.78	-13.00	-35.30	10.48	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH132670

MODE	TX channel 132670	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3559.600	-45.44	-52.91	-13.00	-32.44	7.47	Peak	Horizontal
2	5335.000	-48.79	-59.01	-13.00	-35.79	10.22	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132670	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3567.000	-49.96	-57.38	-13.00	-36.96	7.42	Peak	Vertical
2 PP	5339.400	-47.22	-57.80	-13.00	-34.22	10.58	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3490.000	-44.20	-51.51	-13.00	-31.20	7.31	Peak	Horizontal
2	5233.000	-49.50	-59.56	-13.00	-36.50	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3482.000	-39.97	-47.26	-13.00	-26.97	7.29	Peak	Vertical
2	5235.000	-47.16	-57.64	-13.00	-34.16	10.48	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE B71

SUBCARRIER SPACING: 3.75KHz / QPSK

CH133124

MODE	TX channel 133124	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1329.000	-46.97	-46.10	-13.00	-33.97	-0.87	Peak	Horizontal
2 PP	1989.600	-39.66	-43.19	-13.00	-26.66	3.53	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 133124	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1329.000	-50.07	-49.29	-13.00	-37.07	-0.78	Peak	Vertical
2 PP	1987.000	-47.47	-50.96	-13.00	-34.47	3.49	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH133297

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1361.000	-55.70	-54.91	-13.00	-42.70	-0.79	Peak	Horizontal
2 PP	2043.000	-49.55	-53.33	-13.00	-36.55	3.78	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.53	-53.90	-13.00	-41.53	-0.63	Peak	Vertical
2 PP	2041.500	-51.37	-55.07	-13.00	-38.37	3.70	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH133470

MODE	TX channel 133470	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-51.92	-51.23	-13.00	-38.92	-0.69	Peak	Horizontal
2 PP	2092.000	-48.59	-52.54	-13.00	-35.59	3.95	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 133470	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-50.59	-50.11	-13.00	-37.59	-0.48	Peak	Vertical
2 PP	2092.000	-48.62	-52.45	-13.00	-35.62	3.83	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.81	-55.03	-13.00	-42.81	-0.78	Peak	Horizontal
2	PP 2043.000	-51.40	-55.18	-13.00	-38.40	3.78	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.91	-53.28	-13.00	-40.91	-0.63	Peak	Vertical
2 PP	2043.000	-50.74	-54.44	-13.00	-37.74	3.70	Peak	Vertical





BUREAU VERITAS

Test Report No.: W7L-230313W001RF03


LTE B85

SUBCARRIER SPACING: 3.75KHz / QPSK

CH134004

MODE	TX channel 134004	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-54.42	-53.73	-13.00	-41.42	-0.69	Peak	Horizontal
2 PP	2092.000	-49.74	-53.69	-13.00	-36.74	3.95	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134004	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-50.41	-49.93	-13.00	-37.41	-0.48	Peak	Vertical
2 PP	2092.000	-49.94	-53.77	-13.00	-36.94	3.83	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH134092

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-50.42	-49.77	-13.00	-37.42	-0.65	Peak	Horizontal
2 PP	2121.000	-47.17	-51.23	-13.00	-34.17	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-50.91	-50.49	-13.00	-37.91	-0.42	Peak	Vertical
2 PP	2120.000	-48.03	-51.94	-13.00	-35.03	3.91	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH134180

MODE	TX channel 134180	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1434.000	-51.53	-50.93	-13.00	-38.53	-0.60	Peak	Horizontal
2 PP	2148.000	-46.78	-50.94	-13.00	-33.78	4.16	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134180	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1434.000	-51.13	-50.81	-13.00	-38.13	-0.32	Peak	Vertical
2 PP	2148.000	-47.01	-51.00	-13.00	-34.01	3.99	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-50.13	-49.48	-13.00	-37.13	-0.65	Peak	Horizontal
2 PP	2120.000	-47.57	-51.63	-13.00	-34.57	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-52.09	-51.67	-13.00	-39.09	-0.42	Peak	Vertical
2 PP	2120.000	-48.15	-52.06	-13.00	-35.15	3.91	Peak	Vertical





Test Report No.: W7L-230313W001RF03

External Antenna:
LTE CAT-M1

BELOW 1GHz WORST-CASE DATA


30 MHz – 1GHz data:

LTE Band 13

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 23205	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	62.010	-62.80	-43.55	-13.00	-49.80	-19.25	Peak	Horizontal
2	141.550	-64.43	-45.17	-13.00	-51.43	-19.26	Peak	Horizontal
3	171.620	-62.50	-45.82	-13.00	-49.50	-16.68	Peak	Horizontal
4	223.030	-64.21	-49.54	-13.00	-51.21	-14.67	Peak	Horizontal
5 PP	276.380	-60.43	-48.44	-13.00	-47.43	-11.99	Peak	Horizontal
6	423.820	-70.28	-60.68	-13.00	-57.28	-9.60	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23205	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	33.880	-65.81	-46.05	-13.00	-52.81	-19.76	Peak	Vertical
2	62.980	-60.40	-37.45	-13.00	-47.40	-22.95	Peak	Vertical
3 PP	99.840	-41.18	-34.67	-13.00	-28.18	-6.51	Peak	Vertical
4	141.550	-63.44	-49.70	-13.00	-50.44	-13.74	Peak	Vertical
5	178.410	-70.08	-51.50	-13.00	-57.08	-18.58	Peak	Vertical
6	275.410	-71.03	-58.85	-13.00	-58.03	-12.18	Peak	Vertical





BUREAU
VERITAS

Test Report No.: W7L-230313W001RF03

ABOVE 1GHz

Note: For higher frequency, the emission is too low to be detected.

WORST-CASE DATA


LTE Band 8

CHANNEL BANDWIDTH: 1.4MHz / QPSK

CH21632

MODE	TX channel 21632	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1796.400	-41.05	-43.02	-13.00	-28.05	1.97	Peak	Horizontal
2	2691.500	-51.37	-57.27	-13.00	-38.37	5.90	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21632	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1799.000	-45.39	-47.52	-13.00	-32.39	2.13	Peak	Vertical
2	2694.600	-53.16	-58.72	-13.00	-40.16	5.56	Peak	Vertical






BUREAU
VERITAS

Test Report No.: W7L-230313W001RF03

CH21640

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1799.000	-41.54	-43.53	-13.00	-28.54	1.99	Peak	Horizontal
2	2697.000	-52.58	-58.49	-13.00	-39.58	5.91	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1798.000	-45.26	-47.38	-13.00	-32.26	2.12	Peak	Vertical
2	2700.000	-52.28	-57.86	-13.00	-39.28	5.58	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH21648

MODE	TX channel 21648	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.000	-41.23	-43.22	-13.00	-28.23	1.99	Peak	Horizontal
2	2699.400	-52.08	-58.00	-13.00	-39.08	5.92	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21648	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.600	-44.77	-46.90	-13.00	-31.77	2.13	Peak	Vertical
2	2700.000	-51.84	-57.42	-13.00	-38.84	5.58	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.000	-41.11	-43.10	-13.00	-28.11	1.99	Peak	Horizontal
2	2697.000	-52.00	-57.91	-13.00	-39.00	5.91	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1798.000	-45.05	-47.17	-13.00	-32.05	2.12	Peak	Vertical
2	2700.000	-53.00	-58.58	-13.00	-40.00	5.58	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE BAND 12

CHANNEL BANDWIDTH: 1.4MHz / QPSK

CH23017

MODE	TX channel 23017	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.400	-57.82	-57.13	-13.00	-44.82	-0.69	Peak	Horizontal
2 PP	2099.000	-53.52	-57.50	-13.00	-40.52	3.98	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23017	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-56.51	-56.03	-13.00	-43.51	-0.48	Peak	Vertical
2 PP	2099.100	-54.07	-57.92	-13.00	-41.07	3.85	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-57.11	-56.46	-13.00	-44.11	-0.65	Peak	Horizontal
2	PP 2122.500	-52.13	-56.19	-13.00	-39.13	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1415.000	-57.44	-57.03	-13.00	-44.44	-0.41	Peak	Vertical
2 PP	2120.000	-54.24	-58.15	-13.00	-41.24	3.91	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CH23173

MODE	TX channel 23173	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1434.000	-56.73	-56.13	-13.00	-43.73	-0.60	Peak	Horizontal
2 PP	2145.900	-53.52	-57.67	-13.00	-40.52	4.15	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23173	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1430.600	-57.50	-57.16	-13.00	-44.50	-0.34	Peak	Vertical
2 PP	2148.000	-53.50	-57.49	-13.00	-40.50	3.99	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm/m	dBm	dBm/m	dB	dB/m	Pol/Phase
1	1415.000	-56.55	-55.90	-13.00	-43.55	-0.65 Peak Horizontal
2 PP	2120.000	-54.17	-58.23	-13.00	-41.17	4.06 Peak Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-57.45	-57.03	-13.00	-44.45	-0.42	Peak	Vertical
2 PP	2122.500	-54.28	-58.20	-13.00	-41.28	3.92	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-57.66	-57.01	-13.00	-44.66	-0.65	Peak	Horizontal
2 PP	2122.500	-53.82	-57.88	-13.00	-40.82	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1415.000	-57.95	-57.54	-13.00	-44.95	-0.41	Peak	Vertical
2 PP	2120.000	-53.81	-57.72	-13.00	-40.81	3.91	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1415.000	-58.31	-57.66	-13.00	-45.31	-0.65	Peak	Horizontal
2 PP	2120.000	-54.53	-58.59	-13.00	-41.53	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-55.41	-54.99	-13.00	-42.41	-0.42	Peak	Vertical
2 PP	2122.500	-53.19	-57.11	-13.00	-40.19	3.92	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE B13

CHANNEL BANDWIDTH: 5MHz / QPSK

CH23205

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1560.000	-50.58	-50.64	-40.00	-10.58	0.06	Peak	Horizontal
2	2338.500	-52.46	-57.31	-13.00	-39.46	4.85	Peak	Horizontal





Test Report No.: W7L-230313W001RF03

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1559.000	-52.29	-52.68	-40.00	-12.29	0.39	Peak	Vertical
2	2337.000	-44.50	-49.00	-13.00	-31.50	4.50	Peak	Vertical

