




**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH23230

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1564.000	-52.59	-52.69	-40.00	-12.59	0.10	Peak	Horizontal
2	2344.000	-52.39	-57.26	-13.00	-39.39	4.87	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-52.48	-52.93	-40.00	-12.48	0.45	Peak	Vertical
2	2346.000	-46.17	-50.69	-13.00	-33.17	4.52	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH23255

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1569.000	-54.48	-54.62	-40.00	-14.48	0.14	Peak	Horizontal
2	2351.000	-52.08	-56.98	-13.00	-39.08	4.90	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-51.90	-52.35	-40.00	-11.90	0.45	Peak	Vertical
2	2353.500	-44.13	-48.67	-13.00	-31.13	4.54	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 10MHz /QPSK

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-57.41	-57.53	-40.00	-17.41	0.12	Peak	Horizontal
2	2346.000	-52.90	-57.78	-13.00	-39.90	4.88	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1564.000	-56.77	-57.20	-40.00	-16.77	0.43	Peak	Vertical
2	2344.000	-53.58	-58.10	-13.00	-40.58	4.52	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-230313W001RF03

LTE B66

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3490.000	-49.94	-57.25	-13.00	-36.94	7.31	Peak	Horizontal
2 PP	5233.000	-47.98	-58.04	-13.00	-34.98	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3482.000	-48.45	-55.74	-13.00	-35.45	7.29	Peak	Vertical
2 PP	5235.000	-47.87	-58.35	-13.00	-34.87	10.48	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3482.000	-50.28	-57.58	-13.00	-37.28	7.30	Peak	Horizontal
2 PP	5235.000	-47.77	-57.83	-13.00	-34.77	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3490.000	-50.16	-57.46	-13.00	-37.16	7.30	Peak	Vertical
2 PP	5233.000	-48.18	-58.66	-13.00	-35.18	10.48	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3490.000	-50.92	-58.23	-13.00	-37.92	7.31	Peak	Horizontal
2 PP	5233.000	-47.45	-57.51	-13.00	-34.45	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3482.000	-48.39	-55.68	-13.00	-35.39	7.29	Peak	Vertical
2 PP	5235.000	-47.92	-58.40	-13.00	-34.92	10.48	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

CH132022

MODE	TX channel 132022	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3431.000	-50.87	-58.10	-13.00	-37.87	7.23	Peak	Horizontal
2 PP	5145.000	-49.06	-58.98	-13.00	-36.06	9.92	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132022	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3430.000	-46.63	-53.84	-13.00	-33.63	7.21	Peak	Vertical
2	5148.000	-47.81	-58.21	-13.00	-34.81	10.40	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3490.000	-50.54	-57.85	-13.00	-37.54	7.31	Peak	Horizontal
2 PP	5233.000	-48.65	-58.71	-13.00	-35.65	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3482.000	-48.08	-55.37	-13.00	-35.08	7.29	Peak	Vertical
2 PP	5235.000	-46.76	-57.24	-13.00	-33.76	10.48	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH132622

MODE	TX channel 132622	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3550.000	-50.38	-57.83	-13.00	-37.38	7.45	Peak	Horizontal
2 PP	5318.000	-47.83	-58.02	-13.00	-34.83	10.19	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132622	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3550.000	-50.44	-57.83	-13.00	-37.44	7.39	Peak	Vertical
2 PP	5325.000	-48.44	-59.01	-13.00	-35.44	10.57	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3482.000	-50.62	-57.92	-13.00	-37.62	7.30	Peak	Horizontal
2 PP	5235.000	-48.46	-58.52	-13.00	-35.46	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3490.000	-47.43	-54.73	-13.00	-34.43	7.30	Peak	Vertical
2	5233.000	-48.43	-58.91	-13.00	-35.43	10.48	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3490.000	-50.57	-57.88	-13.00	-37.57	7.31	Peak	Horizontal
2 PP	5233.000	-48.81	-58.87	-13.00	-35.81	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	Mhz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3482.000	-47.13	-54.42	-13.00	-34.13	7.29	Peak	Vertical
2	5235.000	-47.72	-58.20	-13.00	-34.72	10.48	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE B85

CHANNEL BANDWIDTH: 5MHz / QPSK

CH134027

MODE	TX channel 134027	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-49.37	-48.68	-13.00	-36.37	-0.69	Peak	Horizontal
2 PP	2101.500	-48.54	-52.53	-13.00	-35.54	3.99	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134027	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1401.000	-44.30	-43.83	-13.00	-31.30	-0.47	Peak	Vertical
2 PP	2099.000	-44.08	-47.93	-13.00	-31.08	3.85	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH134092

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-51.54	-50.89	-13.00	-38.54	-0.65	Peak	Horizontal
2 PP	2120.000	-48.58	-52.64	-13.00	-35.58	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1413.000	-45.07	-44.65	-13.00	-32.07	-0.42	Peak	Vertical
2	2121.000	-45.33	-49.24	-13.00	-32.33	3.91	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH134157

MODE	TX channel 134157	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1427.000	-49.69	-49.08	-13.00	-36.69	-0.61	Peak	Horizontal
2	2141.000	-52.80	-56.93	-13.00	-39.80	4.13	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134157	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1427.000	-47.18	-46.83	-13.00	-34.18	-0.35	Peak	Vertical
2	2140.500	-51.88	-55.85	-13.00	-38.88	3.97	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-58.03	-57.38	-13.00	-45.03	-0.65	Peak	Horizontal
2 PP	2120.000	-52.94	-57.00	-13.00	-39.94	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-57.38	-56.96	-13.00	-44.38	-0.42	Peak	Vertical
2 PP	2121.000	-54.15	-58.06	-13.00	-41.15	3.91	Peak	Vertical





Test Report No.: W7L-230313W001RF03

LTE NB-IOT

BELOW 1GHz WORST-CASE DATA


30 MHz – 1GHz data:

LTE Band 13

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 23278	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	62.010	-61.99	-42.74	-13.00	-48.99	-19.25	Peak	Horizontal
2	141.550	-65.20	-45.94	-13.00	-52.20	-19.26	Peak	Horizontal
3	174.530	-63.23	-46.08	-13.00	-50.23	-17.15	Peak	Horizontal
4	219.150	-63.96	-48.82	-13.00	-50.96	-15.14	Peak	Horizontal
5 PP	275.410	-60.52	-48.55	-13.00	-47.52	-11.97	Peak	Horizontal
6	423.820	-70.46	-60.86	-13.00	-57.46	-9.60	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23278	FREQUENCY RANGE	Below 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	PoI/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	33.880	-65.40	-45.64	-13.00	-52.40	-19.76	Peak	Vertical
2	70.740	-60.00	-37.58	-13.00	-47.00	-22.42	Peak	Vertical
3 PP	100.810	-41.38	-34.68	-13.00	-28.38	-6.70	Peak	Vertical
4	141.550	-62.73	-48.99	-13.00	-49.73	-13.74	Peak	Vertical
5	178.410	-71.09	-52.51	-13.00	-58.09	-18.58	Peak	Vertical
6	270.560	-73.72	-61.27	-13.00	-60.72	-12.45	Peak	Vertical





**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

ABOVE 1GHz

Note: For higher frequency, the emission is too low to be detected.


WORST-CASE DATA

LTE Band 8

SUBCARRIER SPACING: 3.75KHz /QPSK

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.000	-41.77	-43.76	-13.00	-28.77	1.99	Peak	Horizontal
2	2700.000	-50.16	-56.08	-13.00	-37.16	5.92	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.000	-43.11	-45.24	-13.00	-30.11	2.13	Peak	Vertical
2	2700.000	-52.58	-58.16	-13.00	-39.58	5.58	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK
CH21627

MODE	TX channel 21627	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.000	-41.95	-43.94	-13.00	-28.95	1.99	Peak	Horizontal
2	2691.500	-50.09	-55.99	-13.00	-37.09	5.90	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21627	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.000	-44.97	-47.10	-13.00	-31.97	2.13	Peak	Vertical
2	2693.100	-53.49	-59.05	-13.00	-40.49	5.56	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH21640

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm/m	dBm	dBm/m	dB	dB/m	Pol/Phase
1 PP 1799.000	-41.53	-43.52	-13.00	-28.53	1.99	Peak Horizontal
2 2697.000	-50.05	-55.96	-13.00	-37.05	5.91	Peak Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21640	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1798.000	-42.69	-44.81	-13.00	-29.69	2.12	Peak	Vertical
2	2700.000	-52.54	-58.12	-13.00	-39.54	5.58	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH21653

MODE	TX channel 21653	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.000	-41.08	-43.07	-13.00	-28.08	1.99	Peak	Horizontal
2	2700.900	-50.32	-56.24	-13.00	-37.32	5.92	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 21653	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1799.000	-44.59	-46.72	-13.00	-31.59	2.13	Peak	Vertical
2	2700.000	-52.75	-58.33	-13.00	-39.75	5.58	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE BAND 12

SUBCARRIER SPACING: 3.75KHz / QPSK

CH23012

MODE	TX channel 23012	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-43.97	-43.28	-13.00	-30.97	-0.69	Peak	Horizontal
2	PP 2099.000	-41.95	-45.93	-13.00	-28.95	3.98	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23012	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-49.29	-48.81	-13.00	-36.29	-0.48	Peak	Vertical
2 PP	2099.000	-46.53	-50.38	-13.00	-33.53	3.85	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-45.93	-45.28	-13.00	-32.93	-0.65	Peak	Horizontal
2 PP	2120.000	-41.70	-45.76	-13.00	-28.70	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-49.81	-49.39	-13.00	-36.81	-0.42	Peak	Vertical
2 PP	2122.500	-49.63	-53.55	-13.00	-36.63	3.92	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH23178

MODE	TX channel 23178	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1434.000	-58.34	-57.74	-13.00	-45.34	-0.60	Peak	Horizontal
2 PP	2147.400	-54.47	-58.63	-13.00	-41.47	4.16	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23178	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1431.600	-57.85	-57.52	-13.00	-44.85	-0.33	Peak	Vertical
2 PP	2148.000	-54.43	-58.42	-13.00	-41.43	3.99	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-45.91	-45.26	-13.00	-32.91	-0.65	Peak	Horizontal
2 PP	2120.000	-42.11	-46.17	-13.00	-29.11	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-50.23	-49.81	-13.00	-37.23	-0.42	Peak	Vertical
2 PP	2120.000	-48.46	-52.37	-13.00	-35.46	3.91	Peak	Vertical






Test Report No.: W7L-230313W001RF03

LTE B13

SUBCARRIER SPACING: 3.75KHz / QPSK

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-47.93	-48.05	-40.00	-7.93	0.12	Peak	Horizontal
2	2344.000	-44.34	-49.21	-13.00	-31.34	4.87	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1564.000	-56.24	-56.67	-40.00	-16.24	0.43	Peak	Vertical
2	2344.000	-49.69	-54.21	-13.00	-36.69	4.52	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

CH23182

MODE	TX channel 23182	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1553.000	-47.16	-47.17	-13.00	-34.16	0.01	Peak	Horizontal
2 PP	2330.000	-41.68	-46.50	-13.00	-28.68	4.82	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23182	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1553.000	-54.23	-54.58	-13.00	-41.23	0.35	Peak	Vertical
2 PP	2330.000	-48.78	-53.26	-13.00	-35.78	4.48	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH23230

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1567.000	-47.68	-47.80	-40.00	-7.68	0.12	Peak	Horizontal
2	2344.000	-44.52	-49.39	-13.00	-31.52	4.87	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1564.000	-55.54	-55.97	-40.00	-15.54	0.43	Peak	Vertical
2	2344.000	-50.40	-54.92	-13.00	-37.40	4.52	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CH23278

MODE	TX channel 23278	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1574.000	-45.62	-45.80	-40.00	-5.62	0.18	Peak	Horizontal
2	2360.400	-45.66	-50.59	-13.00	-32.66	4.93	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 23278	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1574.000	-53.82	-54.32	-40.00	-13.82	0.50	Peak	Vertical
2	2358.000	-48.50	-53.05	-13.00	-35.50	4.55	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE B66

SUBCARRIER SPACING: 3.75KHz / QPSK

CH131974

MODE	TX channel 131974	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3420.400	-46.28	-53.49	-13.00	-33.28	7.21	Peak	Horizontal
2	5131.000	-48.56	-58.45	-13.00	-35.56	9.89	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 131974	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3414.000	-47.68	-54.86	-13.00	-34.68	7.18	Peak	Vertical
2	5130.600	-48.41	-58.80	-13.00	-35.41	10.39	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3482.000	-44.73	-52.03	-13.00	-31.73	7.30	Peak	Horizontal
2	5235.000	-48.39	-58.45	-13.00	-35.39	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3490.000	-47.90	-55.20	-13.00	-34.90	7.30	Peak	Vertical
2 PP	5233.000	-47.43	-57.91	-13.00	-34.43	10.48	Peak	Vertical






Test Report No.: W7L-230313W001RF03

CH132670

MODE	TX channel 132670	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	3567.000	-45.89	-53.38	-13.00	-32.89	7.49	Peak	Horizontal
2		5339.400	-47.91	-58.13	-13.00	-34.91	10.22	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132670	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3559.600	-47.53	-54.93	-13.00	-34.53	7.40	Peak	Vertical
2 PP	5335.000	-47.30	-57.88	-13.00	-34.30	10.58	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3482.000	-44.78	-52.08	-13.00	-31.78	7.30	Peak	Horizontal
2	5235.000	-48.66	-58.72	-13.00	-35.66	10.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3490.000	-47.45	-54.75	-13.00	-34.45	7.30	Peak	Vertical
2 PP	5233.000	-47.21	-57.69	-13.00	-34.21	10.48	Peak	Vertical






Test Report No.: W7L-230313W001RF03

LTE B71

SUBCARRIER SPACING: 3.75KHz / QPSK

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-57.51	-56.73	-13.00	-44.51	-0.78	Peak	Horizontal
2 PP	2041.500	-53.82	-57.59	-13.00	-40.82	3.77	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1361.000	-57.88	-57.24	-13.00	-44.88	-0.64	Peak	Vertical
2 PP	2043.000	-53.41	-57.11	-13.00	-40.41	3.70	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

CH133124

MODE	TX channel 133124	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1326.400	-57.68	-56.80	-13.00	-44.68	-0.88	Peak	Horizontal
2 PP	1987.000	-53.84	-57.35	-13.00	-40.84	3.51	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 133124	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1329.000	-57.71	-56.93	-13.00	-44.71	-0.78	Peak	Vertical
2 PP	1989.600	-54.19	-57.70	-13.00	-41.19	3.51	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-230313W001RF03

CH133297

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-58.43	-57.65	-13.00	-45.43	-0.78	Peak	Horizontal
2 PP	2041.500	-54.28	-58.05	-13.00	-41.28	3.77	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1361.000	-58.05	-57.41	-13.00	-45.05	-0.64	Peak	Vertical
2 PP	2043.000	-53.36	-57.06	-13.00	-40.36	3.70	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH133470

MODE	TX channel 133470	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-57.02	-56.33	-13.00	-44.02	-0.69	Peak	Horizontal
2	PP 2093.400	-53.81	-57.77	-13.00	-40.81	3.96	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 133470	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1395.600	-56.92	-56.43	-13.00	-43.92	-0.49	Peak	Vertical
2 PP	2092.000	-54.20	-58.03	-13.00	-41.20	3.83	Peak	Vertical





Test Report No.: W7L-230313W001RF03


LTE B85

SUBCARRIER SPACING: 3.75KHz / QPSK

CH134004

MODE	TX channel 134004	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1396.400	-56.75	-56.05	-13.00	-43.75	-0.70	Peak	Horizontal
2 PP	2092.000	-52.99	-56.94	-13.00	-39.99	3.95	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134004	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1399.000	-56.47	-55.99	-13.00	-43.47	-0.48	Peak	Vertical
2 PP	2094.600	-54.41	-58.25	-13.00	-41.41	3.84	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH134092

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-57.23	-56.58	-13.00	-44.23	-0.65	Peak	Horizontal
2 PP	2120.000	-53.06	-57.12	-13.00	-40.06	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-56.28	-55.86	-13.00	-43.28	-0.42	Peak	Vertical
2 PP	2121.000	-54.07	-57.98	-13.00	-41.07	3.91	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-230313W001RF03

CH134180

MODE	TX channel 134180	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1434.000	-56.66	-56.06	-13.00	-43.66	-0.60	Peak	Horizontal
2 PP	2147.400	-53.93	-58.09	-13.00	-40.93	4.16	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134180	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1431.600	-57.94	-57.61	-13.00	-44.94	-0.33	Peak	Vertical
2 PP	2148.000	-53.03	-57.02	-13.00	-40.03	3.99	Peak	Vertical






Test Report No.: W7L-230313W001RF03

SUBCARRIER SPACING: 15KHz / QPSK

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1413.000	-57.84	-57.19	-13.00	-44.84	-0.65	Peak	Horizontal
2 PP	2121.000	-54.17	-58.23	-13.00	-41.17	4.06	Peak	Horizontal






Test Report No.: W7L-230313W001RF03

MODE	TX channel 134092	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-57.25	-56.84	-13.00	-44.25	-0.41	Peak	Vertical
2 PP	2120.000	-54.61	-58.52	-13.00	-41.61	3.91	Peak	Vertical




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



Test Report No.: W7L-230313W001RF03

3.7.4 TEST RESULTS

Please Refer to Module report R1907A0448-R3V3/ R1907A0448-R6V2/
2111RSU084-U1/2111RSU084-U2.



Test Report No.: W7L-230313W001RF03

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@cn.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-230313W001RF03

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

---END---