Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 1 of 71

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

OF

Product Name: Wireless Tablet Folio Speaker

Brand Name: N/A

Model No.: TX-33, TS-066SBKTNX01,TS-066DGYTNX01

Model Difference: Colour difference

FCC ID: 2ABDZTS066SBKTNX01

E2/2014/60031 **Report No.:**

Issue Date: Oct. 09, 2014

FCC Rule Part: §15.247, Cat: DSS

SALIX TECHNOLOGY CO., LTD.

5F,NO.16, Lane77, Hsing Ai Rd., Nei-Hu, Taipei Prepared for:

> 114, Taiwan, R.O.C. SGS Taiwan Ltd.

Electronics & Communication Laboratory

Prepared by: No.2, Keji 1st Rd., Guishan Township, Taoyuan

County, Taiwan 333





Testing Laboratory 0513

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 2 of 71

VERIFICATION OF COMPLIANCE

Applicant: SALIX TECHNOLOGY CO., LTD.

5F,NO.16, Lane77, Hsing Ai Rd., Nei-Hu, Taipei 114, Taiwan, R.O.C.

Product Name: Wireless Tablet Folio Speaker

Brand Name: N/A

Model No.: TX-33, TS-066SBKTNX01, TS-066DGYTNX01

Model Difference: Colour difference E2/2014/60031

FCC ID: 2ABDZTS066SBKTNX01

Date of test: Jun. 26, $2014 \sim \text{Oct.09}$, 2014

Date of EUT Received: Jun. 26, 2014

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4:2009 the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.247.

The test results of this report relate only to the tested sample identified in this report.

| Test By: | Jerry Lu | Date: | Oct. 09, 2014 | |
|--------------|-------------------------------|-------|---------------|--|
| Prepared By: | Jerry Lu/Engineer Tina Liu | Date: | Oct. 09, 2014 | |
| Approved By: | Jim Chang / Supervisor | Date: | Oct. 09, 2014 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 3 of 71

Version

| Version No. | Date | Description |
|-------------|---------------|------------------------------|
| 00 | Oct. 09, 2014 | Initial creation of document |
| | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 4 of 71

Table of Contents

| 1. | GEN | IERAL INFORMATION | 7 |
|----|------|--|----|
| | 1.1. | Product description | 7 |
| | 1.2. | Related Submittal(s) / Grant (s) | 8 |
| | 1.3. | Test Methodology | 8 |
| | 1.4. | Test Facility | 8 |
| | 1.5. | Special Accessories | 8 |
| | 1.6. | Equipment Modifications | 8 |
| 2. | SYS | TEM TEST CONFIGURATION | 9 |
| | 2.1. | EUT Configuration. | 9 |
| | 2.2. | EUT Exercise | 9 |
| | 2.3. | Test Procedure | 9 |
| | 2.4. | Configuration of Tested System | 10 |
| 3. | SUM | IMARY OF TEST RESULTS | 11 |
| 4. | DES | CRIPTION OF TEST MODES | 12 |
| 5. | MEA | ASUREMENT UNCERTAINTY | 13 |
| 6. | CON | DUCTED EMISSION TEST | 14 |
| | 6.1. | Standard Applicable | 14 |
| | 6.2. | Measurement Equipment Used: | 14 |
| | 6.3. | EUT Setup | 14 |
| | 6.4. | Test SET-UP (Block Diagram of Configuration) | 15 |
| | 6.5. | Measurement Procedure | 15 |
| | 6.6. | Measurement Result | 15 |
| 7. | PEA | K OUTPUT POWER MEASUREMENT | 18 |
| | 7.1. | Standard Applicable | 18 |
| | 7.2. | Measurement Equipment Used | 18 |
| | 7.3. | Test Set-up: | 18 |
| | 7.4. | Measurement Procedure: | 18 |
| | 7.5. | Measurement Result | 19 |
| 8. | 20dB | B BANDWIDTH | 25 |
| | 8.1. | Standard Applicable | 25 |
| | 8.2. | Measurement Equipment Used | 25 |
| | 8.3. | Test Set-up | 25 |
| | 8.4. | Measurement Procedure: | 25 |
| | 8.5. | Measurement Result: | 26 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 5 of 71

| 9. | BANI | D EDGES EMISSION MEASUREMENT | 32 |
|-----|-------|---|----|
| | 9.1. | Standard Applicable | 32 |
| | 9.2. | Measurement Equipment Used | 32 |
| | 9.3. | Test SET-UP: | 32 |
| | 9.4. | Measurement Procedure | 33 |
| | 9.5. | Field Strength Calculation. | 33 |
| | 9.6. | Measurement Result -1 Out-Of-Band EMISSION: | 33 |
| 10. | SPUR | RIOUS RADIATED EMISSION TEST | 39 |
| | 10.1. | Standard Applicable | 39 |
| | 10.2. | Measurement Equipment Used: | 40 |
| | 10.3. | Test SET-UP: | 41 |
| | 10.4. | Measurement Procedure: | 42 |
| | 10.5. | Field Strength Calculation | 43 |
| | 10.6. | Measurement Result: | 43 |
| 11. | FREC | QUENCY SEPARATION | 54 |
| | 11.1. | Standard Applicable | 54 |
| | 11.2. | Measurement Equipment Used: | 54 |
| | 11.3. | Test Set-up: | 54 |
| | 11.4. | Measurement Procedure: | 55 |
| | 11.5. | Measurement Result: | 55 |
| 12. | NUM | BER OF HOPPING FREQUENCY | 56 |
| | 12.1. | Standard Applicable | |
| | 12.2. | Measurement Equipment Used: | 56 |
| | 12.3. | Test Set-up: | 56 |
| | 12.4. | Measurement Procedure: | 56 |
| | 12.5. | Measurement Result: | 56 |
| 13. | TIME | E OF OCCUPANCY (DWELL TIME) | 58 |
| | 13.1. | Standard Applicable | |
| | 13.2. | Measurement Equipment Used: | 58 |
| | 13.3. | Test Set-up: | 58 |
| | 13.4. | Measurement Procedure: | 59 |
| | 13.5. | Tabular Result of the Measurement: | 60 |
| | 13.6. | Measurement Result: | 61 |
| 14. | ANTI | ENNA REQUIREMENT | 71 |
| | | Standard Applicable | 71 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 6 of 71

| 1/1/2 | Antenna Connected | Construction | 71 |
|-------|-------------------|--------------|---------|
| 17.4. | Antoma Connected | Consulucion | / 1 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 7 of 71

GENERAL INFORMATION

1.1. Product description

General:

| CHCIai. | | |
|-------------------|--|--|
| Product Name: | Wireless Tablet Folio Speaker | |
| Brand Name: | N/A | |
| Model No.: | TX-33, TS-066SBKTNX01,TS-066DGYTNX01 | |
| Model Difference: | Coulour difference | |
| Hardware Version: | N/A | |
| Software Version: | N/A | |
| | 3.7Vdc form Rechargeable Li-ion Battery | |
| Power Supply: | Battery: Model No.: 18650 Supplier: FNE/GemeiEnergy | |

Bluetooth:

| Bluetooth Version: | Bluetooth V3.0+ HS |
|----------------------|----------------------------------|
| Frequency Range: | 2402 – 2480MHz |
| Channel number: | 79 channels max. |
| Rated Power: | 3.74 dBm (Peak) |
| Modulation type: | $GFSK + \pi/4DQPSK + 8DPSK$ |
| Dwell Time: | <=0.4s |
| Antenna Designation: | PCB Antenna, Peak Gain: 1.13dBi. |

The EUT is compliance with Bluetooth 3.0 + HS standard.

This test report applies for Bluetooth.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 8 of 71

1.2. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: 2ABDZTS066SBKTNX01 filing to comply with Section 15.247 of the FCC Part 15, Subpart C Rules. The composite system (digital device) is compliance with FCC part 15; Subpart B is authorized under the doc procedure.

1.3. Test Methodology

Both conducted and radiated testing was performed according to the procedures in ANSI C63.4:2009. Radiated testing was performed at an antenna to EUT distance 3 meters. Tested in accordance with FCC Public Notice DA 00-705 – Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems

1.4. Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2009. FCC Registration Number: 628985. The address of SGS Taiwan Ltd. Electronics & Communication Laboratory 1F, No.134, Wukung Road New Taipei City TAIWAN 24803, Canada Registration Number: 4620A-5.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. FCC Registration Number: 455997. The address of SGS Taiwan Ltd. Electronics & Communication Laboratory 1F, No.134, Wukung Road New Taipei City TAIWAN 24803, IC Registration Number: 4620A-6.

1.5. Special Accessories

There is no special accessory used while test was conducted.

1.6. Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

下作力分配列上記載日記水庫封高級人権的負責。可可認識的性所量の人工学報告水監禁公司管画司马工不可可放復者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

alwanz40037利式中五放回利3C度来図回五工路134 WWW.tW.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 9 of 71

SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3. Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. According to the general criterion in Section 7.1 of ANSI C63.4:2009. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz, and the measurement procedure 7.3 in ANSI 63.4:2009 is followed to carry out the test. The CISPR Quasi-Peak and Average detector mode is employed according to §15.107

2.3.2 Radiated Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the reguirements in Section 8 and 13 and of ANSI C63.4:2009 and DA 00-705.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

> t (886-2) 2299-3279 f (886-2) 2298-0488

Member of SGS Group

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 10 of 71

2.4. Configuration of Tested System

Fig. 2-1 Radiated Emission & Conducted (Antenna Port) Configuration




Fig. 2-2 AC Power Line Conducted Emission




Table 2-1 Equipment Used in Tested System

| Iten | Equipment | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord |
|------|------------------|-----------|----------------|------------|------------|-------------------|
| 1. | BT Test Software | N/A | N/A | N/A | N/A | N/A |
| 2. | Notebook | Lenovo | L430 | R9-YYG88 | shielding | un-shielding |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company in the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 11 of 71

SUMMARY OF TEST RESULTS

| FCC Rules | Description Of Test | Result |
|--------------------------------|--|-----------|
| §15.207(a) | AC Power Line Conducted Emission | Compliant |
| §15.247(b)(1) | Peak Output Power | Compliant |
| §15.247(a)(1) | 20dB Bandwidth | Compliant |
| §15.247(d) | 100 kHz Bandwidth Of Frequency Band Edges | Compliant |
| \$15.247(d) \$15.209(a) (f) | Spurious Emission | Compliant |
| §15.247(a)(1) | Frequency Separation | Compliant |
| §15.247(a)(1)(iii) | Number of hopping frequency | Compliant |
| §15.247(a)(1)(iii) | Time of Occupancy | Compliant |
| §15.203, | Antenna Requirement | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 12 of 71

DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

Channel Low, Mid and High with highest rated data rate were chosen as worst case for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for Bluetooth Transmitter for channel Low, Mid and High the worst case H position was reported.

Channel Low: channel 1 at 2402MHz Channel Mid: channel 39 at 2441MHz Channel High: channel 78 at 2480MHz

In comparison with BR and EDR mode, emission carried out by BR is chosen as the most representative measurement to perform measurement of radiated spurious emission pursuant to Part 15C.Modulation, BR, is selected to be performed for 100 kHz Bandwidth Band Edge, Conducted Spurious Emission, Frequency Separation, Number of hopping frequency due to its characteristics of wider bandwidth.

Data type being used to conduct the measurement: DH1/DH3/DH5 (GFSK) with 1Mbps 2DH1/2DH3/2DH5 (/4 DQPSK) with 2Mbps 3DH1/3DH3/3DH5 (8DPSK) with 3Mbps

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

Member of SGS Group



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 13 of 71

MEASUREMENT UNCERTAINTY

| Test Items | Uncertainty |
|--|--------------------------|
| AC Power Line Conducted Emission | +/- 2.586 dB |
| Peak Output Power | +/- 1.55 dB |
| 20dB Bandwidth | +/- 123.36 Hz |
| 100 KHz Bandwidth Of Frequency Band Edges | +/- 1.55 dB |
| Frequency Separation | +/- 123.36 Hz |
| Number of hopping frequency | +/- 123.36 Hz |
| Time of Occupancy | +/- 123.36 Hz |
| Temperature | +/- 0.8 °C |
| Humidity | +/- 4.7 % |
| DC / AC Power Source | DC= +/- 1%, AC= +/- 0.2% |

Radiated Spurious Emission:

| Measurement uncertainty (Polarization : Vertical) | 30MHz - 180MHz: +/- 3.37dB | |
|---|----------------------------|--|
| | 180MHz -417MHz: +/- 3.19dB | |
| | 0.417GHz-1GHz: +/- 3.19dB | |
| | 1GHz - 18GHz: +/- 4.04dB | |
| | 18GHz - 40GHz: +/- 4.04dB | |

| | 30MHz - 167MHz: +/- 4.22dB |
|-------------------------------------|----------------------------|
| Measurement uncertainty | 167MHz -500MHz: +/- 3.44dB |
| (Polarization : Horizontal) | 0.5GHz-1GHz: +/- 3.39dB |
| | 1GHz - 18GHz: +/- 4.08dB |
| | 18GHz - 40GHz: +/- 4.08dB |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is unapplied and effective may be prospected to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488

SGS Taiwan Ltd.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 14 of 71

CONDUCTED EMISSION TEST

6.1. Standard Applicable

According to §15.207, frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

| Frequency range | Limits dB(uV) | | |
|-----------------|---------------|----------|--|
| MHz | Quasi-peak | Average | |
| 0.15 to 0.50 | 66 to 56 | 56 to 46 | |
| 0.50 to 5 | 56 | 46 | |
| 5 to 30 | 60 | 50 | |

Note

6.2. Measurement Equipment Used:

| Conducted Emission Test Site | | | | | | |
|------------------------------|------------|-------------------------|--------|------------|------------|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | |
| TYPE | | NUMBER | NUMBER | CAL. | | |
| EMI Test Receiver | R&S | ESCI7 | 100760 | 05/26/2014 | 05/25/2015 | |
| LISN | Rolf-Heine | NNB-2/16Z | 99012 | 03/26/2014 | 03/25/2015 | |
| LISN | FCC | FCC-LISN-50/250-25-2-01 | 04034 | 03/19/2014 | 03/18/2015 | |
| Coaxial Cables | N/A | WK CE Cable | N/A | 11/26/2013 | 11/25/2014 | |

6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.4:2009.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有統則 に取合語水運資機以入株の具具 「四呼呼吸味の運味圏のストライを主命を発力」を関する。 「中央では、 Attention is sissued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions of liability, indemnification and within the limits of the interpretation only and within the limits. jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com

^{1.} The lower limit shall apply at the transition frequencies


^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 15 of 71

6.4. Test SET-UP (Block Diagram of Configuration)



6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

f (886-2) 2298-0488 t (886-2) 2299-3279




Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 16 of 71

AC POWER LINE CONDUCTED EMISSION TEST DATA

| Operation Mode: | Operation Mode | | | Test Date: | Sep 10, 2014 |
|-----------------|----------------|-----------|------|------------|--------------|
| Temperature: | 24 | Humidity: | 58 % | Test By: | Jerry |
| Phase: | L1 (Line) | | | | |



| No.+ | Mk.+ | Freq.€ | Reading₽ | Factor₽ | Measurement€ | Limit₽ | Over⊎ | Detector₽ | Comment€ |
|------|------|---------------------|----------|---------|--------------|---------|---------|-----------|----------|
| 42 | 40 | (MHz)∗ [□] | dBuV₽ | (dB)₽ | (dBuV)₽ | (dBuV)₽ | (dB)√ | 42 | ₽ |
| 1↔ | 42 | 0.502₽ | 43.81 √ | 0.23₽ | 44.04↔ | 56₽ | -11.96↔ | QP₄⋾ | 4 |
| 2∻ | 42 | 0.5034□ | 27.63 ↔ | 0.23₽ | 27.86₽ | 46↩ | -18.14₽ | AVG₄□ | ė |
| 3↔ | 42 | 0.54₽ | 36.11√ | 0.24₽ | 36.35₽ | 46₽ | -9.65₽ | AVG₽ | 4 |
| 442 | *47 | 0.5424 | 46.57 ↔ | 0.24₽ | 46.81₽ | 56₽ | -9.19₽ | QP₄□ | ₽ |
| 540 | 42 | 0.602₽ | 42.93 ↔ | 0.26₽ | 43.19₽ | 56₽ | -12.81↔ | QP₄⋾ | ₽ |
| 64□ | 42 | 0.77₽ | 41.27 ↔ | 0.33₽ | 41.6₽ | 56₽ | -14.4∻ | QP₄□ | ₽ |
| 7₽ | t) | 1.006₽ | 43.40 √ | 0.43₽ | 43.83₽ | 56₽ | -12.17↔ | QP₄□ | ₽ |
| 8↔ | 42 | 1.0064 | 32.20 ↔ | 0.43₽ | 32.63₽ | 46↩ | -13.37₽ | AVG₽ | ₽ |
| 94□ | 42 | 2.086₽ | 40.38√ | 0.58₽ | 40.96₽ | 564□ | -15.04₽ | QP₄⋾ | Đ |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the contained hereon reflects the company's findings at the time of its intervention only and within the contained hereon reflects the company's findings at the time of its intervention only and within the contained hereon reflects the company's findings at the time of its intervention only and within the contained hereon reflects the contained hereon reflects the company's findings at the time of i Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 17 of 71

| Operation Mode: | Operation Mode | | | Test Date: | Sep 10, 2014 |
|-----------------|----------------|-----------|-----|------------|--------------|
| Temperature: | 24 | Humidity: | 58% | Test By: | Jerry |
| Phase: | N (Neutral) | | | | |



| No | Mk.+ | Freq.↔ | Reading₽ | Factor₽ | Measurement+ | Limit₽ | Over⊄ | Detector√ | Comment ² |
|-----|------|--------|----------|---------|--------------|----------|--------------------|-----------|----------------------|
| 40 | 47 | (MHz)√ | dBuV⇔ | (dB)₽ | (dBuV)↔ | (dBuV)₄□ | (dB)€ ³ | ₽ | ₽ |
| 14□ | ٠ | 0.35₽ | 40.30-₽ | 0.15√ | 40.45₽ | 58.96₽ | -18.51₽ | QP₽ | ₽ |
| 2↔ | *42 | 0.506₽ | 46.00 ₽ | 0.24 ↔ | 46.24₽ | 56₽ | -9.76₽ | QP₽ | ₽ |
| 3₽ | ٠ | 0.506₽ | 29.32 √ | 0.24 √ | 29.56₽ | 464⁻ | -16.444 | AVG₽ | ₽ |
| 4₽ | ٠ | 0.546₽ | 45.78 ↔ | 0.25 ↔ | 46.03₽ | 56₽ | -9.97₽ | QP₽ | ₽ |
| 5₽ | ٠ | 0.546₽ | 35.70 √ | 0.25 ↔ | 35.95₽ | 464⁻ | -10.05₽ | AVG₽ | ₽ |
| 6₽ | 42 | 0.626₽ | 43.06. | 0.27∻ | 43.33₽ | 56₽ | -12.67₽ | QP₽ | ₽ |
| 7₽ | ÷, | 1.014₽ | 41.46 ↔ | 0.43 √ | 41.89₽ | 56₽ | -14.11₽ | QP₄⋾ | ₽ |
| 84□ | ÷, | 2.066↔ | 39.64 ↔ | 0.58 ↔ | 40.224 | 56₽ | -15.78₽ | QP₄⋾ | ₽ |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 18 of 71

7. PEAK OUTPUT POWER MEASUREMENT


7.1. Standard Applicable

According to §15.247(b)(1), for frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, The Limit: 1Watt. For all other frequency hopping systems in the 2400 – 2483.5MHz band: The Limit: 0.125 Watts.

7.2. Measurement Equipment Used

| . Interest of the Edit | Measurement Dearpment Osca | | | | | | |
|------------------------|------------------------------|--------------------|------------|------------|------------|--|--|
| | Conducted Emission Test Site | | | | | | |
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 01/13/2014 | 01/12/2015 | | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/13/2014 | 01/12/2015 | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 03/08/2014 | 03/07/2015 | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 02/27/2014 | 02/26/2015 | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/03/2014 | 01/02/2015 | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 02/27/2014 | 02/26/2015 | | |
| Splitter | Agilent | 11636B | N/A | 02/27/2014 | 02/26/2015 | | |

7.3. Test Set-up:



7.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max Hold, Detector = Peak, RBW >=20dB bandwidth)
- 3. Record the max. reading.
- 4. Repeat above procedures until all default test channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,Ne

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 19 of 71

7.5. Measurement Result

BR mode (GFSK):

| Frequency (MHz) | Reading Power (dBm) | Output Power (W) | Limit (W) |
|--------------------|---------------------------|------------------|--------------|
| 2402.00 | 3.59 | 0.00229 | 1 |
| 2441.00 | 3.74 | 0.00237 | 1 |
| 2480.00 | 3.46 | 0.00222 | 1 |

EDR mode ($\pi/4$ DQPSK):

| Frequency (MHz) | Reading Power (dBm) | Output Power (W) | Limit (W) |
|-----------------|---------------------------|------------------|--------------|
| 2402.00 | 2.05 | 0.00160 | 0.125 |
| 2441.00 | 2.44 | 0.00175 | 0.125 |
| 2480.00 | 2.33 | 0.00171 | 0.125 |

EDR mode (8DPSK):

| Frequency (MHz) | Reading Power (dBm) | Output Power (W) | Limit (W) |
|-----------------|---------------------------|------------------|--------------|
| 2402.00 | 2.34 | 0.00171 | 0.125 |
| 2441.00 | 2.74 | 0.00188 | 0.125 |
| 2480.00 | 2.53 | 0.00179 | 0.125 |

*Note: offset 4.9dB

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Page: 20 of 71

Peak Power Output Data Plot (CH Low) (BR mode GFSK)



Peak Power Output Data Plot (CH Mid) (BR mode GFSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 21 of 71

Peak Power Output Data Plot (CH High) (BR mode GFSK)



Peak Power Output Data Plot (CH Low) (EDR mode $\pi/4DQPSK$)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 22 of 71

Peak Power Output Data Plot (CH Mid) (EDR mode $\pi/4$ DQPSK)



Peak Power Output Data Plot (CH High) (EDR mode $\pi/4$ DQPSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

Page: 23 of 71

Peak Power Output Data Plot (CH Low) (EDR mode 8DPSK)



Peak Power Output Data Plot (CH Mid) (EDR mode 8DPSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices Office Windows States the Company in this act report in this campact, which is a state of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 24 of 71

Peak Power Output Data Plot (CH High) (EDR mode 8DPSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of company in the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 25 of 71

8. 20dB BANDWIDTH


8.1. Standard Applicable

According to §15.247(a)(1), for frequency hopping systems operating in the 2400MHz-2483.5 MHz no limit for 20dB bandwidth.

8.2. Measurement Equipment Used

| | Conducted Emission Test Site | | | | | |
|-------------------|------------------------------|--------------------|------------|------------|------------|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | |
| TYPE | | NUMBER | NUMBER | CAL. | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 01/13/2014 | 01/12/2015 | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/13/2014 | 01/12/2015 | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 03/08/2014 | 03/07/2015 | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 02/27/2014 | 02/26/2015 | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/03/2014 | 01/02/2015 | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 02/27/2014 | 02/26/2015 | |
| Splitter | Agilent | 11636B | N/A | 02/27/2014 | 02/26/2015 | |

8.3. Test Set-up



8.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set the spectrum analyzer as RBW=10 kHz (1 % of 20 dB Bandwidth.), VBW = 30 kHz, Span= 3MHz, Sweep=auto, Detector = Peak, and Max hold for 20dB Bandwidth test.
- 4. Mark the peak frequency and –20dB (upper and lower) frequency and Turn on the 99% bandwidth function, max reading.
- 5. Repeat above procedure for 99% Bandwidth, but set RBW to 1% of the span, and detector = peak.
- 6. Repeat above procedures until all test default channel is completed

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 26 of 71

8.5. Measurement Result:

20dB Bandwidth: BR mode (GFSK)

| СН | Bandwidth |
|--------|-----------|
| | (kHz) |
| Lower | 922.4 |
| Mid | 923.1 |
| Higher | 922.1 |

20dB Bandwidth : EDR mode ($\pi/4$ DQPSK)

| СН | Bandwidth | 2/3 Bandwidth | |
|--------|-----------|---------------|--|
| | (MHz) | (MHz) | |
| Lower | 1.255 | 0.837 | |
| Mid | 1.250 | 0.833 | |
| Higher | 1.250 | 0.833 | |

20dB Bandwidth: EDR mode (8DPSK)

| СН | Bandwidth | 2/3 Bandwidth | |
|--------|-----------|---------------|--|
| | (MHz) | (MHz) | |
| Lower | 1.254 | 0.836 | |
| Mid | 1.251 | 0.834 | |
| Higher | 1.25 | 0.833 | |

NOTE1: cable loss as 1dB that offsets in the spectrum

NOTE2: For the plot of bandwidth measurement, the marker of the 99% bandwidth is diamond-shape while the marker of the 20dB BW is arrow-mark

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the company's findings at the time of its intervention only and within the limits of the structure of the proposition of the proposi Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 27 of 71

BR Mode (GFSK) 20dB Bandwidth Test Data CH-Low



20dB Bandwidth Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 28 of 71

20dB Bandwidth Test Data CH-High



EDR Mode (π/4DQPSK) 20dB Bandwidth Test Data CH-Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

Page: 29 of 71

20dB Bandwidth Test Data CH-Mid



20dB Bandwidth Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the windows and the subject to the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 30 of 71

EDR Mode (8DPSK) 20dB Bandwidth Test Data CH-Low



20dB Bandwidth Test Data CH-Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 31 of 71

20dB Bandwidth Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the contained hereon reflects the company's findings at the time of its intervention only and within the contained hereon reflects the company's findings at the time of its intervention only and within the contained hereon reflects the company's findings at the time of its intervention only and within the contained hereon reflects the contained hereon reflects the company's findings at the time of i Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 32 of 71

9. BAND EDGES EMISSION MEASUREMENT

9.1. Standard Applicable

According to §15.247(d), in any 100 kHz bandwidth outside the frequency bands in which the spread spectrum intentional radiator in operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in 15.209(a).


9.2. Measurement Equipment Used

9.2.1. Conducted Emission at antenna port:

| Conducted Emission Test Site | | | | | | |
|------------------------------|---------------|--------------------|------------|------------|------------|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | |
| TYPE | | NUMBER | NUMBER | CAL. | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 01/13/2014 | 01/12/2015 | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/13/2014 | 01/12/2015 | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 03/08/2014 | 03/07/2015 | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 02/27/2014 | 02/26/2015 | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/03/2014 | 01/02/2015 | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 02/27/2014 | 02/26/2015 | |
| Splitter | Agilent | 11636B | N/A | 02/27/2014 | 02/26/2015 | |

9.3. Test SET-UP:

9.3.1. Conducted Emission at antenna port:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 33 of 71

9.4. Measurement Procedure

100 kHz BANDWIDTH OF BAND EDGES:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set center frequency of spectrum analyzer = operating frequency.
- 4. Set the spectrum analyzer as RBW, VBW=300 kHz, Sweep = auto
- 5. Mark Peak, 2.390GHz and 2.4835GHz and record the max. level.
- 6. Repeat above procedures until all frequency measured were complete.

Out-Of-Band EMISSION

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 100K & VBW = 300K on Spectrum.
- 3. Sweep the frequency to determine spurious emission as seen on spectrum from span of 30MHz to 3G, 3G to 8G, 8G to 13G, 13G to 18G and 18G to 26.5GHz
- 4. Via Software, combine 5 spans of frequency range into two plots containing the range of 30MHz to 3GHz, and 3GHz to 26.5GHz.

9.5. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

9.6. Measurement Result -1 Out-Of-Band EMISSION:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

NOTE: cable loss as 1dB that offsets in the spectrum

NOTE: the occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.


f (886-2) 2298-0488

www.tw.sgs.com


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Page: 34 of 71

9.7 Measurement Result -1 Conducted Spurious Emission Measurement Result Ch Low 30MHz – 3GHz (Worst: BR mode)



Ch Low 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488

Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 35 of 71

Ch Mid 30MHz - 3GHz



Ch Mid 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the windows and the subject to the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 36 of 71

Ch High 30MHz – 3GHz



Ch High 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the windows and the subject to the subj Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 37 of 71

9.8 Measurement Result -2 100 kHz BANDWIDTH OF BNAD EDGE: Band Edges Test Data CH-Low (Worst: BR mode) Hopping mode



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com


Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 38 of 71

Band Edges Test Data CH-Low (Worst: BR mode) Non-Hopping mode



Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wind that the state of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 39 of 71

10. SPURIOUS RADIATED EMISSION TEST

10.1. Standard Applicable

According to §15.247(d),

Emission at antenna port:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.

Radiated Spurious Emission

Attenuation below the general limits specified in § 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 40 of 71

10.2. Measurement Equipment Used:

10.2.1. Radiated emission:

| 966 Chamber | | | | | | | | | |
|------------------------|-----------------------|-------------|------------|------------|------------|--|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | | |
| EMI Test Receiver | R&S | ESCI7 | 100760 | 05/26/2014 | 05/25/2015 | | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | | | | |
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 01/20/2014 | 01/19/2015 | | | | |
| Spectrum Analyzer | R&S | FSV-30 | 101398 | 10/22/2013 | 10/21/2014 | | | | |
| Loop Antenna | ETS.LINDGREN | 6502 | 00148045 | 07/03/2014 | 07/02/2015 | | | | |
| Bilog Antenna | SCHWAZBECK | VULB9168 | 378 | 01/02/2014 | 01/01/2015 | | | | |
| Horn antenna | ETS.LINDGREN | 3117 | 123995 | 05/19/2014 | 05/18/2015 | | | | |
| Horn Antenna | Schwarzbeck | BBHA9170 | 184 | 01/23/2014 | 01/22/2015 | | | | |
| Pre-Amplifier | Agilent | 8447D | 2944A07676 | 01/03/2014 | 01/02/2015 | | | | |
| Pre-Amplifier | Agilent | 8449B | 3008A00578 | 01/03/2014 | 01/02/2015 | | | | |
| Pre-Amplifier | EMC Instruments Corp. | EMC184045 | 980135 | 01/24/2014 | 01/23/2015 | | | | |
| Filter 2400-2483.5 MHz | EWT | EWT-14-0166 | M2 | 02/27/2014 | 02/26/2015 | | | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 004 | 02/27/2014 | 02/26/2015 | | | | |
| Turn Table | HD | DT420 | N/A | N.C.R | N.C.R | | | | |
| Antenna Tower | HD | MA240-N | 240/657 | N.C.R | N.C.R | | | | |
| Controller | HD | HD100 | N/A | N.C.R | N.C.R | | | | |
| Low Loss Cable | Huber Suhner | 966_Rx | 9 | 01/03/2014 | 01/02/2015 | | | | |
| 3m Site NSA | SGS | 966 chamber | N/A | 07/15/2014 | 07/14/2015 | | | | |

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlawful and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.


Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 41 of 71


10.3. Test SET-UP:

10.3.1. Radiated emission:

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company's findings at the time of its intervention only and within the limits of the strength of the proposition from years and eligible to the proposition for years and eligible the part of the proposition from years and eligible the proposition from years and eligible to the proposition from years and the proposition from years and eligible to the proposition from years and eligible to the proposition from years and eligible that the proposition from years and eligible to the proposition from years and eligible to the proposition from years and eligible to the proposition of the proposition from the proposition from the proposition of the proposition from the proposition from the proposition of the proposition from the proposition of the proposition from the proposition of the proposition from the proposition of the proposition from the proposition from the proposition of the propos Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 42 of 71

10.4. Measurement Procedure:

Radiated Emission:

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 7. Repeat above procedures until all frequency of the interest measured were complete.

Auxiliary Procedure (Setting on Spectrum to capture the reading of emission level):

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \ge 1$ GHz, 100 kHz for f < 1 GHz

VBW ≥ RBW

Sweep = auto

Detector function = peak

Trace = max hold

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 43 of 71

10.5. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

| Where | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
| | RA = Reading Amplitude | AG = Amplifier Gain |
| | AF = Antenna Factor | |

Remark:

- 1. The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)
- 2. Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) Pre Amplifier Gain(dB)

10.6. Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Note: For the tabular table as presents below, "F": denotes Fundamental Frequency.; "H": denotes

Harmonic Frequency. "E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 44 of 71

10.6.1 Radiated Emission – Band Edge: (Worst: BR mode) Hopping mode

:2014-09-25 Operation Band :BR+Hopping Test Date

Temp./Humi. Fundamental Frequency :2402 MHz :26.8 deg C / 49 RH

Operation Mode :Band Edge LOW Engineer :Jerry

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBuV/m | dB | dBuV/m | dBuV/m | dB |
| 2390.00 | E | Peak | 41.53 | 3.14 | 44.67 | 74.00 | -29.33 |
| 2390.00 | Е | Average | 32.19 | 3.14 | 35.33 | 54.00 | -18.67 |

Operation Band :BR+Hopping Test Date :2014-09-25

Fundamental Frequency :2402 MHz Temp./Humi. :26.8 deg C/49 RH

Operation Mode :Band Edge LOW Engineer :Jerry

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBuV/m | dB | dBuV/m | dBuV/m | dB |
| 2390.00 | E | Peak | 41.97 | 3.14 | 45.11 | 74.00 | -28.89 |
| 2390.00 | E | Average | 32.10 | 3.14 | 35.24 | 54.00 | -18.76 |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 45 of 71

:2014-09-25 Operation Band :BR+Hopping Test Date

Fundamental Frequency :2480 MHz Temp./Humi. :26.8 deg C/49 RH

Operation Mode :Band Edge HIGH Engineer :Jerry

EUT Pol. :VERTICAL :E2 Plane Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBuV/m | dB | dBuV/m | dBuV/m | dB |
| 2483.50 | E | Peak | 44.11 | 3.35 | 47.47 | 74.00 | -26.53 |
| 2483.50 | E | Average | 35.25 | 3.35 | 38.60 | 54.00 | -15.40 |

| Operation Band | :BR+Hopping | Test Date | :2014-09-25 |
|-----------------------|-----------------|-------------|---------------------|
| Fundamental Frequency | :2480 MHz | Temp./Humi. | :26.8 deg_C / 49 RH |
| Operation Mode | ·Rand Edge HIGH | Engineer | · Ierry |

Operation Mode :Band Edge HIGH Engineer :Jerry

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBuV/m | dB | dBuV/m | dBuV/m | dB |
| 2483.50 | E | Peak | 44.06 | 3.35 | 47.42 | 74.00 | -26.58 |
| 2483.50 | Е | Average | 34.42 | 3.35 | 37.77 | 54.00 | -16.23 |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the property of the part was required from your report by the property and obligations under the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 46 of 71

Band Edge: (Worst: BR mode) Non-Hopping mode

Operation Band Test Date :2014-09-25

Fundamental Frequency :2402 MHz Temp./Humi. :26.8 deg C / 49 RH

:Band Edge LOW Operation Mode Engineer :Jerry

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBuV/m | dB | dBuV/m | dBuV/m | dB |
| 2390.00 | E | Peak | 44.04 | 3.14 | 47.18 | 74.00 | -26.82 |
| 2390.00 | E | Average | 32.19 | 3.14 | 35.33 | 54.00 | -18.67 |

Operation Band Test Date :2014-09-25 :BR

Fundamental Frequency :2402 MHz Temp./Humi. :26.8 deg C / 49 RH

Operation Mode :Band Edge LOW Engineer :Jerry

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBuV/m | dB | dBuV/m | dBuV/m | dB |
| 2390.00 | E | Peak | 42.70 | 3.14 | 45.84 | 74.00 | -28.16 |
| 2390.00 | E | Average | 32.06 | 3.14 | 35.20 | 54.00 | -18.80 |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 47 of 71

:2014-09-25 Operation Band :BR Test Date

Fundamental Frequency :2480 MHz Temp./Humi. :26.8 deg C/49 RH

Operation Mode :Band Edge HIGH Engineer :Jerry

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBuV/m | dB | dBuV/m | dBuV/m | dB |
| 2483.50 | E | Peak | 43.88 | 3.35 | 47.24 | 74.00 | -26.76 |
| 2483.50 | Е | Average | 34.73 | 3.35 | 38.08 | 54.00 | -15.92 |
| | | | | | | | |

| Operation Band | :BR | Test Date | :2014-09-25 |
|-----------------------|-----------------|--------------------------|--------------------|
| Fundamental Frequency | :2480 MHz | Temp./Humi. | :26.8 deg_C /49 RH |
| Operation Mode | :Band Edge HIGH | Engineer | :Jerry |
| EUT Pol. | :E2 Plane | Measurement Antenna Pol. | :HORIZONTAL |

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dBuV/m | dB | dBuV/m | dBuV/m | dB |
| 2483.50 | E | Peak | 43.72 | 3.35 | 47.08 | 74.00 | -26.92 |
| 2483.50 | E | Average | 34.46 | 3.35 | 37.81 | 54.00 | -16.19 |

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 48 of 71

10.6.2 Radiated Spurious Emission Measurement Result (worst case BR mode)

Operation Band

ARFCN Test Date :2014-09-25

Fundamental Frequency Temp./Humi. :26.8 deg C / 49 RH :2402 MHz

Operation Mode :TX LOW Engineer :Jerry

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|----------------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | $\mathrm{d} B \mu V$ | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 55.22 | Peak | S | 56.68 | -27.98 | 28.71 | 40.00 | -11.29 |
| 195.87 | Peak | S | 57.08 | -23.83 | 33.25 | 43.50 | -10.25 |
| 275.41 | Peak | S | 57.74 | -19.66 | 38.08 | 46.00 | -7.92 |
| 344.28 | Peak | S | 54.74 | -17.55 | 37.19 | 46.00 | -8.81 |
| 608.12 | Peak | S | 41.26 | -12.04 | 29.22 | 46.00 | -16.78 |
| 799.21 | Peak | S | 37.38 | -10.16 | 27.22 | 46.00 | -18.78 |
| 4804.00 | Peak | Н | 48.16 | 0.37 | 48.53 | 74.00 | -25.47 |
| 4804.00 | Average | Н | 40.14 | 0.37 | 40.51 | 54.00 | -13.49 |
| 7206.00 | Peak | Н | | | | | |
| 9608.00 | Peak | Н | | | | | |
| 12010.00 | Peak | Н | | | | | |
| 14412.00 | Peak | Н | | | | | |
| 16814.00 | Peak | Н | | | | | |
| 19216.00 | Peak | Н | | | | | |
| 21618.00 | Peak | Н | | | | | |
| 24020.00 | Peak | Н | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 49 of 71

Operation Band :BR

ARFCN Test Date :2014-09-25

Fundamental Frequency :2402 MHz Temp./Humi. :26.8 deg C / 49 RH

Operation Mode :TX LOW Engineer :Jerry

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 38.73 | Peak | S | 46.25 | -20.40 | 25.85 | 40.00 | -14.15 |
| 191.99 | Peak | S | 57.01 | -24.06 | 32.96 | 43.50 | -10.54 |
| 276.38 | Peak | S | 60.54 | -19.63 | 40.91 | 46.00 | -5.09 |
| 333.61 | Peak | S | 60.30 | -17.91 | 42.39 | 46.00 | -3.61 |
| 391.81 | Peak | S | 55.73 | -16.16 | 39.56 | 46.00 | -6.44 |
| 630.43 | Peak | S | 37.89 | -11.98 | 25.92 | 46.00 | -20.08 |
| 4804.00 | Peak | Н | 46.18 | 0.37 | 46.55 | 74.00 | -27.45 |
| 4804.00 | Average | Н | 38.55 | 0.37 | 38.92 | 54.00 | -15.08 |
| 7206.00 | Peak | Н | | | | | |
| 9608.00 | Peak | Н | | | | | |
| 12010.00 | Peak | Н | | | | | |
| 14412.00 | Peak | Н | | | | | |
| 16814.00 | Peak | Н | | | | | |
| 19216.00 | Peak | Н | | | | | |
| 21618.00 | Peak | Н | | | | | |
| 24020.00 | Peak | Н | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the containing that the containing th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 50 of 71

Operation Band :BR

ARFCN :CH 39 Test Date :2014-09-25

Fundamental Frequency :2441 MHz Temp./Humi. :26.8 deg C / 49 RH

Operation Mode :TX MID Engineer :Jerry

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 60.07 | Peak | S | 62.64 | -29.11 | 33.52 | 40.00 | -6.48 |
| 191.99 | Peak | S | 57.82 | -24.06 | 33.76 | 43.50 | -9.74 |
| 275.41 | Peak | S | 57.60 | -19.66 | 37.94 | 46.00 | -8.06 |
| 327.79 | Peak | S | 55.80 | -18.13 | 37.67 | 46.00 | -8.33 |
| 395.69 | Peak | S | 47.51 | -15.89 | 31.62 | 46.00 | -14.38 |
| 592.60 | Peak | S | 41.12 | -12.25 | 28.88 | 46.00 | -17.12 |
| 4882.00 | Peak | Н | 47.19 | 0.41 | 47.61 | 74.00 | -26.39 |
| 4882.00 | Average | Н | 39.37 | 0.41 | 39.78 | 54.00 | -14.22 |
| 7323.00 | Peak | Н | | | | | |
| 9764.00 | Peak | Н | | | | | |
| 12205.00 | Peak | Н | | | | | |
| 14646.00 | Peak | Н | | | | | |
| 17087.00 | Peak | Н | | | | | |
| 19528.00 | Peak | Н | | | | | |
| 21969.00 | Peak | Н | | | | | |
| 24410.00 | Peak | Н | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the containing that the containing th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 51 of 71

Operation Band :BR

ARFCN :CH 39 Test Date :2014-09-25

Fundamental Frequency :2441 MHz Temp./Humi. :26.8 deg C/49 RH

Operation Mode :TX MID Engineer :Jerry

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 56.19 | Peak | S | 51.61 | -28.24 | 23.37 | 40.00 | -16.63 |
| 127.97 | Peak | S | 53.28 | -21.57 | 31.71 | 43.50 | -11.79 |
| 195.87 | Peak | S | 63.42 | -23.83 | 39.59 | 43.50 | -3.91 |
| 359.80 | Peak | S | 59.51 | -16.74 | 42.77 | 46.00 | -3.23 |
| 431.58 | Peak | S | 54.65 | -15.09 | 39.55 | 46.00 | -6.45 |
| 654.68 | Peak | S | 40.42 | -11.98 | 28.45 | 46.00 | -17.55 |
| 4882.00 | Peak | Н | 46.23 | 0.41 | 46.65 | 74.00 | -27.35 |
| 4882.00 | Average | Н | 37.69 | 0.41 | 38.10 | 54.00 | -15.90 |
| 7323.00 | Peak | Н | | | | | |
| 9764.00 | Peak | Н | | | | | |
| 12205.00 | Peak | Н | | | | | |
| 14646.00 | Peak | Н | | | | | |
| 17087.00 | Peak | Н | | | | | |
| 19528.00 | Peak | Н | | | | | |
| 21969.00 | Peak | Н | | | | | |
| 24410.00 | Peak | Н | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the containing that the containing th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 52 of 71

Operation Band :BR

ARFCN :CH 78 Test Date :2014-09-25

Fundamental Frequency :2480 MHz Temp./Humi. :26.8 deg C/49 RH

Operation Mode :TX HIGH Engineer :Jerry

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBμV/m | dB |
| | | | | | | | |
| 55.22 | Peak | S | 57.35 | -27.98 | 29.37 | 40.00 | -10.63 |
| 195.87 | Peak | S | 57.29 | -23.83 | 33.46 | 43.50 | -10.04 |
| 263.77 | Peak | S | 57.27 | -19.33 | 37.93 | 46.00 | -8.07 |
| 327.79 | Peak | S | 55.91 | -18.13 | 37.79 | 46.00 | -8.21 |
| 495.60 | Peak | S | 44.99 | -14.25 | 30.74 | 46.00 | -15.26 |
| 608.12 | Peak | S | 40.84 | -12.04 | 28.80 | 46.00 | -17.20 |
| 4960.00 | Peak | Н | 48.27 | 0.62 | 48.89 | 74.00 | -25.11 |
| 4960.00 | Average | Н | 39.51 | 0.62 | 40.13 | 54.00 | -13.87 |
| 7440.00 | Peak | Н | | | | | |
| 9920.00 | Peak | Н | | | | | |
| 12400.00 | Peak | Н | | | | | |
| 14880.00 | Peak | Н | | | | | |
| 17360.00 | Peak | Н | | | | | |
| 19840.00 | Peak | Н | | | | | |
| 22320.00 | Peak | Н | | | | | |
| 24800.00 | Peak | Н | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the containing that the containing th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 53 of 71

Operation Band :BR

ARFCN :CH 78 Test Date :2014-09-25

Fundamental Frequency :2480 MHz Temp./Humi. :26.8 deg C / 49 RH

Operation Mode :TX HIGH Engineer :Jerry

EUT Pol. :E2 Plane :HORIZONTAL Measurement Antenna Pol.

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Note: "F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

| Freq. | Note | Detector | Spectrum | Factor | Actual | Limit | Margin |
|----------|---------|----------|---------------|--------|--------|--------|--------|
| | | Mode | Reading Level | | FS | @3m | |
| MHz | F/H/E/S | PK/QP/AV | dΒμV | dB | dBμV/m | dBµV/m | dB |
| | | | | | | | |
| 55.22 | Peak | S | 59.72 | -27.98 | 31.74 | 40.00 | -8.26 |
| 191.99 | Peak | S | 62.64 | -24.06 | 38.59 | 43.50 | -4.91 |
| 312.27 | Peak | S | 61.02 | -18.62 | 42.40 | 46.00 | -3.60 |
| 371.44 | Peak | S | 58.18 | -16.80 | 41.39 | 46.00 | -4.61 |
| 431.58 | Peak | S | 55.30 | -15.09 | 40.21 | 46.00 | -5.79 |
| 700.27 | Peak | S | 38.76 | -11.42 | 27.34 | 46.00 | -18.66 |
| 4960.00 | Peak | Н | 48.14 | 0.62 | 48.75 | 74.00 | -25.25 |
| 4960.00 | Average | Н | 36.78 | 0.62 | 37.40 | 54.00 | -16.60 |
| 7440.00 | Peak | Н | | | | | |
| 9920.00 | Peak | Н | | | | | |
| 12400.00 | Peak | Н | | | | | |
| 14880.00 | Peak | Н | | | | | |
| 17360.00 | Peak | Н | | | | | |
| 19840.00 | Peak | Н | | | | | |
| 22320.00 | Peak | Н | | | | | |
| 24800.00 | Peak | Н | | | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of containing the containing the containing the company's findings at the time of its intervention only and within the limits of containing the containing that the containing th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 54 of 71

11. FREQUENCY SEPARATION

11.1. Standard Applicable

According to §15.247(a)(1), Frequency hopping systems shall have hopping channel carrier frequencies separated by minimum of 25 kHz or the 2/3*20dB bandwidth of the hopping channel, whichever is greater.

11.2. Measurement Equipment Used:

| | Conducted Emission Test Site | | | | | | | |
|-------------------|------------------------------|--------------------|------------|------------|------------|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 01/13/2014 | 01/12/2015 | | | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/13/2014 | 01/12/2015 | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | | | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 03/08/2014 | 03/07/2015 | | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 02/27/2014 | 02/26/2015 | | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/03/2014 | 01/02/2015 | | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 02/27/2014 | 02/26/2015 | | | |
| Splitter | Agilent | 11636B | N/A | 02/27/2014 | 02/26/2015 | | | |

11.3. Test Set-up:

| | Attenuator |
|-----|------------|
| EUT | SPA |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 55 of 71

11.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set center frequency of spectrum analyzer = middle of hopping channel.
- 4. Set the spectrum analyzer as RBW, VBW=100 kHz, Adjust Span to 5MHz, Sweep = auto.
- 5. Max hold. Mark 3 Peaks of hopping channel and record the 3 peaks frequency.

11.5. Measurement Result:

| Channel separation (MHz) | Limit | Result |
|--------------------------|---|--------|
| 1 | >=25 kHz or 2/3 times 20dB bandwidth | PASS |

Frequency Separation Test Data



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 56 of 71

12. NUMBER OF HOPPING FREQUENCY


12.1. Standard Applicable

According to §15.247(a)(1)(iii), Frequency hopping systems operating in the 2400MHz-2483.5 MHz bands shall use at least 15 hopping frequencies.

12.2. Measurement Equipment Used:

| | Conducted Emission Test Site | | | | | | | |
|-------------------|------------------------------|--------------------|------------|------------|------------|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 01/13/2014 | 01/12/2015 | | | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/13/2014 | 01/12/2015 | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | | | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 03/08/2014 | 03/07/2015 | | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 02/27/2014 | 02/26/2015 | | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/03/2014 | 01/02/2015 | | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 02/27/2014 | 02/26/2015 | | | |
| Splitter | Agilent | 11636B | N/A | 02/27/2014 | 02/26/2015 | | | |

12.3. Test Set-up:



12.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set spectrum analyzer Start=2400MHz, Stop = 2483.5MHz, Sweep = auto.
- 4. Set the spectrum analyzer as RBW=430 kHz, VBW=1.5MHz., Detector = Peak
- 5. Max hold, view and count how many channel in the band.

12.5. Measurement Result:

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488

Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014


Page: 57 of 71

Channel Number

2.4 GHz - 2.441GHz



2.441 GHz - 2.4835GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 58 of 71

13. TIME OF OCCUPANCY (DWELL TIME)

13.1. Standard Applicable

According to §15.247(a)(1)(iii), Frequency hopping systems operating in the 2400MHz-2483.5 MHz. The average time of occupancy on any frequency shall not greater than 0.4 s within period of 0.4 seconds multiplied by the number of hopping channel employed.

Limit: 0.4s = 400ms

13.2. Measurement Equipment Used:

| | Conducted Emission Test Site | | | | | | | |
|-------------------|------------------------------|--------------------|------------|------------|------------|--|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | | |
| Power Meter | Anritsu | ML2495A | 1005007 | 01/13/2014 | 01/12/2015 | | | |
| Power Sensor | Anritsu | MA2411B | 917032 | 01/13/2014 | 01/12/2015 | | | |
| Spectrum Analyzer | Agilent | E4446A | MY51100003 | 05/19/2014 | 05/18/2015 | | | |
| Spectrum Analyzer | Agilent | E4440A | MY45304525 | 03/08/2014 | 03/07/2015 | | | |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 02/27/2014 | 02/26/2015 | | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 01/03/2014 | 01/02/2015 | | | |
| Attenuator | Mini-Circuit | BW-S10W2+ | 002 | 02/27/2014 | 02/26/2015 | | | |
| Splitter | Agilent | 11636B | N/A | 02/27/2014 | 02/26/2015 | | | |

13.3. Test Set-up:

| | Attenuator |
|-----|------------|
| EUT | SPA |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the company's findings at the time of its intervention only and within the limits of the structure of the proposition of the proposi Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 59 of 71

13.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 3. Set center frequency of spectrum analyzer = operating frequency.
- 4. Set the spectrum analyzer as RBW, VBW=1MHz, 3MHz, Span = 0Hz, Detector = Peak, Adjust Sweep = $2\sim7$ ms.
- 5. Repeat above procedures until all frequency of the interest measured were complete.

Formula Deduced: time occupancy of one time slot X Hopping rate / total slot in one channel / total channel that hops X period of working channels.

Where, standard hopping rate is 1600 hops/s, slot in one channel for DH1, DH3, and DH5 is 2, 4, and 6, respectively.

DH1 consists of single time slot of the uplink, and one slot of the downlink Total Slot: 2

DH3 consists of three time slot of the uplink, and one slot of the downlink. Total Slot: 4

DH5 consists of five time slot of the uplink, and one slot of the downlink. Total Slot: 6

Note: the result of the complete test default channel at 1Mbps is recorded on the test report, 2Mbps, and 3Mbps only records the measurement result at middle channel that reveals no much deviation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 60 of 71

13.5. Tabular Result of the Measurement:

1Mbps (GFSK):

| Test Channel: | Mode: | Measurement Result (ms): | Limit (ms): |
|---------------|-------|--------------------------|-------------|
| Low: | DH1 | 127.36 | 400ms |
| | DH3 | 263.200 | 400ms |
| | DH5 | 307.733 | 400ms |
| Middle: | DH1 | 127.36 | 400ms |
| | DH3 | 263.200 | 400ms |
| | DH5 | 307.733 | 400ms |
| High: | DH1 | 127.36 | 400ms |
| | DH3 | 263.200 | 400ms |
| | DH5 | 307.733 | 400ms |

2Mbps ($\Pi/4$ DQPSK):

| Test Channel: | Mode: | Measurement Result (ms): | Limit (ms): |
|---------------|-------|--------------------------|-------------|
| Middle: | 2DH1 | 127.36 | 400ms |
| | 2DH3 | 263.200 | 400ms |
| | 2DH5 | 307.733 | 400ms |

3Mbps (8DPSK):

| Test Channel: | Mode: | Measurement Result (ms): | Limit (ms): |
|---------------|-------|--------------------------|-------------|
| Middle: | 3DH1 | 127.36 | 400 |
| | 3DH3 | 263.200 | 400 |
| | 3DH5 | 307.733 | 400 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com

SGS Taiwan Ltd.



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 61 of 71

A period time = 0.4 (s) * 79 = 31.6 (s)

1Mbps:

CH Low DH1 time slot = 0.398 (ms) * (1600/2/79) * 31.6 = 127.36 (ms)

DH3 time slot = 1.645 (ms) * (1600/4/79) * 31.6 = 263.200 (ms)

DH5 time slot = 2.885 (ms) * (1600/6/79) * 31.6 = 307.733 (ms)

CH Mid DH1 time slot = 0.398 (ms) * (1600/2/79) * 31.6 = 127.36 (ms)

DH3 time slot = 1.645 (ms) * (1600/4/79) * 31.6 = 263.200 (ms)

DH5 time slot = 2.885 (ms) * (1600/6/79) * 31.6 = 307.733 (ms)

CH High DH1 time slot = 0.398 (ms) * (1600/2/79) * 31.6 = 127.36 (ms)

DH3 time slot = 1.645 (ms) * (1600/4/79) * 31.6 = 263.200 (ms)

DH5 time slot = 2.885 (ms) * (1600/6/79) * 31.6 = 307.733 (ms)

2Mbps:

CH Mid 2DH1 time slot = 0.398 (ms) * (1600/2/79) * 31.6 = 127.36 (ms)

2DH3 time slot = 1.645 (ms) * (1600/4/79) * 31.6 = 263.200 (ms)

2DH5 time slot = 2.885 (ms) * (1600/6/79) * 31.6 = 307.733 (ms)

3Mbps:

3DH1 time slot = 0.398 (ms) * (1600/2/79) * 31.6 = 127.36 (ms)CH Mid

3DH3 time slot = 1.645 (ms) * (1600/4/79) * 31.6 = 263.200 (ms)

3DH5 time slot = 2.885 (ms) * (1600/6/79) * 31.6 = 307.733 (ms)

13.6. Measurement Result:

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

SGS Taiwan Ltd.


Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 62 of 71

CH-Low DH1



DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is understanded by the present of this document is understanded by the full per vertical to the full per pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014


Page: 63 of 71

DH5



CH-Mid

DH1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 64 of 71

DH3



DH₅



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report reter only to the sample(s) sets darks out sample(s) are retained for 30 days only.
Pk 非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司畫面許可,不可可的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com


Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 65 of 71

CH-High DH1



DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 66 of 71

DH₅



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com


Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 67 of 71

CH-Mid 2DH1



2DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 68 of 71

2DH5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 69 of 71

CH-Mid 3DH1



3DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 70 of 71

3DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertile and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Report No.: E2/2014/60031 Issue Date: Oct. 09, 2014

Page: 71 of 71

14. ANTENNA REQUIREMENT

14.1. Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

14.2. Antenna Connected Construction

The directional gains of this PCB antenna used for transmitting is 1.13dBi, and the antenna is designed with no consideration of replacement. Please see EUT photo and antenna spec. for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279 f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com