

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

## INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

OF

**Product Name:** QardioBase 2  
**Brand Name:** Qardio  
**Model No.:** B200  
**Model Difference:** N/A  
**FCC ID:** 2ABF2-888BAS2  
**Report No.:** ER/2017/50132  
**Issue Date:** Aug. 18, 2017  
**FCC Rule Part:** §15.247, Cat: DTS  
**Prepared for:** Qardio Inc.  
115 Sansome Street, suite 1005, San Francisco, CA, 94104, USA  
SGS Taiwan Ltd.  
Electronics & Communication Laboratory  
**Prepared by:** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803



**Note:** This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## VERIFICATION OF COMPLIANCE

**Applicant:** Qardio Inc.  
115 Sansome Street, suite 1005, San Francisco, CA, 94104,  
USA

**Product Name:** QardioBase 2

**Brand Name:** Qardio

**Model No.:** B200

**Model Difference:** N/A

**FCC ID:** 2ABF2-888BAS2

**Report Number:** ER/2017/50132


**Date of test:** May 26, 2017 ~ Aug. 07, 2017

**Date of EUT Received:** May 26, 2017

**We hereby certify that:**

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.


The test results of this report relate only to the tested sample identified in this report.

**Test By:****Date:**

Aug. 18, 2017

  
**JJ Chen / Engineer****Prepared By:****Date:**

Aug. 18, 2017

**Stefanie Yu / Clerk****Approved By:****Date:**

Aug. 18, 2017

**Jim Chang / Asst. Manager**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

## Revision History

| Report Number | Revision | Description                  | Issue Date    |
|---------------|----------|------------------------------|---------------|
| ER/2017/50132 | Rev.00   | Initial creation of document | Aug. 18, 2017 |
|               |          |                              |               |
|               |          |                              |               |
|               |          |                              |               |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## Table of Contents

|  |           |
|--|-----------|
| <b>1 GENERAL INFORMATION</b>                     | <b>6</b>  |
| 1.1 Product description                          | 6         |
| 1.2 Test Methodology of Applied Standards        | 7         |
| 1.3 Test Facility                                | 7         |
| 1.4 Special Accessories                          | 7         |
| 1.5 Equipment Modifications                      | 7         |
| <b>2 SYSTEM TEST CONFIGURATION</b>               | <b>8</b>  |
| 2.1 EUT Configuration                            | 8         |
| 2.2 EUT Exercise                                 | 8         |
| 2.3 Test Procedure                               | 8         |
| 2.4 Measurement Results Explanation Example      | 8         |
| 2.5 Configuration of Tested System               | 9         |
| <b>3 SUMMARY OF TEST RESULTS</b>                 | <b>9</b>  |
| <b>4 DESCRIPTION OF TEST MODES</b>               | <b>10</b> |
| 4.1 Operated in 2400 ~ 2483.5MHz Band            | 10        |
| 4.2 The Worst Test Modes and Channel Details     | 10        |
| <b>5 MEASUREMENT UNCERTAINTY</b>                 | <b>12</b> |
| <b>6 CONDUCTED EMISSION TEST</b>                 | <b>13</b> |
| 6.1 Standard Applicable                          | 13        |
| 6.2 Measurement Equipment Used                   | 13        |
| 6.3 EUT Setup                                    | 14        |
| 6.4 Test SET-UP (Block Diagram of Configuration) | 14        |
| 6.5 Measurement Procedure                        | 14        |
| 6.6 Measurement Result                           | 14        |
| <b>7 DUTY CYCLE OF TEST SIGNAL</b>               | <b>17</b> |
| 7.1 DUTY CYCLE TEST SIGNAL Measurement Result    | 18        |
| <b>8 PEAK OUTPUT POWER MEASUREMENT</b>           | <b>20</b> |
| 8.1 Standard Applicable                          | 20        |
| 8.2 Measurement Equipment Used                   | 20        |
| 8.3 Test Set-up                                  | 20        |
| 8.4 Measurement Procedure                        | 21        |
| 8.5 Measurement Result                           | 21        |
| <b>9 6dB BANDWIDTH MEASUREMENT</b>               | <b>24</b> |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

|   |            |
|---|------------|
| 9.1 Standard Applicable .....   | 24         |
| 9.2 Measurement Equipment Used .....  | 24         |
| 9.3 Test Set-up .....   | 24         |
| 9.4 Measurement Procedure .....   | 24         |
| 9.5 Measurement Result .....  | 25         |
| <b>10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT .....</b>      | <b>33</b>  |
| 10.1 Standard Applicable .....  | 33         |
| 10.2 Measurement Equipment Used .....                                       | 33         |
| 10.3 Test SET-UP .....  | 33         |
| 10.4 Measurement Procedure .....  | 34         |
| 10.5 Measurement Result .....   | 35         |
| <b>11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT .....</b>         | <b>46</b>  |
| 11.1 Standard Applicable .....  | 46         |
| 11.2 Measurement Equipment Used: .....                                      | 47         |
| 11.3 Test SET-UP .....  | 48         |
| 11.4 Measurement Procedure .....  | 49         |
| 11.5 Field Strength Calculation .....                                       | 50         |
| 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz ..... | 50         |
| 11.7 Measurement Result .....   | 50         |
| <b>12 PEAK POWER SPECTRAL DENSITY .....</b>                                 | <b>97</b>  |
| 12.1 Standard Applicable .....  | 97         |
| 12.2 Measurement Equipment Used .....                                       | 97         |
| 12.3 Test Set-up .....  | 97         |
| 12.4 Measurement Procedure .....  | 97         |
| 12.5 Measurement Result .....   | 98         |
| <b>13 ANTENNA REQUIREMENT .....</b>   | <b>105</b> |
| 13.1 Standard Applicable .....  | 105        |
| 13.2 Antenna Connected Construction .....                                   | 105        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 1 GENERAL INFORMATION

### 1.1 Product description

General:

|                   |   |                                  |
|-------------------|---|----------------------------------|
| Product Name:     | QardioBase 2  |                                  |
| Brand Name:       | Qardio  |                                  |
| Model No.:        | B200  |                                  |
| Model Difference: | N/A   |                                  |
| Software version: | N/A   |                                  |
| Hardware version: | N/A   |                                  |
| Micro USB Cable:  | Model No.: N/A, Supplier: N/A   |                                  |
| Power Supply:     | 3.8Vdc from Lithium Ion Polymer Rechargeable battery or 5Vdc from Micro USB Cable |                                  |
|                   | Battery:  | Model No.: BP1050, Supplier: N/A |

WLAN 2.4GHz:

| Wi-Fi                | Frequency Range   | Channels  | Rated Power                | Modulation Technology |
|----------------------|-------------------|---|----------------------------|-----------------------|
| 11b/g                | 2412-2462         | 11  | b: 19.71dBm<br>g: 21.54dBm | DSSS, OFDM            |
| 11n                  | HT20<br>2412-2462 | 11  | HT20:21.46dBm              | OFDM                  |
| 11n                  | HT40<br>2422-2452 | 9   | HT40:19.72dBm              | OFDM                  |
| Modulation type:     |                   | CCK, DQPSK, DBPSK for DSSS<br>64QAM, 16QAM, QPSK, BPSK for OFDM   |                            |                       |
| Transition Rate:     |                   | 802.11 b: 1/2/5.5/11 Mbps<br>802.11 g: 6/9/12/18/24/36/48/54 Mbps<br>802.11 n_20MHz: 6.5 – 72.2Mbps<br>802.11 n_40MHz: 13.5 - 150.0Mbps |                            |                       |
| Antenna Designation: |                   | Dipole Antenna, Peak Gain: 2.34dBi  |                            |                       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance

ANSI C63.10:2013

Note:

1. All test items have been performed and record as per the above standards.

## 1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Numbers are: 509634

## 1.4 Special Accessories

There are no special accessories used while test was conducted.

## 1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 2 SYSTEM TEST CONFIGURATION

### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is placed on a turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Radiated Emissions

The EUT is placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through one orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna.

### 2.4 Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

#### Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss 1dB and 10dB attenuator.

$$\text{offset} = \text{RF cable loss (10dB)} + \text{attenuation factor(1.2dB)} = 11.2\text{dB}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 2.5 Configuration of Tested System

**Fig. 2-1 Conducted Emission Configuration**



**Fig. 2-2 Radiated Emission Configuration**



**Table 2-1 Equipment Used in Tested System**

| Item | Equipment          | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord  |
|------|--------------------|-----------|----------------|------------|------------|-------------|
| 1    | Notebook           | Lenovo    | L420           | LR-7HXZA   | Shielded   | Un-shielded |
| 2    | WLAN Test Software | N/A       | N/A            | N/A        | N/A        | N/A         |

## 3 SUMMARY OF TEST RESULTS

| FCC Rules             | Description Of Test                       | Result    |
|-----------------------|---|-----------|
| §15.207(a)            | AC Power Line Conducted Emission          | Compliant |
| §15.247(b) (3)        | Peak Output Power                         | Compliant |
| §15.247(a)(2)         | 6dB & 99% Emission Bandwidth              | Compliant |
| §15.247(d)            | Conducted Band Edge and Spurious Emission | Compliant |
| §15.247(d)            | Radiated Band Edge and Spurious Emission  | Compliant |
| §15.247(e)            | Power Spectral Density                    | Compliant |
| §15.203<br>§15.247(b) | Antenna Requirement                       | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 4 DESCRIPTION OF TEST MODES

### 4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n\_HT20

| CHANNEL | FREQUENCY | CHANNEL | FREQUENCY |
|---------|-----------|---------|-----------|
| 1       | 2412 MHz  | 7       | 2442 MHz  |
| 2       | 2417 MHz  | 8       | 2447 MHz  |
| 3       | 2422 MHz  | 9       | 2452 MHz  |
| 4       | 2427 MHz  | 10      | 2457 MHz  |
| 5       | 2432 MHz  | 11      | 2462 MHz  |
| 6       | 2437 MHz  |         |           |

7 channels are provided for 802.11n\_HT40

| CHANNEL | FREQUENCY | CHANNEL | FREQUENCY |
|---------|-----------|---------|-----------|
| 3       | 2422 MHz  | 7       | 2442 MHz  |
| 4       | 2427 MHz  | 8       | 2447 MHz  |
| 5       | 2432 MHz  | 9       | 2452 MHz  |
| 6       | 2437 MHz  |         |           |

### 4.2 The Worst Test Modes and Channel Details

1. The EUT has been tested under operating condition.
2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
3. Investigation has been done on all the possible configurations for searching the worst case.

#### RADIATED EMISSION TEST:

| RADIATED EMISSION TEST (BELOW 1 GHz) |                   |                |            |                  |
|--------------------------------------|-------------------|----------------|------------|------------------|
| MODE                                 | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) |
| 802.11g                              | 1 to 11           | 1,6,11         | OFDM       | 6                |

| RADIATED EMISSION TEST (ABOVE 1 GHz) |                   |                |            |                  |
|--------------------------------------|-------------------|----------------|------------|------------------|
| MODE                                 | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) |
| 802.11b                              | 1 to 11           | 1, 6, 11       | DSSS       | 1                |
| 802.11g                              | 1 to 11           | 1, 6, 11       | OFDM       | 6                |
| 802.11n (HT20)                       | 1 to 11           | 1, 6, 11       | OFDM       | MCS 0            |
| 802.11n (HT40)                       | 3 to 9            | 3, 6, 9        | OFDM       | MCS 0            |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

**Note:**

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

**ANTENNA PORT CONDUCTED MEASUREMENT:**

| CONDUCTED TEST |                   |                |            |                  |
|----------------|-------------------|----------------|------------|------------------|
| MODE           | AVAILABLE CHANNEL | TESTED CHANNEL | MODULATION | DATA RATE (Mbps) |
| 802.11b        | 1 to 11           | 1, 6, 11       | DSSS       | 1                |
| 802.11g        | 1 to 11           | 1, 6, 11       | OFDM       | 6                |
| 802.11n (HT20) | 1 to 11           | 1, 6, 11       | OFDM       | MCS 0            |
| 802.11n (HT40) | 3 to 9            | 3, 6, 9        | OFDM       | MCS 0            |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Taiwan Ltd.** | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 5 MEASUREMENT UNCERTAINTY

| Test Items                                | Uncertainty                 |
|---|-----------------------------|
| AC Power Line Conducted Emission          | +/- 2.586 dB                |
| Peak Output Power                         | +/- 0.84 dB                 |
| 6dB Bandwidth                             | +/- 51.33 Hz                |
| 100 KHz Bandwidth Of Frequency Band Edges | +/- 0.84 dB                 |
| Peak Power Density                        | +/- 1.3 dB                  |
| Temperature                               | +/- 0.65 °C                 |
| Humidity                                  | +/- 4.6 %                   |
| DC / AC Power Source                      | DC= +/- 0.13%, AC= +/- 0.2% |

Radiated Spurious Emission:

|  |                            |
|--|----------------------------|
| Measurement uncertainty<br>(Polarization : <b>Vertical</b> ) | 9kHz – 30MHz: +/- 2.87 dB  |
|  | 30MHz - 180MHz: +/- 3.37dB |
|  | 180MHz -417MHz: +/- 3.19dB |
|  | 0.417GHz-1GHz: +/- 3.19dB  |
|  | 1GHz - 18GHz: +/- 4.04dB   |
|  | 18GHz - 40GHz: +/- 4.04dB  |

|  |                            |
|--|----------------------------|
| Measurement uncertainty<br>(Polarization : <b>Horizontal</b> ) | 9kHz – 30MHz: +/- 2.87 dB  |
|  | 30MHz - 167MHz: +/- 4.22dB |
|  | 167MHz -500MHz: +/- 3.44dB |
|  | 0.5GHz-1GHz: +/- 3.39dB    |
|  | 1GHz - 18GHz: +/- 4.08dB   |
|  | 18GHz - 40GHz: +/- 4.08dB  |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 6 CONDUCTED EMISSION TEST

### 6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

| Frequency range<br>MHz | Limits<br>dB(uV) |          |
|------------------------|------------------|----------|
|                        | Quasi-peak       | Average  |
| 0.15 to 0.50           | 66 to 56         | 56 to 46 |
| 0.50 to 5              | 56               | 46       |
| 5 to 30                | 60               | 50       |

**Note**

- 1.The lower limit shall apply at the transition frequencies
- 2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

### 6.2 Measurement Equipment Used

| Conducted Emission Test Site |                |                 |                  |              |            |
|------------------------------|----------------|-----------------|------------------|--------------|------------|
| EQUIPMENT<br>TYPE            | MFR            | MODEL<br>NUMBER | SERIAL<br>NUMBER | LAST<br>CAL. | CAL DUE.   |
| Power Meter                  | Anritsu        | ML2495A         | 1005007          | 12/15/2016   | 12/14/2017 |
| Power Sensor                 | Anritsu        | MA2411B         | 917032           | 12/15/2016   | 12/14/2017 |
| EXA Spectrum Analyzer        | Agilent        | N9030A          | MY53120760       | 03/21/2017   | 03/20/2018 |
| DC Block                     | Mini-Circuits  | BLK-18-S+       | 1                | 01/05/2017   | 01/04/2018 |
| Coaxial Cable                | HU-BER+SUHNE R | SUCOFLEX 102    | 23670/2          | 01/05/2017   | 01/04/2018 |
| Attenuator                   | Mini-Circuit   | BW-S10W2+       | 2                | 01/05/2017   | 01/04/2018 |
| Splitter                     | Agilent        | 11636B          | N/A              | 01/05/2017   | 01/04/2018 |
| DC Power Supply              | Agilent        | E3640A          | MY52410006       | 11/21/2016   | 11/20/2017 |
| Temperature Chamber          | TERCHY         | MHG-120LF       | 911009           | 05/19/2017   | 05/18/2018 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 6.3 EUT Setup

1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
3. The LISN was connected with 120Vac/60Hz power source.

### 6.4 Test SET-UP (Block Diagram of Configuration)



### 6.5 Measurement Procedure

1. The EUT was placed on a table which is 0.8m above ground plane.
2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
3. Repeat above procedures until all phases of power being supplied by given UE are completed

### 6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode: operation mode

Test By: JJ

Site Conduction Room

Phase: L1

Temperature 20 °C

Limit: FCC Class B Conduction(QP)


Power: AC 120V/60Hz

Humidity 58 %

Mode Operation

Note:

## Conducted Emission



| No. | Mk. | Freq.  | Reading | Correct | Measure- | Limit | Over   | Detector | Comment |
|-----|-----|--------|---------|---------|----------|-------|--------|----------|---------|
|     |     |        | Level   | Factor  | ment     |       |        |          |         |
|     |     | MHz    | dBuV    | dB      | dBuV     | dBuV  | dB     |          |         |
| 1   |     | 0.1580 | 49.72   | 0.07    | 49.79    | 65.57 | -15.78 | peak     |         |
| 2   | *   | 0.1700 | 49.12   | 0.07    | 49.19    | 64.96 | -15.77 | peak     |         |
| 3   |     | 0.2260 | 44.05   | 0.07    | 44.12    | 62.60 | -18.48 | peak     |         |
| 4   |     | 0.2660 | 39.92   | 0.07    | 39.99    | 61.24 | -21.25 | peak     |         |
| 5   |     | 1.6780 | 33.83   | 0.10    | 33.93    | 56.00 | -22.07 | peak     |         |
| 6   |     | 4.2260 | 34.46   | 0.21    | 34.67    | 56.00 | -21.33 | peak     |         |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Site: Conduction Room

Phase: **N**

Temperature 20 °C

Limit: FCC Class B Conduction(QP)

Power: AC 120V/60Hz

Humidity 58 %

Mode: Operation

Note


**Conducted Emission**

File :Data

Data #1

Date: 2017/7/27

Time: 上午 12:59:45



| No. | Mk. | Freq.  | Reading | Correct | Measure- | Limit | Over     | Comment |
|-----|-----|--------|---------|---------|----------|-------|----------|---------|
|     |     |        | Level   | Factor  | ment     |       |          |         |
|     |     | MHz    | dBuV    | dB      | dBuV     | dB    | Detector |         |
| 1   | *   | 0.1620 | 51.93   | 0.07    | 52.00    | 65.36 | -13.36   | peak    |
| 2   |     | 0.1820 | 42.11   | 0.07    | 42.18    | 64.39 | -22.21   | peak    |
| 3   |     | 0.2140 | 40.73   | 0.07    | 40.80    | 63.05 | -22.25   | peak    |
| 4   |     | 0.2860 | 39.15   | 0.07    | 39.22    | 60.64 | -21.42   | peak    |
| 5   |     | 1.3300 | 33.63   | 0.10    | 33.73    | 56.00 | -22.27   | peak    |
| 6   |     | 4.2220 | 34.83   | 0.21    | 35.04    | 56.00 | -20.96   | peak    |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 7 DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

### Formula:

$$\text{Duty Cycle} = \text{Ton} / (\text{Ton} + \text{Toff})$$

### Measurement Procedure:

1. Set span = Zero
2. RBW = 8MHz
3. VBW = 8MHz,
4. Detector = Peak

### Duty Cycle:

|            | Duty Cycle (%) | Duty Factor (dB) |
|------------|----------------|------------------|
| 802.11b    | 99.50          | 0.02             |
| 802.11g    | 97.25          | 0.12             |
| 802.11n_20 | 97.00          | 0.13             |
| 802.11n_40 | 94.09          | 0.26             |

$$\text{Duty Cycle Factor: } 10 * \log(1/0.995) = 0.02$$

$$\text{Duty Cycle Factor: } 10 * \log(1/0.9725) = 0.12$$

$$\text{Duty Cycle Factor: } 10 * \log(1/0.97) = 0.13$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 7.1 DUTY CYCLE TEST SIGNAL Measurement Result

## 802.11 b



## 802.11 g




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 802.11 n\_20 MHz



## 802.11 n\_40 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 8 PEAK OUTPUT POWER MEASUREMENT

### 8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power from the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.


In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

### 8.2 Measurement Equipment Used

| Conducted Emission Test Site |               |              |               |            |            |
|------------------------------|---------------|--------------|---------------|------------|------------|
| EQUIPMENT TYPE               | MFR           | MODEL NUMBER | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| Power Meter                  | Anritsu       | ML2495A      | 1005007       | 12/15/2016 | 12/14/2017 |
| Power Sensor                 | Anritsu       | MA2411B      | 917032        | 12/15/2016 | 12/14/2017 |
| EXA Spectrum Analyzer        | Agilent       | N9030A       | MY53120760    | 03/21/2017 | 03/20/2018 |
| DC Block                     | Mini-Circuits | BLK-18-S+    | 1             | 01/05/2017 | 01/04/2018 |
| Coaxial Cable                | HUBER+SUHNER  | SUCOFLEX 102 | 23670/2       | 01/05/2017 | 01/04/2018 |
| Attenuator                   | Mini-Circuit  | BW-S10W2+    | 2             | 01/05/2017 | 01/04/2018 |
| Splitter                     | Agilent       | 11636B       | N/A           | 01/05/2017 | 01/04/2018 |
| DC Power Supply              | Agilent       | E3640A       | MY52410006    | 11/21/2016 | 11/20/2017 |
| Temperature Chamber          | TERCHY        | MHG-120LF    | 911009        | 05/19/2017 | 05/18/2018 |

### 8.3 Test Set-up

Power Meter:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 8.4 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

### Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

## 8.5 Measurement Result

| 802.11b Main |                |              |                               |                    |        |
|--------------|----------------|--------------|-------------------------------|--------------------|--------|
| CH           | Freq.<br>(MHz) | Data<br>Rate | Peak Output<br>Power<br>(dBm) | Limit              | RESULT |
| 1            | 2412           | 1            | 19.12                         | 1 Watt = 30.00 dBm | PASS   |
| 6            | 2437           | 1            | <b>19.71</b>                  | 1 Watt = 30.00 dBm | PASS   |
| 11           | 2462           | 1            | 19.01                         | 1 Watt = 30.00 dBm | PASS   |
| 802.11b Main |                |              |                               |                    |        |
| CH           | Freq.<br>(MHz) | Data<br>Rate | Avg. Output<br>Power<br>(dBm) | Limit              | RESULT |
| 1            | 2412           | 1            | 16.12                         | 1 Watt = 30.00 dBm | PASS   |
| 6            | 2437           | 1            | <b>17.71</b>                  | 1 Watt = 30.00 dBm | PASS   |
| 11           | 2462           | 1            | 15.89                         | 1 Watt = 30.00 dBm | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 802.11g Main

| CH | Freq.<br>(MHz) | Data<br>Rate | Peak Output<br>Power<br>(dBm) | Limit              | RESULT |
|----|----------------|--------------|-------------------------------|--------------------|--------|
| 1  | 2412           | 6            | 19.84                         | 1 Watt = 30.00 dBm | PASS   |
| 6  | 2437           | 6            | <b>21.54</b>                  | 1 Watt = 30.00 dBm | PASS   |
| 11 | 2462           | 6            | 19.81                         | 1 Watt = 30.00 dBm | PASS   |

## 802.11g Main

| CH | Freq.<br>(MHz) | Data<br>Rate | Avg. Output<br>Power<br>(dBm) | Limit              | RESULT |
|----|----------------|--------------|-------------------------------|--------------------|--------|
| 1  | 2412           | 6            | 14.70                         | 1 Watt = 30.00 dBm | PASS   |
| 6  | 2437           | 6            | <b>17.79</b>                  | 1 Watt = 30.00 dBm | PASS   |
| 11 | 2462           | 6            | 13.99                         | 1 Watt = 30.00 dBm | PASS   |

## 802.11n\_HT20M Main

| CH | Freq.<br>(MHz) | Data<br>Rate | Peak Output<br>Power<br>(dBm) | Limit              | RESULT |
|----|----------------|--------------|-------------------------------|--------------------|--------|
| 1  | 2412           | MCS0         | 18.53                         | 1 Watt = 30.00 dBm | PASS   |
| 6  | 2437           | MCS0         | <b>21.46</b>                  | 1 Watt = 30.00 dBm | PASS   |
| 11 | 2462           | MCS0         | 19.34                         | 1 Watt = 30.00 dBm | PASS   |

## 802.11n\_HT20M Main

| CH | Freq.<br>(MHz) | Data<br>Rate | Avg. Output<br>Power<br>(dBm) | Limit              | RESULT |
|----|----------------|--------------|-------------------------------|--------------------|--------|
| 1  | 2412           | MCS0         | 12.89                         | 1 Watt = 30.00 dBm | PASS   |
| 6  | 2437           | MCS0         | <b>17.76</b>                  | 1 Watt = 30.00 dBm | PASS   |
| 11 | 2462           | MCS0         | 12.35                         | 1 Watt = 30.00 dBm | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| 802.11n_HT40M Main |                |              |   |                    |        |
|--------------------|----------------|--------------|---|--------------------|--------|
| CH                 | Freq.<br>(MHz) | Data<br>Rate | Peak Output<br>Power<br>(dBm)                                   | Limit              | RESULT |
| 3                  | 2422           | MCS0         | 15.37   | 1 Watt = 30.00 dBm | PASS   |
| 6                  | 2437           | MCS0         | <b>19.72</b>  | 1 Watt = 30.00 dBm | PASS   |
| 9                  | 2452           | MCS0         | 15.89   | 1 Watt = 30.00 dBm | PASS   |
| 802.11n_HT40M Main |                |              |   |                    |        |
| CH                 | Freq.<br>(MHz) | Data<br>Rate | Max. Avg. Output<br>include tune up<br>tolerance Power<br>(dBm) | Limit              | RESULT |
| 3                  | 2422           | MCS0         | 9.56  | 1 Watt = 30.00 dBm | PASS   |
| 6                  | 2437           | MCS0         | <b>15.93</b>  | 1 Watt = 30.00 dBm | PASS   |
| 9                  | 2452           | MCS0         | 9.35  | 1 Watt = 30.00 dBm | PASS   |

**Note:**

offset 11.20 dB for SISO mode

**\* Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 9 6DB BANDWIDTH MEASUREMENT


### 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

### 9.2 Measurement Equipment Used

| Conducted Emission Test Site |               |              |               |            |            |
|------------------------------|---------------|--------------|---------------|------------|------------|
| EQUIPMENT TYPE               | MFR           | MODEL NUMBER | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| EXA Spectrum Analyzer        | Agilent       | N9030A       | MY53120760    | 03/21/2017 | 03/20/2018 |
| DC Block                     | Mini-Circuits | BLK-18-S+    | 1             | 01/05/2017 | 01/04/2018 |
| Coaxial Cable                | HUBER+SUHNER  | SUCOFLEX 102 | 23670/2       | 01/05/2017 | 01/04/2018 |
| Attenuator                   | Mini-Circuit  | BW-S10W2+    | 2             | 01/05/2017 | 01/04/2018 |

### 9.3 Test Set-up



### 9.4 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
4. For 6dB Bandwidth:  
Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.
5. Mark the peak frequency and -6dB (upper and lower) frequency.
6. For 99% Bandwidth:  
Set the spectrum analyzer as RBW=1%, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.
7. Turn on the 99% bandwidth function, max reading.
8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 9.5 Measurement Result

### 6dB Bandwidth

**802.11b Main**

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result | Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|----------------|-----------------|----------------|--------|
| 2412           | <b>9067</b>     | > 500          | PASS   | 2412           | 16350           | > 500          | PASS   |
| 2437           | 9061            | > 500          | PASS   | 2437           | <b>16360</b>    | > 500          | PASS   |
| 2462           | 8594            | > 500          | PASS   | 2462           | <b>16360</b>    | > 500          | PASS   |

**802.11\_n\_HT20 Main**

| Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result | Freq.<br>(MHz) | 6dB BW<br>(kHz) | Limit<br>(kHz) | Result |
|----------------|-----------------|----------------|--------|----------------|-----------------|----------------|--------|
| 2412           | 17550           | > 500          | PASS   | 2422           | 35130           | > 500          | PASS   |
| 2437           | <b>17570</b>    | > 500          | PASS   | 2437           | <b>35140</b>    | > 500          | PASS   |
| 2462           | 17330           | > 500          | PASS   | 2452           | 35120           | > 500          | PASS   |

**802.11\_n\_HT40 Main**

\*Refer to next page for plots


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 802.11b

## 6dB Band Width Test Data CH-Low



## 6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號  
台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | [www.tw.sgs.com](http://www.tw.sgs.com)


Member of SGS Group

## 802.11g

## 6dB Band Width Test Data CH-Low



## 6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號  
台灣檢驗科技股份有限公司 | t (886-2) 2299-3279 | f (886-2) 2298-0488 | [www.tw.sgs.com](http://www.tw.sgs.com)


Member of SGS Group

## 802.11n\_HT20M

## 6dB Band Width Test Data CH-Low



## 6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 6dB Band Width Test Data CH-High



## 802.11n\_HT40M

## 6dB Band Width Test Data CH-Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 6dB Band Width Test Data CH-Mid



## 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

### 10.1 Standard Applicable


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required.

### 10.2 Measurement Equipment Used

| Conducted Emission Test Site |               |              |               |            |            |
|------------------------------|---------------|--------------|---------------|------------|------------|
| EQUIPMENT TYPE               | MFR           | MODEL NUMBER | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| EXA Spectrum Analyzer        | Agilent       | N9030A       | MY53120760    | 03/21/2017 | 03/20/2018 |
| DC Block                     | Mini-Circuits | BLK-18-S+    | 1             | 01/05/2017 | 01/04/2018 |
| Coaxial Cable                | HUBER+SUHNER  | SUCOFLEX 102 | 23670/2       | 01/05/2017 | 01/04/2018 |
| Attenuator                   | Mini-Circuit  | BW-S10W2+    | 2             | 01/05/2017 | 01/04/2018 |

### 10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 10.4 Measurement Procedure

### Band Edge Limit Calculation:

1. Set analyzer center frequency to DTS channel center frequency.
2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
3. Set the span to 1.5 times the DTS channel bandwidth.
4. Set the RBW = 100kHz & VBW = 300 kHz.
5. Detector = peak.
6. Sweep time = auto couple.
7. Trace mode = max hold.
8. Allow trace to fully stabilize.
9. Use the peak marker function to determine the maximum amplitude level.

### Conducted Band Edge:

1. To connect Antenna Port of EUT to Spectrum.
2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
6. Mark the highest reading of the emission as the reference level measurement.
7. Set DL as the limit = reading on marker 1 – 20dBm
8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

### Conducted Spurious Emission:

1. To connect Antenna Port of EUT to Spectrum
2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
3. Set RBW = 100 kHz & VBW= 300 kHz, Detector =Peak, Sweep = Auto.
4. Allow trace to fully stabilize.
5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
6. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 10.5 Measurement Result

| Bandedge Limit 802.11b MODE |              |        |                         | Bandedge Limit 802.11g MODE |              |        |                         |
|-----------------------------|--------------|--------|-------------------------|-----------------------------|--------------|--------|-------------------------|
| Freq.<br>(MHz)              | PSD<br>(dBm) | Offset | Bandedge Limit<br>(dBm) | Freq.<br>(MHz)              | PSD<br>(dBm) | Offset | Bandedge Limit<br>(dBm) |
| 2412                        | 8.04         | 11.20  | -11.96                  | 2412                        | 1.93         | 11.20  | -18.07                  |
| 2462                        | 7.88         | 11.20  | -12.12                  | 2462                        | 2.21         | 11.20  | -17.79                  |

| Bandedge Limit 802.11n20 MODE |              |        |                         | Bandedge Limit 802.11n40 MODE |              |        |                         |
|-------------------------------|--------------|--------|-------------------------|-------------------------------|--------------|--------|-------------------------|
| Freq.<br>(MHz)                | PSD<br>(dBm) | Offset | Bandedge Limit<br>(dBm) | Freq.<br>(MHz)                | PSD<br>(dBm) | Offset | Bandedge Limit<br>(dBm) |
| 2412                          | 0.66         | 11.20  | -19.34                  | 2422                          | -3.3         | 11.20  | -23.30                  |
| 2462                          | 1.86         | 11.20  | -18.14                  | 2452                          | -1.7         | 11.20  | -21.70                  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 802.11b PSD for Band edge Limit (CH-Low)



## 802.11g PSD for Bandedge Limit(CH-High)



## 802.11b PSD for Bandedge Limit(CH-High)



## 802.11n\_HT20 PSD for Bandedge Limit(CH-Low)



## 802.11g PSD for Bandedge Limit(CH-Low)



## 802.11n\_HT20 PSD for Bandedge Limit(CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 802.11 HT40 PSD for Band edge Limit (CH-Low)



## 802.11 HT40 PSD for Bandedge Limit(CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 802.11b

## Band Edges Test Data CH-Low



## 802.11g


## Band Edges Test Data CH-Low



## Band Edges Test Data CH-High



## Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 802.11n\_HT20 Band Edges Test Data CH-Low



## 802.11n\_HT40 Band Edges Test Data CH-Low



## Band Edges Test Data CH-High



## Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKung Road, New Taipei Industrial Park, Wukou District, New Taipei City, Taiwan 24803 / 新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)




Member of SGS Group

## 802.11b

### Spurious Emission Test Data CH-Low



### Spurious Emission Test Data CH-Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Spurious Emission Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Spurious Emission Test Data CH-Mid



## Spurious Emission Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 802.11n HT20

## Spurious Emission Test Data CH-Low



## Spurious Emission Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### Spurious Emission Test Data CH-High



### 802.11n\_HT40

### Spurious Emission Test Data CH-Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## Spurious Emission Test Data CH-Mid



## Spurious Emission Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

### 11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

| Frequency (MHz) | Field strength (microvolts/meter) | Distance (meters) |
|-----------------|-----------------------------------|-------------------|
| 0.009-0.490     | 2400/F(kHz)                       | 300               |
| 0.490-1.705     | 24000/F(kHz)                      | 30                |
| 1.705-30        | 30                                | 30                |
| 30-88           | 100                               | 3                 |
| 88-216          | 150                               | 3                 |
| 216-960         | 200                               | 3                 |
| Above 960       | 500                               | 3                 |

**Note:**

1. The lower limit shall apply at the transition frequencies.
2. Emission level (dB $\mu$ V/m) = 20 log Emission level (dB $\mu$ V/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 11.2 Measurement Equipment Used:

| 966 Chamber       |                       |              |               |            |            |
|-------------------|-----------------------|--------------|---------------|------------|------------|
| EQUIPMENT TYPE    | MFR                   | MODEL NUMBER | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| EMI Test Receiver | R&S                   | ESCI7        | 100760        | 05/11/2017 | 05/10/2018 |
| Spectrum Analyzer | Agilent               | E4446A       | MY51100003    | 04/25/2017 | 04/24/2018 |
| Loop Antenna      | ETS-Lindgren          | 6502         | 148045        | 09/20/2016 | 09/19/2017 |
| Bilog Antenna     | SCHWAZBECK            | VULB9168     | 378           | 12/19/2016 | 12/18/2017 |
| Horn Antenna      | Schwarzbeck           | BBHA9120D    | 1441          | 08/04/2017 | 08/03/2018 |
| Pre-Amplifier     | Agilent               | 8447D        | 2944A07676    | 01/03/2017 | 01/02/2018 |
| Pre-Amplifier     | EMC Instruments Corp. | EMC0126530   | 980038        | 01/03/2017 | 01/02/2018 |
| Turn Table        | HD                    | DT420        | N/A           | N.C.R      | N.C.R      |
| Antenna Tower     | ChamPro               | AM-BS-4500-B | 060776-ABS    | N.C.R      | N.C.R      |
| Controller        | ChamPro               | EM1000       | 60776         | N.C.R      | N.C.R      |
| Low Loss Cable    | Huber Suhner          | 966_RX       | 9             | 01/05/2017 | 01/04/2018 |
| 3m Site NSA       | SGS                   | 966 chamber  | N/A           | 07/01/2017 | 06/30/2018 |
| Low Loss Cable    | Huber Suhner          | 966 TX       | 1             | 01/05/2017 | 01/04/2018 |
| Horn Antenna      | Schwarzbeck           | BBHA9170     | 184           | 12/12/2016 | 12/11/2017 |
| Pre-Amplifier     | EMC Instruments Corp. | EMC184045    | 980135        | 01/05/2017 | 01/04/2018 |

NOTE: N.C.R refers to Not Calibrated Required.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-UP, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 11.4 Measurement Procedure

1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna.
6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW  $\geq$  1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

|       |                        |  |
|-------|------------------------|--|
| Where | FS = Field Strength    | CL = Cable Attenuation Factor (Cable Loss) |
|       | RA = Reading Amplitude | AG = Amplifier Gain                        |
|       | AF = Antenna Factor    |  |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

### Note :

“F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

## 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

## 11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Radiated Band Edge Measurement Result (802.11b)

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11b         | Test Date                | :2017-06-19       |
| Fundamental Frequency | :2412 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Mike             |
| EUT Pol.              | :E2 Plane        | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|---------------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |        |              |              |        |
| 2387.40      | S               | Average          | 43.03                     | 43.03      | -1.73  | 41.30        | 54.00        | -12.70 |
| 2387.40      | S               | Peak             | 53.88                     | 53.88      | -1.73  | 52.15        | 74.00        | -21.85 |
| 2390.00      | E               | Average          | 41.51                     | 41.51      | -1.74  | 39.77        | 54.00        | -14.23 |
| 2390.00      | E               | Peak             | 51.46                     | 51.46      | -1.74  | 49.72        | 74.00        | -24.28 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11b  
 Fundamental Frequency :2412 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|---------------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |        |              |              |        |
| 2387.40      | S               | Average          | 50.20                     | -1.73      | 48.47  | 54.00        | -5.53        |        |
| 2387.40      | S               | Peak             | 57.41                     | -1.73      | 55.68  | 74.00        | -18.32       |        |
| 2390.00      | E               | Average          | 47.16                     | -1.74      | 45.42  | 54.00        | -8.58        |        |
| 2390.00      | E               | Peak             | 55.18                     | -1.74      | 53.44  | 74.00        | -20.56       |        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11b  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-22  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|---------------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |        |              |              |        |
| 2483.50      | E               | Average          | 40.64                     | 40.64      | -1.62  | 39.02        | 54.00        | -14.98 |
| 2483.50      | E               | Peak             | 52.15                     | 52.15      | -1.62  | 50.53        | 74.00        | -23.47 |
| 2488.20      | S               | Average          | 39.89                     | 39.89      | -2.56  | 37.33        | 54.00        | -16.67 |
| 2488.20      | S               | Peak             | 55.94                     | 55.94      | -2.56  | 53.38        | 74.00        | -20.62 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11b  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-22  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|---------------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |        |              |              |        |
| 2483.50      | E               | Average          | 41.11                     | 41.11      | -1.62  | 39.49        | 54.00        | -14.51 |
| 2483.50      | E               | Peak             | 51.38                     | 51.38      | -1.62  | 49.76        | 74.00        | -24.24 |
| 2487.80      | S               | Average          | 40.44                     | 40.44      | -2.56  | 37.88        | 54.00        | -16.12 |
| 2487.80      | S               | Peak             | 56.04                     | 56.04      | -2.56  | 53.48        | 74.00        | -20.52 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Radiated Band Edge Measurement Result (802.11g)

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11g         | Test Date                | :2017-06-19       |
| Fundamental Frequency | :2412 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Mike             |
| EUT Pol.              | :E2 Plane        | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum   | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | Reading    |        |              |              |        |
|              |                 | PK/QP/AV         | dB $\mu$ V | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00      | E               | Average          | 46.50      | -1.74  | 44.76        | 54.00        | -9.24  |
| 2390.00      | E               | Peak             | 69.50      | -1.74  | 67.76        | 74.00        | -6.24  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2412 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor | Actual<br>FS | Limit | Margin |
|--------------|-----------------|------------------|---------------------------|--------|--------------|-------|--------|
|              |                 |                  |                           |        |              | @3m   |        |
| 2390.00      | E               | Average          | 51.88                     | -1.74  | 50.14        | 54.00 | -3.86  |
| 2390.00      | E               | Peak             | 74.48                     | -1.74  | 72.74        | 74.00 | -1.26  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor | Actual<br>FS | Limit | Margin |
|--------------|-----------------|------------------|---------------------------|--------|--------------|-------|--------|
|              |                 |                  |                           |        |              | @3m   |        |
| 2483.50      | E               | Average          | 47.39                     | -1.62  | 45.77        | 54.00 | -8.23  |
| 2483.50      | E               | Peak             | 68.91                     | -1.62  | 67.29        | 74.00 | -6.71  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  |   |              |                              | FCC RSE-PK                   | FCC RSE-AV   |
| 2483.50      | E               | Average          | 51.83                                   | -1.62        | 50.21                        | 54.00                        | -3.79        |
| 2483.50      | E               | Peak             | 74.33                                   | -1.62        | 72.71                        | 74.00                        | -1.29        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Radiated Band Edge Measurement Result (802.11-HT20)

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n20       | Test Date                | :2017-06-19       |
| Fundamental Frequency | :2412 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Mike             |
| EUT Pol.              | :E2 Plane        | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum   | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | Reading    |        |              |              |        |
|              |                 | PK/QP/AV         | dB $\mu$ V | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00      | E               | Average          | 47.28      | -1.74  | 45.54        | 54.00        | -8.46  |
| 2390.00      | E               | Peak             | 61.96      | -1.74  | 60.22        | 74.00        | -13.78 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20  
 Fundamental Frequency :2412 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum   | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | Reading    |        |              |              |        |
|              |                 | PK/QP/AV         | dB $\mu$ V | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00      | E               | Average          | 54.59      | -1.74  | 52.85        | 54.00        | -1.15  |
| 2390.00      | E               | Peak             | 71.86      | -1.74  | 70.12        | 74.00        | -3.88  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |              |                              |                              |              |
| 2483.50      | E               | Average          | 48.87                     | 48.87      | -1.62        | 47.25                        | 54.00                        | -6.75        |
| 2483.50      | E               | Peak             | 62.59                     | 62.59      | -1.62        | 60.97                        | 74.00                        | -13.03       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor | Actual<br>FS | Limit | Margin |
|--------------|-----------------|------------------|---------------------------|--------|--------------|-------|--------|
|              |                 |                  |                           |        |              | @3m   |        |
| 2483.50      | E               | Average          | 54.51                     | -1.62  | 52.89        | 54.00 | -1.11  |
| 2483.50      | E               | Peak             | 68.69                     | -1.62  | 67.07        | 74.00 | -6.93  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Radiated Band Edge Measurement Result (802.11-HT40)

|                       |                  |                          |                   |
|-----------------------|------------------|--------------------------|-------------------|
| Operation Band        | :802.11n40       | Test Date                | :2017-06-19       |
| Fundamental Frequency | :2422 MHz        | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Bandedge CH LOW | Engineer                 | :Mike             |
| EUT Pol.              | :E2 Plane        | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum   | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | Reading    |        |              |              |        |
|              |                 | PK/QP/AV         | dB $\mu$ V | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00      | E               | Average          | 47.33      | -1.74  | 45.59        | 54.00        | -8.41  |
| 2390.00      | E               | Peak             | 59.19      | -1.74  | 57.45        | 74.00        | -16.55 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40  
 Fundamental Frequency :2422 MHz  
 Operation Mode :Bandedge CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum   | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|------------|--------|--------------|--------------|--------|
|              |                 |                  | Reading    |        |              |              |        |
|              |                 | PK/QP/AV         | dB $\mu$ V | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00      | E               | Average          | 54.49      | -1.74  | 52.75        | 54.00        | -1.25  |
| 2390.00      | E               | Peak             | 67.55      | -1.74  | 65.81        | 74.00        | -8.19  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Operation Band :802.11n40  
 Fundamental Frequency :2452 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |              |                              |                              |              |
| 2483.50      | E               | Average          | 51.43                     | 51.43      | -1.62        | 49.81                        | 54.00                        | -4.19        |
| 2483.50      | E               | Peak             | 65.14                     | 65.14      | -1.62        | 63.52                        | 74.00                        | -10.48       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40  
 Fundamental Frequency :2452 MHz  
 Operation Mode :Bandedge CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor | Actual<br>FS | Limit | Margin |
|--------------|-----------------|------------------|---------------------------|--------|--------------|-------|--------|
|              |                 |                  |                           |        |              | @3m   |        |
| 2483.50      | E               | Average          | 54.31                     | -1.62  | 52.69        | 54.00 | -1.31  |
| 2483.50      | E               | Peak             | 67.98                     | -1.62  | 66.36        | 74.00 | -7.64  |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Below 1GHz Worst-Case Data:****Radiated Spurious Emission Measurement Result (802.11 g)**

|                       |            |                          |                   |
|-----------------------|------------|--------------------------|-------------------|
| Operation Band        | :802.11g   | Test Date                | :2017-06-19       |
| Fundamental Frequency | :2412 MHz  | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW | Engineer                 | :Mike             |
| EUT Pol.              | :E2 Plane  | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |              |                              |                              |              |
| 84.32        | S               | Peak             | 46.73                     | 46.73      | -12.90       | 33.83                        | 40.00                        | -6.17        |
| 134.76       | S               | Peak             | 37.57                     | 37.57      | -8.84        | 28.73                        | 43.50                        | -14.77       |
| 296.75       | S               | Peak             | 36.40                     | 36.40      | -5.98        | 30.42                        | 46.00                        | -15.58       |
| 364.65       | S               | Peak             | 36.16                     | 36.16      | -4.69        | 31.47                        | 46.00                        | -14.53       |
| 519.85       | S               | Peak             | 32.59                     | 32.59      | -1.62        | 30.97                        | 46.00                        | -15.03       |
| 718.70       | S               | Peak             | 30.73                     | 30.73      | 1.50         | 32.23                        | 46.00                        | -13.77       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2412 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------------------|---|--------------|------------------------------|------------------------------|--------------|
|              |                 |                              |   |              |                              | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
| 46.49        | S               | Peak                         | 37.33                                   | -7.91        | 29.42                        | 40.00                        | -10.58       |
| 219.15       | S               | Peak                         | 39.62                                   | -9.28        | 30.34                        | 46.00                        | -15.66       |
| 298.69       | S               | Peak                         | 40.76                                   | -5.95        | 34.81                        | 46.00                        | -11.19       |
| 400.54       | S               | Peak                         | 41.60                                   | -3.94        | 37.66                        | 46.00                        | -8.34        |
| 519.85       | S               | Peak                         | 34.76                                   | -1.62        | 33.14                        | 46.00                        | -12.86       |
| 711.91       | S               | Peak                         | 31.96                                   | 1.31         | 33.27                        | 46.00                        | -12.73       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode<br>PK/QP/AV | Spectrum |                     | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------------------|----------|---------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                              | Reading  | Level<br>dB $\mu$ V |              |                              |                              |              |
| 46.49        | S               | Peak                         | 43.73    | -7.91               | 35.82        | 40.00                        | -4.18                        |              |
| 128.94       | S               | Peak                         | 38.66    | -9.57               | 29.09        | 43.50                        | -14.41                       |              |
| 296.75       | S               | Peak                         | 36.14    | -5.98               | 30.16        | 46.00                        | -15.84                       |              |
| 364.65       | S               | Peak                         | 34.84    | -4.69               | 30.15        | 46.00                        | -15.85                       |              |
| 519.85       | S               | Peak                         | 32.65    | -1.62               | 31.03        | 46.00                        | -14.97                       |              |
| 711.91       | S               | Peak                         | 30.54    | 1.31                | 31.85        | 46.00                        | -14.15                       |              |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode<br>PK/QP/AV | Spectrum |                     | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------------------|----------|---------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                              | Reading  | Level<br>dB $\mu$ V |              |                              |                              |              |
| 46.49        | S               | Peak                         | 37.11    | -7.91               | 29.20        | 40.00                        | -10.80                       |              |
| 216.24       | S               | Peak                         | 39.32    | -9.43               | 29.89        | 46.00                        | -16.11                       |              |
| 298.69       | S               | Peak                         | 40.45    | -5.95               | 34.50        | 46.00                        | -11.50                       |              |
| 400.54       | S               | Peak                         | 40.02    | -3.94               | 36.08        | 46.00                        | -9.92                        |              |
| 519.85       | S               | Peak                         | 34.86    | -1.62               | 33.24        | 46.00                        | -12.76                       |              |
| 718.70       | S               | Peak                         | 31.99    | 1.50                | 33.49        | 46.00                        | -12.51                       |              |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode<br>PK/QP/AV | Spectrum |                     | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------------------|----------|---------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                              | Reading  | Level<br>dB $\mu$ V |              |                              |                              |              |
| 46.49        | S               | Peak                         | 43.52    | -7.91               | 35.61        | 40.00                        | -4.39                        |              |
| 128.94       | S               | Peak                         | 38.13    | -9.57               | 28.56        | 43.50                        | -14.94                       |              |
| 293.84       | S               | Peak                         | 35.89    | -6.04               | 29.85        | 46.00                        | -16.15                       |              |
| 366.59       | S               | Peak                         | 34.61    | -4.72               | 29.89        | 46.00                        | -16.11                       |              |
| 519.85       | S               | Peak                         | 33.58    | -1.62               | 31.96        | 46.00                        | -14.04                       |              |
| 799.21       | S               | Peak                         | 30.46    | 3.14                | 33.60        | 46.00                        | -12.40                       |              |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode<br>PK/QP/AV | Spectrum |                     | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------------------|----------|---------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                              | Reading  | Level<br>dB $\mu$ V |              |                              |                              |              |
| 46.49        | S               | Peak                         | 37.13    | -7.91               | 29.22        | 40.00                        | -10.78                       |              |
| 220.12       | S               | Peak                         | 38.70    | -9.25               | 29.45        | 46.00                        | -16.55                       |              |
| 299.66       | S               | Peak                         | 39.86    | -5.93               | 33.93        | 46.00                        | -12.07                       |              |
| 400.54       | S               | Peak                         | 41.55    | -3.94               | 37.61        | 46.00                        | -8.39                        |              |
| 519.85       | S               | Peak                         | 35.73    | -1.62               | 34.11        | 46.00                        | -11.89                       |              |
| 716.76       | S               | Peak                         | 31.24    | 1.49                | 32.73        | 46.00                        | -13.27                       |              |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Above 1GHz Data:****Radiated Spurious Emission Measurement Result (802.11 b)**

|                       |            |                          |                   |
|-----------------------|------------|--------------------------|-------------------|
| Operation Band        | :802.11b   | Test Date                | :2017-06-19       |
| Fundamental Frequency | :2412 MHz  | Temp./Humi.              | :21 deg_C / 62 RH |
| Operation Mode        | :Tx CH LOW | Engineer                 | :Mike             |
| EUT Pol.              | :E2 Plane  | Measurement Antenna Pol. | :VERTICAL         |



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual             | Limit               | Safe         |
|--------------|-----------------|------------------|---------------------------|--------------|--------------------|---------------------|--------------|
|              |                 |                  |                           |              | FS<br>dB $\mu$ V/m | @3m<br>dB $\mu$ V/m | Margin<br>dB |
| 4824.00      | H               | Average          | 23.52                     | 4.93         | 28.45              | 54.00               | -25.55       |
| 4824.00      | H               | Peak             | 34.77                     | 4.93         | 39.70              | 74.00               | -34.30       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11b  
 Fundamental Frequency :2412 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4824.00      | H               | Average          |          | 23.09                       | 4.93   | 28.02        | 54.00        | -25.98         |
| 4824.00      | H               | Peak             |          | 35.11                       | 4.93   | 40.04        | 74.00        | -33.96         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11b  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Safe<br>Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|----------------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |                      |
| 4874.00      | H               | Average          |          | 23.99                       | 5.13         | 29.12                        | 54.00                        | -24.88               |
| 4874.00      | H               | Peak             |          | 34.93                       | 5.13         | 40.06                        | 74.00                        | -33.94               |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11b  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Safe<br>Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|----------------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |                      |
| 4874.00      | H               | Average          |          | 23.79                       | 5.13         | 28.92                        | 54.00                        | -25.08               |
| 4874.00      | H               | Peak             |          | 34.27                       | 5.13         | 39.40                        | 74.00                        | -34.60               |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11b  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4924.00      | H               | Average          |          | 23.85                       | 5.25   | 29.10        | 54.00        | -24.90         |
| 4924.00      | H               | Peak             |          | 34.74                       | 5.25   | 39.99        | 74.00        | -34.01         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11b  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4924.00      | H               | Average          | 23.91    | 5.25                        | 29.16  | 54.00        | -24.84       |                |
| 4924.00      | H               | Peak             | 35.07    | 5.25                        | 40.32  | 74.00        | -33.68       |                |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Radiated Spurious Emission Measurement Result (802.11 g)

Operation Band :802.11g Test Date :2017-06-19  
 Fundamental Frequency :2412 MHz Temp./Humi. :21 deg\_C / 62 RH  
 Operation Mode :Tx CH LOW Engineer :Mike  
 EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4824.00      | H               | Average          |          | 23.77                       | 4.93   | 28.70        | 54.00        | -25.30         |
| 4824.00      | H               | Peak             |          | 34.14                       | 4.93   | 39.07        | 74.00        | -34.93         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2412 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                       | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dBμV |        |              |              |                |
| 4824.00      | H               | Average          |          | 23.70                 | 4.93   | 28.63        | 54.00        | -25.37         |
| 4824.00      | H               | Peak             |          | 34.83                 | 4.93   | 39.76        | 74.00        | -34.24         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m<br>dB $\mu$ V/m | Safe<br>Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|------------|--------------|----------------------------|------------------------------|----------------------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |              |                            |                              |                      |
| 4874.00      | H               | Average          |                           | 24.03      | 5.13         | 29.16                      | 54.00                        | -24.84               |
| 4874.00      | H               | Peak             |                           | 34.96      | 5.13         | 40.09                      | 74.00                        | -33.91               |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4874.00      | H               | Average          |          | 24.12                       | 5.13   | 29.25        | 54.00        | -24.75         |
| 4874.00      | H               | Peak             |          | 35.91                       | 5.13   | 41.04        | 74.00        | -32.96         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Safe<br>Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|------------|--------------|------------------------------|------------------------------|----------------------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |              |                              |                              |                      |
| 4924.00      | H               | Average          |                           | 24.18      | 5.25         | 29.43                        | 54.00                        | -24.57               |
| 4924.00      | H               | Peak             |                           | 34.81      | 5.25         | 40.06                        | 74.00                        | -33.94               |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4924.00      | H               | Average          |          | 24.28                       | 5.25   | 29.53        | 54.00        | -24.47         |
| 4924.00      | H               | Peak             |          | 34.31                       | 5.25   | 39.56        | 74.00        | -34.44         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Radiated Spurious Emission Measurement Result (802.11\_HT20)

Operation Band :802.11n20 Test Date :2017-06-19  
 Fundamental Frequency :2412 MHz Temp./Humi. :21 deg\_C / 62 RH  
 Operation Mode :Tx CH LOW Engineer :Mike  
 EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4824.00      | H               | Average          |          | 23.97                       | 4.93   | 28.90        | 54.00        | -25.10         |
| 4824.00      | H               | Peak             |          | 34.24                       | 4.93   | 39.17        | 74.00        | -34.83         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20  
 Fundamental Frequency :2412 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4824.00      | H               | Average          |          | 23.90                       | 4.93   | 28.83        | 54.00        | -25.17         |
| 4824.00      | H               | Peak             |          | 34.66                       | 4.93   | 39.59        | 74.00        | -34.41         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m<br>dB $\mu$ V/m | Safe<br>Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|----------------------------|------------------------------|----------------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                            |                              |                      |
| 4874.00      | H               | Average          |          | 24.06                       | 5.13         | 29.19                      | 54.00                        | -24.81               |
| 4874.00      | H               | Peak             |          | 35.49                       | 5.13         | 40.62                      | 74.00                        | -33.38               |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4874.00      | H               | Average          |          | 24.01                       | 5.13   | 29.14        | 54.00        | -24.86         |
| 4874.00      | H               | Peak             |          | 33.99                       | 5.13   | 39.12        | 74.00        | -34.88         |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4924.00      | H               | Average          | 24.15    | 5.25                        | 29.40  | 54.00        | -24.60       |                |
| 4924.00      | H               | Peak             | 34.81    | 5.25                        | 40.06  | 74.00        | -33.94       |                |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n20  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4924.00      | H               | Average          | 24.21    | 5.25                        | 29.46  | 54.00        | -24.54       |                |
| 4924.00      | H               | Peak             | 35.34    | 5.25                        | 40.59  | 74.00        | -33.41       |                |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Radiated Spurious Emission Measurement Result (802.11-HT40)

Operation Band :802.11n40  
 Fundamental Frequency :2422 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Safe<br>Margin<br>dB         |
|--------------|-----------------|------------------------------|---|--------------|------------------------------|------------------------------|------------------------------|
|              |                 |                              |   |              |                              | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m |
| 4844.00      | H               | Average                      | 24.22                                   | 4.97         | 29.19                        | 54.00                        | -24.81                       |
| 4844.00      | H               | Peak                         | 34.59                                   | 4.97         | 39.56                        | 74.00                        | -34.44                       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40  
 Fundamental Frequency :2422 MHz  
 Operation Mode :Tx CH LOW  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL




| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4844.00      | H               | Average          |          | 24.17                       | 4.97   | 29.14        | 54.00        | -24.86         |
| 4844.00      | H               | Peak             |          | 35.07                       | 4.97   | 40.04        | 74.00        | -33.96         |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4874.00      | H               | Average          |          | 24.02                       | 5.13   | 29.15        | 54.00        | -24.85         |
| 4874.00      | H               | Peak             |          | 34.73                       | 5.13   | 39.86        | 74.00        | -34.14         |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40  
 Fundamental Frequency :2437 MHz  
 Operation Mode :Tx CH MID  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level |            | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Safe<br>Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|------------|--------------|------------------------------|------------------------------|----------------------|
|              |                 |                  | PK/QP/AV                  | dB $\mu$ V |              |                              |                              |                      |
| 4874.00      | H               | Average          |                           | 24.08      | 5.13         | 29.21                        | 54.00                        | -24.79               |
| 4874.00      | H               | Peak             |                           | 35.32      | 5.13         | 40.45                        | 74.00                        | -33.55               |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40  
 Fundamental Frequency :2452 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :VERTICAL




| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4904.00      | H               | Average          | Peak     | 24.04                       | 5.24   | 29.28        | 54.00        | -24.72         |
| 4904.00      | H               | Peak             | Peak     | 35.16                       | 5.24   | 40.40        | 74.00        | -33.60         |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11n40  
 Fundamental Frequency :2452 MHz  
 Operation Mode :Tx CH HIGH  
 EUT Pol. :E2 Plane

Test Date :2017-06-19  
 Temp./Humi. :21 deg\_C / 62 RH  
 Engineer :Mike  
 Measurement Antenna Pol. :HORIZONTAL



| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor | Actual<br>FS | Limit<br>@3m | Safe<br>Margin |
|--------------|-----------------|------------------|----------|-----------------------------|--------|--------------|--------------|----------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |        |              |              |                |
| 4904.00      | H               | Average          | 24.10    | 5.24                        | 29.34  | 54.00        | -24.66       |                |
| 4904.00      | H               | Peak             | 35.74    | 5.24                        | 40.98  | 74.00        | -33.02       |                |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 12 PEAK POWER SPECTRAL DENSITY


### 12.1 Standard Applicable

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

### 12.2 Measurement Equipment Used

| Conducted Emission Test Site |               |              |               |            |            |
|------------------------------|---------------|--------------|---------------|------------|------------|
| EQUIPMENT TYPE               | MFR           | MODEL NUMBER | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| EXA Spectrum Analyzer        | Agilent       | N9030A       | MY53120760    | 03/21/2017 | 03/20/2018 |
| DC Block                     | Mini-Circuits | BLK-18-S+    | 1             | 01/05/2017 | 01/04/2018 |
| Coaxial Cable                | HUBER+SUHNER  | SUCOFLEX 102 | 23670/2       | 01/05/2017 | 01/04/2018 |
| Attenuator                   | Mini-Circuit  | BW-S10W2+    | 2             | 01/05/2017 | 01/04/2018 |

### 12.3 Test Set-up



### 12.4 Measurement Procedure

1. Set analyzer center frequency to DTS channel center frequency.
2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
3. Set the span to 1.5 times the DTS channel bandwidth.
4. Set the RBW = 3 kHz & VBW = 10 kHz.
5. For defining Restricted Band Edge Limit:  
Set the RBW = 100kHz & VBW = 300 kHz
6. Detector = peak.
7. Sweep time = auto couple.
8. Trace mode = max hold.
9. Allow trace to fully stabilize.
10. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 12.5 Measurement Result

| POWER DENSITY 802.11b |                                  |                |                                   |                |        |
|-----------------------|----------------------------------|----------------|-----------------------------------|----------------|--------|
| Freq.<br>(MHz)        | PPSD W/O<br>Duty Factor<br>(dBm) | Duty<br>Factor | PPSD With<br>Duty Factor<br>(dBm) | Limit<br>(dBm) | Result |
| 2412                  | -6.62                            | 0.02           | -6.60                             | 8.00           | PASS   |
| 2437                  | -6.08                            | 0.02           | -6.06                             | 8.00           | PASS   |
| 2462                  | -6.96                            | 0.02           | -6.94                             | 8.00           | PASS   |

| POWER DENSITY 802.11g |                                  |                |                                   |                |        |
|-----------------------|----------------------------------|----------------|-----------------------------------|----------------|--------|
| Freq.<br>(MHz)        | PPSD W/O<br>Duty Factor<br>(dBm) | Duty<br>Factor | PPSD With<br>Duty Factor<br>(dBm) | Limit<br>(dBm) | Result |
| 2412                  | -12.80                           | 0.12           | -12.68                            | 8.00           | PASS   |
| 2437                  | -8.35                            | 0.12           | -8.23                             | 8.00           | PASS   |
| 2462                  | -10.84                           | 0.12           | -10.72                            | 8.00           | PASS   |

| POWER DENSITY 802.11n HT20 |                                  |                |                                   |                |        |
|----------------------------|----------------------------------|----------------|-----------------------------------|----------------|--------|
| Freq.<br>(MHz)             | PPSD W/O<br>Duty Factor<br>(dBm) | Duty<br>Factor | PPSD With<br>Duty Factor<br>(dBm) | Limit<br>(dBm) | Result |
| 2412                       | -15.50                           | 0.13           | -15.37                            | 8.00           | PASS   |
| 2437                       | -9.37                            | 0.13           | -9.24                             | 8.00           | PASS   |
| 2462                       | -12.06                           | 0.13           | -11.93                            | 8.00           | PASS   |

| POWER DENSITY 802.11n HT40 |                                  |                |                                   |                |        |
|----------------------------|----------------------------------|----------------|-----------------------------------|----------------|--------|
| Freq.<br>(MHz)             | PPSD W/O<br>Duty Factor<br>(dBm) | Duty<br>Factor | PPSD With<br>Duty Factor<br>(dBm) | Limit<br>(dBm) | Result |
| 2422                       | -18.67                           | 0.26           | -18.41                            | 8.00           | PASS   |
| 2437                       | -14.17                           | 0.26           | -13.91                            | 8.00           | PASS   |
| 2452                       | -17.05                           | 0.26           | -16.79                            | 8.00           | PASS   |

**Note:**

offset 11.20 dB for S/ISO mode

\*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 802.11b

## Power Spectral Density Test Plot (CH-Low)



## Power Spectral Density Test Plot (CH-Mid)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## Power Spectral Density Test Plot (CH-High)



## 802.11g

## Power Spectral Density Test Plot (CH-Low)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## Power Spectral Density Test Plot (CH-Mid)



## Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com


Member of SGS Group

## 802.11n\_HT20

## Power Spectral Density Test Plot (CH-Low)



## Power Spectral Density Test Plot (CH-Mid)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## Power Spectral Density Test Plot (CH-High)



## 802.11n\_HT40

## Power Spectral Density Test Plot (CH-Low)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## Power Spectral Density Test Plot (CH-Mid)



## Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

## 13 ANTENNA REQUIREMENT

### 13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

### 13.2 Antenna Connected Construction

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

*~ End of Report ~*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group