




Exhibit: Test Setup Photos

FCC ID: 2ABFD-MDF1019
IC: 1156A-MDF1019

Report File #: 7169009386RF-000

Client	Mircom Group of Companies	
Product	MDF-1019	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	




Figure 1 – EUT Close Up
(Controlled via Development Board)


Client	Mircom Group of Companies	
Product	MDF-1019	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 2 – Radiated Emissions Setup
X-Axis


Client	Mircom Group of Companies	
Product	MDF-1019	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 3 – Radiated Emissions Setup
9kHz to 30MHz


Client	Mircom Group of Companies	
Product	MDF-1019	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 4 – Radiated Emissions Setup
30MHz to 1GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.



Client	Mircom Group of Companies	 Canada
Product	MDF-1019	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 5 – Radiated Emissions Setup
1GHz to 6GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.

Client	Mircom Group of Companies	
Product	MDF-1019	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	




Figure 6 – Radiated Emissions Setup
6GHz to 18GHz



Client	Mircom Group of Companies	
Product	MDF-1019	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 7 – Radiated Emissions Setup
18GHz to 26GHz

Client	Mircom Group of Companies	 Canada
Product	MDF-1019	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	




Figure 8 – Antenna Port Conducted Emissions Setup