



Exhibit: Test Setup Photos

FCC ID: 2ABFD-NC-211
IC: 1156A-NC211

Report File #: 7169003786R-000

Client	Mircom Group of Companies	
Product	NC-211	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 1 – EUT Close Up

Client	Mircom Group of Companies	
Product	NC-211	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 2 – Radiated Emissions Setup – Photo 1

Client	Mircom Group of Companies	
Product	NC-211	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 3 – Radiated Emissions Setup – Photo 2

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.


Client	Mircom Group of Companies	
Product	NC-211	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 4 – Radiated Emissions Setup – Photo 3

Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.

Client	Mircom Group of Companies	
Product	NC-211	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	




Figure 5 – Antenna Port Conducted Emissions Setup

Client	Mircom Group of Companies	
Product	NC-211	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	



Figure 6 – Conducted Emissions Setup