


BTC115A User Manual



- | | |
|--------------------------|--------------|
| 1. Microphone | |
| 2. Red Button (↶) | |
| 3. Blue Button (↷) | |
| 4. Previous Track Button | 6. USB |
| 5. Next Track Button | 7. Aux Cable |

Product Feature

Installation

Caution: Do not place the BTC115A car kit in positions that causes driving hazard or visual interference.

1. Locate a smooth and flat surface on the dashboard to install the mounting plate. Take extra precaution to ensure the car kit and the cables do not obstruct driver's operation or become the safe concern in any way.
2. Wipe clean the intended installation area.
3. Peel off the sticker covered on the back of the mounting disc and attach it to the installation area on dashboard.
4. Place the BTC115A car kit onto the mounting disc with microphone facing front for optimal clarity. BTC115A Car kit can be detached from the mounting disc when needed.

Connecting to the power source & Audio output

1. Plug the USB charging cable to the car charger adapter and plug the adapter into the cigarette lighter socket of your vehicle.
2. Plug the auxiliary cable into the auxiliary port of the car audio system.
3. Turn on the car stereo and set the input source to AUX.

Switching On /Off

BTC115A Car Kit powers on and off along with the ignition of the car.

Press & hold the MFB for 3 seconds to turn BTC115A car kit on or off.

BTC115A Car Kit will automatically enter into pairing mode when power on, red and blue LED light flashes alternately.

If the BTC115A car kit is disconnected with the paired mobile phone, it will enter into pairing mode again. If no connection in 10 minutes, it will shut down automatically.

BTC115A Car Kit recognizes the previous paired device and will re-connect when it's powered on. To reset, press and hold both Previous Track and Next Track buttons simultaneously for 5 seconds to enter into the pairing mode.

Pairing

1. Turn on the car kit to enter pairing mode automatically. The LED indicator will flash in red and blue alternatively.
2. Activate the bluetooth feature on the mobile phone and set the media device to 'search for' or "add" new bluetooth devices.
3. Select " BTC115A" from the list of found devices to pair. If applicable. enter '0000' as passkey.
4. LED indicator will turn to solid blue when connection is completed.
5. If pairing fails, remove the excessive unused Bluetooth devices from a list of paired devices and re-start the pairing process from step 1.

Siri or Voice Command

In the standby mode, press & hold the "Blue" button for 2 seconds to activate the

voice command function on Android or iOS devices. Refer to the phone manual for detailed instruction if applicable.

Managing Phone Calls

Adjust the call volume directly from the car audio system or from the phone device.

Answer/End call: Briefly press Blue button.

Reject incoming call: Briefly press Red button.

Redial the last number: Double click the Blue button.

Mute/Unmute: Press and hold the Previous Track button for 1.5 seconds.

Transfer calls between BTC115A car kit and phone:

Press and hold the Blue button for 1.5 seconds in the calling.

Music Control

Play/Pause music: Briefly press Red button.

Play next/previous song: Press Next Track /Previous Track Button in the music.

Multi-Point Connectivity

1. Disconnect BTC115A car kit from the first paired mobile phone by disabling the bluetooth function on the mobile phone. BTC115A Car kit will enter into the pairing mode again automatically.
2. Enable the bluetooth feature on the 2nd mobile phone & search for BTC115A car kit and pair.
3. Enable the bluetooth feature on the first paired Mobile phone. BTC115A Car kit will be connected with both mobile phones now.
4. After first pairing with two mobile phones, BTC115A Car Kit will re-connect one mobile phone only when it's powered on, but you need to re-connect the second mobile phone manually.

Handling Phone Call Under Multi-Connection

While you are talking on first paired mobile, and there is an incoming call on second mobile. Double press Red button to reject the incoming call of second mobile. Double

press Blue button to answer the second mobile phone call and hold the first phone call or transfer between two mobiles. Short press MFB to end the phone call.

Maintenance and Warning

Warning: keep the device away from children, the package may contain choking hazard such as mouting disc, stainless steel clip, or cigarette lighter adapter.

Do not use the device if there is any water damage as it may cause short circuit or electric shocks.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance

could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following

two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.