





n261, Module 0, 100MHz, High CH, PUSCH DFT 64QAM (99% BW)




n261, Module 0, 100MHz, High CH, CP-OFDM QPSK (99% BW)






n261, Module 0, 100MHz, High CH, CP-OFDM 16QAM (99% BW)



n261, Module 0, 100MHz, High CH, CP-OFDM 64QAM (99% BW)







n261, Module 1, SCS=120kHz, Beam ID: 25							
BW (MHz)	RB allocation	Modulation	Frequency (MHz)	Power (dBm)			
				Pi/2 BPSK	QPSK	16QAM	64QAM
50	Full RB	DFT-s-OFDM	27525	45.89	45.60	45.80	45.76
			27924.96	45.94	45.81	45.67	45.81
			28324.92	45.67	46.02	46.00	45.84
		CP-OFDM	27525	/	45.83	45.72	45.78
			27924.96	/	45.92	45.80	45.82
			28324.92	/	45.89	45.89	45.76
100	Full RB	DFT-s-OFDM	27550.08	91.14	91.27	91.14	91.26
			27924.96	91.03	91.10	91.14	91.04
			28299.96	90.99	91.33	91.42	91.17
		CP-OFDM	27550.08	/	91.04	91.27	91.25
			27924.96	/	94.24	94.13	94.15
			28299.96	/	94.10	94.16	94.06



n261, Module 1, 50MHz, Low CH, PUSCH DFT BPSK (99% BW)




n261, Module 1, 50MHz, Low CH, PUSCH DFT QPSK (99% BW)






n261, Module 1, 50MHz, Low CH, PUSCH DFT 16QAM (99% BW)




n261, Module 1, 50MHz, Low CH, PUSCH DFT 64QAM (99% BW)






n261, Module 1, 50MHz, Low CH, CP-OFDM QPSK (99% BW)




n261, Module 1, 50MHz, Low CH, CP-OFDM 16QAM (99% BW)






n261, Module 1, 50MHz, Low CH, CP-OFDM 64QAM (99% BW)




n261, Module 1, 50MHz, MID CH, PUSCH DFT BPSK (99% BW)






n261, Module 1, 50MHz, MID CH, PUSCH DFT QPSK (99% BW)




n261, Module 1, 50MHz, MID CH, PUSCH DFT 16QAM (99% BW)








n261, Module 1, 50MHz, MID CH, PUSCH DFT 64QAM (99% BW)




n261, Module 1, 50MHz, MID CH, CP-OFDM QPSK (99% BW)






n261, Module 1, 50MHz, MID CH, CP-OFDM 16QAM (99% BW)



n261, Module 1, 50MHz, MID CH, CP-OFDM 64QAM (99% BW)






n261, Module 1, 50MHz, High CH, PUSCH DFT BPSK (99% BW)




n261, Module 1, 50MHz, High CH, PUSCH DFT QPSK (99% BW)






n261, Module 1, 50MHz, High CH, PUSCH DFT 16QAM (99% BW)




n261, Module 1, 50MHz, High CH, PUSCH DFT 64QAM (99% BW)






n261, Module 1, 50MHz, High CH, CP-OFDM QPSK (99% BW)




n261, Module 1, 50MHz, High CH, CP-OFDM 16QAM (99% BW)






n261, Module 1, 50MHz, High CH, CP-OFDM 64QAM (99% BW)




n261, Module 1, 100MHz, Low CH, PUSCH DFT BPSK (99% BW)






n261, Module 1, 100MHz, Low CH, PUSCH DFT QPSK (99% BW)




n261, Module 1, 100MHz, Low CH, PUSCH DFT 16QAM (99% BW)






n261, Module 1, 100MHz, Low CH, PUSCH DFT 64QAM (99% BW)




n261, Module 1, 100MHz, Low CH, CP-OFDM QPSK (99% BW)








n261, Module 1, 100MHz, Low CH, CP-OFDM 16QAM (99% BW)




n261, Module 1, 100MHz, Low CH, CP-OFDM 64QAM (99% BW)






n261, Module 1, 100MHz, MID CH, PUSCH DFT BPSK (99% BW)




n261, Module 1, 100MHz, MID CH, PUSCH DFT QPSK (99% BW)






n261, Module 1, 100MHz, MID CH, PUSCH DFT 16QAM (99% BW)




n261, Module 1, 100MHz, MID CH, PUSCH DFT 64QAM (99% BW)






n261, Module 1, 100MHz, MID CH, CP-OFDM QPSK (99% BW)




n261, Module 1, 100MHz, MID CH, CP-OFDM 16QAM (99% BW)






n261, Module 1, 100MHz, MID CH, CP-OFDM 64QAM (99% BW)



n261, Module 1, 100MHz, High CH, PUSCH DFT BPSK (99% BW)






n261, Module 1, 100MHz, High CH, PUSCH DFT QPSK (99% BW)




n261, Module 1, 100MHz, High CH, PUSCH DFT 16QAM (99% BW)






n261, Module 1, 100MHz, High CH, PUSCH DFT 64QAM (99% BW)




n261, Module 1, 100MHz, High CH, CP-OFDM QPSK (99% BW)






n261, Module 1, 100MHz, High CH, CP-OFDM 16QAM (99% BW)



n261, Module 1, 100MHz, HIGH CH, CP-OFDM 64QAM (99% BW)









n261, Module 0, SCS=120kHz, Beam ID: 40+168							
BW (MHz)	RB allocation	Modulation	Frequency (MHz)	Power (dBm)			
				Pi/2 BPSK	QPSK	16QAM	64QAM
50	Full RB	DFT-s-OFDM	27525	44.42	44.13	44.58	44.31
			27924.96	44.70	45.04	44.97	44.97
			28324.92	44.97	45.25	45.04	45.05
		CP-OFDM	27525	/	44.42	44.47	44.21
			27924.96	/	45.22	44.89	44.92
			28324.92	/	45.11	45.02	45.10
100	Full RB	DFT-s-OFDM	27550.08	89.47	90.17	89.16	89.75
			27924.96	91.44	91.76	91.38	94.31
			28299.96	91.47	91.70	91.78	91.74
		CP-OFDM	27550.08	/	93.53	93.53	93.81
			27924.96	/	94.39	94.18	94.35
			28299.96	/	94.44	94.18	94.43



n261, Module 0, 50MHz, Low CH, PUSCH DFT BPSK (99% BW)




n261, Module 0, 50MHz, Low CH, PUSCH DFT QPSK (99% BW)






n261, Module 0, 50MHz, Low CH, PUSCH DFT 16QAM (99% BW)




n261, Module 0, 50MHz, Low CH, PUSCH DFT 64QAM (99% BW)






n261, Module 0, 50MHz, Low CH, CP-OFDM QPSK (99% BW)



n261, Module 0, 50MHz, Low CH, CP-OFDM 16QAM (99% BW)






n261, Module 0, 50MHz, Low CH, CP-OFDM 64QAM (99% BW)




n261, Module 0, 50MHz, MID CH, PUSCH DFT BPSK (99% BW)






n261, Module 0, 50MHz, MID CH, PUSCH DFT QPSK (99% BW)




n261, Module 0, 50MHz, MID CH, PUSCH DFT 16QAM (99% BW)






n261, Module 0, 50MHz, MID CH, PUSCH DFT 64QAM (99% BW)



n261, Module 0, 50MHz, MID CH, CP-OFDM QPSK (99% BW)





n261, Module 0, 50MHz, MID CH, CP-OFDM 16QAM (99% BW)




n261, Module 0, 50MHz, MID CH, CP-OFDM 64QAM (99% BW)








n261, Module 0, 50MHz, HIGH CH, PUSCH DFT BPSK (99% BW)




n261, Module 0, 50MHz, HIGH CH, PUSCH DFT QPSK (99% BW)






n261, Module 0, 50MHz, HIGH CH, PUSCH DFT 16QAM (99% BW)




n261, Module 0, 50MHz, HIGH CH, PUSCH DFT 64QAM (99% BW)






n261, Module 0, 50MHz, HIGH CH, CP-OFDM QPSK (99% BW)



n261, Module 0, 50MHz, HIGH CH, CP-OFDM 16QAM (99% BW)






n261, Module 0, 50MHz, HIGH CH, CP-OFDM 64QAM (99% BW)




n261, Module 0, 100MHz, Low CH, PUSCH DFT BPSK (99% BW)






n261, Module 0, 100MHz, Low CH, PUSCH DFT QPSK (99% BW)




n261, Module 0, 100MHz, Low CH, PUSCH DFT 16QAM (99% BW)






n261, Module 0, 100MHz, Low CH, PUSCH DFT 64QAM (99% BW)




n261, Module 0, 100MHz, Low CH, CP-OFDM QPSK (99% BW)






n261, Module 0, 100MHz, Low CH, CP-OFDM 16QAM (99% BW)




n261, Module 0, 100MHz, Low CH, CP-OFDM 64QAM (99% BW)






n261, Module 0, 100MHz, MID CH, PUSCH DFT BPSK (99% BW)




n261, Module 0, 100MHz, MID CH, PUSCH DFT QPSK (99% BW)








n261, Module 0, 100MHz, MID CH, PUSCH DFT 16QAM (99% BW)




n261, Module 0, 100MHz, MID CH, PUSCH DFT 64QAM (99% BW)






n261, Module 0, 100MHz, MID CH, CP-OFDM QPSK (99% BW)




n261, Module 0, 100MHz, MID CH, CP-OFDM 16QAM (99% BW)






n261, Module 0, 100MHz, MID CH, CP-OFDM 64QAM (99% BW)




n261, Module 0, 100MHz, HIGH CH, PUSCH DFT BPSK (99% BW)






n261, Module 0, 100MHz, HIGH CH, PUSCH DFT QPSK (99% BW)




n261, Module 0, 100MHz, HIGH CH, PUSCH DFT 16QAM (99% BW)






n261, Module 0, 100MHz, HIGH CH, PUSCH DFT 64QAM (99% BW)




n261, Module 0, 100MHz, HIGH CH, CP-OFDM QPSK (99% BW)






n261, Module 0, 100MHz, HIGH CH, CP-OFDM 16QAM (99% BW)



n261, Module 0, 100MHz, HIGH CH, CP-OFDM 64QAM (99% BW)






n261, Module 1, SCS=120kHz, Beam ID: 25+153							
BW (MHz)	RB allocation	Modulation	Frequency (MHz)	Power (dBm)			
				Pi/2 BPSK	QPSK	16QAM	64QAM
50	Full RB	DFT-s-OFDM	27525	44.69	44.67	44.56	44.77
			27924.96	44.66	44.82	44.68	44.55
			28324.92	45.14	45.04	44.88	44.91
		CP-OFDM	27525	/	45.04	44.75	44.88
			27924.96	/	44.95	44.77	44.84
			28324.92	/	45.16	44.82	45.01
100	Full RB	DFT-s-OFDM	27550.08	89.20	88.80	89.18	89.15
			27924.96	91.52	91.71	91.16	91.18
			28299.96	89.61	90.88	89.37	90.09
		CP-OFDM	27550.08	/	92.97	93.08	93.03
			27924.96	/	94.41	94.47	94.34
			28299.96	/	94.02	93.81	93.58



n261, Module 1, 50MHz, Low CH, PUSCH DFT BPSK (99% BW)




n261, Module 1, 50MHz, Low CH, PUSCH DFT QPSK (99% BW)








n261, Module 1, 50MHz, Low CH, PUSCH DFT 16QAM (99% BW)




n261, Module 1, 50MHz, Low CH, PUSCH DFT 64QAM (99% BW)






n261, Module 1, 50MHz, Low CH, CP-OFDM QPSK (99% BW)




n261, Module 1, 50MHz, Low CH, CP-OFDM 16QAM (99% BW)






n261, Module 1, 50MHz, Low CH, CP-OFDM 64QAM (99% BW)




n261, Module 1, 50MHz, MID CH, PUSCH DFT BPSK (99% BW)






n261, Module 1, 50MHz, MID CH, PUSCH DFT QPSK (99% BW)




n261, Module 1, 50MHz, MID CH, PUSCH DFT 16QAM (99% BW)






n261, Module 1, 50MHz, MID CH, PUSCH DFT 64QAM (99% BW)



n261, Module 1, 50MHz, MID CH, CP-OFDM QPSK (99% BW)






n261, Module 1, 50MHz, MID CH, CP-OFDM 16QAM (99% BW)




n261, Module 1, 50MHz, MID CH, CP-OFDM 64QAM (99% BW)





n261, Module 1, 50MHz, HIGH CH, PUSCH DFT BPSK (99% BW)



n261, Module 1, 50MHz, HIGH CH, PUSCH DFT QPSK (99% BW)





n261, Module 1, 50MHz, HIGH CH, PUSCH DFT 16QAM (99% BW)




n261, Module 1, 50MHz, HIGH CH, PUSCH DFT 64QAM (99% BW)








n261, Module 1, 50MHz, HIGH CH, CP-OFDM QPSK (99% BW)



n261, Module 1, 50MHz, HIGH CH, CP-OFDM 16QAM (99% BW)






n261, Module 1, 50MHz, HIGH CH, CP-OFDM 64QAM (99% BW)




n261, Module 1, 100MHz, Low CH, PUSCH DFT BPSK (99% BW)





n261, Module 1, 100MHz, Low CH, PUSCH DFT QPSK (99% BW)



n261, Module 1, 100MHz, Low CH, PUSCH DFT 16QAM (99% BW)

