



n261, Module 0, Beam ID 40, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	41.177	-54.77	V	-30.3	50.42	-13	41.77
2	45.1665	-52.55	V	-31.7	51.25	-13	39.55
3	47.636	-52.31	V	-32.0	52.43	-13	39.31
4	51.5755	-51.82	V	-32.5	51.75	-13	38.82
5	55.07	-42.03	V	-32.0	52.33	-13	29.03
6	57.7045	-46.63	V	-32.7	52.35	-13	33.63




n261, Module 0, Beam ID 40+168, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	42.2585	-54.04	H	-31.7	50.87	-13	41.04
2	45.298	-52.39	H	-32.8	51.22	-13	39.39
3	48.982	-52.68	H	-33.5	51.47	-13	39.68
4	53.3535	-52.48	H	-32.5	51.05	-13	39.48
5	55.069	-35.45	H	-31.9	51.34	-13	22.45
6	57.7045	-46.01	H	-31.8	52.03	-13	33.01




n261, Module 0, Beam ID 40+168, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	42.3085	-54.42	V	-30.3	50.83	-13	41.42
2	45.13	-52.87	V	-31.6	51.22	-13	39.87
3	47.848	-52.34	V	-31.3	52.33	-13	39.34
4	50.2705	-52.19	V	-33.5	51.97	-13	39.19
5	55.07	-40.15	V	-31.9	52.33	-13	27.15
6	57.7045	-46.09	V	-31.8	52.35	-13	33.09




n261, Module 1, Beam ID 25, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	42.227	-54.14	H	-30.4	50.87	-13	41.14
2	45.259	-52.51	H	-32.1	51.24	-13	39.51
3	47.783	-52.47	H	-34.0	51.98	-13	39.47
4	51.397	-52.17	H	-32.5	51.69	-13	39.17
5	55.07	-26.22	H	-31.9	51.34	-13	13.22
6	57.7055	-47.43	H	-31.8	52.03	-13	34.43




n261, Module 1, Beam ID 25, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	41.117	-54.75	V	-30.3	50.36	-13	41.75
2	45.233	-51.74	V	-32.8	51.26	-13	38.74
3	47.6335	-51.8	V	-31.3	52.43	-13	38.8
4	51.507	-51.66	V	-33.3	51.78	-13	38.66
5	55.07	-32.41	V	-31.9	52.33	-13	19.41
6	57.704	-46.3	V	-31.8	52.35	-13	33.3



n261, Module 1, Beam ID 25+153, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	42.297	-54.68	H	-31.9	50.88	-13	41.68
2	45.9835	-52.25	H	-32.0	50.77	-13	39.25
3	47.854	-52.64	H	-34.1	51.92	-13	39.64
4	51.7505	-51.28	H	-32.5	51.42	-13	38.28
5	55.0705	-25.54	H	-31.9	51.34	-13	12.54
6	57.706	-46.05	H	-31.8	52.03	-13	33.05




n261, Module 1, Beam ID 25+153, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	41.096	-54.98	H	-30.3	50.35	-13	41.98
2	45.123	-52.67	H	-32.0	51.22	-13	39.67
3	48.921	-52.27	H	-34.1	51.66	-13	39.27
4	51.4965	-52.06	H	-32.5	51.79	-13	39.06
5	55.07	-29.2	H	-31.9	52.33	-13	16.2
6	57.704	-46.25	H	-31.8	52.35	-13	33.25




60 GHz – 90 GHz



n260, Module 0, Beam ID 32, 50MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YH


Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.5445	-46.97	H	-34.74	54.03	-13	33.97
2	65.6165	-47.42	H	-33.97	53.67	-13	34.42
3	70.1675	-46.5	H	-32.36	54.89	-13	33.5
4	74.062	-46.63	H	-32.76	54.75	-13	33.63
5	82.4525	-44.42	H	-30.81	54.49	-13	31.42
6	87.289	-45.47	H	-34.57	55.62	-13	32.47





n260, Module 0, Beam ID 32, 50MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	60.3085	-49.26	V	-33.62	51.02	-13	36.26
2	65.3145	-49.22	V	-33.95	51.52	-13	36.22
3	69.027	-45.62	V	-31.85	54.97	-13	32.62
4	74.7245	-49.73	V	-35.82	51.64	-13	36.73
5	82.582	-43.65	V	-30.64	55.19	-13	30.65
6	89.797	-43.57	V	-34.84	55.88	-13	30.57




n260, Module 0, Beam ID 32+160, 100MHz, High CH, DFT-s-OFDM QPSK Inner 1RB left, XH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.6	-46.75	H	-34.74	53.94	-13	33.75
2	65.22	-47.7	H	-33.97	53.78	-13	34.7
3	70.192	-46.54	H	-32.38	54.94	-13	33.54
4	79.8695	-43.54	H	-32.76	53.63	-13	30.54
5	82.5035	-41.02	H	-30.65	54.46	-13	28.02
6	89.227	-43.25	H	-34.64	56.5	-13	30.25




VV




n260, Module 0, Beam ID 32+160, 100MHz, High CH, DFT-s-OFDM QPSK Inner 1RB left, XV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.6505	-50.28	V	-33.62	50.48	-13	37.28
2	66.3185	-47.43	V	-34.84	53.69	-13	34.43
3	69.157	-45.41	V	-33.93	54.96	-13	32.41
4	74.7425	-49.75	V	-31.93	51.62	-13	36.75
5	79.869	-48.41	V	-30.94	51.51	-13	35.41
6	82.503	-41.92	V	-34.80	55.22	-13	28.92




n260, Module 1, Beam ID 154, 100MHz, Low CH, DFT-s-OFDM QPSK Inner Full RB, YH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.6815	-47.25	H	-34.74	53.82	-13	34.25
2	65.683	-47.56	H	-33.97	53.66	-13	34.56
3	70.1665	-46.35	H	-32.39	54.88	-13	33.35
4	74.257	-46.92	H	-34.22	54.88	-13	33.92
5	82.532	-44.3	H	-30.93	54.45	-13	31.3
6	89.3525	-43.3	H	-34.57	55.96	-13	30.3




n260, Module 1, Beam ID 154, 100MHz, Low CH, DFT-s-OFDM QPSK Inner Full RB, YV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	60.271	-49.72	V	-33.62	51.04	-13	36.72
2	61.651	-50.57	V	-33.95	50.48	-13	37.57
3	69.149	-45.72	V	-31.84	54.96	-13	32.72
4	76.92	-51.45	V	-32.14	51.07	-13	38.45
5	82.6195	-43.44	V	-30.64	55.18	-13	30.44
6	89.767	-43.74	V	-34.83	55.74	-13	30.74




n260, Module 1, Beam ID 154+26, 100MHz, Low CH, DFT-s-OFDM QPSK Inner Full RB, XH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.5645	-46.99	H	-34.75	54	-13	33.99
2	65.673	-47.57	H	-32.38	53.66	-13	34.57
3	70.265	-46.52	H	-32.76	54.78	-13	33.52
4	76.256	-48.07	H	-35.77	55.14	-13	35.07
5	82.5	-44.55	H	-30.65	54.47	-13	31.55
6	89.229	-42.64	H	-34.58	56.49	-13	29.64



n260, Module 1, Beam ID 154+26, 100MHz, Low CH, DFT-s-OFDM QPSK Inner Full RB, XV


Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.6165	-50.49	V	-33.62	50.49	-13	37.49
2	66.078	-47.94	V	-31.84	53.38	-13	34.94
3	68.977	-45.9	V	-32.76	54.97	-13	32.9
4	75.052	-50.76	V	-35.77	51.29	-13	37.76
5	82.444	-43.84	V	-30.95	55.24	-13	30.84
6	89.709	-43.67	V	-34.90	55.47	-13	30.67



n261, Module 0, Beam ID 40, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XH


Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.596	-46.8	H	-34.23	6	-13	33.8
2	68.1765	-47.23	H	-32.37	54.2	-13	34.23
3	70.2525	-46.41	H	-35.89	54.82	-13	33.41
4	78.215	-47.42	H	-31.47	54.67	-13	34.42
5	82.6045	-23.65	H	-33.92	54.41	-13	10.65
6	85.2375	-39.21	H	33.82	54.43	-13	26.21






n261, Module 0, Beam ID 40, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	60.334	-49.92	V	-33.62	51.01	-13	36.92
2	63.8785	-51.43	V	-31.85	50.5	-13	38.43
3	68.919	-45.42	V	-32.30	54.98	-13	32.42
4	74.278	-49.03	V	-30.77	52.12	-13	36.03
5	82.605	-25.79	V	-31.47	55.18	-13	12.79
6	85.237	-40.42	V	-33.92	54.61	-13	27.42




n261, Module 0, Beam ID 40+168, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.6415	-46.61	H	-33.97	53.88	-13	33.61
2	65.205	-47.26	H	-32.38	53.79	-13	34.26
3	68.9295	-46.6	H	-32.87	53.1	-13	33.6
4	74.5895	-47.58	H	-30.93	54.09	-13	34.58
5	82.605	-23.69	H	-31.70	54.41	-13	10.69
6	85.237	-40.75	H	33.83	54.43	-13	27.75




n261, Module 0, Beam ID 40+168, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	60.2915	-49.52	V	-33.62	51.03	-13	36.52
2	64.799	-50.38	V	-33.94	51.08	-13	37.38
3	69.0255	-45.65	V	-31.84	54.97	-13	32.65
4	74.507	-49.93	V	-32.31	51.87	-13	36.93
5	82.6045	-23.37	V	-30.94	55.18	-13	10.37
6	85.236	-39.37	V	-31.71	54.61	-13	26.37




n261, Module 1, Beam ID 25, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.822	-46.72	H	-33.97	53.61	-13	33.72
2	68.3935	-46.93	H	-32.37	53.94	-13	33.93
3	70.236	-46	H	-32.88	54.86	-13	33
4	74.2415	-47.35	H	-30.94	54.92	-13	34.35
5	82.6045	-25.14	H	-31.70	54.41	-13	12.14
6	85.2395	-39.67	H	33.83	54.43	-13	26.67




n261, Module 1, Beam ID 25, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.544	-50.52	V	-33.62	50.51	-13	37.52
2	69.1255	-45.52	V	-33.93	54.96	-13	32.52
3	72.661	-48.2	V	-31.84	53.26	-13	35.2
4	82.605	-28.61	V	-32.30	55.18	-13	15.61
5	85.239	-41.22	V	-30.94	54.61	-13	28.22
6	89.8195	-43.23	V	-31.71	55.89	-13	30.23



n261, Module 1, Beam ID 25+153, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.444	-46.51	H	-34.76	54.18	-13	33.51
2	65.2995	-47.35	H	-33.97	53.76	-13	34.35
3	70.2185	-46.51	H	-32.39	54.91	-13	33.51
4	82.6045	-16.77	H	-32.84	54.41	-13	3.77
5	85.2395	-40.88	H	-30.93	54.43	-13	27.88
6	89.342	-43.16	H	-31.69	56.01	-13	30.16




n261, Module 1, Beam ID 25+153, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	61.8195	-50.4	H	-33.62	50.44	-13	37.4
2	68.681	-46.03	H	-33.94	54.99	-13	33.03
3	72.6295	-47.76	H	-31.86	53.26	-13	34.76
4	82.605	-20.21	H	-35.71	55.18	-13	7.21
5	85.2365	-40.44	H	-30.93	54.61	-13	27.44
6	89.8505	-43.42	H	-31.69	55.89	-13	30.42




90 GHz – 140 GHz



n260, Module 0, Beam ID 32, 50MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YH


Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	93.205	-42.47	H	-6.63	51.97	-13	29.47
2	99.2025	-43.85	H	-9.44	52.12	-13	30.85
3	111.055	-24.34	H	-11.23	53.78	-13	11.34
4	113.69125	-40.43	H	-12.50	52.68	-13	27.43
5	116.465	-42.8	H	-12.83	52.72	-13	29.8
6	132.15125	-43.48	H	-11.61	52.55	-13	30.48






n260, Module 0, Beam ID 32, 50MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, YV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	91.14125	-39.45	V	-7.59	54.22	-13	26.45
2	107.1525	-43.6	V	-12.83	53.53	-13	30.6
3	111.055	-31.15	V	-12.50	52.31	-13	18.15
4	113.6875	-42.25	V	-12.83	51.68	-13	29.25
5	120.91125	-41.37	V	-11.60	54.43	-13	28.37
6	132.21	-40.29	V	-11.23	55.78	-13	27.29




n260, Module 0, Beam ID 32+160, 100MHz, High CH, DFT-s-OFDM QPSK Inner 1RB left, XH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	90.28	-40.85	H	-7.51	51.51	-13	27.85
2	93.25125	-43.11	H	-12.13	51.85	-13	30.11
3	111.2525	-42.78	H	-12.8	53.9	-13	29.78
4	119.80375	-36.96	H	-11.56	51.86	-13	23.96
5	122.43875	-41.75	H	-11.58	51.76	-13	28.75
6	132.6475	-43.4	H	-11.45	52.1	-13	30.4




n260, Module 0, Beam ID 32+160, 100MHz, High CH, DFT-s-OFDM QPSK Inner 1RB left, XV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	91.08	-39.3	V	-7.62	54.1	-13	26.3
2	112.1475	-42.51	V	-12.81	54.05	-13	29.51
3	119.805	-36.77	V	-12.49	53.18	-13	23.77
4	122.4375	-40.49	V	-12.82	52.34	-13	27.49
5	126.79625	-40.93	V	-11.23	54.34	-13	27.93
6	132.08125	-40.13	V	-10.86	55.5	-13	27.13




n260, Module 1, Beam ID 154, 100MHz, Low CH, DFT-s-OFDM QPSK Inner Full RB, YH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	90.0875	-40.77	H	-6.72	51.59	-13	27.77
2	99.20125	-44.08	H	-9.49	52.13	-13	31.08
3	111.16125	-35.49	H	-11.20	53.96	-13	22.49
4	113.795	-40.11	H	-12.48	52.69	-13	27.11
5	125.14625	-42.49	H	-10.99	52.86	-13	29.49
6	134.23875	-43.72	H	-11.63	51.91	-13	30.72




n260, Module 1, Beam ID 154, 100MHz, Low CH, DFT-s-OFDM QPSK Inner Full RB, YV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	91.1675	-38.82	V	-7.70	54.27	-13	25.82
2	97.11875	-43.51	V	-12.83	52.67	-13	30.51
3	111.14875	-38.95	V	-12.34	52.51	-13	25.95
4	113.7675	-41.47	V	-11.00	51.56	-13	28.47
5	120.9525	-41.79	V	-10.44	54.47	-13	28.79
6	132.1475	-39.99	V	-10.79	55.66	-13	26.99



n260, Module 1, Beam ID 154+26, 100MHz, Low CH, DFT-s-OFDM QPSK Inner Full RB, XH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	90.22625	-40.45	H	-6.77	51.56	-13	27.45
2	93.25875	-43.16	H	-9.41	51.83	-13	30.16
3	111.1425	-32.02	H	-11.21	53.93	-13	19.02
4	113.79	-40	H	-12.50	52.69	-13	27
5	125.19	-43.75	H	-12.83	52.95	-13	30.75
6	139.84375	-42.32	H	-11.23	53.46	-13	29.32




n260, Module 1, Beam ID 154+26, 100MHz, Low CH, DFT-s-OFDM QPSK Inner Full RB, XV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	91.17125	-39.16	V	-11.39	54.28	-13	26.16
2	97.15375	-42.56	V	-12.81	52.66	-13	29.56
3	111.14625	-38.81	V	-12.50	52.5	-13	25.81
4	113.77875	-40.97	V	-12.83	51.55	-13	27.97
5	120.965	-41.21	V	-11.22	54.48	-13	28.21
6	132.14	-40.51	V	11.52	55.64	-13	27.51




90 GHz – 100 GHz



n261, Module 0, Beam ID 40, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XH

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	90.161	-41.33	H	-6.64	51.59	-13	28.33
2	91.617	-43.75	H	-9.40	50.03	-13	30.75
3	93.2275	-43.28	H	-11.13	51.91	-13	30.28
4	96.245	-45.02	H	-11.30	51.66	-13	32.02
5	97.8365	-46.76	H	-11.29	49.72	-13	33.76
6	99.2025	-44.75	H	-11.21	52.12	-13	31.75





n261, Module 0, Beam ID 40, 100MHz, Low CH, DFT-s-OFDM QPSK Inner 1RB left, XV

Order	Frequency (MHz)	Level (dBm)	Antenna Polar	Path Loss (dB)	Corrected Loss (dB)	Limit (dBm)	Margin (dB)
1	91.1265	-39.67	V	-7.55	54.19	-13	26.67
2	93.1525	-45.45	V	-9.03	50.14	-13	32.45
3	94.886	-44.37	V	-10.39	51.97	-13	31.37
4	96.5585	-43.62	V	-11.27	52.71	-13	30.62
5	97.8465	-44.49	V	-11.17	51.85	-13	31.49
6	99.349	-44.47	V	-11.22	51.72	-13	31.47