



TEST REPORT

APPLICANT : Reliance Communications, LLC

PRODUCT NAME : Orbic SPEED X 5G

MODEL NAME : R5sH14

BRAND NAME : Orbic

FCC ID : 2ABGH-R5sH14

STANDARD(S) : 47 CFR Part 2
47 CFR Part 22
47 CFR Part 24
47 CFR Part 27

RECEIPT DATE : 2023-09-26

TEST DATE : 2023-10-07 to 2024-04-19

ISSUE DATE : 2024-05-29



Edited by:

Gan Jing

Gan Jing (Rapporteur)

Approved by:

Shen Junsheng

Shen Junsheng (Supervisor)

NOTE: This document is issued by ShenzhenMorlab Communication Technology Co., Ltd., the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.





DIRECTORY

- 1. Technical Information 3**
- 1.1. Applicant and Manufacturer Information 3**
- 1.2. Equipment Under Test (EUT) Description 3**
- 1.3. Maximum ERP/EIRP and Emission Designator 6**
- 1.4. Test Standards and Results 35**
- 1.5. Environmental Conditions 38**
- 2. Summary Test Results And Description 39**
- 2.1. Transmitter Conducted Output Power 39**
- 2.2. Occupied Bandwidth 97**
- 2.3. Frequency Stability 233**
- 2.4. Peak to Average Ratio 236**
- 2.5. Conducted Spurious Emissions 316**
- 2.6. Band Edge 482**
- 2.7. Radiated Spurious Emissions 533**
- Annex A Test Uncertainty 586**
- Annex B Testing Laboratory Information 587**

Change History		
Version	Date	Reason for change
1.0	2024-05-29	First edition



1. Technical Information

Note: Provide by applicant.

1.1. Applicant and Manufacturer Information

Applicant:	Reliance Communications, LLC
Applicant Address:	555 Wireless Blvd. Hauppauge, NY 11788, USA
Manufacturer:	MeiG Smart Technology Co., Ltd
Manufacturer Address:	2nd Floor, Office Building, No.5 Lingxia Road, Fenghuang, Fuyong Street, Bao'an

1.2. Equipment Under Test (EUT) Description

Product Name:	Orbic SPEED X 5G	
Hardware Version:	R5sH14_MB_V1.01	
Software Version:	R5sH14_V1.0.06	
Sample No.:	1#	
Modulation Type:	DFT-s-OFDM	PI/2 BPSK, QPSK, 16QAM, 64QAM, 256QAM
	CP-OFDM	QPSK, 16QAM, 64QAM, 256QAM
Power Class:	PC2:	n77
	PC3:	n2, n5, n66
EN-DC Band:	n2	DC_4A_n2, DC_5A_n2, DC_12A_n2, DC_13A_n2, DC_66A_n2
	n5	DC_2A_n5, DC_4A_n5, DC_48A_n5, DC_66A_n5
	n66	DC_2A_n66, DC_5A_n66, DC_12A_n66, DC_13A_n66,
	n77	DC_2A_n77, DC_5A_n77, DC_13A_n77, DC_66A_n77
Frequency Range:	n2	Tx: 1850MHz-1910MHz
		Rx: 1930MHz-1990MHz
	n5	Tx: 824MHz-849MHz
		Rx: 869MHz-894MHz
	n66	Tx: 1710MHz-1780MHz
		Rx: 2110MHz-2200MHz
	n77 : (enabling bands)	Tx: 3450MHz-3550MHz
		Rx: 3450MHz-3550MHz



		Tx: 3700MHz-3980MHz
		Rx: 3700MHz-3980MHz
Channel Bandwidth	n2	5MHz, 10MHz, 15MHz, 20MHz
	n5	5MHz, 10MHz, 15MHz, 20MHz
	n66	5MHz, 10MHz, 15MHz, 20MHz, 30MHz, 40MHz
	n77	10MHz, 15MHz, 20MHz, 30MHz, 40MHz, 50MHz, 60MHz, 70MHz, 80MHz, 90MHz, 100MHz
Antenna Type:	PIFA Antenna	
Antenna Gain:	n2	ANT0:1.75dBi, ANT4: 1.72dBi
	n5	ANT0: 0.86dBi
	n66	ANT0: 1.62dBi, ANT4: 1.91dBi
	n77	ANT2: 2.43dBi, ANT5: 2.5dBi
Accessory Information:	Battery Type	
	Brand Name:	Orbic
	Model No.:	R562L5
	Serial No.:	N/A
	Capacity:	5000mAh
	Rated Voltage:	3.85V
	Charge Limit:	4.4V
	Manufacturer:	Shenzhen Aerospace Electronic Co.,Ltd
	AC Adapter	
	Brand Name:	Orbic
	Model No.:	OACH023US1
	Serial No.:	N/A
	Rated Input:	100-240V~50/60HZ, 0.5A
	Rated Output:	5V=3A or 9V=2A or 12V=1.5A
	Manufacturer 1 :	WATAI ELECTRONICS PRIVATE LIMITED
	Manufacturer 2 :	KANGYIN ELECTRONIC TECHNOLOGY CO.,LTD
	USB Cable :	
	Model No.:	OAUC023US1
	Manufacturer:	KANGYIN ELECTRONIC TECHNOLOGY CO.,LTD

Note 1: For a more detailed description, please refer to Specification or User's Manual supplied by the applicant and/or manufacturer.

Note 2: There is no test for SA n78 due to the band is completely covered by SA n77 and its power level setting also less than SA n77.

Note 3: This is a variant report of original report (Report No.: SZ23070206W02, FCC ID: 2ABGH-R562L5). Based on the similarity between before, only change produce name, model name, hardware version, software version, FCC ID, remove mmW function, add CA and EN DC



REPORT No.: SZ24040065W02

combinations, the others are the same as before. No other changes, all RF parameters remain the same. The changes do not affect the test results.

1.3. Maximum ERP/EIRP and Emission Designator

EIRP (dBm) = Conducted Output Power (dBm) + Antenna Gain (dBi)

ERP (dBm) = EIPR (dBm) - 2.15

4A_n2						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.49	24.24	0.265	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.46	24.21	0.264	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.56	24.31	0.270	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	22.55	24.30	0.269	N/A	N/A
	QPSK	22.61	24.36	0.273	N/A	N/A
	16QAM	22.23	23.98	0.250	N/A	N/A
	64QAM	21.10	22.85	0.193	N/A	N/A
	256QAM	18.85	20.60	0.115	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



5A_n2						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	4.487	4M49G7D
	QPSK	22.70	24.45	0.279	4.482	4M48G7D
	16QAM	/	/	/	4.503	4M50W7D
	64QAM	/	/	/	4.506	4M51W7D
	256QAM	/	/	/	4.484	4M48W7D
	CP-QPSK	/	/	/	4.490	4M49G7D
10	PI/2 BPSK	/	/	/	8.927	8M93G7D
	QPSK	22.67	24.42	0.277	8.928	8M93G7D
	16QAM	/	/	/	8.905	8M91W7D
	64QAM	/	/	/	8.920	8M92W7D
	256QAM	/	/	/	8.946	8M95W7D
	CP-QPSK	/	/	/	9.299	9M30G7D
15	PI/2 BPSK	/	/	/	13.411	13M4G7D
	QPSK	22.82	24.57	0.286	13.392	13M4G7D
	16QAM	/	/	/	13.426	13M4W7D
	64QAM	/	/	/	13.420	13M4W7D
	256QAM	/	/	/	13.449	13M4W7D
	CP-QPSK	/	/	/	14.099	14M1G7D
20	PI/2 BPSK	22.86	24.61	0.289	17.885	17M9G7D
	QPSK	22.89	24.64	0.291	17.894	17M9G7D
	16QAM	22.85	24.60	0.288	17.881	17M9W7D
	64QAM	21.34	23.09	0.204	17.877	17M9W7D
	256QAM	19.47	21.22	0.132	17.863	17M9W7D
	CP-QPSK	/	/	/	18.944	18M9G7D

12A_n2						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.49	24.24	0.265	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A



	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.55	24.30	0.269	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.65	24.40	0.275	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	22.64	24.39	0.275	N/A	N/A
	QPSK	22.71	24.46	0.279	N/A	N/A
	16QAM	22.25	24.00	0.251	N/A	N/A
	64QAM	21.38	23.13	0.206	N/A	N/A
	256QAM	18.70	20.45	0.111	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A

13A_n2						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.65	24.40	0.275	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.67	24.42	0.277	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.74	24.49	0.281	N/A	N/A



	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	22.76	24.51	0.282	N/A	N/A
	QPSK	22.78	24.53	0.284	N/A	N/A
	16QAM	22.75	24.50	0.282	N/A	N/A
	64QAM	21.16	22.91	0.195	N/A	N/A
	256QAM	19.45	21.20	0.132	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



66A_n2						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.66	24.41	0.276	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.69	24.44	0.278	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.72	24.47	0.280	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	22.77	24.52	0.283	N/A	N/A
	QPSK	22.79	24.54	0.284	N/A	N/A
	16QAM	22.72	24.47	0.280	N/A	N/A
	64QAM	21.22	22.97	0.198	N/A	N/A
	256QAM	19.48	21.23	0.133	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



2A_n5						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	4.485	4M49G7D
	QPSK	22.87	21.58	0.144	4.483	4M48G7D
	16QAM	/	/	/	4.489	4M49W7D
	64QAM	/	/	/	4.518	4M52W7D
	256QAM	/	/	/	4.485	4M49W7D
	CP-QPSK	/	/	/	4.486	4M49G7D
10	PI/2 BPSK	/	/	/	8.923	8M92G7D
	QPSK	22.81	21.52	0.142	8.933	8M93G7D
	16QAM	/	/	/	8.906	8M91W7D
	64QAM	/	/	/	8.932	8M93W7D
	256QAM	/	/	/	8.943	8M94W7D
	CP-QPSK	/	/	/	9.310	9M31G7D
15	PI/2 BPSK	/	/	/	13.408	13M4G7D
	QPSK	22.96	21.67	0.147	13.396	13M4G7D
	16QAM	/	/	/	13.426	13M4W7D
	64QAM	/	/	/	13.410	13M4W7D
	256QAM	/	/	/	13.437	13M4W7D
	CP-QPSK	/	/	/	14.082	14M1G7D
20	PI/2 BPSK	22.97	21.68	0.147	17.805	17M8G7D
	QPSK	22.99	21.70	0.148	17.814	17M8G7D
	16QAM	22.93	21.64	0.146	17.806	17M8W7D
	64QAM	21.38	20.09	0.102	17.802	17M8W7D
	256QAM	19.57	18.28	0.067	17.786	17M8W7D
	CP-QPSK	/	/	/	18.852	18M9G7D

4A_n5						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.45	21.16	0.131	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A



	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.33	21.04	0.127	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	21.19	19.90	0.098	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	22.54	21.25	0.133	N/A	N/A
	QPSK	22.60	21.31	0.135	N/A	N/A
	16QAM	22.55	21.26	0.134	N/A	N/A
	64QAM	21.23	19.94	0.099	N/A	N/A
	256QAM	18.65	17.36	0.054	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



48A_n5						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.20	20.91	0.123	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.10	20.81	0.121	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.29	21.00	0.126	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	22.34	21.05	0.127	N/A	N/A
	QPSK	22.37	21.08	0.128	N/A	N/A
	16QAM	22.32	21.03	0.127	N/A	N/A
	64QAM	20.78	19.49	0.089	N/A	N/A
	256QAM	18.98	17.69	0.059	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



66A_n5						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	ERP Average (dBm)	ERP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.68	21.39	0.138	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.66	21.37	0.137	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.81	21.52	0.142	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	22.76	21.47	0.140	N/A	N/A
	QPSK	22.85	21.56	0.143	N/A	N/A
	16QAM	22.82	21.53	0.142	N/A	N/A
	64QAM	21.19	19.90	0.098	N/A	N/A
	256QAM	18.61	17.32	0.054	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



2A_n66						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.69	24.60	0.288	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.58	24.49	0.281	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.75	24.66	0.292	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.77	24.68	0.294	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.67	24.58	0.287	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	22.77	24.68	0.294	N/A	N/A
	QPSK	22.82	24.73	0.297	N/A	N/A
	16QAM	22.80	24.71	0.296	N/A	N/A



	64QAM	21.26	23.17	0.207	N/A	N/A
	256QAM	19.49	21.40	0.138	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A

5A_n66						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.70	24.61	0.289	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.68	24.59	0.288	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.70	24.61	0.289	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.73	24.64	0.291	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.69	24.60	0.288	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A



	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	22.79	24.70	0.295	N/A	N/A
	QPSK	22.81	24.72	0.296	N/A	N/A
	16QAM	22.78	24.69	0.294	N/A	N/A
	64QAM	21.17	23.08	0.203	N/A	N/A
	256QAM	19.43	21.34	0.136	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A

12A_n66						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.36	24.27	0.267	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.46	24.37	0.274	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.47	24.38	0.274	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	22.56	24.47	0.280	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A



	QPSK	22.47	24.38	0.274	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	22.62	24.53	0.284	N/A	N/A
	QPSK	22.65	24.56	0.286	N/A	N/A
	16QAM	21.94	23.85	0.243	N/A	N/A
	64QAM	22.13	24.04	0.254	N/A	N/A
	256QAM	18.51	20.42	0.110	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A

13A_n66						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
5	PI/2 BPSK	/	/	/	4.489	4M49G7D
	QPSK	22.68	24.59	0.288	4.478	4M48G7D
	16QAM	/	/	/	4.490	4M49W7D
	64QAM	/	/	/	4.507	4M51W7D
	256QAM	/	/	/	4.484	4M48W7D
	CP-QPSK	/	/	/	4.483	4M48G7D
10	PI/2 BPSK	/	/	/	8.929	8M93G7D
	QPSK	22.67	24.58	0.287	8.934	8M93G7D
	16QAM	/	/	/	8.911	8M91W7D
	64QAM	/	/	/	8.943	8M94W7D
	256QAM	/	/	/	8.951	8M95W7D
	CP-QPSK	/	/	/	9.304	9M30G7D
15	PI/2 BPSK	/	/	/	13.439	13M4G7D
	QPSK	22.71	24.62	0.290	13.418	13M4G7D
	16QAM	/	/	/	13.442	13M4W7D
	64QAM	/	/	/	13.439	13M4W7D
	256QAM	/	/	/	13.470	13M5W7D
	CP-QPSK	/	/	/	14.111	14M1G7D
20	PI/2 BPSK	/	/	/	17.888	17M9G7D
	QPSK	22.75	24.66	0.292	17.895	17M9G7D
	16QAM	/	/	/	17.857	17M9W7D



	64QAM	/	/	/	17.857	17M9W7D
	256QAM	/	/	/	17.852	17M9W7D
	CP-QPSK	/	/	/	18.940	18M9G7D
30	PI/2 BPSK	/	/	/	28.562	28M6G7D
	QPSK	22.72	24.63	0.290	28.665	28M7G7D
	16QAM	/	/	/	28.591	28M6W7D
	64QAM	/	/	/	28.537	28M5W7D
	256QAM	/	/	/	28.601	28M6W7D
	CP-QPSK	/	/	/	28.584	28M6G7D
	40	PI/2 BPSK	22.82	24.73	0.297	38.491
QPSK		22.83	24.74	0.298	38.540	38M5G7D
16QAM		22.74	24.65	0.292	38.518	38M5W7D
64QAM		21.19	23.10	0.204	38.568	38M6W7D
256QAM		19.45	21.36	0.137	38.592	38M6W7D
CP-QPSK		/	/	/	38.520	38M5G7D

2A_n77(3450-3550MHz)						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.11	28.61	0.726	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.11	28.61	0.726	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.23	28.73	0.746	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A



	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.15	28.65	0.733	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.16	28.66	0.735	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
50	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.21	28.71	0.743	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
60	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.20	28.70	0.741	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
70	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.16	28.66	0.735	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
80	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.19	28.69	0.740	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



90	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.19	28.69	0.740	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
100	PI/2 BPSK	26.02	28.52	0.711	N/A	N/A
	QPSK	26.29	28.79	0.757	N/A	N/A
	16QAM	25.68	28.18	0.658	N/A	N/A
	64QAM	24.10	26.60	0.457	N/A	N/A
	256QAM	21.76	24.26	0.267	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A

5A_n77(3450-3550MHz)						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
10	PI/2 BPSK	/	/	/	8.598	8M60G7D
	QPSK	26.10	28.60	0.724	8.608	8M61G7D
	16QAM	/	/	/	8.633	8M63W7D
	64QAM	/	/	/	8.610	8M61W7D
	256QAM	/	/	/	8.597	8M60W7D
	CP-QPSK	/	/	/	8.592	8M59G7D
15	PI/2 BPSK	/	/	/	12.876	12M9G7D
	QPSK	26.13	28.63	0.729	12.889	12M9G7D
	16QAM	/	/	/	12.888	12M9W7D
	64QAM	/	/	/	12.868	12M9W7D
	256QAM	/	/	/	12.878	12M9W7D
	CP-QPSK	/	/	/	12.881	12M9G7D
20	PI/2 BPSK	/	/	/	17.822	17M8G7D
	QPSK	26.15	28.65	0.733	17.857	17M9G7D
	16QAM	/	/	/	17.855	17M9W7D
	64QAM	/	/	/	17.834	17M8W7D
	256QAM	/	/	/	17.838	17M8W7D
	CP-QPSK	/	/	/	17.859	17M9G7D
30	PI/2 BPSK	/	/	/	26.807	26M8G7D
	QPSK	26.14	28.64	0.731	26.801	26M8G7D



	16QAM	/	/	/	26.836	26M8W7D
	64QAM	/	/	/	26.781	26M8W7D
	256QAM	/	/	/	26.831	26M8W7D
	CP-QPSK	/	/	/	26.776	26M8G7D
40	PI/2 BPSK	/	/	/	35.770	35M8G7D
	QPSK	26.20	28.70	0.741	35.748	35M7G7D
	16QAM	/	/	/	35.730	35M7W7D
	64QAM	/	/	/	35.702	35M7W7D
	256QAM	/	/	/	35.708	35M7W7D
	CP-QPSK	/	/	/	35.688	35M7G7D
50	PI/2 BPSK	/	/	/	45.680	45M7G7D
	QPSK	26.10	28.60	0.724	45.735	45M7G7D
	16QAM	/	/	/	45.676	45M7W7D
	64QAM	/	/	/	45.671	45M7W7D
	256QAM	/	/	/	45.771	45M8W7D
	CP-QPSK	/	/	/	45.703	45M7G7D
60	PI/2 BPSK	/	/	/	57.776	57M8G7D
	QPSK	26.02	28.52	0.711	57.768	57M8G7D
	16QAM	/	/	/	57.765	57M8W7D
	64QAM	/	/	/	57.753	57M8W7D
	256QAM	/	/	/	57.871	57M9W7D
	CP-QPSK	/	/	/	57.802	57M8G7D
70	PI/2 BPSK	/	/	/	64.208	64M2G7D
	QPSK	25.95	28.45	0.700	64.354	64M4G7D
	16QAM	/	/	/	64.220	64M2W7D
	64QAM	/	/	/	64.258	64M3W7D
	256QAM	/	/	/	64.295	64M3W7D
	CP-QPSK	/	/	/	64.282	64M3G7D
80	PI/2 BPSK	/	/	/	77.043	77M0G7D
	QPSK	25.92	28.42	0.695	77.068	77M1G7D
	16QAM	/	/	/	77.017	77M0W7D
	64QAM	/	/	/	77.139	77M1W7D
	256QAM	/	/	/	77.166	77M2W7D
	CP-QPSK	/	/	/	77.018	77M0G7D
90	PI/2 BPSK	/	/	/	86.672	86M7G7D
	QPSK	25.85	28.35	0.684	86.848	86M8G7D
	16QAM	/	/	/	86.745	86M7W7D



	64QAM	/	/	/	86.810	86M8W7D
	256QAM	/	/	/	86.636	86M6W7D
	CP-QPSK	/	/	/	86.735	86M7G7D
100	PI/2 BPSK	26.27	28.77	0.753	96.337	96M3G7D
	QPSK	26.33	28.83	0.764	96.342	96M3G7D
	16QAM	25.43	27.93	0.621	96.292	96M3W7D
	64QAM	23.56	26.06	0.404	96.148	96M1W7D
	256QAM	21.81	24.31	0.270	96.129	96M1W7D
	CP-QPSK	/	/	/	96.223	96M2G7D

13A_n77(3450-3550MHz)						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.03	28.53	0.713	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.08	28.58	0.721	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.10	28.60	0.724	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.12	28.62	0.728	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A



	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.11	28.61	0.726	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
50	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.09	28.59	0.723	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
60	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.03	28.53	0.713	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
70	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.10	28.60	0.724	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
80	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.09	28.59	0.723	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
90	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.11	28.61	0.726	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



100	PI/2 BPSK	26.08	28.58	0.721	N/A	N/A
	QPSK	26.31	28.81	0.760	N/A	N/A
	16QAM	25.21	27.71	0.590	N/A	N/A
	64QAM	23.88	26.38	0.435	N/A	N/A
	256QAM	21.55	24.05	0.254	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A

66A_n77(3450-3550MHz)						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.07	28.57	0.719	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.08	28.58	0.721	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.12	28.62	0.728	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.15	28.65	0.733	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.13	28.63	0.729	N/A	N/A



	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
50	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.13	28.63	0.729	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
60	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.10	28.60	0.724	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
70	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.98	28.48	0.705	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
80	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.96	28.46	0.701	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
90	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.93	28.43	0.697	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
100	PI/2 BPSK	26.02	28.52	0.711	N/A	N/A
	QPSK	26.22	28.72	0.745	N/A	N/A
	16QAM	24.46	26.96	0.497	N/A	N/A



	64QAM	23.55	26.05	0.403	N/A	N/A
	256QAM	21.22	23.72	0.236	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A

2A_n77(3700-3980MHz)						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.10	28.60	0.724	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.13	28.63	0.729	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.07	28.57	0.719	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.09	28.59	0.723	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.13	28.63	0.729	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A



	CP-QPSK	/	/	/	N/A	N/A
50	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.99	28.49	0.706	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
60	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.74	28.24	0.667	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
70	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.77	28.27	0.671	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
80	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.85	28.35	0.684	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
90	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.88	28.38	0.689	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
100	PI/2 BPSK	26.20	28.70	0.741	N/A	N/A
	QPSK	26.21	28.71	0.743	N/A	N/A
	16QAM	24.89	27.39	0.548	N/A	N/A
	64QAM	23.23	25.73	0.374	N/A	N/A
	256QAM	21.30	23.80	0.240	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



5A_n77(3700-3980MHz)						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
10	PI/2 BPSK	/	/	/	8.626	8M63G7D
	QPSK	26.10	28.60	0.724	8.635	8M64G7D
	16QAM	/	/	/	8.602	8M60W7D
	64QAM	/	/	/	8.594	8M59W7D
	256QAM	/	/	/	8.607	8M61W7D
	CP-QPSK	/	/	/	8.614	8M61G7D
15	PI/2 BPSK	/	/	/	12.855	12M9G7D
	QPSK	26.09	28.59	0.723	12.843	12M8G7D
	16QAM	/	/	/	12.863	12M9W7D
	64QAM	/	/	/	12.846	12M8W7D
	256QAM	/	/	/	12.869	12M9W7D
	CP-QPSK	/	/	/	12.864	12M9G7D
20	PI/2 BPSK	/	/	/	17.818	17M8G7D
	QPSK	26.11	28.61	0.726	17.828	17M8G7D
	16QAM	/	/	/	17.825	17M8W7D
	64QAM	/	/	/	17.826	17M8W7D
	256QAM	/	/	/	17.824	17M8W7D
	CP-QPSK	/	/	/	17.867	17M9G7D
30	PI/2 BPSK	/	/	/	26.791	26M8G7D
	QPSK	26.02	28.52	0.711	26.783	26M8G7D
	16QAM	/	/	/	26.796	26M8W7D
	64QAM	/	/	/	26.805	26M8W7D
	256QAM	/	/	/	26.810	26M8W7D
	CP-QPSK	/	/	/	26.790	26M8G7D
40	PI/2 BPSK	/	/	/	35.827	35M8G7D
	QPSK	26.10	28.60	0.724	35.774	35M8G7D
	16QAM	/	/	/	35.736	35M7W7D
	64QAM	/	/	/	35.759	35M8W7D
	256QAM	/	/	/	35.735	35M7W7D



	CP-QPSK	/	/	/	35.689	35M7G7D
50	PI/2 BPSK	/	/	/	45.727	45M7G7D
	QPSK	26.11	28.61	0.726	45.783	45M8G7D
	16QAM	/	/	/	45.704	45M7W7D
	64QAM	/	/	/	45.676	45M7W7D
	256QAM	/	/	/	45.748	45M7W7D
	CP-QPSK	/	/	/	45.705	45M7G7D
60	PI/2 BPSK	/	/	/	57.818	57M8G7D
	QPSK	26.03	28.53	0.713	57.821	57M8G7D
	16QAM	/	/	/	57.873	57M9W7D
	64QAM	/	/	/	57.787	57M8W7D
	256QAM	/	/	/	57.967	58M0W7D
	CP-QPSK	/	/	/	57.814	57M8G7D
70	PI/2 BPSK	/	/	/	64.245	64M2G7D
	QPSK	26.05	28.55	0.716	64.294	64M3G7D
	16QAM	/	/	/	64.235	64M2W7D
	64QAM	/	/	/	64.302	64M3W7D
	256QAM	/	/	/	64.198	64M2W7D
	CP-QPSK	/	/	/	64.323	64M3G7D
80	PI/2 BPSK	/	/	/	77.002	77M0G7D
	QPSK	26.08	28.58	0.721	77.026	77M0G7D
	16QAM	/	/	/	77.079	77M1W7D
	64QAM	/	/	/	77.102	77M1W7D
	256QAM	/	/	/	77.203	77M2W7D
	CP-QPSK	/	/	/	76.981	77M0G7D
90	PI/2 BPSK	/	/	/	86.640	86M6G7D
	QPSK	26.01	28.51	0.710	86.776	86M8G7D
	16QAM	/	/	/	86.771	86M8W7D
	64QAM	/	/	/	86.767	86M8W7D
	256QAM	/	/	/	86.560	86M6W7D
	CP-QPSK	/	/	/	86.706	86M7G7D
100	PI/2 BPSK	26.20	28.70	0.741	96.430	96M4G7D
	QPSK	26.24	28.74	0.748	96.220	96M2G7D
	16QAM	24.62	27.12	0.515	96.285	96M3W7D
	64QAM	23.32	25.82	0.382	96.258	96M3W7D
	256QAM	21.36	23.86	0.243	96.232	96M2W7D
	CP-QPSK	/	/	/	96.304	96M3G7D



13A_n77(3700-3980MHz)						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.11	28.61	0.726	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.07	28.57	0.719	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.13	28.63	0.729	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.11	28.61	0.726	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.08	28.58	0.721	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A



	CP-QPSK	/	/	/	N/A	N/A
50	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.04	28.54	0.714	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
60	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.03	28.53	0.713	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
70	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.01	28.51	0.710	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
80	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.05	28.55	0.716	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
90	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.02	28.52	0.711	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
100	PI/2 BPSK	25.98	28.48	0.705	N/A	N/A
	QPSK	26.20	28.70	0.741	N/A	N/A
	16QAM	24.88	27.38	0.547	N/A	N/A
	64QAM	23.53	26.03	0.401	N/A	N/A
	256QAM	21.33	23.83	0.242	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



66A_n77(3700-3980MHz)						
Bandwidth (MHz)	Modulation	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	Emission Designator
10	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.10	28.60	0.724	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
15	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.20	28.70	0.741	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
20	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.15	28.65	0.733	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
30	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.10	28.60	0.724	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
40	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.12	28.62	0.728	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A



	CP-QPSK	/	/	/	N/A	N/A
50	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.12	28.62	0.728	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
60	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	26.03	28.53	0.713	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
70	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.76	28.26	0.670	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
80	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.85	28.35	0.684	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
90	PI/2 BPSK	/	/	/	N/A	N/A
	QPSK	25.89	28.39	0.690	N/A	N/A
	16QAM	/	/	/	N/A	N/A
	64QAM	/	/	/	N/A	N/A
	256QAM	/	/	/	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A
100	PI/2 BPSK	25.94	28.44	0.698	N/A	N/A
	QPSK	26.20	28.70	0.741	N/A	N/A
	16QAM	24.89	27.39	0.548	N/A	N/A
	64QAM	23.58	26.08	0.406	N/A	N/A
	256QAM	21.48	23.98	0.250	N/A	N/A
	CP-QPSK	/	/	/	N/A	N/A



1.4. Test Standards and Results

The objective of the report is to perform testing according to Part 2, Part 22, Part 24 and Part 27 for the EUT FCC ID Certification:

No	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	47 CFR Part 22	Public Mobile Services
3	47 CFR Part 24	Personal Communications Services
4	47 CFR Part 27	Miscellaneous Wireless Communications Services

n2			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §24.232(c)	EIRP \leq 2 W	PASS
Peak-Average Ratio	§24.232(d)	Limit \leq 13 dB	PASS
Bandwidth	§2.1049	OBW: No limit EBW: No limit	PASS
Band Edges Compliance	§2.1051, §24.238(a)(b)	Refer to section 2.6	PASS
Spurious Emission at Antenna Terminals	§2.1051, §24.238(a)(b)	\leq -13 dBm/1MHz	PASS
Field Strength of Spurious Radiation	§2.1053, §24.238(a)	\leq -13 dBm/1MHz	PASS
Frequency Stability	§2.1055, §24.235	No limit	N/A

Remark: For the verdict, the "N/A" denotes "not applicable", the "N/T" denotes "not tested".



n5			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	ERP ≤ 7W	PASS
Peak-Average Ratio	N/A	N/A	N/A
Bandwidth	§2.1049	OBW: No limit EBW: No limit	PASS
Band Edges Compliance	§2.1051, §22.917(a)(b)	Refer to section 2.6	PASS
Spurious Emission at Antenna Terminals	§2.1051, §22.917(a)	≤ -13 dBm/1MHz	PASS
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	≤ -13 dBm/1MHz	PASS
Frequency Stability	§2.1055, §22.355	≤ ±2.5ppm	PASS

n66			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP ≤ 1 W	PASS
Peak-Average Ratio	§27.50(d) (5)	Limit ≤ 13 dB	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §27.53(h)(1) §27.53(h)(3)(i)	Refer to section 2.6	PASS
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)(1)	≤ -13 dBm/1MHz	PASS
Field Strength of Spurious Radiation	§2.1053, §27.53(h)(1)	≤ -13 dBm/1MHz.	PASS
Frequency Stability	§2.1055, §27.54	No limit	N/A

Remark: For the verdict, the “N/A” denotes “not applicable”, the “N/T” denotes “not tested”.



n77(3450~3550MHz)			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(K)(3)	EIRP \leq 1W	PASS
Peak-Average Ratio	§27.50(K)(4)	\leq 13 dB	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §27.53(l)(2)	Refer to section 2.6	PASS
Spurious Emission at Antenna Terminals	§2.1051, §27.53(l)(2)	\leq -13 dBm/1MHz	PASS
Field Strength of Spurious Radiation	§2.1053, §27.53(l)(2)	\leq -13 dBm/1MHz.	PASS
Frequency Stability	§2.1055, §27.54	No limit	N/A

Remark: For the verdict, the "N/A" denotes "not applicable", the "N/T" denotes "not tested".

n77(3700~3980MHz)			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(j)(3)	EIRP \leq 1W	PASS
Peak-Average Ratio	§27.50(j)(4)	\leq 13 dB	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §27.53(n)(2)	Refer to section 2.6	PASS
Spurious Emission at Antenna Terminals	§2.1051, §27.53(n)(2)	\leq -13 dBm/1MHz	PASS
Field Strength of Spurious Radiation	§2.1053, §27.53(m)(4)	\leq -13 dBm/1MHz.	PASS
Frequency Stability	§2.1055, §27.54	No limit	N/A

Remark: For the verdict, the "N/A" denotes "not applicable", the "N/T" denotes "not tested".



Test detailed items/section required by FCC rules and results are as below:

Test Item	Test Engineer	Result	Method Determination /Remark
Transmitter Conducted Output Power and ERP/EIRP	Li Huaijie	PASS	Nodeviation
Occupied Bandwidth	Li Huaijie	PASS	Nodeviation
Frequency Stability	Li Huaijie	PASS	Nodeviation
Peak to Average Radio	Li Huaijie	PASS	Nodeviation
Conducted Spurious Emissions	Li Huaijie	PASS	Nodeviation
Band Edge	Li Huaijie	PASS	Nodeviation
Radiated Spurious Emissions	Su Zhan Lin Hanbin	PASS	Nodeviation
<p>Note 1: The tests were performed according to the method of measurements prescribed in KDB971168 D01 v03 and ANSI/TIA-603-E-2016.</p> <p>Note 2: Additions to, deviation, or exclusions from the method shall be judged in the "method determination" column of add, deviate or exclude from the specific method shall be explained in the "Remark" of the above table.</p> <p>Note 3: The declared of product specification for EUT presented in the report are provided by manufacturer and the test laboratory is not responsible for the accuracy of the information.</p> <p>Note 4: When the test result is a critical value, we will use the measurement uncertainty give the judgment result based on the 95% confidence intervals.</p> <p>Note 5: According to the measured power of all frequency bands, The frequency band with the highest power as worst case was selected for the same NR frequency band for testing.</p>			

1.5. Environmental Conditions

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15 - 35
Relative Humidity (%):	30 -60
Atmospheric Pressure (kPa):	86-106

2. Summary Test Results And Description

2.1. Transmitter Conducted Output Power

2.1.1. Requirement

According to FCC section 2.1046(a), for transmitters other than single sideband, independent sideband and controlled carrier radiotelephone, power output shall be measured at the RF output terminals when the transmitter is adjusted in accordance with the tune-up procedure to give the values of current and voltage on the circuit elements specified in FCC section 2.1033(c)(8).

According to FCC section 24.232 (c) for n2, the ERP of Mobile and portable stations are limited to 2 watts EIRP.


According to FCC section 22.913 (a)(5) for n5, n26(824-849MHz), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC section 27.50 (d)(4) for n66, Fixed, mobile and portable (hand-held) stations in the 1710-1755MHz band are limited to 1wat E.I.R.P.

According to FCC section 27.50(j)(3) for n77(3700-3980MHz), n78(3700-3800MHz), mobile and portable stations are limited to 1 Watt EIRP. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

According to FCC section 27.50(k)(3) for n77, n78(3450-3550MHz), Mobile devices are limited to 1Watt (30 dBm) EIRP. Mobile devices operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

2.1.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the



SS.

2.1.3. Test procedure

KDB 971168 D01v03 Section 5.2 and ANSI/TIA-603-E-2016.

2.1.4. Conducted Output Power

B4_n2						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				372000	376000	380000
Frequency (MHz)				1860	1880	1900
20	DFT-s-OFDM PI/2 BPSK	1	1	22.55	22.42	22.39
20		1	53	22.53	22.43	22.35
20		1	104	22.40	22.33	22.35
20		50	1	22.48	22.49	22.42
20		50	25	22.51	22.40	22.44
20		50	50	22.51	22.35	22.38
20		100	0	22.52	22.38	22.45
20	DFT-s-OFDM QPSK	1	1	22.55	22.61	22.59
20		1	53	22.57	22.29	22.30
20		1	104	22.46	22.28	22.30
20		50	1	22.56	22.40	22.38
20		50	25	22.51	22.39	22.43
20		50	50	22.47	22.44	22.45
20	100	0	22.47	22.38	22.46	
20	DFT-s-OFDM 16QAM	1	1	22.12	22.21	22.23
20	DFT-s-OFDM 64QAM	1	1	20.87	21.10	21.07
20	DFT-s-OFDM 256QAM	1	1	18.85	18.61	18.66
20	CP-OFDM QPSK	1	1	22.09	21.98	21.92
20	CP-OFDM 16QAM	1	1	21.46	21.44	21.30
20	CP-OFDM 64QAM	1	1	19.78	19.67	19.66
20	CP-OFDM 256QAM	1	1	16.93	16.80	16.75
Channel				371500	376000	380500
Frequency (MHz)				1857.5	1880	1902.5
15	DFT-s-OFDM QPSK	1	1	22.56	22.42	22.35
Channel				371000	376000	381000
Frequency (MHz)				1855	1880	1905
10	DFT-s-OFDM QPSK	1	1	22.46	22.43	22.19
Channel				370500	376000	381500
Frequency (MHz)				1852.5	1880	1907.5



5	DFT-s-OFDM QPSK	1	1	22.46	22.49	22.23
---	-----------------	---	---	-------	-------	-------

5A_n2						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				372000	376000	380000
Frequency (MHz)				1860	1880	1900
20	DFT-s-OFDM PI/2 BPSK	1	1	22.83	22.79	22.58
20		1	53	22.86	22.68	22.55
20		1	104	22.84	22.62	22.62
20		50	1	22.78	22.69	22.57
20		50	25	22.86	22.67	22.60
20		50	50	22.72	22.64	22.62
20		100	0	22.76	22.71	22.62
20	DFT-s-OFDM QPSK	1	1	22.79	22.89	22.84
20		1	53	22.72	22.68	22.58
20		1	104	22.71	22.55	22.58
20		50	1	22.38	22.40	22.26
20		50	25	22.25	22.33	22.25
20		50	50	22.34	22.30	22.21
20		100	0	22.21	22.44	22.26
20	DFT-s-OFDM 16QAM	1	1	22.85	22.78	22.63
20	DFT-s-OFDM 64QAM	1	1	21.18	21.15	21.34
20	DFT-s-OFDM 256QAM	1	1	19.47	19.44	19.09
20	CP-OFDM QPSK	1	1	21.65	21.61	21.53
20	CP-OFDM 16QAM	1	1	21.05	20.98	20.97
20	CP-OFDM 64QAM	1	1	19.82	19.73	19.59
20	CP-OFDM 256QAM	1	1	17.52	17.48	17.14
Channel				371500	376000	380500
Frequency (MHz)				1857.5	1880	1902.5
15	DFT-s-OFDM QPSK	1	1	22.79	22.82	22.59
Channel				371000	376000	381000



Frequency (MHz)				1855	1880	1905
10	DFT-s-OFDM QPSK	1	1	22.57	22.67	22.46
Channel				370500	376000	381500
Frequency (MHz)				1852.5	1880	1907.5
5	DFT-s-OFDM QPSK	1	1	22.65	22.70	22.46

12A_n2						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				372000	376000	380000
Frequency (MHz)				1860	1880	1900
20	DFT-s-OFDM PI/2 BPSK	1	1	22.64	22.49	22.37
20		1	53	22.52	22.34	22.36
20		1	104	22.50	22.37	22.36
20		50	1	22.53	22.46	22.45
20		50	25	22.52	22.45	22.41
20		50	50	22.52	22.39	22.43
20		100	0	22.55	22.40	22.42
20	DFT-s-OFDM QPSK	1	1	22.66	22.71	22.68
20		1	53	22.60	22.34	22.35
20		1	104	22.57	22.31	22.30
20		50	1	22.56	22.38	22.40
20		50	25	22.56	22.43	22.39
20		50	50	22.57	22.43	22.40
20	100	0	22.57	22.44	22.43	
20	DFT-s-OFDM 16QAM	1	1	22.25	22.22	22.24
20	DFT-s-OFDM 64QAM	1	1	21.38	21.16	21.08
20	DFT-s-OFDM 256QAM	1	1	18.68	18.70	18.66
20	CP-OFDM QPSK	1	1	22.02	21.99	21.91
20	CP-OFDM 16QAM	1	1	21.61	21.45	21.33
20	CP-OFDM 64QAM	1	1	19.91	19.70	19.69
20	CP-OFDM 256QAM	1	1	16.94	16.85	16.74
Channel				371500	376000	380500
Frequency (MHz)				1857.5	1880	1902.5
15	DFT-s-OFDM QPSK	1	1	22.65	22.51	22.44
Channel				371000	376000	381000
Frequency (MHz)				1855	1880	1905
10	DFT-s-OFDM QPSK	1	1	22.55	22.38	22.29
Channel				370500	376000	381500
Frequency (MHz)				1852.5	1880	1907.5



5	DFT-s-OFDM QPSK	1	1	22.49	22.36	22.30
---	-----------------	---	---	-------	-------	-------

13A_n2						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				372000	376000	380000
Frequency (MHz)				1860	1880	1900
20	DFT-s-OFDM PI/2 BPSK	1	1	22.70	22.65	22.57
20		1	53	22.72	22.64	22.58
20		1	104	22.73	22.56	22.59
20		50	1	22.72	22.64	22.57
20		50	25	22.76	22.65	22.60
20		50	50	22.70	22.64	22.61
20		100	0	22.74	22.67	22.63
20	DFT-s-OFDM QPSK	1	1	22.68	22.78	22.74
20		1	53	22.74	22.67	22.59
20		1	104	22.67	22.55	22.60
20		50	1	22.40	22.45	22.26
20		50	25	22.37	22.29	22.26
20		50	50	22.42	22.30	22.23
20		100	0	22.34	22.44	22.24
20	DFT-s-OFDM 16QAM	1	1	22.75	22.75	22.66
20	DFT-s-OFDM 64QAM	1	1	21.16	21.15	21.01
20	DFT-s-OFDM 256QAM	1	1	19.45	19.40	19.32
20	CP-OFDM QPSK	1	1	21.63	21.53	21.48
20	CP-OFDM 16QAM	1	1	20.96	20.93	20.87
20	CP-OFDM 64QAM	1	1	19.75	19.69	19.58
20	CP-OFDM 256QAM	1	1	17.48	17.40	17.30
Channel				371500	376000	380500
Frequency (MHz)				1857.5	1880	1902.5
15	DFT-s-OFDM QPSK	1	1	22.68	22.74	22.53
Channel				371000	376000	381000
Frequency (MHz)				1855	1880	1905
10	DFT-s-OFDM QPSK	1	1	22.60	22.67	22.48
Channel				370500	376000	381500



Frequency (MHz)				1852.5	1880	1907.5
5	DFT-s-OFDM QPSK	1	1	22.61	22.65	22.53

66A_n2						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				372000	376000	380000
Frequency (MHz)				1860	1880	1900
20	DFT-s-OFDM PI/2 BPSK	1	1	22.73	22.68	22.59
20		1	53	22.77	22.67	22.58
20		1	104	22.74	22.62	22.65
20		50	1	22.69	22.69	22.62
20		50	25	22.75	22.69	22.63
20		50	50	22.76	22.64	22.61
20		100	0	22.75	22.67	22.61
20	DFT-s-OFDM QPSK	1	1	22.75	22.79	22.73
20		1	53	22.77	22.65	22.62
20		1	104	22.74	22.57	22.63
20		50	1	22.46	22.52	22.35
20		50	25	22.45	22.43	22.37
20		50	50	22.47	22.37	22.34
20	100	0	22.40	22.48	22.34	
20	DFT-s-OFDM 16QAM	1	1	22.63	22.72	22.62
20	DFT-s-OFDM 64QAM	1	1	21.22	21.12	21.08
20	DFT-s-OFDM 256QAM	1	1	19.48	19.42	19.36
20	CP-OFDM QPSK	1	1	21.63	21.61	21.51
20	CP-OFDM 16QAM	1	1	20.69	20.66	20.59
20	CP-OFDM 64QAM	1	1	19.45	19.52	19.60
20	CP-OFDM 256QAM	1	1	17.52	17.47	17.33
Channel				371500	376000	380500
Frequency (MHz)				1857.5	1880	1902.5
15	DFT-s-OFDM QPSK	1	1	22.66	22.72	22.56
Channel				371000	376000	381000
Frequency (MHz)				1855	1880	1905
10	DFT-s-OFDM QPSK	1	1	22.51	22.69	22.46



Channel				370500	376000	381500
Frequency (MHz)				1852.5	1880	1907.5
5	DFT-s-OFDM QPSK	1	1	22.53	22.66	22.65

2A_n5						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				166800	167300	167800
Frequency (MHz)				834	836.5	839
20	DFT-s-OFDM PI/2 BPSK	1	1	22.75	22.77	22.84
20		1	53	22.83	22.90	22.87
20		1	104	22.85	22.87	22.77
20		50	1	22.93	22.94	22.90
20		50	25	22.87	22.92	22.97
20		50	50	22.97	22.95	22.90
20		100	0	22.89	22.92	22.94
20	DFT-s-OFDM QPSK	1	1	22.87	22.99	22.82
20		1	53	22.84	22.92	22.85
20		1	104	22.91	22.87	22.73
20		50	1	22.60	22.68	22.62
20		50	25	22.65	22.66	22.54
20		50	50	22.52	22.57	22.59
20		100	0	22.66	22.72	22.56
20	DFT-s-OFDM 16QAM	1	1	22.91	22.83	22.93
20	DFT-s-OFDM 64QAM	1	1	21.38	21.23	21.33
20	DFT-s-OFDM 256QAM	1	1	19.35	19.47	19.57
20	CP-OFDM QPSK	1	1	21.64	21.65	21.74
20	CP-OFDM 16QAM	1	1	20.55	20.68	20.72
20	CP-OFDM 64QAM	1	1	19.71	19.78	19.86
20	CP-OFDM 256QAM	1	1	17.37	17.49	17.64
Channel				166300	167300	168300
Frequency (MHz)				831.5	836.5	841.5
15	DFT-s-OFDM QPSK	1	1	22.76	22.96	22.85
Channel				165800	167300	168800
Frequency (MHz)				829	836.5	844



10	DFT-s-OFDM QPSK	1	1	22.67	22.81	22.72
Channel				165300	167300	169300
Frequency (MHz)				826.5	836.5	846.5
5	DFT-s-OFDM QPSK	1	1	22.69	22.87	22.71

B4_n5						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				166800	167300	167800
Frequency (MHz)				834	836.5	839
20	DFT-s-OFDM PI/2 BPSK	1	1	22.33	22.40	22.37
20		1	53	22.37	22.32	22.36
20		1	104	22.31	22.27	22.29
20		50	1	22.41	22.49	22.49
20		50	25	22.39	22.46	22.43
20		50	50	22.42	22.54	22.45
20		100	0	22.41	22.44	22.46
20	DFT-s-OFDM QPSK	1	1	22.58	22.60	22.57
20		1	53	22.27	22.25	22.25
20		1	104	22.22	22.22	22.20
20		50	1	22.39	22.41	22.49
20		50	25	22.40	22.47	22.42
20		50	50	22.33	22.40	22.45
20		100	0	22.42	22.49	22.43
20	DFT-s-OFDM 16QAM	1	1	22.55	22.22	22.14
20	DFT-s-OFDM 64QAM	1	1	20.97	21.22	21.23
20	DFT-s-OFDM 256QAM	1	1	18.62	18.65	18.62
20	CP-OFDM QPSK	1	1	21.81	21.88	21.89
20	CP-OFDM 16QAM	1	1	21.21	21.19	21.36
20	CP-OFDM 64QAM	1	1	19.90	20.08	19.95
20	CP-OFDM 256QAM	1	1	16.68	16.54	16.46
Channel				166300	167300	168300
Frequency (MHz)				831.5	836.5	841.5
15	DFT-s-OFDM QPSK	1	1	22.54	22.49	22.48
Channel				165800	167300	168800
Frequency (MHz)				829	836.5	844
10	DFT-s-OFDM QPSK	1	1	22.32	22.33	22.26
Channel				165300	167300	169300
Frequency (MHz)				826.5	836.5	846.5
5	DFT-s-OFDM QPSK	1	1	22.45	22.40	22.35



B48_n5						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				166800	167300	167800
Frequency (MHz)				834	836.5	839
20	DFT-s-OFDM PI/2 BPSK	1	1	22.20	22.19	22.18
20		1	53	22.20	22.17	22.14
20		1	104	22.16	22.14	22.12
20		50	1	22.27	22.26	22.34
20		50	25	22.22	22.27	22.28
20		50	50	22.26	22.24	22.23
20		100	0	22.20	22.29	22.27
20	DFT-s-OFDM QPSK	1	1	22.25	22.37	22.33
20		1	53	22.25	22.13	22.13
20		1	104	22.20	22.08	22.06
20		50	1	22.17	22.23	22.18
20		50	25	22.11	22.15	22.15
20		50	50	22.16	22.10	22.17
20		100	0	22.11	22.19	22.16
20	DFT-s-OFDM 16QAM	1	1	22.32	22.28	22.27
20	DFT-s-OFDM 64QAM	1	1	20.78	20.65	20.61
20	DFT-s-OFDM 256QAM	1	1	18.78	18.98	18.96
20	CP-OFDM QPSK	1	1	21.31	21.44	21.20
20	CP-OFDM 16QAM	1	1	20.31	20.20	20.21
20	CP-OFDM 64QAM	1	1	19.35	19.20	19.22
20	CP-OFDM 256QAM	1	1	17.20	17.02	17.11
Channel				166300	167300	168300
Frequency (MHz)				831.5	836.5	841.5
15	DFT-s-OFDM QPSK	1	1	22.29	22.23	22.27
Channel				165800	167300	168800
Frequency (MHz)				829	836.5	844
10	DFT-s-OFDM QPSK	1	1	22.10	22.10	22.08
Channel				165300	167300	169300
Frequency (MHz)				826.5	836.5	846.5
5	DFT-s-OFDM QPSK	1	1	22.19	22.20	22.16



66A_n5						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				166800	167300	167800
Frequency (MHz)				834	836.5	839
20	DFT-s-OFDM PI/2 BPSK	1	1	22.51	22.52	22.60
20		1	53	22.62	22.67	22.63
20		1	104	22.54	22.65	22.59
20		50	1	22.65	22.70	22.63
20		50	25	22.67	22.76	22.71
20		50	50	22.70	22.69	22.65
20		100	0	22.62	22.73	22.69
20	DFT-s-OFDM QPSK	1	1	22.82	22.85	22.83
20		1	53	22.61	22.65	22.58
20		1	104	22.50	22.56	22.56
20		50	1	22.45	22.49	22.40
20		50	25	22.42	22.43	22.42
20		50	50	22.41	22.47	22.41
20	100	0	22.37	22.50	22.48	
20	DFT-s-OFDM 16QAM	1	1	22.71	22.68	22.82
20	DFT-s-OFDM 64QAM	1	1	21.04	21.12	21.19
20	DFT-s-OFDM 256QAM	1	1	18.61	18.45	18.51
20	CP-OFDM QPSK	1	1	21.53	21.50	21.62
20	CP-OFDM 16QAM	1	1	20.55	20.42	20.36
20	CP-OFDM 64QAM	1	1	19.52	19.61	19.22
20	CP-OFDM 256QAM	1	1	17.40	17.37	17.48
Channel				166300	167300	168300
Frequency (MHz)				831.5	836.5	841.5
15	DFT-s-OFDM QPSK	1	1	22.61	22.72	22.81
Channel				165800	167300	168800
Frequency (MHz)				829	836.5	844
10	DFT-s-OFDM QPSK	1	1	22.57	22.51	22.66
Channel				165300	167300	169300
Frequency (MHz)				826.5	836.5	846.5



5	DFT-s-OFDM QPSK	1	1	22.59	22.68	22.57
---	-----------------	---	---	-------	-------	-------

2A_n66						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				346000	349000	352000
Frequency (MHz)				1730	1745	1760
40	DFT-s-OFDM PI/2 BPSK	1	1	22.68	22.72	22.75
40		1	108	22.68	22.75	22.60
40		1	214	22.74	22.63	22.59
40		108	1	22.61	22.62	22.63
40		108	54	22.74	22.67	22.66
40		108	108	22.77	22.65	22.77
40		216	0	22.76	22.69	22.76
40	DFT-s-OFDM QPSK	1	1	22.75	22.82	22.75
40		1	108	22.69	22.74	22.58
40		1	214	22.60	22.48	22.61
40		108	1	22.54	22.55	22.52
40		108	54	22.52	22.48	22.38
40		108	108	22.37	22.42	22.39
40		216	0	22.53	22.54	22.52
40	DFT-s-OFDM 16QAM	1	1	22.73	22.80	22.78
40	DFT-s-OFDM 64QAM	1	1	21.14	21.14	21.26
40	DFT-s-OFDM 256QAM	1	1	19.41	19.49	19.21
40	CP-OFDM QPSK	1	1	21.43	21.50	21.46
40	CP-OFDM 16QAM	1	1	20.62	20.55	20.68
40	CP-OFDM 64QAM	1	1	19.61	19.68	19.55
40	CP-OFDM 256QAM	1	1	17.42	17.48	17.42
Channel				345000	349000	353000
Frequency (MHz)				1725	1745	1765
30	DFT-s-OFDM QPSK	1	1	22.60	22.67	22.64
Channel				344000	349000	354000
Frequency (MHz)				1720	1745	1770
20	DFT-s-OFDM QPSK	1	1	22.77	22.74	22.62
Channel				343500	349000	354500



Frequency (MHz)				1717.5	1745	1772.5
15	DFT-s-OFDM QPSK	1	1	22.75	22.72	22.58
Channel				343000	349000	355000
Frequency (MHz)				1715	1745	1775
10	DFT-s-OFDM QPSK	1	1	22.18	22.58	22.46
Channel				342500	349000	355500
Frequency (MHz)				1712.5	1745	1777.5
5	DFT-s-OFDM QPSK	1	1	22.69	22.68	22.50

5A_n66						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				346000	349000	352000
Frequency (MHz)				1730	1745	1760
40	DFT-s-OFDM PI/2 BPSK	1	1	22.64	22.76	22.77
40		1	108	22.64	22.73	22.60
40		1	214	22.74	22.59	22.60
40		108	1	22.79	22.72	22.74
40		108	54	22.76	22.71	22.64
40		108	108	22.76	22.79	22.76
40		216	0	22.69	22.71	22.68
40	DFT-s-OFDM QPSK	1	1	22.74	22.81	22.72
40		1	108	22.69	22.70	22.58
40		1	214	22.70	22.62	22.61
40		108	1	22.46	22.48	22.43
40		108	54	22.44	22.44	22.35
40		108	108	22.43	22.40	22.39
40		216	0	22.44	22.46	22.42
40	DFT-s-OFDM 16QAM	1	1	22.66	22.78	22.68
40	DFT-s-OFDM 64QAM	1	1	21.10	21.17	21.16
40	DFT-s-OFDM 256QAM	1	1	19.42	19.43	19.38
40	CP-OFDM QPSK	1	1	21.20	21.27	21.17
40	CP-OFDM 16QAM	1	1	20.58	20.64	20.56
40	CP-OFDM 64QAM	1	1	19.33	19.42	19.32
40	CP-OFDM 256QAM	1	1	17.42	17.48	17.40



Channel				345000	349000	353000
Frequency (MHz)				1725	1745	1765
30	DFT-s-OFDM QPSK	1	1	22.69	22.61	22.67
Channel				344000	349000	354000
Frequency (MHz)				1720	1745	1770
20	DFT-s-OFDM QPSK	1	1	22.73	22.21	22.06
Channel				343500	349000	354500
Frequency (MHz)				1717.5	1745	1772.5
15	DFT-s-OFDM QPSK	1	1	22.70	22.41	22.25
Channel				343000	349000	355000
Frequency (MHz)				1715	1745	1775
10	DFT-s-OFDM QPSK	1	1	22.68	22.54	22.56
Channel				342500	349000	355500
Frequency (MHz)				1712.5	1745	1777.5
5	DFT-s-OFDM QPSK	1	1	22.70	22.66	22.57

12A_n66						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				346000	349000	352000
Frequency (MHz)				1730	1745	1760
40	DFT-s-OFDM PI/2 BPSK	1	1	22.47	22.51	22.57
40		1	108	22.47	22.55	22.40
40		1	214	22.43	22.41	22.39
40		108	1	22.59	22.53	22.55
40		108	54	22.56	22.62	22.51
40		108	108	22.61	22.57	22.44
40		216	0	22.57	22.56	22.43
40	DFT-s-OFDM QPSK	1	1	22.56	22.65	22.20
40		1	108	22.50	22.52	22.42
40		1	214	22.43	22.38	22.37
40		108	1	22.30	22.32	22.13
40		108	54	22.26	22.28	22.03
40		108	108	22.27	22.22	22.17
40		216	0	22.31	22.32	22.12
40	DFT-s-OFDM 16QAM	1	1	21.06	21.43	21.94
40	DFT-s-OFDM 64QAM	1	1	22.13	20.20	20.77
40	DFT-s-OFDM 256QAM	1	1	18.18	18.20	18.51
40	CP-OFDM QPSK	1	1	21.22	21.52	21.81
40	CP-OFDM 16QAM	1	1	21.16	21.40	21.17
40	CP-OFDM 64QAM	1	1	19.36	19.24	19.56



40	CP-OFDM 256QAM	1	1	16.22	16.35	16.62
Channel				345000	349000	353000
Frequency (MHz)				1725	1745	1765
30	DFT-s-OFDM QPSK	1	1	22.40	22.47	22.37
Channel				344000	349000	354000
Frequency (MHz)				1720	1745	1770
20	DFT-s-OFDM QPSK	1	1	22.56	22.40	22.20
Channel				343500	349000	354500
Frequency (MHz)				1717.5	1745	1772.5
15	DFT-s-OFDM QPSK	1	1	22.29	22.44	22.47
Channel				343000	349000	355000
Frequency (MHz)				1715	1745	1775
10	DFT-s-OFDM QPSK	1	1	22.35	22.43	22.46
Channel				342500	349000	355500
Frequency (MHz)				1712.5	1745	1777.5
5	DFT-s-OFDM QPSK	1	1	22.36	22.25	22.35

13A_n66						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				346000	349000	352000
Frequency (MHz)				1730	1745	1760
40	DFT-s-OFDM PI/2 BPSK	1	1	22.67	22.71	22.77
40		1	108	22.67	22.75	22.60
40		1	214	22.63	22.61	22.59
40		108	1	22.79	22.73	22.75
40		108	54	22.76	22.82	22.71
40		108	108	22.81	22.77	22.64
40		216	0	22.77	22.76	22.63
40	DFT-s-OFDM QPSK	1	1	22.81	22.83	22.74
40		1	108	22.70	22.72	22.62
40		1	214	22.63	22.58	22.57
40		108	1	22.50	22.52	22.33
40		108	54	22.46	22.48	22.23
40		108	108	22.47	22.42	22.37
40		216	0	22.51	22.52	22.32
40	DFT-s-OFDM 16QAM	1	1	22.69	22.74	22.65
40	DFT-s-OFDM 64QAM	1	1	21.11	21.19	21.11
40	DFT-s-OFDM 256QAM	1	1	19.40	19.45	19.35



40	CP-OFDM QPSK	1	1	21.35	21.39	21.31
40	CP-OFDM 16QAM	1	1	20.70	20.75	20.64
40	CP-OFDM 64QAM	1	1	19.46	19.53	19.41
40	CP-OFDM 256QAM	1	1	17.41	17.50	17.38
Channel				345000	349000	353000
Frequency (MHz)				1725	1745	1765
30	DFT-s-OFDM QPSK	1	1	22.68	22.72	22.64
Channel				344000	349000	354000
Frequency (MHz)				1720	1745	1770
20	DFT-s-OFDM QPSK	1	1	22.22	22.75	22.58
Channel				343500	349000	354500
Frequency (MHz)				1717.5	1745	1772.5
15	DFT-s-OFDM QPSK	1	1	22.41	22.71	22.59
Channel				343000	349000	355000
Frequency (MHz)				1715	1745	1775
10	DFT-s-OFDM QPSK	1	1	22.67	22.57	22.56
Channel				342500	349000	355500
Frequency (MHz)				1712.5	1745	1777.5
5	DFT-s-OFDM QPSK	1	1	22.68	22.57	22.50

2A_n77(3450-3550MHz)						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				/	633334	/
Frequency (MHz)				/	3500.01	/
100	DFT-s-OFDM PI/2 BPSK	1	1	/	25.89	/
100		1	136	/	25.92	/
100		1	271	/	26.02	/
100		135	1	/	25.69	/
100		135	67	/	26.01	/
100		135	136	/	25.34	/
100		270	0	/	25.59	/
100	DFT-s-OFDM QPSK	1	1	/	26.29	/
100		1	136	/	25.90	/
100		1	271	/	25.99	/



100		135	1	/	26.08	/
100		135	67	/	25.69	/
100		135	136	/	25.85	/
100		270	0	/	25.90	/
100	DFT-s-OFDM 16QAM	1	1	/	25.68	/
100	DFT-s-OFDM 64QAM	1	1	/	24.10	/
100	DFT-s-OFDM 256QAM	1	1	/	21.76	/
100	CP-OFDM QPSK	1	1	/	23.54	/
100	CP-OFDM 16QAM	1	1	/	22.61	/
100	CP-OFDM 64QAM	1	1	/	21.97	/
100	CP-OFDM 256QAM	1	1	/	19.54	/
Channel				633000	633334	633666
Frequency (MHz)				3495	3500.01	3504.99
90	DFT-s-OFDM QPSK	1	1	26.09	26.19	26.14
Channel				632668	633334	634000
Frequency (MHz)				3490.02	3500.01	3510
80	DFT-s-OFDM QPSK	1	1	26.11	26.19	26.06
Channel				632334	633334	634332
Frequency (MHz)				3485.01	3500.01	3514.98
70	DFT-s-OFDM QPSK	1	1	26.13	26.16	26.01
Channel				632000	633334	634666
Frequency (MHz)				3480	3500.01	3519.99
60	DFT-s-OFDM QPSK	1	1	26.00	26.20	26.11
Channel				631668	633334	635000
Frequency (MHz)				3475.02	3500.01	3525
50	DFT-s-OFDM QPSK	1	1	26.04	26.21	26.12
Channel				631334	633334	635332
Frequency (MHz)				3470.01	3500.01	3529.98
40	DFT-s-OFDM QPSK	1	1	25.79	26.08	26.16
Channel				631000	633334	635666
Frequency (MHz)				3465	3500.01	3534.99
30	DFT-s-OFDM QPSK	1	1	25.89	26.15	25.97
Channel				630668	633334	636000
Frequency (MHz)				3460.02	3500.01	3540



20	DFT-s-OFDM QPSK	1	1	25.97	26.23	25.95
Channel				630500	633334	636166
Frequency (MHz)				3457.5	3500.01	3542.49
15	DFT-s-OFDM QPSK	1	1	25.98	26.11	25.99
Channel				630334	633334	636332
Frequency (MHz)				3455.01	3500.01	3544.98
10	DFT-s-OFDM QPSK	1	1	25.55	26.11	25.89

5A_n77(3450-3550MHz)						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				/	633334	/
Frequency (MHz)				/	3500.01	/
100	DFT-s-OFDM PI/2 BPSK	1	1	/	26.27	/
100		1	136	/	25.98	/
100		1	271	/	26.02	/
100		135	1	/	25.63	/
100		135	67	/	25.97	/
100		135	136	/	25.29	/
100		270	0	/	25.93	/
100	DFT-s-OFDM QPSK	1	1	/	26.33	/
100		1	136	/	25.96	/
100		1	271	/	25.37	/
100		135	1	/	25.95	/
100		135	67	/	25.76	/
100		135	136	/	25.20	/
100		270	0	/	25.94	/
100	DFT-s-OFDM 16QAM	1	1	/	25.43	/
100	DFT-s-OFDM 64QAM	1	1	/	23.56	/
100	DFT-s-OFDM 256QAM	1	1	/	21.81	/
100	CP-OFDM QPSK	1	1	/	24.03	/
100	CP-OFDM 16QAM	1	1	/	23.65	/
100	CP-OFDM 64QAM	1	1	/	22.13	/
100	CP-OFDM 256QAM	1	1	/	18.73	/
Channel				633000	633334	633666



Frequency (MHz)				3495	3500.01	3504.99
90	DFT-s-OFDM QPSK	1	1	25.85	25.83	25.76
Channel				632668	633334	634000
Frequency (MHz)				3490.02	3500.01	3510
80	DFT-s-OFDM QPSK	1	1	25.92	25.82	25.71
Channel				632334	633334	634332
Frequency (MHz)				3485.01	3500.01	3514.98
70	DFT-s-OFDM QPSK	1	1	25.95	25.78	25.63
Channel				632000	633334	634666
Frequency (MHz)				3480	3500.01	3519.99
60	DFT-s-OFDM QPSK	1	1	26.02	25.81	25.77
Channel				631668	633334	635000
Frequency (MHz)				3475.02	3500.01	3525
50	DFT-s-OFDM QPSK	1	1	26.10	25.82	25.86
Channel				631334	633334	635332
Frequency (MHz)				3470.01	3500.01	3529.98
40	DFT-s-OFDM QPSK	1	1	26.11	26.20	25.81
Channel				631000	633334	635666
Frequency (MHz)				3465	3500.01	3534.99
30	DFT-s-OFDM QPSK	1	1	26.12	26.14	25.59
Channel				630668	633334	636000
Frequency (MHz)				3460.02	3500.01	3540
20	DFT-s-OFDM QPSK	1	1	26.12	26.15	25.56
Channel				630500	633334	636166
Frequency (MHz)				3457.5	3500.01	3542.49
15	DFT-s-OFDM QPSK	1	1	26.09	26.13	25.61
Channel				630334	633334	636332
Frequency (MHz)				3455.01	3500.01	3544.98
10	DFT-s-OFDM QPSK	1	1	26.10	26.06	26.02

13A_n77(3450-3550MHz)						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				/	633334	/
Frequency (MHz)				/	3500.01	/



100	DFT-s-OFDM PI/2 BPSK	1	/	/	26.08	/
100		1	136	/	25.82	/
100		1	271	/	25.65	/
100		135	1	/	25.74	/
100		135	67	/	25.78	/
100		135	136	/	25.66	/
100		270	0	/	25.64	/
100	DFT-s-OFDM QPSK	1	1	/	26.31	/
100		1	136	/	25.80	/
100		1	271	/	25.75	/
100		135	1	/	25.85	/
100		135	67	/	25.55	/
100		135	136	/	25.61	/
100		270	0	/	25.87	/
100	DFT-s-OFDM 16QAM	1	1	/	25.21	/
100	DFT-s-OFDM 64QAM	1	1	/	23.88	/
100	DFT-s-OFDM 256QAM	1	1	/	21.55	/
100	CP-OFDM QPSK	1	1	/	24.67	/
100	CP-OFDM 16QAM	1	1	/	23.44	/
100	CP-OFDM 64QAM	1	1	/	22.80	/
100	CP-OFDM 256QAM	1	1	/	19.55	/
Channel				633000	633334	633666
Frequency (MHz)				3495	3500.01	3504.99
90	DFT-s-OFDM QPSK	1	1	25.86	26.11	25.70
Channel				632668	633334	634000
Frequency (MHz)				3490.02	3500.01	3510
80	DFT-s-OFDM QPSK	1	1	25.89	26.09	25.67
Channel				632334	633334	634332
Frequency (MHz)				3485.01	3500.01	3514.98
70	DFT-s-OFDM QPSK	1	1	25.91	26.10	25.58
Channel				632000	633334	634666
Frequency (MHz)				3480	3500.01	3519.99
60	DFT-s-OFDM QPSK	1	1	26.03	25.80	25.71
Channel				631668	633334	635000



Frequency (MHz)				3475.02	3500.01	3525
50	DFT-s-OFDM QPSK	1	1	26.09	25.82	25.85
Channel				631334	633334	635332
Frequency (MHz)				3470.01	3500.01	3529.98
40	DFT-s-OFDM QPSK	1	1	26.11	26.00	25.79
Channel				631000	633334	635666
Frequency (MHz)				3465	3500.01	3534.99
30	DFT-s-OFDM QPSK	1	1	26.12	25.93	25.68
Channel				630668	633334	636000
Frequency (MHz)				3460.02	3500.01	3540
20	DFT-s-OFDM QPSK	1	1	26.10	25.89	25.55
Channel				630500	633334	636166
Frequency (MHz)				3457.5	3500.01	3542.49
15	DFT-s-OFDM QPSK	1	1	26.08	25.88	25.59
Channel				630334	633334	636332
Frequency (MHz)				3455.01	3500.01	3544.98
10	DFT-s-OFDM QPSK	1	1	26.03	25.69	25.48

66A_n77(3450-3550MHz)						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				/	633334	/
Frequency (MHz)				/	3500.01	/
100	DFT-s-OFDM PI/2 BPSK	1	1	/	25.96	/
100		1	136	/	25.95	/
100		1	271	/	24.80	/
100		135	1	/	25.67	/
100		135	67	/	26.02	/
100		135	136	/	24.48	/
100		270	0	/	25.63	/
100	DFT-s-OFDM QPSK	1	1	/	26.22	/
100		1	136	/	25.93	/
100		1	271	/	25.98	/
100		135	1	/	26.05	/
100		135	67	/	25.96	/



100		135	136	/	25.30	/
100		270	0	/	25.87	/
100	DFT-s-OFDM 16QAM	1	1	/	24.46	/
100	DFT-s-OFDM 64QAM	1	1	/	23.55	/
100	DFT-s-OFDM 256QAM	1	1	/	21.22	/
100	CP-OFDM QPSK	1	1	/	24.56	/
100	CP-OFDM 16QAM	1	1	/	23.12	/
100	CP-OFDM 64QAM	1	1	/	22.16	/
100	CP-OFDM 256QAM	1	1	/	19.20	/
Channel				633000	633334	633666
Frequency (MHz)				3495	3500.01	3504.99
90	DFT-s-OFDM QPSK	1	1	25.93	25.86	25.81
Channel				632668	633334	634000
Frequency (MHz)				3490.02	3500.01	3510
80	DFT-s-OFDM QPSK	1	1	25.96	25.85	25.74
Channel				632334	633334	634332
Frequency (MHz)				3485.01	3500.01	3514.98
70	DFT-s-OFDM QPSK	1	1	25.98	25.82	25.67
Channel				632000	633334	634666
Frequency (MHz)				3480	3500.01	3519.99
60	DFT-s-OFDM QPSK	1	1	26.10	25.90	25.79
Channel				631668	633334	635000
Frequency (MHz)				3475.02	3500.01	3525
50	DFT-s-OFDM QPSK	1	1	26.13	25.90	25.79
Channel				631334	633334	635332
Frequency (MHz)				3470.01	3500.01	3529.98
40	DFT-s-OFDM QPSK	1	1	26.10	26.13	25.30
Channel				631000	633334	635666
Frequency (MHz)				3465	3500.01	3534.99
30	DFT-s-OFDM QPSK	1	1	26.15	25.97	25.63
Channel				630668	633334	636000
Frequency (MHz)				3460.02	3500.01	3540
20	DFT-s-OFDM QPSK	1	1	26.12	25.92	25.60
Channel				630500	633334	636166



Frequency (MHz)				3457.5	3500.01	3542.49
15	DFT-s-OFDM QPSK	1	1	26.08	25.94	25.64
Channel				630334	633334	636332
Frequency (MHz)				3455.01	3500.01	3544.98
10	DFT-s-OFDM QPSK	1	1	25.98	26.07	25.55

2A_n77(3700-3980MHz)						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				650000	656000	662000
Frequency (MHz)				3750	3840	3930
100	DFT-s-OFDM PI/2 BPSK	1	1	25.83	25.96	26.20
100		1	136	26.02	26.10	26.04
100		1	271	25.94	25.79	26.01
100		135	1	24.63	25.60	25.80
100		135	67	26.03	25.60	26.04
100		135	136	25.47	25.66	25.82
100		270	0	25.56	25.80	25.25
100	DFT-s-OFDM QPSK	1	1	26.15	26.21	26.20
100		1	136	26.03	25.88	26.01
100		1	271	25.92	25.46	26.12
100		135	1	25.73	25.89	25.68
100		135	67	25.25	25.55	25.22
100		135	136	24.94	25.16	24.99
100		270	0	25.33	25.32	25.22
100	DFT-s-OFDM 16QAM	1	1	24.57	24.64	24.89
100	DFT-s-OFDM 64QAM	1	1	23.23	23.22	23.15
100	DFT-s-OFDM 256QAM	1	1	21.20	21.20	21.30
100	CP-OFDM QPSK	1	1	24.08	24.15	24.46
100	CP-OFDM 16QAM	1	1	23.51	23.60	23.50
100	CP-OFDM 64QAM	1	1	22.18	22.29	22.61
100	CP-OFDM 256QAM	1	1	19.20	19.05	19.35
Channel				649666	656000	662332
Frequency (MHz)				3744.99	3840	3934.98
90	DFT-s-OFDM QPSK	1	1	25.48	25.61	25.88



Channel				649334	656000	662666
Frequency (MHz)				3740.01	3840	3939.99
80	DFT-s-OFDM QPSK	1	1	25.52	25.64	25.85
Channel				649000	656000	663000
Frequency (MHz)				3735	3840	3945
70	DFT-s-OFDM QPSK	1	1	25.57	25.62	25.77
Channel				648668	656000	663332
Frequency (MHz)				3730.02	3840	3949.98
60	DFT-s-OFDM QPSK	1	1	25.64	25.66	25.74
Channel				648334	656000	663666
Frequency (MHz)				3725.01	3840	3954.99
50	DFT-s-OFDM QPSK	1	1	25.71	25.77	25.99
Channel				648000	656000	664000
Frequency (MHz)				3720	3840	3960
40	DFT-s-OFDM QPSK	1	1	25.54	25.99	26.13
Channel				647668	656000	664332
Frequency (MHz)				3715.02	3840	3964.98
30	DFT-s-OFDM QPSK	1	1	25.47	25.99	26.09
Channel				647334	656000	664666
Frequency (MHz)				3710.01	3840	3969.99
20	DFT-s-OFDM QPSK	1	1	25.84	26.07	26.03
Channel				647168	656000	664832
Frequency (MHz)				3707.52	3840	3972.48
15	DFT-s-OFDM QPSK	1	1	25.83	26.13	26.04
Channel				647000	656000	665000
Frequency (MHz)				3705	3840	3975
10	DFT-s-OFDM QPSK	1	1	25.61	25.88	26.10

5A_n77(3700-3980MHz)						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				650000	656000	662000
Frequency (MHz)				3750	3840	3930
100	DFT-s-OFDM PI/2	1	1	25.81	25.90	26.20



100	BPSK	1	136	25.99	26.20	26.00
100		1	271	25.55	25.56	25.99
100		135	1	25.76	25.57	25.78
100		135	67	26.01	25.80	26.03
100		135	136	25.64	25.51	25.76
100		270	0	25.54	25.80	25.22
100	DFT-s-OFDM QPSK	1	1	26.20	26.24	26.18
100		1	136	26.00	26.20	25.99
100		1	271	25.92	25.89	25.90
100		135	1	25.89	25.98	25.83
100		135	67	25.69	25.88	25.64
100		135	136	25.59	25.69	25.75
100	DFT-s-OFDM 16QAM	1	1	24.49	24.55	24.62
100	DFT-s-OFDM 64QAM	1	1	23.21	23.32	23.10
100	DFT-s-OFDM 256QAM	1	1	21.36	21.00	21.30
100	CP-OFDM QPSK	1	1	24.03	24.12	24.44
100	CP-OFDM 16QAM	1	1	23.61	23.74	24.08
100	CP-OFDM 64QAM	1	1	22.17	22.23	22.58
100	CP-OFDM 256QAM	1	1	19.21	19.01	19.31
Channel				649666	656000	662332
Frequency (MHz)				3744.99	3840	3934.98
90	DFT-s-OFDM QPSK	1	1	25.46	26.01	25.86
Channel				649334	656000	662666
Frequency (MHz)				3740.01	3840	3939.99
80	DFT-s-OFDM QPSK	1	1	25.50	26.08	25.83
Channel				649000	656000	663000
Frequency (MHz)				3735	3840	3945



70	DFT-s-OFDM QPSK	1	1	25.52	26.05	25.82
Channel				648668	656000	663332
Frequency (MHz)				3730.02	3840	3949.98
60	DFT-s-OFDM QPSK	1	1	25.62	26.03	25.76
Channel				648334	656000	663666
Frequency (MHz)				3725.01	3840	3954.99
50	DFT-s-OFDM QPSK	1	1	25.69	25.76	26.11
Channel				648000	656000	664000
Frequency (MHz)				3720	3840	3960
40	DFT-s-OFDM QPSK	1	1	25.96	25.95	26.10
Channel				647668	656000	664332
Frequency (MHz)				3715.02	3840	3964.98
30	DFT-s-OFDM QPSK	1	1	25.80	25.96	26.02
Channel				647334	656000	664666
Frequency (MHz)				3710.01	3840	3969.99
20	DFT-s-OFDM QPSK	1	1	25.82	26.07	26.11
Channel				647168	656000	664832
Frequency (MHz)				3707.52	3840	3972.48
15	DFT-s-OFDM QPSK	1	1	25.83	26.09	26.03
Channel				647000	656000	665000
Frequency (MHz)				3705	3840	3975
10	DFT-s-OFDM QPSK	1	1	25.99	25.88	26.10

13A_n77(3700-3980MHz)						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				650000	656000	662000
Frequency (MHz)				3750	3840	3930
100	DFT-s-OFDM PI/2 BPSK	1	1	25.44	25.57	25.82
100		1	136	25.63	25.82	25.65



100		1	271	25.61	25.98	25.65
100		135	1	25.39	25.21	25.49
100		135	67	25.63	25.87	25.73
100		135	136	25.55	25.26	25.43
100		270	0	25.16	24.64	24.90
100	DFT-s-OFDM QPSK	1	1	26.15	26.20	26.19
100		1	136	25.87	25.83	25.65
100		1	271	25.55	25.13	25.76
100		135	1	25.88	25.89	25.76
100		135	67	25.62	25.72	25.65
100		135	136	25.25	25.52	25.61
100		270	0	25.76	25.88	25.87
100	DFT-s-OFDM 16QAM	1	1	24.46	24.55	24.88
100	DFT-s-OFDM 64QAM	1	1	23.18	23.24	23.53
100	DFT-s-OFDM 256QAM	1	1	21.22	21.19	21.33
100	CP-OFDM QPSK	1	1	24.00	24.12	24.44
100	CP-OFDM 16QAM	1	1	23.64	23.81	24.02
100	CP-OFDM 64QAM	1	1	22.16	22.21	22.57
100	CP-OFDM 256QAM	1	1	19.10	19.04	19.35
Channel				649666	656000	662332
Frequency (MHz)				3744.99	3840	3934.98
90	DFT-s-OFDM QPSK	1	1	25.82	26.02	25.84
Channel				649334	656000	662666
Frequency (MHz)				3740.01	3840	3939.99
80	DFT-s-OFDM QPSK	1	1	25.79	26.05	25.79
Channel				649000	656000	663000
Frequency (MHz)				3735	3840	3945
70	DFT-s-OFDM QPSK	1	1	25.88	26.01	25.81



Channel				648668	656000	663332
Frequency (MHz)				3730.02	3840	3949.98
60	DFT-s-OFDM QPSK	1	1	25.58	26.03	25.88
Channel				648334	656000	663666
Frequency (MHz)				3725.01	3840	3954.99
50	DFT-s-OFDM QPSK	1	1	25.65	26.01	26.04
Channel				648000	656000	664000
Frequency (MHz)				3720	3840	3960
40	DFT-s-OFDM QPSK	1	1	25.92	26.03	26.08
Channel				647668	656000	664332
Frequency (MHz)				3715.02	3840	3964.98
30	DFT-s-OFDM QPSK	1	1	25.73	25.92	26.11
Channel				647334	656000	664666
Frequency (MHz)				3710.01	3840	3969.99
20	DFT-s-OFDM QPSK	1	1	25.79	26.01	26.13
Channel				647168	656000	664832
Frequency (MHz)				3707.52	3840	3972.48
15	DFT-s-OFDM QPSK	1	1	25.81	26.05	26.07
Channel				647000	656000	665000
Frequency (MHz)				3705	3840	3975
10	DFT-s-OFDM QPSK	1	1	25.54	25.85	26.11

66A_n77(3700-3980MHz)						
BW [MHz]	Modulation	RB num	RB start	Low Channel	Middle Channel	High Channel
Channel				650000	656000	662000
Frequency (MHz)				3750	3840	3930
100	DFT-s-OFDM PI/2 BPSK	1	1	25.50	25.61	25.89
100		1	136	25.69	25.88	25.71
100		1	271	25.59	25.94	25.65



100		135	1	25.45	25.25	25.50
100		135	67	25.69	25.88	25.75
100		135	136	25.61	25.66	25.28
100		270	0	25.23	25.50	25.32
100	DFT-s-OFDM QPSK	1	1	26.17	26.20	26.18
100		1	136	25.66	25.85	25.69
100		1	271	25.58	25.92	25.79
100		135	1	25.76	25.88	25.71
100		135	67	25.66	25.75	25.73
100		135	136	25.59	25.57	25.68
100		270	0	25.73	25.95	25.78
100		DFT-s-OFDM 16QAM	1	1	24.48	24.64
100	DFT-s-OFDM 64QAM	1	1	23.37	23.31	23.58
100	DFT-s-OFDM 256QAM	1	1	21.33	21.48	21.34
100	CP-OFDM QPSK	1	1	24.07	24.16	24.46
100	CP-OFDM 16QAM	1	1	23.70	23.82	24.09
100	CP-OFDM 64QAM	1	1	22.19	22.31	22.62
100	CP-OFDM 256QAM	1	1	19.12	19.05	19.35
Channel				649666	656000	662332
Frequency (MHz)				3744.99	3840	3934.98
90	DFT-s-OFDM QPSK	1	1	25.47	25.60	25.89
Channel				649334	656000	662666
Frequency (MHz)				3740.01	3840	3939.99
80	DFT-s-OFDM QPSK	1	1	25.51	25.66	25.85
Channel				649000	656000	663000
Frequency (MHz)				3735	3840	3945
70	DFT-s-OFDM QPSK	1	1	25.57	25.67	25.76
Channel				648668	656000	663332



Frequency (MHz)				3730.02	3840	3949.98
60	DFT-s-OFDM QPSK	1	1	25.63	26.03	25.74
Channel				648334	656000	663666
Frequency (MHz)				3725.01	3840	3954.99
50	DFT-s-OFDM QPSK	1	1	25.69	26.12	25.88
Channel				648000	656000	664000
Frequency (MHz)				3720	3840	3960
40	DFT-s-OFDM QPSK	1	1	25.90	26.09	26.12
Channel				647668	656000	664332
Frequency (MHz)				3715.02	3840	3964.98
30	DFT-s-OFDM QPSK	1	1	25.81	26.10	26.03
Channel				647334	656000	664666
Frequency (MHz)				3710.01	3840	3969.99
20	DFT-s-OFDM QPSK	1	1	25.85	26.07	26.15
Channel				647168	656000	664832
Frequency (MHz)				3707.52	3840	3972.48
15	DFT-s-OFDM QPSK	1	1	25.85	26.13	26.20
Channel				647000	656000	665000
Frequency (MHz)				3705	3840	3975
10	DFT-s-OFDM QPSK	1	1	25.61	25.91	26.10

Effective Radiated Power and Effective Isotropic Radiated Power

B4_n2 (PC3)									
BW [MHz]	Modulation	R B Size	RB Offset	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				372000	372000	376000	376000	380000	380000
Frequency (MHz)				1860.00	1860.00	1880.00	1880.00	1900.00	1900.00
20	DFT-s-OFDM PI/2 BPSK	1	1	24.30	0.269	24.17	0.261	24.14	0.259
20		1	53	24.28	0.268	24.18	0.262	24.10	0.257
20		1	104	24.15	0.260	24.08	0.256	24.10	0.257



20		50	1	24.23	0.265	24.24	0.265	24.17	0.261
20		50	25	24.26	0.267	24.15	0.260	24.19	0.262
20		50	50	24.26	0.267	24.10	0.257	24.13	0.259
20		100	0	24.27	0.267	24.13	0.259	24.20	0.263
20	DFT-s-OFDM QPSK	1	1	24.30	0.269	24.36	0.273	24.34	0.272
20		1	53	24.32	0.270	24.04	0.254	24.05	0.254
20		1	104	24.21	0.264	24.03	0.253	24.05	0.254
20		50	1	24.31	0.270	24.15	0.260	24.13	0.259
20		50	25	24.26	0.267	24.14	0.259	24.18	0.262
20		50	50	24.22	0.264	24.19	0.262	24.20	0.263
20		100	0	24.22	0.264	24.13	0.259	24.21	0.264
20	DFT-s-OFDM 16QAM	1	1	23.87	0.244	23.96	0.249	23.98	0.250
20	DFT-s-OFDM 64QAM	1	1	22.62	0.183	22.85	0.193	22.82	0.191
20	DFT-s-OFDM 256QAM	1	1	20.60	0.115	20.36	0.109	20.41	0.110
20	CP-OFDM QPSK	1	1	23.84	0.242	23.73	0.236	23.67	0.233
20	CP-OFDM 16QAM	1	1	23.21	0.209	23.19	0.208	23.05	0.202
20	CP-OFDM 64QAM	1	1	21.53	0.142	21.42	0.139	21.41	0.138
20	CP-OFDM 256QAM	1	1	18.68	0.074	18.55	0.072	18.50	0.071
Channel				371500	371500	376000	376000	380500	380500
Frequency (MHz)				1857.50	1857.50	1880.00	1880.00	1902.50	1902.50
15	DFT-s-OFDM QPSK	1	1	24.31	0.270	24.17	0.261	24.10	0.257
Channel				371000	371000	376000	376000	381000	381000
Frequency (MHz)				1855.00	1855.00	1880.00	1880.00	1905.00	1905.00
10	DFT-s-OFDM QPSK	1	1	24.21	0.264	24.18	0.262	23.94	0.248
Channel				370500	370500	376000	376000	381500	381500
Frequency (MHz)				1852.50	1852.50	1880.00	1880.00	1907.50	1907.50
5	DFT-s-OFDM QPSK	1	1	24.21	0.264	24.24	0.265	23.98	0.250

B5_n2 (PC3)									
BW [M Hz]	Modulation	RB Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				372000	372000	376000	376000	380000	380000



Frequency (MHz)				1860.00	1860.00	1880.00	1880.00	1900.00	1900.00
20	DFT-s-OFDM PI/2 BPSK	1	1	24.58	0.287	24.54	0.284	24.33	0.271
20		1	53	24.61	0.289	24.43	0.277	24.30	0.269
20		1	104	24.59	0.288	24.37	0.274	24.37	0.274
20		50	1	24.53	0.284	24.44	0.278	24.32	0.270
20		50	25	24.61	0.289	24.42	0.277	24.35	0.272
20		50	50	24.47	0.280	24.39	0.275	24.37	0.274
20		10 0	0	24.51	0.282	24.46	0.279	24.37	0.274
20	DFT-s-OFDM QPSK	1	1	24.54	0.284	24.64	0.291	24.59	0.288
20		1	53	24.47	0.280	24.43	0.277	24.33	0.271
20		1	104	24.46	0.279	24.30	0.269	24.33	0.271
20		50	1	24.13	0.259	24.15	0.260	24.01	0.252
20		50	25	24.00	0.251	24.08	0.256	24.00	0.251
20		50	50	24.09	0.256	24.05	0.254	23.96	0.249
20		10 0	0	23.96	0.249	24.19	0.262	24.01	0.252
20	DFT-s-OFDM 16QAM	1	1	24.60	0.288	24.53	0.284	24.38	0.274
20	DFT-s-OFDM 64QAM	1	1	22.93	0.196	22.90	0.195	23.09	0.204
20	DFT-s-OFDM 256QAM	1	1	21.22	0.132	21.19	0.132	20.84	0.121
20	CP-OFDM QPSK	1	1	23.40	0.219	23.36	0.217	23.28	0.213
20	CP-OFDM 16QAM	1	1	22.80	0.191	22.73	0.187	22.72	0.187
20	CP-OFDM 64QAM	1	1	21.57	0.144	21.48	0.141	21.34	0.136
20	CP-OFDM 256QAM	1	1	19.27	0.085	19.23	0.084	18.89	0.077
Channel				371500	371500	376000	376000	380500	380500
Frequency (MHz)				1857.50	1857.50	1880.00	1880.00	1902.50	1902.50
15	DFT-s-OFDM QPSK	1	1	24.54	0.284	24.57	0.286	24.34	0.272
Channel				371000	371000	376000	376000	381000	381000
Frequency (MHz)				1855.00	1855.00	1880.00	1880.00	1905.00	1905.00
10	DFT-s-OFDM QPSK	1	1	24.32	0.270	24.42	0.277	24.21	0.264
Channel				370500	370500	376000	376000	381500	381500
Frequency (MHz)				1852.50	1852.50	1880.00	1880.00	1907.50	1907.50
5	DFT-s-OFDM QPSK	1	1	24.40	0.275	24.45	0.279	24.21	0.264



B12_n2 (PC3)									
BW [M Hz]	Modulation	R B Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				372000	372000	376000	376000	380000	380000
Frequency (MHz)				1860.00	1860.00	1880.00	1880.00	1900.00	1900.00
20	DFT-s-OFDM PI/2 BPSK	1	1	24.39	0.275	24.24	0.265	24.12	0.258
20		1	53	24.27	0.267	24.09	0.256	24.11	0.258
20		1	104	24.25	0.266	24.12	0.258	24.11	0.258
20		50	1	24.28	0.268	24.21	0.264	24.20	0.263
20		50	25	24.27	0.267	24.20	0.263	24.16	0.261
20		50	50	24.27	0.267	24.14	0.259	24.18	0.262
20		100	0	24.30	0.269	24.15	0.260	24.17	0.261
20	DFT-s-OFDM QPSK	1	1	24.41	0.276	24.46	0.279	24.43	0.277
20		1	53	24.35	0.272	24.09	0.256	24.10	0.257
20		1	104	24.32	0.270	24.06	0.255	24.05	0.254
20		50	1	24.31	0.270	24.13	0.259	24.15	0.260
20		50	25	24.31	0.270	24.18	0.262	24.14	0.259
20		50	50	24.32	0.270	24.18	0.262	24.15	0.260
20		100	0	24.32	0.270	24.19	0.262	24.18	0.262
20	DFT-s-OFDM 16QAM	1	1	24.00	0.251	23.97	0.249	23.99	0.251
20	DFT-s-OFDM 64QAM	1	1	23.13	0.206	22.91	0.195	22.83	0.192
20	DFT-s-OFDM 256QAM	1	1	20.43	0.110	20.45	0.111	20.41	0.110
20	CP-OFDM QPSK	1	1	23.77	0.238	23.74	0.237	23.66	0.232
20	CP-OFDM 16QAM	1	1	23.36	0.217	23.20	0.209	23.08	0.203
20	CP-OFDM 64QAM	1	1	21.66	0.147	21.45	0.140	21.44	0.139
20	CP-OFDM 256QAM	1	1	18.69	0.074	18.60	0.072	18.49	0.071
Channel				371500	371500	376000	376000	380500	380500
Frequency (MHz)				1857.50	1857.50	1880.00	1880.00	1902.50	1902.50
15	DFT-s-OFDM QPSK	1	1	24.40	0.275	24.26	0.267	24.19	0.262
Channel				371000	371000	376000	376000	381000	381000
Frequency (MHz)				1855.00	1855.00	1880.00	1880.00	1905.00	1905.00
10	DFT-s-OFDM QPSK	1	1	24.30	0.269	24.13	0.259	24.04	0.254
Channel				370500	370500	376000	376000	381500	381500



Frequency (MHz)				1852.50	1852.50	1880.00	1880.00	1907.50	1907.50
5	DFT-s-OFDM QPSK	1	1	24.24	0.265	24.11	0.258	24.05	0.254

B13_n2 (PC3)									
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				372000	372000	376000	376000	380000	380000
Frequency (MHz)				1860.00	1860.00	1880.00	1880.00	1900.00	1900.00
20	DFT-s-OFDM PI/2 BPSK	1	1	24.45	0.279	24.40	0.275	24.32	0.270
20		1	53	24.47	0.280	24.39	0.275	24.33	0.271
20		1	104	24.48	0.281	24.31	0.270	24.34	0.272
20		50	1	24.47	0.280	24.39	0.275	24.32	0.270
20		50	25	24.51	0.282	24.40	0.275	24.35	0.272
20		50	50	24.45	0.279	24.39	0.275	24.36	0.273
20		100	0	24.49	0.281	24.42	0.277	24.38	0.274
20	DFT-s-OFDM QPSK	1	1	24.43	0.277	24.53	0.284	24.49	0.281
20		1	53	24.49	0.281	24.42	0.277	24.34	0.272
20		1	104	24.42	0.277	24.30	0.269	24.35	0.272
20		50	1	24.15	0.260	24.20	0.263	24.01	0.252
20		50	25	24.12	0.258	24.04	0.254	24.01	0.252
20		50	50	24.17	0.261	24.05	0.254	23.98	0.250
20		100	0	24.09	0.256	24.19	0.262	23.99	0.251
20	DFT-s-OFDM 16QAM	1	1	24.50	0.282	24.50	0.282	24.41	0.276
20	DFT-s-OFDM 64QAM	1	1	22.91	0.195	22.90	0.195	22.76	0.189
20	DFT-s-OFDM 256QAM	1	1	21.20	0.132	21.15	0.130	21.07	0.128
20	CP-OFDM QPSK	1	1	23.38	0.218	23.28	0.213	23.23	0.210
20	CP-OFDM 16QAM	1	1	22.71	0.187	22.68	0.185	22.62	0.183
20	CP-OFDM 64QAM	1	1	21.50	0.141	21.44	0.139	21.33	0.136
20	CP-OFDM 256QAM	1	1	19.23	0.084	19.15	0.082	19.05	0.080
Channel				371500	371500	376000	376000	380500	380500
Frequency (MHz)				1857.50	1857.50	1880.00	1880.00	1902.50	1902.50
15	DFT-s-OFDM QPSK	1	1	24.43	0.277	24.49	0.281	24.28	0.268
Channel				371000	371000	376000	376000	381000	381000



Frequency (MHz)				1855.00	1855.00	1880.00	1880.00	1905.00	1905.00
10	DFT-s-OFDM QPSK	1	1	24.35	0.272	24.42	0.277	24.23	0.265
Channel				370500	370500	376000	376000	381500	381500
Frequency (MHz)				1852.50	1852.50	1880.00	1880.00	1907.50	1907.50
5	DFT-s-OFDM QPSK	1	1	24.36	0.273	24.40	0.275	24.28	0.268

B66_n2 (PC3)									
BW [M Hz]	Modulation	R B Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				372000	372000	376000	376000	380000	380000
Frequency (MHz)				1860.00	1860.00	1880.00	1880.00	1900.00	1900.00
20	DFT-s-OFDM PI/2 BPSK	1	1	24.48	0.281	24.43	0.277	24.34	0.272
20		1	53	24.52	0.283	24.42	0.277	24.33	0.271
20		1	104	24.49	0.281	24.37	0.274	24.40	0.275
20		50	1	24.44	0.278	24.44	0.278	24.37	0.274
20		50	25	24.50	0.282	24.44	0.278	24.38	0.274
20		50	50	24.51	0.282	24.39	0.275	24.36	0.273
20		100	0	24.50	0.282	24.42	0.277	24.36	0.273
20	DFT-s-OFDM QPSK	1	1	24.50	0.282	24.54	0.284	24.48	0.281
20		1	53	24.52	0.283	24.40	0.275	24.37	0.274
20		1	104	24.49	0.281	24.32	0.270	24.38	0.274
20		50	1	24.21	0.264	24.27	0.267	24.10	0.257
20		50	25	24.20	0.263	24.18	0.262	24.12	0.258
20		50	50	24.22	0.264	24.12	0.258	24.09	0.256
20		100	0	24.15	0.260	24.23	0.265	24.09	0.256
20	DFT-s-OFDM 16QAM	1	1	24.38	0.274	24.47	0.280	24.37	0.274
20	DFT-s-OFDM 64QAM	1	1	22.97	0.198	22.87	0.194	22.83	0.192
20	DFT-s-OFDM 256QAM	1	1	21.23	0.133	21.17	0.131	21.11	0.129
20	CP-OFDM QPSK	1	1	23.38	0.218	23.36	0.217	23.26	0.212
20	CP-OFDM 16QAM	1	1	22.44	0.175	22.41	0.174	22.34	0.171
20	CP-OFDM 64QAM	1	1	21.20	0.132	21.27	0.134	21.35	0.136
20	CP-OFDM 256QAM	1	1	19.27	0.085	19.22	0.084	19.08	0.081
Channel				371500	371500	376000	376000	380500	380500



Frequency (MHz)				1857.50	1857.50	1880.00	1880.00	1902.50	1902.50
15	DFT-s-OFDM QPSK	1	1	24.41	0.276	24.47	0.280	24.31	0.270
Channel				371000	371000	376000	376000	381000	381000
Frequency (MHz)				1855.00	1855.00	1880.00	1880.00	1905.00	1905.00
10	DFT-s-OFDM QPSK	1	1	24.26	0.267	24.44	0.278	24.21	0.264
Channel				370500	370500	376000	376000	381500	381500
Frequency (MHz)				1852.50	1852.50	1880.00	1880.00	1907.50	1907.50
5	DFT-s-OFDM QPSK	1	1	24.28	0.268	24.41	0.276	24.40	0.275

B2_n5 (PC3)									
BW [M Hz]	Modulation	R B Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				166800	166800	167300	167300	167800	167800
Frequency (MHz)				834.00	834.00	836.50	836.50	839.00	839.00
20	DFT-s-OFDM PI/2 BPSK	1	1	21.46	0.140	21.48	0.141	21.55	0.143
20		1	53	21.54	0.143	21.61	0.145	21.58	0.144
20		1	104	21.56	0.143	21.58	0.144	21.48	0.141
20		50	1	21.64	0.146	21.65	0.146	21.61	0.145
20		50	25	21.58	0.144	21.63	0.146	21.68	0.147
20		50	50	21.68	0.147	21.66	0.147	21.61	0.145
20		100	0	21.60	0.145	21.63	0.146	21.65	0.146
20	DFT-s-OFDM QPSK	1	1	21.58	0.144	21.70	0.148	21.53	0.142
20		1	53	21.55	0.143	21.63	0.146	21.56	0.143
20		1	104	21.62	0.145	21.58	0.144	21.44	0.139
20		50	1	21.31	0.135	21.39	0.138	21.33	0.136
20		50	25	21.36	0.137	21.37	0.137	21.25	0.133
20		50	50	21.23	0.133	21.28	0.134	21.30	0.135
20		100	0	21.37	0.137	21.43	0.139	21.27	0.134
20	DFT-s-OFDM 16QAM	1	1	21.62	0.145	21.54	0.143	21.64	0.146
20	DFT-s-OFDM 64QAM	1	1	20.09	0.102	19.94	0.099	20.04	0.101
20	DFT-s-OFDM 256QAM	1	1	18.06	0.064	18.18	0.066	18.28	0.067
20	CP-OFDM QPSK	1	1	20.35	0.108	20.36	0.109	20.45	0.111
20	CP-OFDM 16QAM	1	1	19.26	0.084	19.39	0.087	19.43	0.088
20	CP-OFDM	1	1	18.42	0.070	18.49	0.071	18.57	0.072



	64QAM								
20	CP-OFDM 256QAM	1	1	16.08	0.041	16.20	0.042	16.35	0.043
Channel				166300	166300	167300	167300	168300	168300
Frequency (MHz)				831.50	831.50	836.50	836.50	841.50	841.50
15	DFT-s-OFDM QPSK	1	1	21.47	0.140	21.67	0.147	21.56	0.143
Channel				165800	165800	167300	167300	168800	168800
Frequency (MHz)				829.00	829.00	836.50	836.50	844.00	844.00
10	DFT-s-OFDM QPSK	1	1	21.38	0.137	21.52	0.142	21.43	0.139
Channel				165300	165300	167300	167300	169300	169300
Frequency (MHz)				826.50	826.50	836.50	836.50	846.50	846.50
5	DFT-s-OFDM QPSK	1	1	21.40	0.138	21.58	0.144	21.42	0.139

B4_n5 (PC3)									
BW [M Hz]	Modulation	R B Si ze	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				166800	166800	167300	167300	167800	167800
Frequency (MHz)				834.00	834.00	836.50	836.50	839.00	839.00
20	DFT-s-OFDM PI/2 BPSK	1	1	21.04	0.127	21.11	0.129	21.08	0.128
20		1	53	21.08	0.128	21.03	0.127	21.07	0.128
20		1	104	21.02	0.126	20.98	0.125	21.00	0.126
20		50	1	21.12	0.129	21.20	0.132	21.20	0.132
20		50	25	21.10	0.129	21.17	0.131	21.14	0.130
20		50	50	21.13	0.130	21.25	0.133	21.16	0.131
20		100	0	21.12	0.129	21.15	0.130	21.17	0.131
20	DFT-s-OFDM QPSK	1	1	21.29	0.135	21.31	0.135	21.28	0.134
20		1	53	20.98	0.125	20.96	0.125	20.96	0.125
20		1	104	20.93	0.124	20.93	0.124	20.91	0.123
20		50	1	21.10	0.129	21.12	0.129	21.20	0.132
20		50	25	21.11	0.129	21.18	0.131	21.13	0.130
20		50	50	21.04	0.127	21.11	0.129	21.16	0.131
20		100	0	21.13	0.130	21.20	0.132	21.14	0.130
20	DFT-s-OFDM 16QAM	1	1	21.26	0.134	20.93	0.124	20.85	0.122
20	DFT-s-OFDM 64QAM	1	1	19.68	0.093	19.93	0.098	19.94	0.099
20	DFT-s-OFDM 256QAM	1	1	17.33	0.054	17.36	0.054	17.33	0.054
20	CP-OFDM	1	1	20.52	0.113	20.59	0.115	20.60	0.115



	QPSK								
20	CP-OFDM 16QAM	1	1	19.92	0.098	19.90	0.098	20.07	0.102
20	CP-OFDM 64QAM	1	1	18.61	0.073	18.79	0.076	18.66	0.073
20	CP-OFDM 256QAM	1	1	15.39	0.035	15.25	0.033	15.17	0.033
Channel				166300	166300	167300	167300	168300	168300
Frequency (MHz)				831.50	831.50	836.50	836.50	841.50	841.50
15	DFT-s-OFDM QPSK	1	1	21.25	0.133	21.20	0.132	21.19	0.132
Channel				165800	165800	167300	167300	168800	168800
Frequency (MHz)				829.00	829.00	836.50	836.50	844.00	844.00
10	DFT-s-OFDM QPSK	1	1	21.03	0.127	21.04	0.127	20.97	0.125
Channel				165300	165300	167300	167300	169300	169300
Frequency (MHz)				826.50	826.50	836.50	836.50	846.50	846.50
5	DFT-s-OFDM QPSK	1	1	21.16	0.131	21.11	0.129	21.06	0.128

B48_n5 (PC3)									
BW [M Hz]	Modulation	R B Si ze	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				166800	166800	167300	167300	167800	167800
Frequency (MHz)				834.00	834.00	836.50	836.50	839.00	839.00
20	DFT-s-OFDM PI/2 BPSK	1	1	20.91	0.123	20.90	0.123	20.89	0.123
20		1	53	20.91	0.123	20.88	0.122	20.85	0.122
20		1	104	20.87	0.122	20.85	0.122	20.83	0.121
20		50	1	20.98	0.125	20.97	0.125	21.05	0.127
20		50	25	20.93	0.124	20.98	0.125	20.99	0.126
20		50	50	20.97	0.125	20.95	0.124	20.94	0.124
20		100	0	20.91	0.123	21.00	0.126	20.98	0.125
20	DFT-s-OFDM QPSK	1	1	20.96	0.125	21.08	0.128	21.04	0.127
20		1	53	20.96	0.125	20.84	0.121	20.84	0.121
20		1	104	20.91	0.123	20.79	0.120	20.77	0.119
20		50	1	20.88	0.122	20.94	0.124	20.89	0.123
20		50	25	20.82	0.121	20.86	0.122	20.86	0.122
20		50	50	20.87	0.122	20.81	0.121	20.88	0.122
20		100	0	20.82	0.121	20.90	0.123	20.87	0.122
20	DFT-s-OFDM 16QAM	1	1	21.03	0.127	20.99	0.126	20.98	0.125
20	DFT-s-OFDM	1	1	19.49	0.089	19.36	0.086	19.32	0.086



64QAM									
20	DFT-s-OFDM 256QAM	1	1	17.49	0.056	17.69	0.059	17.67	0.058
20	CP-OFDM QPSK	1	1	20.02	0.100	20.15	0.104	19.91	0.098
20	CP-OFDM 16QAM	1	1	19.02	0.080	18.91	0.078	18.92	0.078
20	CP-OFDM 64QAM	1	1	18.06	0.064	17.91	0.062	17.93	0.062
20	CP-OFDM 256QAM	1	1	15.91	0.039	15.73	0.037	15.82	0.038
Channel				166300	166300	167300	167300	168300	168300
Frequency (MHz)				831.50	831.50	836.50	836.50	841.50	841.50
15	DFT-s-OFDM QPSK	1	1	21.00	0.126	20.94	0.124	20.98	0.125
Channel				165800	165800	167300	167300	168800	168800
Frequency (MHz)				829.00	829.00	836.50	836.50	844.00	844.00
10	DFT-s-OFDM QPSK	1	1	20.81	0.121	20.81	0.121	20.79	0.120
Channel				165300	165300	167300	167300	169300	169300
Frequency (MHz)				826.50	826.50	836.50	836.50	846.50	846.50
5	DFT-s-OFDM QPSK	1	1	20.90	0.123	20.91	0.123	20.87	0.122

B66_n5 (PC3)									
BW [M Hz]	Modulation	R B Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				166800	166800	167300	167300	167800	167800
Frequency (MHz)				834.00	834.00	836.50	836.50	839.00	839.00
20	DFT-s-OFDM PI/2 BPSK	1	1	21.22	0.132	21.23	0.133	21.31	0.135
20		1	53	21.33	0.136	21.38	0.137	21.34	0.136
20		1	104	21.25	0.133	21.36	0.137	21.30	0.135
20		50	1	21.36	0.137	21.41	0.138	21.34	0.136
20		50	25	21.38	0.137	21.47	0.140	21.42	0.139
20		50	50	21.41	0.138	21.40	0.138	21.36	0.137
20		100	0	21.33	0.136	21.44	0.139	21.40	0.138
20	DFT-s-OFDM QPSK	1	1	21.53	0.142	21.56	0.143	21.54	0.143
20		1	53	21.32	0.136	21.36	0.137	21.29	0.135
20		1	104	21.21	0.132	21.27	0.134	21.27	0.134
20		50	1	21.16	0.131	21.20	0.132	21.11	0.129
20		50	25	21.13	0.130	21.14	0.130	21.13	0.130
20		50	50	21.12	0.129	21.18	0.131	21.12	0.129
20		100	0	21.08	0.128	21.21	0.132	21.19	0.132



		0							
20	DFT-s-OFDM 16QAM	1	1	21.42	0.139	21.39	0.138	21.53	0.142
20	DFT-s-OFDM 64QAM	1	1	19.75	0.094	19.83	0.096	19.90	0.098
20	DFT-s-OFDM 256QAM	1	1	17.32	0.054	17.16	0.052	17.22	0.053
20	CP-OFDM QPSK	1	1	20.24	0.106	20.21	0.105	20.33	0.108
20	CP-OFDM 16QAM	1	1	19.26	0.084	19.13	0.082	19.07	0.081
20	CP-OFDM 64QAM	1	1	18.23	0.067	18.32	0.068	17.93	0.062
20	CP-OFDM 256QAM	1	1	16.11	0.041	16.08	0.041	16.19	0.042
Channel				166300	166300	167300	167300	168300	168300
Frequency (MHz)				831.50	831.50	836.50	836.50	841.50	841.50
15	DFT-s-OFDM QPSK	1	1	21.32	0.136	21.43	0.139	21.52	0.142
Channel				165800	165800	167300	167300	168800	168800
Frequency (MHz)				829.00	829.00	836.50	836.50	844.00	844.00
10	DFT-s-OFDM QPSK	1	1	21.28	0.134	21.22	0.132	21.37	0.137
Channel				165300	165300	167300	167300	169300	169300
Frequency (MHz)				826.50	826.50	836.50	836.50	846.50	846.50
5	DFT-s-OFDM QPSK	1	1	21.30	0.135	21.39	0.138	21.28	0.134

B2_n66 (PC3)									
BW [MHz]	Modulation	RB Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				346000	346000	349000	349000	352000	352000
Frequency (MHz)				1730.00	1730.00	1745.00	1745.00	1760.00	1760.00
40	DFT-s-OFDM PI/2 BPSK	1	1	24.59	0.288	24.63	0.290	24.66	0.292
40		1	80	24.59	0.288	24.66	0.292	24.51	0.282
40		1	158	24.65	0.292	24.54	0.284	24.50	0.282
40		80	1	24.52	0.283	24.53	0.284	24.54	0.284
40		80	40	24.65	0.292	24.58	0.287	24.57	0.286
40		80	80	24.68	0.294	24.56	0.286	24.68	0.294
40		160	0	24.67	0.293	24.60	0.288	24.67	0.293
40	DFT-s-OFDM QPSK	1	1	24.66	0.292	24.73	0.297	24.66	0.292
40		1	80	24.60	0.288	24.65	0.292	24.49	0.281
40		1	158	24.51	0.282	24.39	0.275	24.52	0.283



40		80	1	24.45	0.279	24.46	0.279	24.43	0.277
40		80	40	24.43	0.277	24.39	0.275	24.29	0.269
40		80	80	24.28	0.268	24.33	0.271	24.30	0.269
40		160	0	24.44	0.278	24.45	0.279	24.43	0.277
40	DFT-s-OFDM 16QAM	1	1	24.64	0.291	24.71	0.296	24.69	0.294
40	DFT-s-OFDM 64QAM	1	1	23.05	0.202	23.05	0.202	23.17	0.207
40	DFT-s-OFDM 256QAM	1	1	21.32	0.136	21.40	0.138	21.12	0.129
40	CP-OFDM QPSK	1	1	23.34	0.216	23.41	0.219	23.37	0.217
40	CP-OFDM 16QAM	1	1	22.53	0.179	22.46	0.176	22.59	0.182
40	CP-OFDM 64QAM	1	1	21.52	0.142	21.59	0.144	21.46	0.140
40	CP-OFDM 256QAM	1	1	19.33	0.086	19.39	0.087	19.33	0.086
Channel				345000	345000	349000	349000	353000	353000
Frequency (MHz)				1725.00	1725.00	1745.00	1745.00	1765.00	1765.00
30	DFT-s-OFDM QPSK	1	1	24.51	0.282	24.58	0.287	24.55	0.285
Channel				344000	344000	349000	349000	354000	354000
Frequency (MHz)				1720.00	1720.00	1745.00	1745.00	1770.00	1770.00
20	DFT-s-OFDM QPSK	1	1	24.68	0.294	24.65	0.292	24.53	0.284
Channel				343500	343500	349000	349000	354500	354500
Frequency (MHz)				1717.50	1717.50	1745.00	1745.00	1772.50	1772.50
15	DFT-s-OFDM QPSK	1	1	24.66	0.292	24.63	0.290	24.49	0.281
Channel				343000	343000	349000	349000	355000	355000
Frequency (MHz)				1715.00	1715.00	1745.00	1745.00	1775.00	1775.00
10	DFT-s-OFDM QPSK	1	1	24.09	0.256	24.49	0.281	24.37	0.274
Channel				342500	342500	349000	349000	355500	355500
Frequency (MHz)				1712.50	1712.50	1745.00	1745.00	1777.50	1777.50
5	DFT-s-OFDM QPSK	1	1	24.60	0.288	24.59	0.288	24.41	0.276



B5_n66 (PC3)									
BW [M Hz]	Modulation	R B Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				346000	346000	349000	349000	352000	352000
Frequency (MHz)				1730.00	1730.00	1745.00	1745.00	1760.00	1760.00
40	DFT-s-OFDM PI/2 BPSK	1	1	24.55	0.285	24.67	0.293	24.68	0.294
40		1	80	24.55	0.285	24.64	0.291	24.51	0.282
40		1	158	24.65	0.292	24.50	0.282	24.51	0.282
40		80	1	24.70	0.295	24.63	0.290	24.65	0.292
40		80	40	24.67	0.293	24.62	0.290	24.55	0.285
40		80	80	24.67	0.293	24.70	0.295	24.67	0.293
40		160	0	24.60	0.288	24.62	0.290	24.59	0.288
40	DFT-s-OFDM QPSK	1	1	24.65	0.292	24.72	0.296	24.63	0.290
40		1	80	24.60	0.288	24.61	0.289	24.49	0.281
40		1	158	24.61	0.289	24.53	0.284	24.52	0.283
40		80	1	24.37	0.274	24.39	0.275	24.34	0.272
40		80	40	24.35	0.272	24.35	0.272	24.26	0.267
40		80	80	24.34	0.272	24.31	0.270	24.30	0.269
40		160	0	24.35	0.272	24.37	0.274	24.33	0.271
40	DFT-s-OFDM 16QAM	1	1	24.57	0.286	24.69	0.294	24.59	0.288
40	DFT-s-OFDM 64QAM	1	1	23.01	0.200	23.08	0.203	23.07	0.203
40	DFT-s-OFDM 256QAM	1	1	21.33	0.136	21.34	0.136	21.29	0.135
40	CP-OFDM QPSK	1	1	23.11	0.205	23.18	0.208	23.08	0.203
40	CP-OFDM 16QAM	1	1	22.49	0.177	22.55	0.180	22.47	0.177
40	CP-OFDM 64QAM	1	1	21.24	0.133	21.33	0.136	21.23	0.133
40	CP-OFDM 256QAM	1	1	19.33	0.086	19.39	0.087	19.31	0.085
Channel				345000	345000	349000	349000	353000	353000
Frequency (MHz)				1725.00	1725.00	1745.00	1745.00	1765.00	1765.00
30	DFT-s-OFDM QPSK	1	1	24.60	0.288	24.52	0.283	24.58	0.287
Channel				344000	344000	349000	349000	354000	354000
Frequency (MHz)				1720.00	1720.00	1745.00	1745.00	1770.00	1770.00
20	DFT-s-OFDM QPSK	1	1	24.64	0.291	24.12	0.258	23.97	0.249
Channel				343500	343500	349000	349000	354500	354500



Frequency (MHz)				1717.50	1717.50	1745.00	1745.00	1772.50	1772.50
15	DFT-s-OFDM QPSK	1	1	24.61	0.289	24.32	0.270	24.16	0.261
Channel				343000	343000	349000	349000	355000	355000
Frequency (MHz)				1715.00	1715.00	1745.00	1745.00	1775.00	1775.00
10	DFT-s-OFDM QPSK	1	1	24.59	0.288	24.45	0.279	24.47	0.280
Channel				342500	342500	349000	349000	355500	355500
Frequency (MHz)				1712.50	1712.50	1745.00	1745.00	1777.50	1777.50
5	DFT-s-OFDM QPSK	1	1	24.61	0.289	24.57	0.286	24.48	0.281

B12_n66 (PC3)									
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				346000	346000	349000	349000	352000	352000
Frequency (MHz)				1730.00	1730.00	1745.00	1745.00	1760.00	1760.00
40	DFT-s-OFDM PI/2 BPSK	1	1	24.58	0.287	24.62	0.290	24.68	0.294
40		1	80	24.58	0.287	24.66	0.292	24.51	0.282
40		1	158	24.54	0.284	24.52	0.283	24.50	0.282
40		80	1	24.70	0.295	24.64	0.291	24.66	0.292
40		80	40	24.67	0.293	24.73	0.297	24.62	0.290
40		80	80	24.72	0.296	24.68	0.294	24.55	0.285
40		160	0	24.68	0.294	24.67	0.293	24.54	0.284
40	DFT-s-OFDM QPSK	1	1	24.72	0.296	24.74	0.298	24.65	0.292
40		1	80	24.61	0.289	24.63	0.290	24.53	0.284
40		1	158	24.54	0.284	24.49	0.281	24.48	0.281
40		80	1	24.41	0.276	24.43	0.277	24.24	0.265
40		80	40	24.37	0.274	24.39	0.275	24.14	0.259
40		80	80	24.38	0.274	24.33	0.271	24.28	0.268
40		160	0	24.42	0.277	24.43	0.277	24.23	0.265
40	DFT-s-OFDM 16QAM	1	1	24.60	0.288	24.65	0.292	24.56	0.286
40	DFT-s-OFDM 64QAM	1	1	23.02	0.200	23.10	0.204	23.02	0.200
40	DFT-s-OFDM 256QAM	1	1	21.31	0.135	21.36	0.137	21.26	0.134
40	CP-OFDM QPSK	1	1	23.26	0.212	23.30	0.214	23.22	0.210
40	CP-OFDM 16QAM	1	1	22.61	0.182	22.66	0.185	22.55	0.180
40	CP-OFDM	1	1	21.37	0.137	21.44	0.139	21.32	0.136



	64QAM								
40	CP-OFDM 256QAM	1	1	19.32	0.086	19.41	0.087	19.29	0.085
Channel				345000	345000	349000	349000	353000	353000
Frequency (MHz)				1725.00	1725.00	1745.00	1745.00	1765.00	1765.00
30	DFT-s-OFDM QPSK	1	1	24.59	0.288	24.63	0.290	24.55	0.285
Channel				344000	344000	349000	349000	354000	354000
Frequency (MHz)				1720.00	1720.00	1745.00	1745.00	1770.00	1770.00
20	DFT-s-OFDM QPSK	1	1	24.13	0.259	24.66	0.292	24.49	0.281
Channel				343500	343500	349000	349000	354500	354500
Frequency (MHz)				1717.50	1717.50	1745.00	1745.00	1772.50	1772.50
15	DFT-s-OFDM QPSK	1	1	24.32	0.270	24.62	0.290	24.50	0.282
Channel				343000	343000	349000	349000	355000	355000
Frequency (MHz)				1715.00	1715.00	1745.00	1745.00	1775.00	1775.00
10	DFT-s-OFDM QPSK	1	1	24.58	0.287	24.48	0.281	24.47	0.280
Channel				342500	342500	349000	349000	355500	355500
Frequency (MHz)				1712.50	1712.50	1745.00	1745.00	1777.50	1777.50
5	DFT-s-OFDM QPSK	1	1	24.59	0.288	24.48	0.281	24.41	0.276

B2_n77(3450-3550MHz) (PC2)									
BW [M Hz]	Modulation	R B Si ze	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				/	/	633334	633334	/	/
Frequency (MHz)				/	/	3500.01	3500.01	/	/
100	DFT-s-OFDM PI/2 BPSK	1	1	/	/	28.39	0.690	/	/
100		1	136	/	/	28.42	0.695	/	/
100		1	271	/	/	28.52	0.711	/	/
100		135	1	/	/	28.19	0.659	/	/
100		135	67	/	/	28.51	0.710	/	/
100		135	136	/	/	27.84	0.608	/	/
100		270	0	/	/	28.09	0.644	/	/
100	DFT-s-OFDM QPSK	1	1	/	/	28.79	0.757	/	/



100		1	136	/	/	28.40	0.692	/	/
100		1	271	/	/	28.49	0.706	/	/
100		135	1	/	/	28.58	0.721	/	/
100		135	67	/	/	28.19	0.659	/	/
100		135	136	/	/	28.35	0.684	/	/
100		270	0	/	/	28.40	0.692	/	/
100	DFT-s-OFDM 16QAM	1	1	/	/	28.18	0.658	/	/
100	DFT-s-OFDM 64QAM	1	1	/	/	26.60	0.457	/	/
100	DFT-s-OFDM 256QAM	1	1	/	/	24.26	0.267	/	/
100	CP-OFDM QPSK	1	1	/	/	26.04	0.402	/	/
100	CP-OFDM 16QAM	1	1	/	/	25.11	0.324	/	/
100	CP-OFDM 64QAM	1	1	/	/	24.47	0.280	/	/
100	CP-OFDM 256QAM	1	1	/	/	22.04	0.160	/	/
Channel				633000	633000	633334	633334	633666	633666
Frequency (MHz)				3495.00	3495.00	3500.01	3500.01	3504.99	3504.99
90	DFT-s-OFDM QPSK	1	1	28.59	0.723	28.69	0.740	28.64	0.731
Channel				632668	632668	633334	633334	634000	634000
Frequency (MHz)				3490.02	3490.02	3500.01	3500.01	3510.00	3510.00
80	DFT-s-OFDM QPSK	1	1	28.61	0.726	28.69	0.740	28.56	0.718
Channel				632334	632334	633334	633334	634332	634332
Frequency (MHz)				3485.01	3485.01	3500.01	3500.01	3514.98	3514.98
70	DFT-s-OFDM QPSK	1	1	28.63	0.729	28.66	0.735	28.51	0.710
Channel				632000	632000	633334	633334	634666	634666
Frequency (MHz)				3480.00	3480.00	3500.01	3500.01	3519.99	3519.99
60	DFT-s-OFDM QPSK	1	1	28.50	0.708	28.70	0.741	28.61	0.726
Channel				631668	631668	633334	633334	635000	635000
Frequency (MHz)				3475.02	3475.02	3500.01	3500.01	3525.00	3525.00
50	DFT-s-OFDM QPSK	1	1	28.54	0.714	28.71	0.743	28.62	0.728
Channel				631334	631334	633334	633334	635332	635332
Frequency (MHz)				3470.01	3470.01	3500.01	3500.01	3529.98	3529.98



40	DFT-s-OFDM QPSK	1	1	28.29	0.675	28.58	0.721	28.66	0.735
Channel				631000	631000	633334	633334	635666	635666
Frequency (MHz)				3465.00	3465.00	3500.01	3500.01	3534.99	3534.99
30	DFT-s-OFDM QPSK	1	1	28.39	0.690	28.65	0.733	28.47	0.703
Channel				630668	630668	633334	633334	636000	636000
Frequency (MHz)				3460.02	3460.02	3500.01	3500.01	3540.00	3540.00
20	DFT-s-OFDM QPSK	1	1	28.47	0.703	28.73	0.746	28.45	0.700
Channel				630500	630500	633334	633334	636166	636166
Frequency (MHz)				3457.50	3457.50	3500.01	3500.01	3542.49	3542.49
15	DFT-s-OFDM QPSK	1	1	28.48	0.705	28.61	0.726	28.49	0.706
Channel				630334	630334	633334	633334	636332	636332
Frequency (MHz)				3455.01	3455.01	3500.01	3500.01	3544.98	3544.98
10	DFT-s-OFDM QPSK	1	1	28.05	0.638	28.61	0.726	28.39	0.690

B5_n77(3450-3550MHz) (PC2)									
BW [MHz]	Modulation	RB Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				/	/	633334	633334	/	/
Frequency (MHz)				/	/	3500.01	3500.01	/	/
100	DFT-s-OFDM PI/2 BPSK	1	1	/	/	28.77	0.753	/	/
100		1	136	/	/	28.48	0.705	/	/
100		1	271	/	/	28.52	0.711	/	/
100		135	1	/	/	28.13	0.650	/	/
100		135	67	/	/	28.47	0.703	/	/
100		135	136	/	/	27.79	0.601	/	/
100		270	0	/	/	28.43	0.697	/	/
100	DFT-s-OFDM QPSK	1	1	/	/	28.83	0.764	/	/
100		1	136	/	/	28.46	0.701	/	/
100		1	271	/	/	27.87	0.612	/	/
100		13	1	/	/	28.45	0.700	/	/



0		5							
10		13	67	/	/	28.26	0.670	/	/
0		5							
10		13	136	/	/	27.70	0.589	/	/
0		5							
10		27	0	/	/	28.44	0.698	/	/
0		0							
10	DFT-s-OFDM	1	1	/	/	27.93	0.621	/	/
0	16QAM								
10	DFT-s-OFDM	1	1	/	/	26.06	0.404	/	/
0	64QAM								
10	DFT-s-OFDM	1	1	/	/	24.31	0.270	/	/
0	256QAM								
10	CP-OFDM	1	1	/	/	26.53	0.450	/	/
0	QPSK								
10	CP-OFDM	1	1	/	/	26.15	0.412	/	/
0	16QAM								
10	CP-OFDM	1	1	/	/	24.63	0.290	/	/
0	64QAM								
10	CP-OFDM	1	1	/	/	21.23	0.133	/	/
0	256QAM								
Channel				633000	633000	633334	633334	633666	633666
Frequency (MHz)				3495.00	3495.00	3500.01	3500.01	3504.99	3504.99
90	DFT-s-OFDM	1	1	28.35	0.684	28.33	0.681	28.26	0.670
	QPSK								
Channel				632668	632668	633334	633334	634000	634000
Frequency (MHz)				3490.02	3490.02	3500.01	3500.01	3510.00	3510.00
80	DFT-s-OFDM	1	1	28.42	0.695	28.32	0.679	28.21	0.662
	QPSK								
Channel				632334	632334	633334	633334	634332	634332
Frequency (MHz)				3485.01	3485.01	3500.01	3500.01	3514.98	3514.98
70	DFT-s-OFDM	1	1	28.45	0.700	28.28	0.673	28.13	0.650
	QPSK								
Channel				632000	632000	633334	633334	634666	634666
Frequency (MHz)				3480.00	3480.00	3500.01	3500.01	3519.99	3519.99
60	DFT-s-OFDM	1	1	28.52	0.711	28.31	0.678	28.27	0.671
	QPSK								
Channel				631668	631668	633334	633334	635000	635000
Frequency (MHz)				3475.02	3475.02	3500.01	3500.01	3525.00	3525.00
50	DFT-s-OFDM	1	1	28.60	0.724	28.32	0.679	28.36	0.685
	QPSK								
Channel				631334	631334	633334	633334	635332	635332
Frequency (MHz)				3470.01	3470.01	3500.01	3500.01	3529.98	3529.98
40	DFT-s-OFDM	1	1	28.61	0.726	28.70	0.741	28.31	0.678
	QPSK								
Channel				631000	631000	633334	633334	635666	635666
Frequency (MHz)				3465.00	3465.00	3500.01	3500.01	3534.99	3534.99



30	DFT-s-OFDM QPSK	1	1	28.62	0.728	28.64	0.731	28.09	0.644
Channel				630668	630668	633334	633334	636000	636000
Frequency (MHz)				3460.02	3460.02	3500.01	3500.01	3540.00	3540.00
20	DFT-s-OFDM QPSK	1	1	28.62	0.728	28.65	0.733	28.06	0.640
Channel				630500	630500	633334	633334	636166	636166
Frequency (MHz)				3457.50	3457.50	3500.01	3500.01	3542.49	3542.49
15	DFT-s-OFDM QPSK	1	1	28.59	0.723	28.63	0.729	28.11	0.647
Channel				630334	630334	633334	633334	636332	636332
Frequency (MHz)				3455.01	3455.01	3500.01	3500.01	3544.98	3544.98
10	DFT-s-OFDM QPSK	1	1	28.60	0.724	28.56	0.718	28.52	0.711

B13_n77(3450-3550MHz) (PC2)									
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				/	/	633334	633334	/	/
Frequency (MHz)				/	/	3500.01	3500.01	/	/
100	DFT-s-OFDM PI/2 BPSK	1	1	/	/	28.58	0.721	/	/
100		1	136	/	/	28.32	0.679	/	/
100		1	271	/	/	28.15	0.653	/	/
100		135	1	/	/	28.24	0.667	/	/
100		135	67	/	/	28.28	0.673	/	/
100		135	136	/	/	28.16	0.655	/	/
100		270	0	/	/	28.14	0.652	/	/
100	DFT-s-OFDM QPSK	1	1	/	/	28.81	0.760	/	/
100		1	136	/	/	28.30	0.676	/	/
100		1	271	/	/	28.25	0.668	/	/
100		135	1	/	/	28.35	0.684	/	/
100		135	67	/	/	28.05	0.638	/	/
100		13	136	/	/	28.11	0.647	/	/



0		5							
10		27	0	/	/	28.37	0.687	/	/
0		0							
10	DFT-s-OFDM	1	1	/	/	27.71	0.590	/	/
0	16QAM								
10	DFT-s-OFDM	1	1	/	/	26.38	0.435	/	/
0	64QAM								
10	DFT-s-OFDM	1	1	/	/	24.05	0.254	/	/
0	256QAM								
10	CP-OFDM	1	1	/	/	27.17	0.521	/	/
0	QPSK								
10	CP-OFDM	1	1	/	/	25.94	0.393	/	/
0	16QAM								
10	CP-OFDM	1	1	/	/	25.30	0.339	/	/
0	64QAM								
10	CP-OFDM	1	1	/	/	22.05	0.160	/	/
0	256QAM								
Channel				633000	633000	633334	633334	633666	633666
Frequency (MHz)				3495.00	3495.00	3500.01	3500.01	3504.99	3504.99
90	DFT-s-OFDM	1	1	28.36	0.685	28.61	0.726	28.20	0.661
	QPSK								
Channel				632668	632668	633334	633334	634000	634000
Frequency (MHz)				3490.02	3490.02	3500.01	3500.01	3510.00	3510.00
80	DFT-s-OFDM	1	1	28.39	0.690	28.59	0.723	28.17	0.656
	QPSK								
Channel				632334	632334	633334	633334	634332	634332
Frequency (MHz)				3485.01	3485.01	3500.01	3500.01	3514.98	3514.98
70	DFT-s-OFDM	1	1	28.41	0.693	28.60	0.724	28.08	0.643
	QPSK								
Channel				632000	632000	633334	633334	634666	634666
Frequency (MHz)				3480.00	3480.00	3500.01	3500.01	3519.99	3519.99
60	DFT-s-OFDM	1	1	28.53	0.713	28.30	0.676	28.21	0.662
	QPSK								
Channel				631668	631668	633334	633334	635000	635000
Frequency (MHz)				3475.02	3475.02	3500.01	3500.01	3525.00	3525.00
50	DFT-s-OFDM	1	1	28.59	0.723	28.32	0.679	28.35	0.684
	QPSK								
Channel				631334	631334	633334	633334	635332	635332
Frequency (MHz)				3470.01	3470.01	3500.01	3500.01	3529.98	3529.98
40	DFT-s-OFDM	1	1	28.61	0.726	28.50	0.708	28.29	0.675
	QPSK								
Channel				631000	631000	633334	633334	635666	635666
Frequency (MHz)				3465.00	3465.00	3500.01	3500.01	3534.99	3534.99
30	DFT-s-OFDM	1	1	28.62	0.728	28.43	0.697	28.18	0.658
	QPSK								
Channel				630668	630668	633334	633334	636000	636000
Frequency (MHz)				3460.02	3460.02	3500.01	3500.01	3540.00	3540.00



20	DFT-s-OFDM QPSK	1	1	28.60	0.724	28.39	0.690	28.05	0.638
Channel				630500	630500	633334	633334	636166	636166
Frequency (MHz)				3457.50	3457.50	3500.01	3500.01	3542.49	3542.49
15	DFT-s-OFDM QPSK	1	1	28.58	0.721	28.38	0.689	28.09	0.644
Channel				630334	630334	633334	633334	636332	636332
Frequency (MHz)				3455.01	3455.01	3500.01	3500.01	3544.98	3544.98
10	DFT-s-OFDM QPSK	1	1	28.53	0.713	28.19	0.659	27.98	0.628

B66_n77(3450-3550MHz) (PC2)									
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				/	/	633334	633334	/	/
Frequency (MHz)				/	/	3500.01	3500.01	/	/
100	DFT-s-OFDM PI/2 BPSK	1	1	/	/	28.46	0.701	/	/
100		1	136	/	/	28.45	0.700	/	/
100		1	271	/	/	27.30	0.537	/	/
100		135	1	/	/	28.17	0.656	/	/
100		135	67	/	/	28.52	0.711	/	/
100		135	136	/	/	26.98	0.499	/	/
100		270	0	/	/	28.13	0.650	/	/
100	DFT-s-OFDM QPSK	1	1	/	/	28.72	0.745	/	/
100		1	136	/	/	28.43	0.697	/	/
100		1	271	/	/	28.48	0.705	/	/
100		135	1	/	/	28.55	0.716	/	/
100		135	67	/	/	28.46	0.701	/	/
100		135	136	/	/	27.80	0.603	/	/
100		270	0	/	/	28.37	0.687	/	/



100	DFT-s-OFDM 16QAM	1	1	/	/	26.96	0.497	/	/
100	DFT-s-OFDM 64QAM	1	1	/	/	26.05	0.403	/	/
100	DFT-s-OFDM 256QAM	1	1	/	/	23.72	0.236	/	/
100	CP-OFDM QPSK	1	1	/	/	27.06	0.508	/	/
100	CP-OFDM 16QAM	1	1	/	/	25.62	0.365	/	/
100	CP-OFDM 64QAM	1	1	/	/	24.66	0.292	/	/
100	CP-OFDM 256QAM	1	1	/	/	21.70	0.148	/	/
Channel				633000	633000	633334	633334	633666	633666
Frequency (MHz)				3495.00	3495.00	3500.01	3500.01	3504.99	3504.99
90	DFT-s-OFDM QPSK	1	1	28.43	0.697	28.36	0.685	28.31	0.678
Channel				632668	632668	633334	633334	634000	634000
Frequency (MHz)				3490.02	3490.02	3500.01	3500.01	3510.00	3510.00
80	DFT-s-OFDM QPSK	1	1	28.46	0.701	28.35	0.684	28.24	0.667
Channel				632334	632334	633334	633334	634332	634332
Frequency (MHz)				3485.01	3485.01	3500.01	3500.01	3514.98	3514.98
70	DFT-s-OFDM QPSK	1	1	28.48	0.705	28.32	0.679	28.17	0.656
Channel				632000	632000	633334	633334	634666	634666
Frequency (MHz)				3480.00	3480.00	3500.01	3500.01	3519.99	3519.99
60	DFT-s-OFDM QPSK	1	1	28.60	0.724	28.40	0.692	28.29	0.675
Channel				631668	631668	633334	633334	635000	635000
Frequency (MHz)				3475.02	3475.02	3500.01	3500.01	3525.00	3525.00
50	DFT-s-OFDM QPSK	1	1	28.63	0.729	28.40	0.692	28.29	0.675
Channel				631334	631334	633334	633334	635332	635332
Frequency (MHz)				3470.01	3470.01	3500.01	3500.01	3529.98	3529.98
40	DFT-s-OFDM QPSK	1	1	28.60	0.724	28.63	0.729	27.80	0.603
Channel				631000	631000	633334	633334	635666	635666
Frequency (MHz)				3465.00	3465.00	3500.01	3500.01	3534.99	3534.99
30	DFT-s-OFDM QPSK	1	1	28.65	0.733	28.47	0.703	28.13	0.650
Channel				630668	630668	633334	633334	636000	636000
Frequency (MHz)				3460.02	3460.02	3500.01	3500.01	3540.00	3540.00
20	DFT-s-OFDM QPSK	1	1	28.62	0.728	28.42	0.695	28.10	0.646
Channel				630500	630500	633334	633334	636166	636166



Frequency (MHz)				3457.50	3457.50	3500.01	3500.01	3542.49	3542.49
15	DFT-s-OFDM QPSK	1	1	28.58	0.721	28.44	0.698	28.14	0.652
Channel				630334	630334	633334	633334	636332	636332
Frequency (MHz)				3455.01	3455.01	3500.01	3500.01	3544.98	3544.98
10	DFT-s-OFDM QPSK	1	1	28.48	0.705	28.57	0.719	28.05	0.638

B2_n77(3700-3980MHz) (PC2)									
BW [MHz]	Modulation	RB Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				650000	650000	656000	656000	662000	662000
Frequency (MHz)				3750.00	3750.00	3840.00	3840.00	3930.00	3930.00
100	DFT-s-OFDM PI/2 BPSK	1	1	28.33	0.681	28.46	0.701	28.70	0.741
100		1	136	28.52	0.711	28.60	0.724	28.54	0.714
100		1	271	28.44	0.698	28.29	0.675	28.51	0.710
100		135	1	27.13	0.516	28.10	0.646	28.30	0.676
100		135	67	28.53	0.713	28.10	0.646	28.54	0.714
100		135	136	27.97	0.627	28.16	0.655	28.32	0.679
100		270	0	28.06	0.640	28.30	0.676	27.75	0.596
100	DFT-s-OFDM QPSK	1	1	28.65	0.733	28.71	0.743	28.70	0.741
100		1	136	28.53	0.713	28.38	0.689	28.51	0.710
100		1	271	28.42	0.695	27.96	0.625	28.62	0.728
100		135	1	28.23	0.665	28.39	0.690	28.18	0.658
100		135	67	27.75	0.596	28.05	0.638	27.72	0.592
100		135	136	27.44	0.555	27.66	0.583	27.49	0.561
100		270	0	27.83	0.607	27.82	0.605	27.72	0.592
100	DFT-s-OFDM 16QAM	1	1	27.07	0.509	27.14	0.518	27.39	0.548
100	DFT-s-OFDM 64QAM	1	1	25.73	0.374	25.72	0.373	25.65	0.367
100	DFT-s-OFDM	1	1	23.70	0.234	23.70	0.234	23.80	0.240



0	256QAM								
100	CP-OFDM QPSK	1	1	26.58	0.455	26.65	0.462	26.96	0.497
100	CP-OFDM 16QAM	1	1	26.01	0.399	26.10	0.407	26.00	0.398
100	CP-OFDM 64QAM	1	1	24.68	0.294	24.79	0.301	25.11	0.324
100	CP-OFDM 256QAM	1	1	21.70	0.148	21.55	0.143	21.85	0.153
Channel				649666	649666	656000	656000	662332	662332
Frequency (MHz)				3744.99	3744.99	3840.00	3840.00	3934.98	3934.98
90	DFT-s-OFDM QPSK	1	1	27.98	0.628	28.11	0.647	28.38	0.689
Channel				649334	649334	656000	656000	662666	662666
Frequency (MHz)				3740.01	3740.01	3840.00	3840.00	3939.99	3939.99
80	DFT-s-OFDM QPSK	1	1	28.02	0.634	28.14	0.652	28.35	0.684
Channel				649000	649000	656000	656000	663000	663000
Frequency (MHz)				3735.00	3735.00	3840.00	3840.00	3945.00	3945.00
70	DFT-s-OFDM QPSK	1	1	28.07	0.641	28.12	0.649	28.27	0.671
Channel				648668	648668	656000	656000	663332	663332
Frequency (MHz)				3730.02	3730.02	3840.00	3840.00	3949.98	3949.98
60	DFT-s-OFDM QPSK	1	1	28.14	0.652	28.16	0.655	28.24	0.667
Channel				648334	648334	656000	656000	663666	663666
Frequency (MHz)				3725.01	3725.01	3840.00	3840.00	3954.99	3954.99
50	DFT-s-OFDM QPSK	1	1	28.21	0.662	28.27	0.671	28.49	0.706
Channel				648000	648000	656000	656000	664000	664000
Frequency (MHz)				3720.00	3720.00	3840.00	3840.00	3960.00	3960.00
40	DFT-s-OFDM QPSK	1	1	28.04	0.637	28.49	0.706	28.63	0.729
Channel				647668	647668	656000	656000	664332	664332
Frequency (MHz)				3715.02	3715.02	3840.00	3840.00	3964.98	3964.98
30	DFT-s-OFDM QPSK	1	1	27.97	0.627	28.49	0.706	28.59	0.723
Channel				647334	647334	656000	656000	664666	664666
Frequency (MHz)				3710.01	3710.01	3840.00	3840.00	3969.99	3969.99
20	DFT-s-OFDM QPSK	1	1	28.34	0.682	28.57	0.719	28.53	0.713
Channel				647168	647168	656000	656000	664832	664832
Frequency (MHz)				3707.52	3707.52	3840.00	3840.00	3972.48	3972.48
15	DFT-s-OFDM QPSK	1	1	28.33	0.681	28.63	0.729	28.54	0.714
Channel				647000	647000	656000	656000	665000	665000
Frequency (MHz)				3705.00	3705.00	3840.00	3840.00	3975.00	3975.00



10	DFT-s-OFDM QPSK	1	1	28.11	0.647	28.38	0.689	28.60	0.724
----	-----------------	---	---	-------	-------	-------	-------	-------	-------

B5_n77(3700-3980MHz) (PC2)									
BW [MHz]	Modulation	RB Size	RB Off set	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				650000	650000	656000	656000	662000	662000
Frequency (MHz)				3750.00	3750.00	3840.00	3840.00	3930.00	3930.00
100	DFT-s-OFDM PI/2 BPSK	1	1	28.31	0.678	28.40	0.692	28.70	0.741
100		1	136	28.49	0.706	28.70	0.741	28.50	0.708
100		1	271	28.05	0.638	28.06	0.640	28.49	0.706
100		135	1	28.26	0.670	28.07	0.641	28.28	0.673
100		135	67	28.51	0.710	28.30	0.676	28.53	0.713
100		135	136	28.14	0.652	28.01	0.632	28.26	0.670
100		270	0	28.04	0.637	28.30	0.676	27.72	0.592
100	DFT-s-OFDM QPSK	1	1	28.70	0.741	28.74	0.748	28.68	0.738
100		1	136	28.50	0.708	28.70	0.741	28.49	0.706
100		1	271	28.42	0.695	28.39	0.690	28.40	0.692
100		135	1	28.39	0.690	28.48	0.705	28.33	0.681
100		135	67	28.19	0.659	28.38	0.689	28.14	0.652
100		135	136	28.09	0.644	28.19	0.659	28.25	0.668
100		270	0	28.14	0.652	28.18	0.658	28.11	0.647
100	DFT-s-OFDM 16QAM	1	1	26.99	0.500	27.05	0.507	27.12	0.515
100	DFT-s-OFDM 64QAM	1	1	25.71	0.372	25.82	0.382	25.60	0.363
100	DFT-s-OFDM 256QAM	1	1	23.86	0.243	23.50	0.224	23.80	0.240
100	CP-OFDM QPSK	1	1	26.53	0.450	26.62	0.459	26.94	0.494
100	CP-OFDM 16QAM	1	1	26.11	0.408	26.24	0.421	26.58	0.455



100	CP-OFDM 64QAM	1	1	24.67	0.293	24.73	0.297	25.08	0.322
100	CP-OFDM 256QAM	1	1	21.71	0.148	21.51	0.142	21.81	0.152
Channel				649666	649666	656000	656000	662332	662332
Frequency (MHz)				3744.99	3744.99	3840.00	3840.00	3934.98	3934.98
90	DFT-s-OFDM QPSK	1	1	27.96	0.625	28.51	0.710	28.36	0.685
Channel				649334	649334	656000	656000	662666	662666
Frequency (MHz)				3740.01	3740.01	3840.00	3840.00	3939.99	3939.99
80	DFT-s-OFDM QPSK	1	1	28.00	0.631	28.58	0.721	28.33	0.681
Channel				649000	649000	656000	656000	663000	663000
Frequency (MHz)				3735.00	3735.00	3840.00	3840.00	3945.00	3945.00
70	DFT-s-OFDM QPSK	1	1	28.02	0.634	28.55	0.716	28.32	0.679
Channel				648668	648668	656000	656000	663332	663332
Frequency (MHz)				3730.02	3730.02	3840.00	3840.00	3949.98	3949.98
60	DFT-s-OFDM QPSK	1	1	28.12	0.649	28.53	0.713	28.26	0.670
Channel				648334	648334	656000	656000	663666	663666
Frequency (MHz)				3725.01	3725.01	3840.00	3840.00	3954.99	3954.99
50	DFT-s-OFDM QPSK	1	1	28.19	0.659	28.26	0.670	28.61	0.726
Channel				648000	648000	656000	656000	664000	664000
Frequency (MHz)				3720.00	3720.00	3840.00	3840.00	3960.00	3960.00
40	DFT-s-OFDM QPSK	1	1	28.46	0.701	28.45	0.700	28.60	0.724
Channel				647668	647668	656000	656000	664332	664332
Frequency (MHz)				3715.02	3715.02	3840.00	3840.00	3964.98	3964.98
30	DFT-s-OFDM QPSK	1	1	28.30	0.676	28.46	0.701	28.52	0.711
Channel				647334	647334	656000	656000	664666	664666
Frequency (MHz)				3710.01	3710.01	3840.00	3840.00	3969.99	3969.99
20	DFT-s-OFDM QPSK	1	1	28.32	0.679	28.57	0.719	28.61	0.726
Channel				647168	647168	656000	656000	664832	664832
Frequency (MHz)				3707.52	3707.52	3840.00	3840.00	3972.48	3972.48
15	DFT-s-OFDM QPSK	1	1	28.33	0.681	28.59	0.723	28.53	0.713
Channel				647000	647000	656000	656000	665000	665000
Frequency (MHz)				3705.00	3705.00	3840.00	3840.00	3975.00	3975.00
10	DFT-s-OFDM QPSK	1	1	28.49	0.706	28.38	0.689	28.60	0.724



B13_n77(3700-3980MHz) (PC2)									
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				650000	650000	656000	656000	662000	662000
Frequency (MHz)				3750.00	3750.00	3840.00	3840.00	3930.00	3930.00
100	DFT-s-OFDM PI/2 BPSK	1	1	27.94	0.622	28.07	0.641	28.32	0.679
100		1	136	28.13	0.650	28.32	0.679	28.15	0.653
100		1	271	28.11	0.647	28.48	0.705	28.15	0.653
100		135	1	27.89	0.615	27.71	0.590	27.99	0.630
100		135	67	28.13	0.650	28.37	0.687	28.23	0.665
100		135	136	28.05	0.638	27.76	0.597	27.93	0.621
100		270	0	27.66	0.583	27.14	0.518	27.40	0.550
100	DFT-s-OFDM QPSK	1	1	28.65	0.733	28.70	0.741	28.69	0.740
100		1	136	28.37	0.687	28.33	0.681	28.15	0.653
100		1	271	28.05	0.638	27.63	0.579	28.26	0.670
100		135	1	28.38	0.689	28.39	0.690	28.26	0.670
100		135	67	28.12	0.649	28.22	0.664	28.15	0.653
100		135	136	27.75	0.596	28.02	0.634	28.11	0.647
100		270	0	28.26	0.670	28.38	0.689	28.37	0.687
100	DFT-s-OFDM 16QAM	1	1	26.96	0.497	27.05	0.507	27.38	0.547
100	DFT-s-OFDM 64QAM	1	1	25.68	0.370	25.74	0.375	26.03	0.401
100	DFT-s-OFDM 256QAM	1	1	23.72	0.236	23.69	0.234	23.83	0.242
100	CP-OFDM QPSK	1	1	26.50	0.447	26.62	0.459	26.94	0.494
100	CP-OFDM 16QAM	1	1	26.14	0.411	26.31	0.428	26.52	0.449
100	CP-OFDM 64QAM	1	1	24.66	0.292	24.71	0.296	25.07	0.321
100	CP-OFDM	1	1	21.60	0.145	21.54	0.143	21.85	0.153



0	256QAM								
Channel				649666	649666	656000	656000	662332	662332
Frequency (MHz)				3744.99	3744.99	3840.00	3840.00	3934.98	3934.98
90	DFT-s-OFDM QPSK	1	1	28.32	0.679	28.52	0.711	28.34	0.682
Channel				649334	649334	656000	656000	662666	662666
Frequency (MHz)				3740.01	3740.01	3840.00	3840.00	3939.99	3939.99
80	DFT-s-OFDM QPSK	1	1	28.29	0.675	28.55	0.716	28.29	0.675
Channel				649000	649000	656000	656000	663000	663000
Frequency (MHz)				3735.00	3735.00	3840.00	3840.00	3945.00	3945.00
70	DFT-s-OFDM QPSK	1	1	28.38	0.689	28.51	0.710	28.31	0.678
Channel				648668	648668	656000	656000	663332	663332
Frequency (MHz)				3730.02	3730.02	3840.00	3840.00	3949.98	3949.98
60	DFT-s-OFDM QPSK	1	1	28.08	0.643	28.53	0.713	28.38	0.689
Channel				648334	648334	656000	656000	663666	663666
Frequency (MHz)				3725.01	3725.01	3840.00	3840.00	3954.99	3954.99
50	DFT-s-OFDM QPSK	1	1	28.15	0.653	28.51	0.710	28.54	0.714
Channel				648000	648000	656000	656000	664000	664000
Frequency (MHz)				3720.00	3720.00	3840.00	3840.00	3960.00	3960.00
40	DFT-s-OFDM QPSK	1	1	28.42	0.695	28.53	0.713	28.58	0.721
Channel				647668	647668	656000	656000	664332	664332
Frequency (MHz)				3715.02	3715.02	3840.00	3840.00	3964.98	3964.98
30	DFT-s-OFDM QPSK	1	1	28.23	0.665	28.42	0.695	28.61	0.726
Channel				647334	647334	656000	656000	664666	664666
Frequency (MHz)				3710.01	3710.01	3840.00	3840.00	3969.99	3969.99
20	DFT-s-OFDM QPSK	1	1	28.29	0.675	28.51	0.710	28.63	0.729
Channel				647168	647168	656000	656000	664832	664832
Frequency (MHz)				3707.52	3707.52	3840.00	3840.00	3972.48	3972.48
15	DFT-s-OFDM QPSK	1	1	28.31	0.678	28.55	0.716	28.57	0.719
Channel				647000	647000	656000	656000	665000	665000
Frequency (MHz)				3705.00	3705.00	3840.00	3840.00	3975.00	3975.00
10	DFT-s-OFDM QPSK	1	1	28.04	0.637	28.35	0.684	28.61	0.726



B66_n77(3700-3980MHz) (PC2)									
BW [MHz]	Modulation	RB Size	RB Offset	Low Channel /dBm	Low Channel /Watt	Middle Channel /dBm	Middle Channel /Watt	High Channel /dBm	High Channel /Watt
Channel				650000	650000	656000	656000	662000	662000
Frequency (MHz)				3750.00	3750.00	3840.00	3840.00	3930.00	3930.00
100	DFT-s-OFDM PI/2 BPSK	1	1	28.00	0.631	28.11	0.647	28.39	0.690
100		1	136	28.19	0.659	28.38	0.689	28.21	0.662
100		1	271	28.09	0.644	28.44	0.698	28.15	0.653
100		135	1	27.95	0.624	27.75	0.596	28.00	0.631
100		135	67	28.19	0.659	28.38	0.689	28.25	0.668
100		135	136	28.11	0.647	28.16	0.655	27.78	0.600
100		270	0	27.73	0.593	28.00	0.631	27.82	0.605
100	DFT-s-OFDM QPSK	1	1	28.67	0.736	28.70	0.741	28.68	0.738
100		1	136	28.16	0.655	28.35	0.684	28.19	0.659
100		1	271	28.08	0.643	28.42	0.695	28.29	0.675
100		135	1	28.26	0.670	28.38	0.689	28.21	0.662
100		135	67	28.16	0.655	28.25	0.668	28.23	0.665
100		135	136	28.09	0.644	28.07	0.641	28.18	0.658
100		270	0	28.23	0.665	28.45	0.700	28.28	0.673
100	DFT-s-OFDM 16QAM	1	1	26.98	0.499	27.14	0.518	27.39	0.548
100	DFT-s-OFDM 64QAM	1	1	25.87	0.386	25.81	0.381	26.08	0.406
100	DFT-s-OFDM 256QAM	1	1	23.83	0.242	23.98	0.250	23.84	0.242
100	CP-OFDM QPSK	1	1	26.57	0.454	26.66	0.463	26.96	0.497
100	CP-OFDM 16QAM	1	1	26.20	0.417	26.32	0.429	26.59	0.456
100	CP-OFDM 64QAM	1	1	24.69	0.294	24.81	0.303	25.12	0.325
100	CP-OFDM	1	1	21.62	0.145	21.55	0.143	21.85	0.153




0	256QAM								
Channel				649666	649666	656000	656000	662332	662332
Frequency (MHz)				3744.99	3744.99	3840.00	3840.00	3934.98	3934.98
90	DFT-s-OFDM QPSK	1	1	27.97	0.627	28.10	0.646	28.39	0.690
Channel				649334	649334	656000	656000	662666	662666
Frequency (MHz)				3740.01	3740.01	3840.00	3840.00	3939.99	3939.99
80	DFT-s-OFDM QPSK	1	1	28.01	0.632	28.16	0.655	28.35	0.684
Channel				649000	649000	656000	656000	663000	663000
Frequency (MHz)				3735.00	3735.00	3840.00	3840.00	3945.00	3945.00
70	DFT-s-OFDM QPSK	1	1	28.07	0.641	28.17	0.656	28.26	0.670
Channel				648668	648668	656000	656000	663332	663332
Frequency (MHz)				3730.02	3730.02	3840.00	3840.00	3949.98	3949.98
60	DFT-s-OFDM QPSK	1	1	28.13	0.650	28.53	0.713	28.24	0.667
Channel				648334	648334	656000	656000	663666	663666
Frequency (MHz)				3725.01	3725.01	3840.00	3840.00	3954.99	3954.99
50	DFT-s-OFDM QPSK	1	1	28.19	0.659	28.62	0.728	28.38	0.689
Channel				648000	648000	656000	656000	664000	664000
Frequency (MHz)				3720.00	3720.00	3840.00	3840.00	3960.00	3960.00
40	DFT-s-OFDM QPSK	1	1	28.40	0.692	28.59	0.723	28.62	0.728
Channel				647668	647668	656000	656000	664332	664332
Frequency (MHz)				3715.02	3715.02	3840.00	3840.00	3964.98	3964.98
30	DFT-s-OFDM QPSK	1	1	28.31	0.678	28.60	0.724	28.53	0.713
Channel				647334	647334	656000	656000	664666	664666
Frequency (MHz)				3710.01	3710.01	3840.00	3840.00	3969.99	3969.99
20	DFT-s-OFDM QPSK	1	1	28.35	0.684	28.57	0.719	28.65	0.733
Channel				647168	647168	656000	656000	664832	664832
Frequency (MHz)				3707.52	3707.52	3840.00	3840.00	3972.48	3972.48
15	DFT-s-OFDM QPSK	1	1	28.35	0.684	28.63	0.729	28.70	0.741
Channel				647000	647000	656000	656000	665000	665000
Frequency (MHz)				3705.00	3705.00	3840.00	3840.00	3975.00	3975.00
10	DFT-s-OFDM QPSK	1	1	28.11	0.647	28.41	0.693	28.60	0.724

2.2. Occupied Bandwidth

2.2.1. Requirement

According to FCC section 2.1049, the occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission. Occupied bandwidth is also known as the 99% emission bandwidth.

2.2.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.2.3. Test procedure

KDB 971168 D01v03 Section 4.1 and ANSI/TIA-603-E-2016.

2.2.4. Test Result



Band	SCS (KHz)	BW (MHz)	ARFCN	Modulation	RB	OBW (MHz)	26dB BW (MHz)	Verdict
5A_n2	15	5	370500	DFT-s-OFDM PI/2 BPSK	25/0	4.479	5.061	PASS
5A_n2	15	5	370500	DFT-s-OFDM QPSK	25/0	4.472	4.933	PASS
5A_n2	15	5	370500	DFT-s-OFDM 16QAM	25/0	4.503	5.007	PASS
5A_n2	15	5	370500	DFT-s-OFDM 64QAM	25/0	4.493	5.080	PASS
5A_n2	15	5	370500	DFT-s-OFDM 256QAM	25/0	4.484	5.019	PASS
5A_n2	15	5	370500	CP-OFDM QPSK	25/0	4.477	5.011	PASS
5A_n2	15	5	376000	DFT-s-OFDM PI/2 BPSK	25/0	4.487	5.096	PASS
5A_n2	15	5	376000	DFT-s-OFDM QPSK	25/0	4.471	4.920	PASS
5A_n2	15	5	376000	DFT-s-OFDM 16QAM	25/0	4.496	5.090	PASS
5A_n2	15	5	376000	DFT-s-OFDM 64QAM	25/0	4.501	5.062	PASS
5A_n2	15	5	376000	DFT-s-OFDM 256QAM	25/0	4.480	4.965	PASS
5A_n2	15	5	376000	CP-OFDM QPSK	25/0	4.482	5.073	PASS
5A_n2	15	5	381500	DFT-s-OFDM PI/2 BPSK	25/0	4.477	4.991	PASS
5A_n2	15	5	381500	DFT-s-OFDM QPSK	25/0	4.482	4.968	PASS
5A_n2	15	5	381500	DFT-s-OFDM 16QAM	25/0	4.469	4.979	PASS
5A_n2	15	5	381500	DFT-s-OFDM 64QAM	25/0	4.506	5.180	PASS
5A_n2	15	5	381500	DFT-s-OFDM 256QAM	25/0	4.482	4.966	PASS
5A_n2	15	5	381500	CP-OFDM QPSK	25/0	4.490	5.040	PASS
5A_n2	15	10	371000	DFT-s-OFDM PI/2 BPSK	50/0	8.927	9.622	PASS
5A_n2	15	10	371000	DFT-s-OFDM QPSK	50/0	8.928	9.600	PASS
5A_n2	15	10	371000	DFT-s-OFDM 16QAM	50/0	8.905	9.595	PASS
5A_n2	15	10	371000	DFT-s-OFDM 64QAM	50/0	8.920	9.615	PASS
5A_n2	15	10	371000	DFT-s-OFDM 256QAM	50/0	8.946	9.684	PASS




5A_n2	15	10	371000	CP-OFDM QPSK	52/0	9.299	10.062	PASS
5A_n2	15	10	376000	DFT-s-OFDM PI/2 BPSK	50/0	8.915	9.624	PASS
5A_n2	15	10	376000	DFT-s-OFDM QPSK	50/0	8.919	9.663	PASS
5A_n2	15	10	376000	DFT-s-OFDM 16QAM	50/0	8.903	9.630	PASS
5A_n2	15	10	376000	DFT-s-OFDM 64QAM	50/0	8.899	9.517	PASS
5A_n2	15	10	376000	DFT-s-OFDM 256QAM	50/0	8.938	9.638	PASS
5A_n2	15	10	376000	CP-OFDM QPSK	52/0	9.299	10.053	PASS
5A_n2	15	10	381000	DFT-s-OFDM PI/2 BPSK	50/0	8.897	9.523	PASS
5A_n2	15	10	381000	DFT-s-OFDM QPSK	50/0	8.907	9.524	PASS
5A_n2	15	10	381000	DFT-s-OFDM 16QAM	50/0	8.885	9.607	PASS
5A_n2	15	10	381000	DFT-s-OFDM 64QAM	50/0	8.889	9.496	PASS
5A_n2	15	10	381000	DFT-s-OFDM 256QAM	50/0	8.913	9.573	PASS
5A_n2	15	10	381000	CP-OFDM QPSK	52/0	9.275	10.010	PASS
5A_n2	15	15	371500	DFT-s-OFDM PI/2 BPSK	75/0	13.411	14.303	PASS
5A_n2	15	15	371500	DFT-s-OFDM QPSK	75/0	13.392	14.204	PASS
5A_n2	15	15	371500	DFT-s-OFDM 16QAM	75/0	13.426	14.323	PASS
5A_n2	15	15	371500	DFT-s-OFDM 64QAM	75/0	13.420	14.369	PASS
5A_n2	15	15	371500	DFT-s-OFDM 256QAM	75/0	13.449	14.408	PASS
5A_n2	15	15	371500	CP-OFDM QPSK	79/0	14.099	14.972	PASS
5A_n2	15	15	376000	DFT-s-OFDM PI/2 BPSK	75/0	13.389	14.185	PASS
5A_n2	15	15	376000	DFT-s-OFDM QPSK	75/0	13.363	14.278	PASS
5A_n2	15	15	376000	DFT-s-OFDM 16QAM	75/0	13.420	14.207	PASS
5A_n2	15	15	376000	DFT-s-OFDM 64QAM	75/0	13.393	14.350	PASS
5A_n2	15	15	376000	DFT-s-OFDM 256QAM	75/0	13.396	14.216	PASS




5A_n2	15	15	376000	CP-OFDM QPSK	79/0	14.060	14.984	PASS
5A_n2	15	15	380500	DFT-s-OFDM PI/2 BPSK	75/0	13.355	14.314	PASS
5A_n2	15	15	380500	DFT-s-OFDM QPSK	75/0	13.338	14.237	PASS
5A_n2	15	15	380500	DFT-s-OFDM 16QAM	75/0	13.361	14.158	PASS
5A_n2	15	15	380500	DFT-s-OFDM 64QAM	75/0	13.359	14.245	PASS
5A_n2	15	15	380500	DFT-s-OFDM 256QAM	75/0	13.396	14.343	PASS
5A_n2	15	15	380500	CP-OFDM QPSK	79/0	14.026	14.869	PASS
5A_n2	15	20	372000	DFT-s-OFDM PI/2 BPSK	100/0	17.885	18.840	PASS
5A_n2	15	20	372000	DFT-s-OFDM QPSK	100/0	17.894	18.965	PASS
5A_n2	15	20	372000	DFT-s-OFDM 16QAM	100/0	17.881	18.839	PASS
5A_n2	15	20	372000	DFT-s-OFDM 64QAM	100/0	17.877	18.862	PASS
5A_n2	15	20	372000	DFT-s-OFDM 256QAM	100/0	17.863	18.848	PASS
5A_n2	15	20	372000	CP-OFDM QPSK	106/0	18.944	20.007	PASS
5A_n2	15	20	376000	DFT-s-OFDM PI/2 BPSK	100/0	17.797	18.711	PASS
5A_n2	15	20	376000	DFT-s-OFDM QPSK	100/0	17.823	18.832	PASS
5A_n2	15	20	376000	DFT-s-OFDM 16QAM	100/0	17.795	18.793	PASS
5A_n2	15	20	376000	DFT-s-OFDM 64QAM	100/0	17.783	18.762	PASS
5A_n2	15	20	376000	DFT-s-OFDM 256QAM	100/0	17.782	18.741	PASS
5A_n2	15	20	376000	CP-OFDM QPSK	106/0	18.863	19.978	PASS
5A_n2	15	20	380000	DFT-s-OFDM PI/2 BPSK	100/0	17.804	18.703	PASS
5A_n2	15	20	380000	DFT-s-OFDM QPSK	100/0	17.829	18.770	PASS
5A_n2	15	20	380000	DFT-s-OFDM 16QAM	100/0	17.806	18.767	PASS
5A_n2	15	20	380000	DFT-s-OFDM 64QAM	100/0	17.785	18.722	PASS
5A_n2	15	20	380000	DFT-s-OFDM 256QAM	100/0	17.776	18.657	PASS




5A_n2	15	20	380000	CP-OFDM QPSK	106/0	18.861	19.867	PASS
-------	----	----	--------	-----------------	-------	--------	--------	------




5A_n2 5M DFT-s-OFDM BPSK Outer_Full Low




5A_n2 5M DFT-s-OFDM QPSK Outer_Full Low




5A_n2 5M DFT-s-OFDM 16QAM Outer_Full Low




5A_n2 5M DFT-s-OFDM 64QAM Outer_Full Low




5A_n2 5M DFT-s-OFDM 256QAM Outer_Full Low




5A_n2 5M CP-OFDM QPSK Outer_Full Low




5A_n2 5M DFT-s-OFDM BPSK Outer_Full Mid




5A_n2 5M DFT-s-OFDM QPSK Outer_Full Mid




5A_n2 5M DFT-s-OFDM 16QAM Outer_Full Mid




5A_n2 5M DFT-s-OFDM 64QAM Outer_Full Mid




5A_n2 5M DFT-s-OFDM 256QAM Outer_Full_Mid




5A_n2 5M CP-OFDM QPSK Outer_Full_Mid




5A_n2 5M DFT-s-OFDM BPSK Outer_Full_High




5A_n2 5M DFT-s-OFDM QPSK Outer_Full_High




5A_n2 5M DFT-s-OFDM 16QAM Outer_Full_High




5A_n2 5M DFT-s-OFDM 64QAM Outer_Full_High




5A_n2 5M DFT-s-OFDM 256QAM Outer_Full High




5A_n2 5M CP-OFDM QPSK Outer_Full High




5A_n2 10M DFT-s-OFDM BPSK Outer_Full Low




5A_n2 10M DFT-s-OFDM QPSK Outer_Full Low




5A_n2 10M DFT-s-OFDM 16QAM Outer_Full Low




5A_n2 10M DFT-s-OFDM 64QAM Outer_Full Low




5A_n2 10M DFT-s-OFDM 256QAM Outer_Full Low




5A_n2 10M CP-OFDM QPSK Outer_Full Low




5A_n2 10M DFT-s-OFDM BPSK Outer_Full Mid




5A_n2 10M DFT-s-OFDM QPSK Outer_Full Mid




5A_n2 10M DFT-s-OFDM 16QAM Outer_Full Mid




5A_n2 10M DFT-s-OFDM 64QAM Outer_Full Mid




5A_n2 10M DFT-s-OFDM 256QAM Outer_Full Mid




5A_n2 10M CP-OFDM QPSK Outer_Full Mid




5A_n2 10M DFT-s-OFDM BPSK Outer_Full High




5A_n2 10M DFT-s-OFDM QPSK Outer_Full High




5A_n2 10M DFT-s-OFDM 16QAM Outer_Full High




5A_n2 10M DFT-s-OFDM 64QAM Outer_Full High




5A_n2 10M DFT-s-OFDM 256QAM Outer_Full High




5A_n2 10M CP-OFDM QPSK Outer_Full High




5A_n2 15M DFT-s-OFDM BPSK Outer_Full Low




5A_n2 15M DFT-s-OFDM QPSK Outer_Full Low




5A_n2 15M DFT-s-OFDM 16QAM Outer_Full Low




5A_n2 15M DFT-s-OFDM 64QAM Outer_Full Low




5A_n2 15M DFT-s-OFDM 256QAM Outer_Full Low




5A_n2 15M CP-OFDM QPSK Outer_Full Low




5A_n2 15M DFT-s-OFDM BPSK Outer_Full Mid




5A_n2 15M DFT-s-OFDM QPSK Outer_Full Mid




5A_n2 15M DFT-s-OFDM 16QAM Outer_Full Mid




5A_n2 15M DFT-s-OFDM 64QAM Outer_Full Mid




5A_n2 15M DFT-s-OFDM 256QAM Outer_Full Mid




5A_n2 15M CP-OFDM QPSK Outer_Full Mid




5A_n2 15M DFT-s-OFDM BPSK Outer_Full High




5A_n2 15M DFT-s-OFDM QPSK Outer_Full High




5A_n2 15M DFT-s-OFDM 16QAM Outer_Full High




5A_n2 15M DFT-s-OFDM 64QAM Outer_Full High




5A_n2 15M DFT-s-OFDM 256QAM Outer_Full High




5A_n2 15M CP-OFDM QPSK Outer_Full High




5A_n2 20M DFT-s-OFDM BPSK Outer_Full Low




5A_n2 20M DFT-s-OFDM QPSK Outer_Full Low




5A_n2 20M DFT-s-OFDM 16QAM Outer_Full Low




5A_n2 20M DFT-s-OFDM 64QAM Outer_Full Low




5A_n2 20M DFT-s-OFDM 256QAM Outer_Full Low




5A_n2 20M CP-OFDM QPSK Outer_Full Low




5A_n2 20M DFT-s-OFDM BPSK Outer_Full Mid




5A_n2 20M DFT-s-OFDM QPSK Outer_Full Mid




5A_n2 20M DFT-s-OFDM 16QAM Outer_Full Mid




5A_n2 20M DFT-s-OFDM 64QAM Outer_Full Mid




5A_n2 20M DFT-s-OFDM 256QAM Outer_Full Mid




5A_n2 20M CP-OFDM QPSK Outer_Full Mid




5A_n2 20M DFT-s-OFDM BPSK Outer_Full High




5A_n2 20M DFT-s-OFDM QPSK Outer_Full High



5A_n2 20M DFT-s-OFDM 16QAM Outer_Full High



5A_n2 20M DFT-s-OFDM 64QAM Outer_Full High



Band	SCS (KHz)	BW (MHz)	ARFCN	Modulation	RB	OBW (MHz)	26dB BW (MHz)	Verdict
2A_n5	15	5	165300	DFT-s-OFDM PI/2 BPSK	25/0	4.484	5.026	PASS
2A_n5	15	5	165300	DFT-s-OFDM QPSK	25/0	4.471	5.015	PASS
2A_n5	15	5	165300	DFT-s-OFDM 16QAM	25/0	4.474	5.024	PASS
2A_n5	15	5	165300	DFT-s-OFDM 64QAM	25/0	4.518	5.154	PASS
2A_n5	15	5	165300	DFT-s-OFDM 256QAM	25/0	4.481	4.954	PASS
2A_n5	15	5	165300	CP-OFDM QPSK	25/0	4.486	5.118	PASS
2A_n5	15	5	167300	DFT-s-OFDM PI/2 BPSK	25/0	4.485	5.103	PASS
2A_n5	15	5	167300	DFT-s-OFDM QPSK	25/0	4.475	4.885	PASS
2A_n5	15	5	167300	DFT-s-OFDM 16QAM	25/0	4.489	5.102	PASS
2A_n5	15	5	167300	DFT-s-OFDM 64QAM	25/0	4.493	5.083	PASS
2A_n5	15	5	167300	DFT-s-OFDM 256QAM	25/0	4.485	4.981	PASS
2A_n5	15	5	167300	CP-OFDM QPSK	25/0	4.473	5.031	PASS
2A_n5	15	5	169300	DFT-s-OFDM PI/2 BPSK	25/0	4.477	5.007	PASS
2A_n5	15	5	169300	DFT-s-OFDM QPSK	25/0	4.483	5.000	PASS




2A_n5	15	5	169300	DFT-s-OFDM 16QAM	25/0	4.470	4.972	PASS
2A_n5	15	5	169300	DFT-s-OFDM 64QAM	25/0	4.516	5.109	PASS
2A_n5	15	5	169300	DFT-s-OFDM 256QAM	25/0	4.484	4.987	PASS
2A_n5	15	5	169300	CP-OFDM QPSK	25/0	4.485	5.158	PASS
2A_n5	15	10	165800	DFT-s-OFDM PI/2 BPSK	50/0	8.923	9.613	PASS
2A_n5	15	10	165800	DFT-s-OFDM QPSK	50/0	8.933	9.642	PASS
2A_n5	15	10	165800	DFT-s-OFDM 16QAM	50/0	8.906	9.737	PASS
2A_n5	15	10	165800	DFT-s-OFDM 64QAM	50/0	8.932	9.643	PASS
2A_n5	15	10	165800	DFT-s-OFDM 256QAM	50/0	8.943	9.625	PASS
2A_n5	15	10	165800	CP-OFDM QPSK	52/0	9.287	10.110	PASS
2A_n5	15	10	167300	DFT-s-OFDM PI/2 BPSK	50/0	8.902	9.571	PASS
2A_n5	15	10	167300	DFT-s-OFDM QPSK	50/0	8.912	9.631	PASS
2A_n5	15	10	167300	DFT-s-OFDM 16QAM	50/0	8.891	9.618	PASS
2A_n5	15	10	167300	DFT-s-OFDM 64QAM	50/0	8.917	9.619	PASS
2A_n5	15	10	167300	DFT-s-OFDM 256QAM	50/0	8.922	9.544	PASS
2A_n5	15	10	167300	CP-OFDM QPSK	52/0	9.286	10.079	PASS
2A_n5	15	10	168800	DFT-s-OFDM PI/2 BPSK	50/0	8.917	9.593	PASS
2A_n5	15	10	168800	DFT-s-OFDM QPSK	50/0	8.924	9.627	PASS
2A_n5	15	10	168800	DFT-s-OFDM 16QAM	50/0	8.903	9.579	PASS
2A_n5	15	10	168800	DFT-s-OFDM 64QAM	50/0	8.926	9.566	PASS
2A_n5	15	10	168800	DFT-s-OFDM 256QAM	50/0	8.929	9.592	PASS
2A_n5	15	10	168800	CP-OFDM QPSK	52/0	9.310	9.975	PASS
2A_n5	15	15	166300	DFT-s-OFDM PI/2 BPSK	75/0	13.408	14.303	PASS
2A_n5	15	15	166300	DFT-s-OFDM QPSK	75/0	13.396	14.336	PASS




2A_n5	15	15	166300	DFT-s-OFDM 16QAM	75/0	13.426	14.273	PASS
2A_n5	15	15	166300	DFT-s-OFDM 64QAM	75/0	13.410	14.325	PASS
2A_n5	15	15	166300	DFT-s-OFDM 256QAM	75/0	13.437	14.347	PASS
2A_n5	15	15	166300	CP-OFDM QPSK	79/0	14.082	14.936	PASS
2A_n5	15	15	167300	DFT-s-OFDM PI/2 BPSK	75/0	13.375	14.281	PASS
2A_n5	15	15	167300	DFT-s-OFDM QPSK	75/0	13.379	14.359	PASS
2A_n5	15	15	167300	DFT-s-OFDM 16QAM	75/0	13.407	14.218	PASS
2A_n5	15	15	167300	DFT-s-OFDM 64QAM	75/0	13.386	14.292	PASS
2A_n5	15	15	167300	DFT-s-OFDM 256QAM	75/0	13.395	14.274	PASS
2A_n5	15	15	167300	CP-OFDM QPSK	79/0	14.056	14.956	PASS
2A_n5	15	15	168300	DFT-s-OFDM PI/2 BPSK	75/0	13.378	14.236	PASS
2A_n5	15	15	168300	DFT-s-OFDM QPSK	75/0	13.361	14.129	PASS
2A_n5	15	15	168300	DFT-s-OFDM 16QAM	75/0	13.412	14.272	PASS
2A_n5	15	15	168300	DFT-s-OFDM 64QAM	75/0	13.388	14.192	PASS
2A_n5	15	15	168300	DFT-s-OFDM 256QAM	75/0	13.405	14.243	PASS
2A_n5	15	15	168300	CP-OFDM QPSK	79/0	14.069	14.855	PASS
2A_n5	15	20	166800	DFT-s-OFDM PI/2 BPSK	100/0	17.805	18.928	PASS
2A_n5	15	20	166800	DFT-s-OFDM QPSK	100/0	17.814	18.850	PASS
2A_n5	15	20	166800	DFT-s-OFDM 16QAM	100/0	17.806	18.732	PASS
2A_n5	15	20	166800	DFT-s-OFDM 64QAM	100/0	17.802	18.809	PASS
2A_n5	15	20	166800	DFT-s-OFDM 256QAM	100/0	17.786	18.766	PASS
2A_n5	15	20	166800	CP-OFDM QPSK	106/0	18.824	19.903	PASS
2A_n5	15	20	167300	DFT-s-OFDM PI/2 BPSK	100/0	17.768	18.696	PASS
2A_n5	15	20	167300	DFT-s-OFDM QPSK	100/0	17.796	18.866	PASS




2A_n5	15	20	167300	DFT-s-OFDM 16QAM	100/0	17.796	18.768	PASS
2A_n5	15	20	167300	DFT-s-OFDM 64QAM	100/0	17.771	18.784	PASS
2A_n5	15	20	167300	DFT-s-OFDM 256QAM	100/0	17.764	18.747	PASS
2A_n5	15	20	167300	CP-OFDM QPSK	106/0	18.852	19.901	PASS
2A_n5	15	20	167800	DFT-s-OFDM PI/2 BPSK	100/0	17.796	18.768	PASS
2A_n5	15	20	167800	DFT-s-OFDM QPSK	100/0	17.793	18.837	PASS
2A_n5	15	20	167800	DFT-s-OFDM 16QAM	100/0	17.778	18.748	PASS
2A_n5	15	20	167800	DFT-s-OFDM 64QAM	100/0	17.761	18.741	PASS
2A_n5	15	20	167800	DFT-s-OFDM 256QAM	100/0	17.752	18.702	PASS
2A_n5	15	20	167800	CP-OFDM QPSK	106/0	18.847	19.868	PASS




2A_n5 5M DFT-s-OFDM BPSK Outer_Full Low




2A_n5 5M DFT-s-OFDM QPSK Outer_Full Low




2A_n5 5M DFT-s-OFDM 16QAM Outer_Full Low




2A_n5 5M DFT-s-OFDM 64QAM Outer_Full Low




2A_n5 5M DFT-s-OFDM 256QAM Outer_Full Low




2A_n5 5M CP-OFDM QPSK Outer_Full Low




2A_n5 5M DFT-s-OFDM BPSK Outer_Full Mid




2A_n5 5M DFT-s-OFDM QPSK Outer_Full Mid




2A_n5 5M DFT-s-OFDM 16QAM Outer_Full Mid




2A_n5 5M DFT-s-OFDM 64QAM Outer_Full Mid




2A_n5 5M DFT-s-OFDM 256QAM Outer_Full Mid




2A_n5 5M CP-OFDM QPSK Outer_Full Mid




2A_n5 5M DFT-s-OFDM BPSK Outer_Full High




2A_n5 5M DFT-s-OFDM QPSK Outer_Full High




2A_n5 5M DFT-s-OFDM 16QAM Outer_Full High




2A_n5 5M DFT-s-OFDM 64QAM Outer_Full High




2A_n5 5M DFT-s-OFDM 256QAM Outer_Full High



2A_n5 5M CP-OFDM QPSK Outer_Full High



2A_n5 10M DFT-s-OFDM BPSK Outer_Full Low



2A_n5 10M DFT-s-OFDM QPSK Outer_Full Low