


CH175800 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 30M-1G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-57.71	-13.00	44.71	-16.48	-39.56	23.08			Vertical
2	104.7650	-69.63	-13.00	56.63	-14.20	-38.70	24.50			Vertical
3	163.0230	-69.32	-13.00	56.32	-17.02	-38.31	21.29			Vertical
4	328.0880	-68.65	-13.00	55.65	-11.16	-37.03	25.87			Vertical
5	831.0510	-70	-13.00	57.00	-2.56	-34.15	31.59			NA
6	870.8610	-42.14	-13.00	29.14	-2.20	-34.04	31.84			NA



CH176300 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 1-18G H


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1680.6810	-63.59	-13.00	50.59	-8.64	-46.31	37.67			Horizontal
2	2641.6420	-62.1	-13.00	49.10	-10.17	-47.25	37.08			Horizontal
3	3490.4900	-58.71	-13.00	45.71	-8.44	-47.40	38.96			Horizontal
4	3530.5310	-58.76	-13.00	45.76	-8.64	-47.75	39.11			Horizontal
5	4403.4030	-55.64	-13.00	42.64	-5.69	-45.82	40.13			Horizontal
6	5236.2360	-55.92	-13.00	42.92	-2.54	-43.40	40.86			Horizontal
7	5284.2840	-57.21	-13.00	44.21	-2.96	-43.43	40.47			Horizontal
8	6173.1730	-55.57	-13.00	42.57	-0.86	-42.41	41.55			Horizontal
9	6981.9820	-51.87	-13.00	38.87	3.99	-40.09	44.08			Horizontal
10	7054.0540	-51.47	-13.00	38.47	4.62	-39.91	44.53			Horizontal
11	7934.9350	-51.33	-13.00	38.33	7.95	-37.71	45.66			Horizontal
12	8727.7280	-52.16	-13.00	39.16	7.68	-39.01	46.69			Horizontal
13	8807.8080	-50.8	-13.00	37.80	7.65	-39.21	46.86			Horizontal
14	10477.4770	-55.2	-13.00	42.20	12.63	-36.32	48.95			Horizontal
15	12216.2160	-52.43	-13.00	39.43	18.02	-31.25	49.27			Horizontal
16	13963.9640	-52.12	-13.00	39.12	20.96	-28.56	49.52			Horizontal
17	15702.7030	-51.8	-13.00	38.80	21.14	-29.81	50.95			Horizontal
18	17450.4500	-48.79	-13.00	35.79	23.91	-27.10	51.01			Horizontal




CH176300 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-63.9	-13.00	50.90	-9.26	-46.28	37.02			Vertical
2	2641.6420	-61.04	-13.00	48.04	-10.35	-47.25	36.90			Vertical
3	3474.4740	-60.07	-13.00	47.07	-9.13	-47.45	38.32			Vertical
4	3522.5230	-58.94	-13.00	45.94	-9.05	-47.65	38.60			Vertical
5	4403.4030	-57.22	-13.00	44.22	-5.72	-45.82	40.10			Vertical
6	5236.2360	-56.17	-13.00	43.17	-2.87	-43.40	40.53			Vertical
7	5284.2840	-57.6	-13.00	44.60	-3.32	-43.43	40.11			Vertical
8	6165.1650	-55.87	-13.00	42.87	-1.10	-42.44	41.34			Vertical
9	6981.9820	-50.58	-13.00	37.58	3.83	-40.09	43.92			Vertical
10	7046.0460	-51.22	-13.00	38.22	4.49	-39.91	44.40			Vertical
11	7934.9350	-51.53	-13.00	38.53	7.74	-37.71	45.45			Vertical
12	8727.7280	-51.32	-13.00	38.32	7.49	-39.01	46.50			Vertical
13	8815.8160	-51.61	-13.00	38.61	7.21	-39.15	46.36			Vertical
14	10477.4770	-55.41	-13.00	42.41	12.55	-36.32	48.87			Vertical
15	12216.2160	-53.12	-13.00	40.12	17.60	-31.25	48.85			Vertical
16	13954.9550	-51.99	-13.00	38.99	21.06	-28.63	49.69			Vertical
17	15693.6940	-54.35	-13.00	41.35	18.58	-29.73	48.31			Vertical
18	17441.4410	-49.43	-13.00	36.43	22.96	-27.21	50.17			Vertical




CH176300 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-51.53	-13.00	38.53	-8.93	-39.57	30.64			Horizontal
2	165.9360	-69.04	-13.00	56.04	-18.94	-38.23	19.29			Horizontal
3	204.7750	-69.92	-13.00	56.92	-14.51	-37.71	23.20			Horizontal
4	329.0590	-71.67	-13.00	58.67	-12.40	-37.04	24.64			Horizontal
5	814.5450	-51.64	-13.00	38.64	-3.32	-34.20	30.88			NA
6	874.7450	-38.78	-13.00	25.78	-2.18	-34.03	31.85			NA




CH176300 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	38.7390	-57.04	-13.00	44.04	-16.41	-39.55	23.14			Vertical
2	90.2000	-65.74	-13.00	52.74	-16.50	-38.71	22.21			Vertical
3	166.9070	-68.46	-13.00	55.46	-17.08	-38.20	21.12			Vertical
4	324.2040	-71.63	-13.00	58.63	-11.34	-37.02	25.68			Vertical
5	812.6030	-50.85	-13.00	37.85	-3.20	-34.20	31.00			NA
6	889.3090	-41.88	-13.00	28.88	-1.22	-34.00	32.78			NA




Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-61.37	-13.00	48.37	-8.27	-46.28	38.01			Horizontal
2	2641.6420	-62.96	-13.00	49.96	-10.17	-47.25	37.08			Horizontal
3	3498.4980	-59.48	-13.00	46.48	-8.35	-47.37	39.02			Horizontal
4	3522.5230	-60.55	-13.00	47.55	-8.56	-47.65	39.09			Horizontal
5	4403.4030	-56.87	-13.00	43.87	-5.69	-45.82	40.13			Horizontal
6	5236.2360	-57.56	-13.00	44.56	-2.54	-43.40	40.86			Horizontal
7	5292.2920	-55.88	-13.00	42.88	-3.02	-43.42	40.40			Horizontal
8	6165.1650	-53.16	-13.00	40.16	-0.90	-42.44	41.54			Horizontal
9	6989.9900	-51.92	-13.00	38.92	4.17	-39.97	44.14			Horizontal
10	7054.0540	-51.13	-13.00	38.13	4.62	-39.91	44.53			Horizontal
11	7934.9350	-51.41	-13.00	38.41	7.95	-37.71	45.66			Horizontal
12	8727.7280	-50.89	-13.00	37.89	7.68	-39.01	46.69			Horizontal
13	8823.8240	-51.1	-13.00	38.10	7.72	-39.09	46.81			Horizontal
14	10477.4770	-55.45	-13.00	42.45	12.63	-36.32	48.95			Horizontal
15	12216.2160	-52.77	-13.00	39.77	18.02	-31.25	49.27			Horizontal
16	13954.9550	-51.68	-13.00	38.68	20.92	-28.63	49.55			Horizontal
17	15711.7120	-51.54	-13.00	38.54	21.16	-29.76	50.92			Horizontal
18	17450.4500	-48.75	-13.00	35.75	23.91	-27.10	51.01			Horizontal




CH176300 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-63.55	-13.00	50.55	-9.26	-46.28	37.02			Vertical
2	2641.6420	-62.28	-13.00	49.28	-10.35	-47.25	36.90			Vertical
3	3490.4900	-58.56	-13.00	45.56	-8.92	-47.40	38.48			Vertical
4	3522.5230	-60.22	-13.00	47.22	-9.05	-47.65	38.60			Vertical
5	4403.4030	-56.68	-13.00	43.68	-5.72	-45.82	40.10			Vertical
6	5236.2360	-56.01	-13.00	43.01	-2.87	-43.40	40.53			Vertical
7	5284.2840	-57.94	-13.00	44.94	-3.32	-43.43	40.11			Vertical
8	6173.1730	-56.09	-13.00	43.09	-1.08	-42.41	41.33			Vertical
9	6981.9820	-51.46	-13.00	38.46	3.83	-40.09	43.92			Vertical
10	7054.0540	-51.81	-13.00	38.81	4.56	-39.91	44.47			Vertical
11	7926.9270	-50.71	-13.00	37.71	7.80	-37.59	45.39			Vertical
12	8727.7280	-52.5	-13.00	39.50	7.49	-39.01	46.50			Vertical
13	8815.8160	-50.92	-13.00	37.92	7.21	-39.15	46.36			Vertical
14	10477.4770	-55.42	-13.00	42.42	12.55	-36.32	48.87			Vertical
15	12216.2160	-53.29	-13.00	40.29	17.60	-31.25	48.85			Vertical
16	13954.9550	-51.9	-13.00	38.90	21.06	-28.63	49.69			Vertical
17	15702.7030	-54.44	-13.00	41.44	18.54	-29.81	48.35			Vertical
18	17441.4410	-49.32	-13.00	36.32	22.96	-27.21	50.17			Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	34.8550	-51.31	-13.00	38.31	-9.37	-39.58	30.21			Horizontal
2	51.3610	-59.84	-13.00	46.84	-7.54	-39.46	31.92			Horizontal
3	167.8780	-71.03	-13.00	58.03	-18.71	-38.18	19.47			Horizontal
4	204.7750	-71	-13.00	58.00	-14.51	-37.71	23.20			Horizontal
5	827.1670	-61.63	-13.00	48.63	-2.90	-34.16	31.26			NA
6	874.7450	-39.18	-13.00	26.18	-2.18	-34.03	31.85			NA



CH176300 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 30M-1G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-58.09	-13.00	45.09	-16.76	-39.59	22.83			Vertical
2	39.7100	-60.22	-13.00	47.22	-16.34	-39.54	23.20			Vertical
3	90.2000	-65.71	-13.00	52.71	-16.50	-38.71	22.21			Vertical
4	165.9360	-68.82	-13.00	55.82	-17.07	-38.23	21.16			Vertical
5	827.1670	-63.34	-13.00	50.34	-2.67	-34.16	31.49			NA
6	888.3380	-42.32	-13.00	29.32	-1.25	-34.00	32.75			NA



CH176800 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 1-18G H

Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1768.7690	-62.29	-13.00	49.29	-8.27	-46.29	38.02			Horizontal
2	2657.6580	-62.49	-13.00	49.49	-10.17	-47.31	37.14			Horizontal
3	3530.5310	-59.27	-13.00	46.27	-8.64	-47.75	39.11			Horizontal
4	3538.5390	-60.03	-13.00	47.03	-8.72	-47.85	39.13			Horizontal
5	4419.4190	-55.44	-13.00	42.44	-5.58	-45.76	40.18			Horizontal
6	5292.2920	-57.48	-13.00	44.48	-3.02	-43.42	40.40			Horizontal
7	5308.3080	-57.15	-13.00	44.15	-2.95	-43.34	40.39			Horizontal
8	6181.1810	-54.63	-13.00	41.63	-0.82	-42.38	41.56			Horizontal
9	7078.0780	-51.7	-13.00	38.70	4.82	-39.84	44.66			Horizontal
10	7086.0860	-52.17	-13.00	39.17	4.88	-39.82	44.70			Horizontal
11	7958.9590	-51.7	-13.00	38.70	7.88	-37.89	45.77			Horizontal
12	8839.8400	-50.72	-13.00	37.72	7.79	-38.97	46.76			Horizontal
13	8855.8560	-51.04	-13.00	38.04	7.76	-38.96	46.72			Horizontal
14	10612.6130	-54.43	-13.00	41.43	13.20	-35.50	48.70			Horizontal
15	12405.4050	-53.68	-13.00	40.68	17.62	-31.11	48.73			Horizontal
16	14153.1530	-52.22	-13.00	39.22	20.63	-29.38	50.01			Horizontal
17	15927.9280	-49.39	-13.00	36.39	22.51	-28.25	50.76			Horizontal
18	17702.7030	-47.38	-13.00	34.38	25.81	-26.28	52.09			Horizontal



CH176800 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 1-18G V


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1768.7690	-63.78	-13.00	50.78	-9.26	-46.29	37.03			Vertical
2	2649.6500	-62.03	-13.00	49.03	-10.38	-47.29	36.91			Vertical
3	3538.5390	-59.98	-13.00	46.98	-9.23	-47.85	38.62			Vertical
4	3546.5470	-60.19	-13.00	47.19	-9.32	-47.95	38.63			Vertical
5	4419.4190	-56.35	-13.00	43.35	-5.66	-45.76	40.10			Vertical
6	5308.3080	-58.35	-13.00	45.35	-3.33	-43.34	40.01			Vertical
7	5316.3160	-58.23	-13.00	45.23	-3.23	-43.28	40.05			Vertical
8	6181.1810	-54.97	-13.00	41.97	-1.07	-42.38	41.31			Vertical
9	7070.0700	-51.32	-13.00	38.32	4.75	-39.86	44.61			Vertical
10	7078.0780	-51.29	-13.00	38.29	4.84	-39.84	44.68			Vertical
11	7958.9590	-51.11	-13.00	38.11	7.73	-37.89	45.62			Vertical
12	8847.8480	-50.92	-13.00	37.92	7.73	-38.91	46.64			Vertical
13	8855.8560	-51.06	-13.00	38.06	7.75	-38.96	46.71			Vertical
14	10621.6220	-53.98	-13.00	40.98	13.51	-35.36	48.87			Vertical
15	12387.3870	-54.52	-13.00	41.52	16.82	-31.21	48.03			Vertical
16	14162.1620	-51.89	-13.00	38.89	21.19	-29.28	50.47			Vertical
17	15927.9280	-52.05	-13.00	39.05	20.02	-28.25	48.27			Vertical
18	17693.6940	-48.4	-13.00	35.40	24.81	-26.26	51.07			Vertical




CH176800 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-49.25	-13.00	36.25	-9.81	-39.59	29.78			Horizontal
2	52.3320	-60.87	-13.00	47.87	-7.93	-39.47	31.54			Horizontal
3	104.7650	-70.66	-13.00	57.66	-17.53	-38.70	21.17			Horizontal
4	197.0070	-67.53	-13.00	54.53	-14.88	-37.91	23.03			Horizontal
5	830.0800	-65.73	-13.00	52.73	-2.79	-34.15	31.36			NA
6	877.6580	-38.92	-13.00	25.92	-2.16	-34.02	31.86			NA




CH176800 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-58.18	-13.00	45.18	-16.76	-39.59	22.83			Vertical
2	37.7680	-58.2	-13.00	45.20	-16.48	-39.56	23.08			Vertical
3	163.9940	-70.43	-13.00	57.43	-17.03	-38.28	21.25			Vertical
4	329.0590	-70.19	-13.00	57.19	-11.12	-37.04	25.92			Vertical
5	833.9640	-69.47	-13.00	56.47	-2.63	-34.14	31.51			NA
6	885.4250	-41.27	-13.00	28.27	-1.36	-34.00	32.64			NA



Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1768.7690	-62.77	-13.00	49.77	-8.27	-46.29	38.02			Horizontal
2	2657.6580	-61.07	-13.00	48.07	-10.17	-47.31	37.14			Horizontal
3	3538.5390	-60.04	-13.00	47.04	-8.72	-47.85	39.13			Horizontal
4	3546.5470	-59.9	-13.00	46.90	-8.80	-47.95	39.15			Horizontal
5	4419.4190	-56.76	-13.00	43.76	-5.58	-45.76	40.18			Horizontal
6	5300.3000	-58.08	-13.00	45.08	-3.06	-43.40	40.34			Horizontal
7	5308.3080	-56.65	-13.00	43.65	-2.95	-43.34	40.39			Horizontal
8	6181.1810	-55.11	-13.00	42.11	-0.82	-42.38	41.56			Horizontal
9	7070.0700	-51.61	-13.00	38.61	4.76	-39.86	44.62			Horizontal
10	7078.0780	-51.4	-13.00	38.40	4.82	-39.84	44.66			Horizontal
11	7950.9510	-50.82	-13.00	37.82	7.80	-37.93	45.73			Horizontal
12	8839.8400	-50.83	-13.00	37.83	7.79	-38.97	46.76			Horizontal
13	8847.8480	-49.58	-13.00	36.58	7.83	-38.91	46.74			Horizontal
14	10621.6220	-54.18	-13.00	41.18	13.32	-35.36	48.68			Horizontal
15	12387.3870	-53.63	-13.00	40.63	17.57	-31.21	48.78			Horizontal
16	14153.1530	-52.02	-13.00	39.02	20.63	-29.38	50.01			Horizontal
17	15927.9280	-49.43	-13.00	36.43	22.51	-28.25	50.76			Horizontal
18	17693.6940	-47.22	-13.00	34.22	25.72	-26.26	51.98			Horizontal



CH176800 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 1-18G V


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1768.7690	-63.9	-13.00	50.90	-9.26	-46.29	37.03			Vertical
2	2657.6580	-63.18	-13.00	50.18	-10.38	-47.31	36.93			Vertical
3	3538.5390	-60.41	-13.00	47.41	-9.23	-47.85	38.62			Vertical
4	3546.5470	-60.91	-13.00	47.91	-9.32	-47.95	38.63			Vertical
5	4419.4190	-56.48	-13.00	43.48	-5.66	-45.76	40.10			Vertical
6	5300.3000	-57.73	-13.00	44.73	-3.43	-43.40	39.97			Vertical
7	5316.3160	-57.28	-13.00	44.28	-3.23	-43.28	40.05			Vertical
8	6189.1890	-54.88	-13.00	41.88	-1.04	-42.34	41.30			Vertical
9	7070.0700	-51.18	-13.00	38.18	4.75	-39.86	44.61			Vertical
10	7086.0860	-51.72	-13.00	38.72	4.94	-39.82	44.76			Vertical
11	7958.9590	-51.2	-13.00	38.20	7.73	-37.89	45.62			Vertical
12	8839.8400	-50.7	-13.00	37.70	7.60	-38.97	46.57			Vertical
13	8847.8480	-50.61	-13.00	37.61	7.73	-38.91	46.64			Vertical
14	10621.6220	-53.98	-13.00	40.98	13.51	-35.36	48.87			Vertical
15	12387.3870	-54.31	-13.00	41.31	16.82	-31.21	48.03			Vertical
16	14162.1620	-51.48	-13.00	38.48	21.19	-29.28	50.47			Vertical
17	15936.9370	-52.11	-13.00	39.11	19.67	-28.66	48.33			Vertical
18	17693.6940	-48.13	-13.00	35.13	24.81	-26.26	51.07			Vertical



CH176800 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-50.87	-13.00	37.87	-8.93	-39.57	30.64			Horizontal
2	61.0710	-64.87	-13.00	51.87	-11.47	-39.49	28.02			Horizontal
3	104.7650	-70.2	-13.00	57.20	-17.53	-38.70	21.17			Horizontal
4	201.8620	-68.09	-13.00	55.09	-14.77	-37.79	23.02			Horizontal
5	831.0510	-66.84	-13.00	53.84	-2.76	-34.15	31.39			NA
6	876.6870	-38.9	-13.00	25.90	-2.17	-34.03	31.86			NA




CH176800 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-59.17	-13.00	46.17	-16.76	-39.59	22.83			Vertical
2	37.7680	-58.12	-13.00	45.12	-16.48	-39.56	23.08			Vertical
3	96.9970	-69.54	-13.00	56.54	-13.67	-38.70	25.03			Vertical
4	330.0300	-69.46	-13.00	56.46	-11.07	-37.04	25.97			Vertical
5	831.0510	-69.52	-13.00	56.52	-2.56	-34.15	31.59			NA
6	879.6000	-42.89	-13.00	29.89	-1.61	-34.02	32.41			NA



66A_N71


Test Graph



CH125400 20MBW CP-OFDM QPSK 1RB_Left SCS15KHz 1-18G H


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-62.6	-13.00	49.60	-7.96	-45.27	37.31			Horizontal
2	1990.9910	-41.51	-13.00	28.51	-4.39	-46.30	41.91			Horizontal
3	2693.6940	-61.13	-13.00	48.13	-10.15	-47.42	37.27			Horizontal
4	3366.3660	-61.61	-13.00	48.61	-9.67	-47.87	38.20			Horizontal
5	3444.4440	-59.97	-13.00	46.97	-8.90	-47.53	38.63			Horizontal
6	4039.0390	-58.82	-13.00	45.82	-7.06	-46.81	39.75			Horizontal
7	4711.7120	-56.74	-13.00	43.74	-4.18	-45.05	40.87			Horizontal
8	5162.1620	-56.52	-13.00	43.52	-2.36	-43.66	41.30			Horizontal
9	5384.3840	-56.58	-13.00	43.58	-2.17	-43.01	40.84			Horizontal
10	6057.0570	-55.98	-13.00	42.98	-0.97	-42.42	41.45			Horizontal
11	6729.7300	-53.65	-13.00	40.65	1.63	-41.23	42.86			Horizontal
12	6879.8800	-53.54	-13.00	40.54	2.69	-40.59	43.28			Horizontal
13	8597.5980	-51.44	-13.00	38.44	7.62	-38.53	46.15			Horizontal
14	10324.3240	-56.51	-13.00	43.51	12.74	-36.16	48.90			Horizontal
15	12045.0450	-53.02	-13.00	40.02	18.16	-31.25	49.41			Horizontal
16	13765.7660	-52.37	-13.00	39.37	21.00	-28.67	49.67			Horizontal
17	15477.4770	-49.75	-13.00	36.75	22.00	-28.86	50.86			Horizontal
18	17198.1980	-47.25	-13.00	34.25	24.47	-27.23	51.70			Horizontal




CH125400 20MBW CP-OFDM QPSK 1RB_Left SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-62.97	-13.00	49.97	-8.67	-45.27	36.60			Vertical
2	1990.9910	-56.79	-13.00	43.79	-10.09	-46.30	36.21			Vertical
3	2693.6940	-61.12	-13.00	48.12	-10.40	-47.42	37.02			Vertical
4	3366.3660	-61.54	-13.00	48.54	-10.32	-47.87	37.55			Vertical
5	3438.4380	-61.29	-13.00	48.29	-9.55	-47.52	37.97			Vertical
6	4039.0390	-59.08	-13.00	46.08	-7.50	-46.81	39.31			Vertical
7	4711.7120	-57.34	-13.00	44.34	-4.37	-45.05	40.68			Vertical
8	5162.1620	-55.84	-13.00	42.84	-2.48	-43.66	41.18			Vertical
9	5384.3840	-57.86	-13.00	44.86	-2.63	-43.01	40.38			Vertical
10	6057.0570	-55.83	-13.00	42.83	-1.04	-42.42	41.38			Vertical
11	6735.7360	-53.86	-13.00	40.86	1.83	-41.14	42.97			Vertical
12	6885.8860	-53.63	-13.00	40.63	3.02	-40.50	43.52			Vertical
13	8603.6040	-50.59	-13.00	37.59	7.48	-38.55	46.03			Vertical
14	10324.3240	-56.76	-13.00	43.76	12.66	-36.16	48.82			Vertical
15	12045.0450	-53.42	-13.00	40.42	17.61	-31.25	48.86			Vertical
16	13765.7660	-52.69	-13.00	39.69	20.88	-28.67	49.55			Vertical
17	15486.4860	-52.23	-13.00	39.23	19.88	-28.88	48.76			Vertical
18	17207.2070	-47.63	-13.00	34.63	23.72	-27.14	50.86			Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-50.1	-13.00	37.10	-8.93	-39.57	30.64			Horizontal
2	55.2450	-63.48	-13.00	50.48	-9.07	-39.47	30.40			Horizontal
3	205.7460	-72.53	-13.00	59.53	-14.42	-37.68	23.26			Horizontal
4	279.5400	-73.47	-13.00	60.47	-12.04	-37.04	25.00			Horizontal
5	619.3790	-42.1	-13.00	29.10	-5.75	-34.73	28.98			NA
6	663.0730	-41.17	-13.00	28.17	-4.25	-34.39	30.14			NA




CH125400 20MBW CP-OFDM QPSK 1RB_Left SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-53.79	-13.00	40.79	-16.55	-39.57	23.02			Vertical
2	104.7650	-68.93	-13.00	55.93	-14.20	-38.70	24.50			Vertical
3	173.7040	-75.11	-13.00	62.11	-16.96	-38.12	21.16			Vertical
4	320.3200	-75.09	-13.00	62.09	-11.51	-37.00	25.49			Vertical
5	635.8860	-44.42	-13.00	31.42	-5.25	-34.55	29.30			NA
6	664.0440	-41.89	-13.00	28.89	-4.35	-34.39	30.04			NA




CH125400 20MBW DFT-s-OFDM 16 QAM 1RB_Left SCS15KHz 1-18G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-61.91	-13.00	48.91	-7.96	-45.27	37.31			Horizontal
2	1990.9910	-44.06	-13.00	31.06	-4.39	-46.30	41.91			Horizontal
3	2691.6920	-61.08	-13.00	48.08	-10.16	-47.42	37.26			Horizontal
4	3366.3660	-61.16	-13.00	48.16	-9.67	-47.87	38.20			Horizontal
5	3438.4380	-60.26	-13.00	47.26	-8.93	-47.52	38.59			Horizontal
6	4039.0390	-57.82	-13.00	44.82	-7.06	-46.81	39.75			Horizontal
7	4711.7120	-56.84	-13.00	43.84	-4.18	-45.05	40.87			Horizontal
8	5162.1620	-55.77	-13.00	42.77	-2.36	-43.66	41.30			Horizontal
9	5384.3840	-56.98	-13.00	43.98	-2.17	-43.01	40.84			Horizontal
10	6057.0570	-55.98	-13.00	42.98	-0.97	-42.42	41.45			Horizontal
11	6729.7300	-53.59	-13.00	40.59	1.63	-41.23	42.86			Horizontal
12	6879.8800	-54.52	-13.00	41.52	2.69	-40.59	43.28			Horizontal
13	8597.5980	-51.52	-13.00	38.52	7.62	-38.53	46.15			Horizontal
14	10324.3240	-56.61	-13.00	43.61	12.74	-36.16	48.90			Horizontal
15	12036.0360	-52.34	-13.00	39.34	18.12	-31.27	49.39			Horizontal
16	13765.7660	-52.33	-13.00	39.33	21.00	-28.67	49.67			Horizontal
17	15486.4860	-50.08	-13.00	37.08	21.99	-28.88	50.87			Horizontal
18	17198.1980	-46.92	-13.00	33.92	24.47	-27.23	51.70			Horizontal




CH125400 20MBW DFT-s-OFDM 16 QAM 1RB_Left SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-62.42	-13.00	49.42	-8.67	-45.27	36.60			Vertical
2	1990.9910	-56.63	-13.00	43.63	-10.09	-46.30	36.21			Vertical
3	2689.6900	-61.22	-13.00	48.22	-10.40	-47.41	37.01			Vertical
4	3366.3660	-60.73	-13.00	47.73	-10.32	-47.87	37.55			Vertical
5	3438.4380	-60.58	-13.00	47.58	-9.55	-47.52	37.97			Vertical
6	4033.0330	-58.91	-13.00	45.91	-7.60	-46.89	39.29			Vertical
7	4711.7120	-57.31	-13.00	44.31	-4.37	-45.05	40.68			Vertical
8	5156.1560	-55.66	-13.00	42.66	-2.50	-43.74	41.24			Vertical
9	5384.3840	-57.06	-13.00	44.06	-2.63	-43.01	40.38			Vertical
10	6057.0570	-54.46	-13.00	41.46	-1.04	-42.42	41.38			Vertical
11	6735.7360	-53.09	-13.00	40.09	1.83	-41.14	42.97			Vertical
12	6879.8800	-53.73	-13.00	40.73	2.90	-40.59	43.49			Vertical
13	8597.5980	-50.5	-13.00	37.50	7.46	-38.53	45.99			Vertical
14	10324.3240	-56.74	-13.00	43.74	12.66	-36.16	48.82			Vertical
15	12036.0360	-52.98	-13.00	39.98	17.61	-31.27	48.88			Vertical
16	13765.7660	-52.67	-13.00	39.67	20.88	-28.67	49.55			Vertical
17	15477.4770	-51.87	-13.00	38.87	19.90	-28.86	48.76			Vertical
18	17198.1980	-47.84	-13.00	34.84	23.64	-27.23	50.87			Vertical




CH125400 20MBW DFT-s-OFDM 16 QAM 1RB_Left SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-54.56	-13.00	41.56	-8.51	-39.57	31.06			Horizontal
2	104.7650	-70.14	-13.00	57.14	-17.53	-38.70	21.17			Horizontal
3	173.7040	-71.44	-13.00	58.44	-18.04	-38.12	20.08			Horizontal
4	302.8430	-73.91	-13.00	60.91	-12.21	-36.96	24.75			Horizontal
5	620.3500	-41.25	-13.00	28.25	-5.73	-34.72	28.99			NA
6	666.9570	-39.15	-13.00	26.15	-4.18	-34.39	30.21			NA



Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-57.13	-13.00	44.13	-16.55	-39.57	23.02			Vertical
2	103.7940	-68.15	-13.00	55.15	-13.84	-38.70	24.86			Vertical
3	187.2970	-76.07	-13.00	63.07	-15.73	-38.10	22.37			Vertical
4	321.2910	-74.71	-13.00	61.71	-11.48	-37.01	25.53			Vertical
5	633.9440	-43.91	-13.00	30.91	-5.29	-34.57	29.28			NA
6	664.0440	-31.22	-13.00	18.22	-4.35	-34.39	30.04			NA



CH126900 20MBW CP-OFDM QPSK 1RB_Left SCS15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1362.3620	-62.53	-13.00	49.53	-8.11	-45.29	37.18			Horizontal
2	2013.0130	-40.15	-13.00	27.15	-4.77	-46.39	41.62			Horizontal
3	2723.7240	-61.07	-13.00	48.07	-9.84	-47.41	37.57			Horizontal
4	3408.4080	-60.57	-13.00	47.57	-9.13	-47.50	38.37			Horizontal
5	3486.4860	-59.27	-13.00	46.27	-8.48	-47.41	38.93			Horizontal
6	4081.0810	-57.94	-13.00	44.94	-6.87	-46.78	39.91			Horizontal
7	4765.7660	-58.37	-13.00	45.37	-4.68	-45.57	40.89			Horizontal
8	5234.2340	-56.53	-13.00	43.53	-2.52	-43.39	40.87			Horizontal
9	5444.4440	-55.67	-13.00	42.67	-2.16	-42.98	40.82			Horizontal
10	6129.1290	-52.92	-13.00	39.92	-1.02	-42.51	41.49			Horizontal
11	6807.8080	-53.9	-13.00	40.90	1.60	-41.32	42.92			Horizontal
12	6981.9820	-52.49	-13.00	39.49	3.99	-40.09	44.08			Horizontal
13	8723.7240	-51.25	-13.00	38.25	7.72	-38.96	46.68			Horizontal
14	10468.4680	-55.01	-13.00	42.01	12.69	-36.33	49.02			Horizontal
15	12216.2160	-53.03	-13.00	40.03	18.02	-31.25	49.27			Horizontal
16	13963.9640	-51.78	-13.00	38.78	20.96	-28.56	49.52			Horizontal
17	15711.7120	-51.63	-13.00	38.63	21.16	-29.76	50.92			Horizontal
18	17450.4500	-48.46	-13.00	35.46	23.91	-27.10	51.01			Horizontal



CH126900 20MBW CP-OFDM QPSK 1RB_Left SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1360.3600	-61.83	-13.00	48.83	-8.50	-45.29	36.79			Vertical
2	2013.0130	-58.88	-13.00	45.88	-10.03	-46.39	36.36			Vertical
3	2725.7260	-61.64	-13.00	48.64	-10.09	-47.40	37.31			Vertical
4	3402.4020	-60.71	-13.00	47.71	-9.88	-47.49	37.61			Vertical
5	3492.4920	-59.19	-13.00	46.19	-8.89	-47.39	38.50			Vertical
6	4081.0810	-57.04	-13.00	44.04	-7.32	-46.78	39.46			Vertical
7	4765.7660	-58.53	-13.00	45.53	-4.84	-45.57	40.73			Vertical
8	5234.2340	-56.05	-13.00	43.05	-2.84	-43.39	40.55			Vertical
9	5444.4440	-56.98	-13.00	43.98	-2.51	-42.98	40.47			Vertical
10	6123.1230	-55.26	-13.00	42.26	-1.10	-42.52	41.42			Vertical
11	6807.8080	-54.96	-13.00	41.96	1.86	-41.32	43.18			Vertical
12	6981.9820	-52.73	-13.00	39.73	3.83	-40.09	43.92			Vertical
13	8723.7240	-52.54	-13.00	39.54	7.56	-38.96	46.52			Vertical
14	10477.4770	-55.07	-13.00	42.07	12.55	-36.32	48.87			Vertical
15	12207.2070	-52.96	-13.00	39.96	17.43	-31.44	48.87			Vertical
16	13954.9550	-51.03	-13.00	38.03	21.06	-28.63	49.69			Vertical
17	15711.7120	-54.16	-13.00	41.16	18.55	-29.76	48.31			Vertical
18	17450.4500	-49.26	-13.00	36.26	23.06	-27.10	50.16			Vertical