



CH126900 20MBW CP-OFDM QPSK 1RB\_Left SCS15KHz 30M-1G H

**Suspected List**

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-49.73	-13.00	36.73	-8.93	-39.57	30.64			Horizontal
2	104.7650	-71.04	-13.00	58.04	-17.53	-38.70	21.17			Horizontal
3	227.1070	-72.92	-13.00	59.92	-11.12	-37.54	26.42			Horizontal
4	395.0850	-74.06	-13.00	61.06	-10.28	-36.34	26.06			Horizontal
5	643.6540	-42.79	-13.00	29.79	-5.21	-34.47	29.26			NA
6	670.8410	-34.06	-13.00	21.06	-4.16	-34.39	30.23			NA




Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-54.7	-13.00	41.70	-16.55	-39.57	23.02			Vertical
2	53.3030	-69.23	-13.00	56.23	-16.24	-39.47	23.23			Vertical
3	103.7940	-69.52	-13.00	56.52	-13.84	-38.70	24.86			Vertical
4	296.0460	-74.37	-13.00	61.37	-12.04	-36.97	24.93			Vertical
5	635.8860	-44.77	-13.00	31.77	-5.25	-34.55	29.30			NA
6	669.8700	-37.24	-13.00	24.24	-4.36	-34.39	30.03			NA




CH126900 20MBW DFT-s-OFDM 16 QAM 1RB\_Left SCS15KHz 1-18G H

**Suspected List**

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1362.3620	-62.5	-13.00	49.50	-8.11	-45.29	37.18			Horizontal
2	2013.0130	-38.95	-13.00	25.95	-4.77	-46.39	41.62			Horizontal
3	2721.7220	-60.69	-13.00	47.69	-9.87	-47.41	37.54			Horizontal
4	3402.4020	-60.66	-13.00	47.66	-9.16	-47.49	38.33			Horizontal
5	3492.4920	-59.18	-13.00	46.18	-8.41	-47.39	38.98			Horizontal
6	4081.0810	-57.34	-13.00	44.34	-6.87	-46.78	39.91			Horizontal
7	4759.7600	-57.47	-13.00	44.47	-4.88	-45.77	40.89			Horizontal
8	5234.2340	-55.87	-13.00	42.87	-2.52	-43.39	40.87			Horizontal
9	5444.4440	-56.12	-13.00	43.12	-2.16	-42.98	40.82			Horizontal
10	6129.1290	-55.16	-13.00	42.16	-1.02	-42.51	41.49			Horizontal
11	6807.8080	-54.77	-13.00	41.77	1.60	-41.32	42.92			Horizontal
12	6987.9880	-52.51	-13.00	39.51	4.13	-40.00	44.13			Horizontal
13	8729.7300	-50.82	-13.00	37.82	7.67	-39.03	46.70			Horizontal
14	10468.4680	-55.45	-13.00	42.45	12.69	-36.33	49.02			Horizontal
15	12216.2160	-53.39	-13.00	40.39	18.02	-31.25	49.27			Horizontal
16	13963.9640	-51.97	-13.00	38.97	20.96	-28.56	49.52			Horizontal
17	15702.7030	-51.9	-13.00	38.90	21.14	-29.81	50.95			Horizontal
18	17450.4500	-48.75	-13.00	35.75	23.91	-27.10	51.01			Horizontal




Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1360.3600	-62.59	-13.00	49.59	-8.50	-45.29	36.79			Vertical
2	2013.0130	-56.31	-13.00	43.31	-10.03	-46.39	36.36			Vertical
3	2721.7220	-60.89	-13.00	47.89	-10.15	-47.41	37.26			Vertical
4	3402.4020	-61.5	-13.00	48.50	-9.88	-47.49	37.61			Vertical
5	3492.4920	-59.95	-13.00	46.95	-8.89	-47.39	38.50			Vertical
6	4087.0870	-58	-13.00	45.00	-7.32	-46.80	39.48			Vertical
7	4765.7660	-57.49	-13.00	44.49	-4.84	-45.57	40.73			Vertical
8	5234.2340	-57.15	-13.00	44.15	-2.84	-43.39	40.55			Vertical
9	5444.4440	-57	-13.00	44.00	-2.51	-42.98	40.47			Vertical
10	6129.1290	-55.44	-13.00	42.44	-1.10	-42.51	41.41			Vertical
11	6807.8080	-55.05	-13.00	42.05	1.86	-41.32	43.18			Vertical
12	6981.9820	-52.44	-13.00	39.44	3.83	-40.09	43.92			Vertical
13	8723.7240	-51.9	-13.00	38.90	7.56	-38.96	46.52			Vertical
14	10477.4770	-55.13	-13.00	42.13	12.55	-36.32	48.87			Vertical
15	12216.2160	-53.68	-13.00	40.68	17.60	-31.25	48.85			Vertical
16	13963.9640	-51.46	-13.00	38.46	21.10	-28.56	49.66			Vertical
17	15711.7120	-54.51	-13.00	41.51	18.55	-29.76	48.31			Vertical
18	17450.4500	-49.39	-13.00	36.39	23.06	-27.10	50.16			Vertical




CH126900 20MBW DFT-s-OFDM 16 QAM 1RB\_Left SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-49.14	-13.00	36.14	-8.93	-39.57	30.64			Horizontal
2	104.7650	-70.05	-13.00	57.05	-17.53	-38.70	21.17			Horizontal
3	198.9490	-73.53	-13.00	60.53	-14.91	-37.86	22.95			Horizontal
4	325.1750	-72.75	-13.00	59.75	-12.49	-37.02	24.53			Horizontal
5	628.1180	-42.77	-13.00	29.77	-5.68	-34.64	28.96			NA
6	670.8410	-37.39	-13.00	24.39	-4.16	-34.39	30.23			NA




CH126900 20MBW DFT-s-OFDM 16 QAM 1RB\_Left SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-53.91	-13.00	40.91	-16.55	-39.57	23.02			Vertical
2	103.7940	-68.73	-13.00	55.73	-13.84	-38.70	24.86			Vertical
3	236.8170	-76.87	-13.00	63.87	-15.25	-37.59	22.34			Vertical
4	328.0880	-73.21	-13.00	60.21	-11.16	-37.03	25.87			Vertical
5	640.7410	-43.97	-13.00	30.97	-5.11	-34.50	29.39			NA
6	669.8700	-40.99	-13.00	27.99	-4.36	-34.39	30.03			NA



CH128400 20MBW CP-OFDM QPSK 1RB\_Left SCS15KHz 1-18G H


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1376.3760	-61.87	-13.00	48.87	-8.24	-45.31	37.07			Horizontal
2	2035.0350	-49	-13.00	36.00	-5.69	-46.59	40.90			Horizontal
3	2751.7520	-61.22	-13.00	48.22	-9.49	-47.39	37.90			Horizontal
4	3438.4380	-59.69	-13.00	46.69	-8.93	-47.52	38.59			Horizontal
5	3540.5410	-60.2	-13.00	47.20	-8.73	-47.87	39.14			Horizontal
6	4129.1290	-58.41	-13.00	45.41	-7.13	-47.01	39.88			Horizontal
7	4813.8140	-56.13	-13.00	43.13	-3.41	-44.33	40.92			Horizontal
8	5312.3120	-57.71	-13.00	44.71	-2.90	-43.31	40.41			Horizontal
9	5504.5050	-55.6	-13.00	42.60	-2.06	-42.76	40.70			Horizontal
10	6195.1950	-54.69	-13.00	41.69	-0.74	-42.32	41.58			Horizontal
11	6879.8800	-54.36	-13.00	41.36	2.69	-40.59	43.28			Horizontal
12	7078.0780	-52.43	-13.00	39.43	4.82	-39.84	44.66			Horizontal
13	8849.8500	-48.45	-13.00	35.45	7.85	-38.89	46.74			Horizontal
14	10621.6220	-54.88	-13.00	41.88	13.32	-35.36	48.68			Horizontal
15	12387.3870	-53.64	-13.00	40.64	17.57	-31.21	48.78			Horizontal
16	14162.1620	-52.34	-13.00	39.34	20.72	-29.28	50.00			Horizontal
17	15927.9280	-49.84	-13.00	36.84	22.51	-28.25	50.76			Horizontal
18	17702.7030	-47.25	-13.00	34.25	25.81	-26.28	52.09			Horizontal



CH128400 20MBW CP-OFDM QPSK 1RB\_Left SCS15KHz 1-18G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1376.3760	-60.48	-13.00	47.48	-8.31	-45.31	37.00			Vertical
2	2065.0650	-63.19	-13.00	50.19	-10.22	-46.91	36.69			Vertical
3	2753.7540	-60.59	-13.00	47.59	-9.80	-47.41	37.61			Vertical
4	3438.4380	-60.67	-13.00	47.67	-9.55	-47.52	37.97			Vertical
5	3540.5410	-60.29	-13.00	47.29	-9.25	-47.87	38.62			Vertical
6	4129.1290	-58.65	-13.00	45.65	-7.49	-47.01	39.52			Vertical
7	4819.8200	-57.85	-13.00	44.85	-3.56	-44.30	40.74			Vertical
8	5312.3120	-58.02	-13.00	45.02	-3.28	-43.31	40.03			Vertical
9	5504.5050	-56.47	-13.00	43.47	-2.28	-42.76	40.48			Vertical
10	6195.1950	-56.2	-13.00	43.20	-1.03	-42.32	41.29			Vertical
11	6879.8800	-53.87	-13.00	40.87	2.90	-40.59	43.49			Vertical
12	7078.0780	-52.58	-13.00	39.58	4.84	-39.84	44.68			Vertical
13	8849.8500	-50.34	-13.00	37.34	7.77	-38.89	46.66			Vertical
14	10621.6220	-55.01	-13.00	42.01	13.51	-35.36	48.87			Vertical
15	12387.3870	-54.6	-13.00	41.60	16.82	-31.21	48.03			Vertical
16	14162.1620	-51.64	-13.00	38.64	21.19	-29.28	50.47			Vertical
17	15927.9280	-52.42	-13.00	39.42	20.02	-28.25	48.27			Vertical
18	17702.7030	-48.37	-13.00	35.37	24.87	-26.28	51.15			Vertical






CH128400 20MBW CP-OFDM QPSK 1RB\_Left SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-50.2	-13.00	37.20	-8.51	-39.57	31.06			Horizontal
2	55.2450	-62.3	-13.00	49.30	-9.07	-39.47	30.40			Horizontal
3	190.2100	-73.34	-13.00	60.34	-14.76	-38.09	23.33			Horizontal
4	317.4070	-69.84	-13.00	56.84	-12.57	-36.99	24.42			Horizontal
5	649.4790	-41.12	-13.00	28.12	-4.82	-34.41	29.59			NA
6	695.1150	-27.62	-13.00	14.62	-4.58	-34.38	29.80			NA



CH128400 20MBW CP-OFDM QPSK 1RB\_Left SCS15KHz 30M-1G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-55.32	-13.00	42.32	-16.55	-39.57	23.02			Vertical
2	104.7650	-69.52	-13.00	56.52	-14.20	-38.70	24.50			Vertical
3	193.1230	-75.21	-13.00	62.21	-15.63	-38.02	22.39			Vertical
4	389.2590	-68.94	-13.00	55.94	-10.24	-36.42	26.18			Vertical
5	651.4210	-42.52	-13.00	29.52	-4.55	-34.40	29.85			NA
6	686.3760	-21.17	-13.00	8.17	-4.75	-34.39	29.64			NA




CH128400 20MBW DFT-s-OFDM 16 QAM 1RB\_Left SCS15KHz 1-18G H

### Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1374.3740	-62.43	-13.00	49.43	-8.22	-45.31	37.09			Horizontal
2	2035.0350	-42.18	-13.00	29.18	-5.69	-46.59	40.90			Horizontal
3	2751.7520	-60.22	-13.00	47.22	-9.49	-47.39	37.90			Horizontal
4	3444.4440	-60.23	-13.00	47.23	-8.90	-47.53	38.63			Horizontal
5	3540.5410	-60.07	-13.00	47.07	-8.73	-47.87	39.14			Horizontal
6	4129.1290	-58.79	-13.00	45.79	-7.13	-47.01	39.88			Horizontal
7	4813.8140	-57.17	-13.00	44.17	-3.41	-44.33	40.92			Horizontal
8	5312.3120	-57.64	-13.00	44.64	-2.90	-43.31	40.41			Horizontal
9	5504.5050	-55.65	-13.00	42.65	-2.06	-42.76	40.70			Horizontal
10	6195.1950	-55.14	-13.00	42.14	-0.74	-42.32	41.58			Horizontal
11	6879.8800	-54.39	-13.00	41.39	2.69	-40.59	43.28			Horizontal
12	7078.0780	-51.83	-13.00	38.83	4.82	-39.84	44.66			Horizontal
13	8849.8500	-50.05	-13.00	37.05	7.85	-38.89	46.74			Horizontal
14	10621.6220	-55.06	-13.00	42.06	13.32	-35.36	48.68			Horizontal
15	12387.3870	-53.59	-13.00	40.59	17.57	-31.21	48.78			Horizontal
16	14162.1620	-52.21	-13.00	39.21	20.72	-29.28	50.00			Horizontal
17	15927.9280	-49.46	-13.00	36.46	22.51	-28.25	50.76			Horizontal
18	17702.7030	-47.6	-13.00	34.60	25.81	-26.28	52.09			Horizontal




Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1376.3760	-62.06	-13.00	49.06	-8.31	-45.31	37.00			Vertical
2	2065.0650	-63.93	-13.00	50.93	-10.22	-46.91	36.69			Vertical
3	2751.7520	-58.89	-13.00	45.89	-9.80	-47.39	37.59			Vertical
4	3438.4380	-60.17	-13.00	47.17	-9.55	-47.52	37.97			Vertical
5	3540.5410	-59.7	-13.00	46.70	-9.25	-47.87	38.62			Vertical
6	4129.1290	-58.13	-13.00	45.13	-7.49	-47.01	39.52			Vertical
7	4819.8200	-56.64	-13.00	43.64	-3.56	-44.30	40.74			Vertical
8	5312.3120	-57.25	-13.00	44.25	-3.28	-43.31	40.03			Vertical
9	5504.5050	-55.82	-13.00	42.82	-2.28	-42.76	40.48			Vertical
10	6195.1950	-54.96	-13.00	41.96	-1.03	-42.32	41.29			Vertical
11	6885.8860	-52.35	-13.00	39.35	3.02	-40.50	43.52			Vertical
12	7084.0840	-51.64	-13.00	38.64	4.92	-39.82	44.74			Vertical
13	8849.8500	-49.6	-13.00	36.60	7.77	-38.89	46.66			Vertical
14	10621.6220	-54.09	-13.00	41.09	13.51	-35.36	48.87			Vertical
15	12387.3870	-54.29	-13.00	41.29	16.82	-31.21	48.03			Vertical
16	14162.1620	-50.89	-13.00	37.89	21.19	-29.28	50.47			Vertical
17	15927.9280	-51.49	-13.00	38.49	20.02	-28.25	48.27			Vertical
18	17702.7030	-47.64	-13.00	34.64	24.87	-26.28	51.15			Vertical



CH128400 20MBW DFT-s-OFDM 16 QAM 1RB\_Left SCS15KHz 30M-1G H

### Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-50.55	-13.00	37.55	-8.51	-39.57	31.06			Horizontal
2	104.7650	-70.55	-13.00	57.55	-17.53	-38.70	21.17			Horizontal
3	196.0360	-73.31	-13.00	60.31	-14.87	-37.94	23.07			Horizontal
4	296.0460	-76.41	-13.00	63.41	-11.97	-36.97	25.00			Horizontal
5	651.4210	-41.72	-13.00	28.72	-4.71	-34.40	29.69			NA
6	678.6090	-19.83	-13.00	6.83	-4.43	-34.39	29.96			NA




CH128400 20MBW DFT-s-OFDM 16 QAM 1RB\_Left SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-54.5	-13.00	41.50	-16.55	-39.57	23.02			Vertical
2	103.7940	-68.08	-13.00	55.08	-13.84	-38.70	24.86			Vertical
3	227.1070	-77.97	-13.00	64.97	-15.77	-37.54	21.77			Vertical
4	358.1880	-75.83	-13.00	62.83	-10.78	-36.78	26.00			Vertical
5	648.5090	-42.6	-13.00	29.60	-4.67	-34.42	29.75			NA
6	677.6380	-44.35	-13.00	31.35	-4.65	-34.39	29.74			NA



71A\_N66


Test Graph



CH423000 10MBW CP-OFDM QPSK 1RB\_Right SCS15KHz 1-18G H

Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-61.74	-13.00	48.74	-7.96	-45.27	37.31			Horizontal
2	1710.7110	-28.3	-13.00	15.30	-8.41	-46.34	37.93			NA
3	2019.0190	-58.82	-13.00	45.82	-5.02	-46.44	41.42			Horizontal
4	2693.6940	-60.6	-13.00	47.60	-10.15	-47.42	37.27			Horizontal
5	3366.3660	-60.27	-13.00	47.27	-9.67	-47.87	38.20			Horizontal
6	3432.4320	-59.98	-13.00	46.98	-8.98	-47.52	38.54			Horizontal
7	4039.0390	-58.06	-13.00	45.06	-7.06	-46.81	39.75			Horizontal
8	4711.7120	-56.4	-13.00	43.40	-4.18	-45.05	40.87			Horizontal
9	5144.1440	-55.51	-13.00	42.51	-2.45	-43.82	41.37			Horizontal
10	5384.3840	-56.34	-13.00	43.34	-2.17	-43.01	40.84			Horizontal
11	6057.0570	-55.84	-13.00	42.84	-0.97	-42.42	41.45			Horizontal
12	6735.7360	-52.67	-13.00	39.67	1.72	-41.14	42.86			Horizontal
13	6861.8620	-53.33	-13.00	40.33	2.33	-40.86	43.19			Horizontal
14	8573.5740	-50.85	-13.00	37.85	7.28	-38.67	45.95			Horizontal
15	10297.2970	-56.32	-13.00	43.32	12.10	-36.58	48.68			Horizontal
16	12009.0090	-51.75	-13.00	38.75	18.04	-31.31	49.35			Horizontal
17	13720.7210	-52.45	-13.00	39.45	20.64	-29.20	49.84			Horizontal
18	15432.4320	-50	-13.00	37.00	21.94	-28.89	50.83			Horizontal
19	17153.1530	-48.9	-13.00	35.90	23.51	-28.05	51.56			Horizontal



CH423000 10MBW CP-OFDM QPSK 1RB\_Right SCS15KHz 1-18G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-62.18	-13.00	49.18	-8.67	-45.27	36.60			Vertical
2	1710.7110	-32.07	-13.00	19.07	-9.39	-46.34	36.95			NA
3	2019.0190	-64.21	-13.00	51.21	-10.04	-46.44	36.40			Vertical
4	2691.6920	-61.43	-13.00	48.43	-10.41	-47.42	37.01			Vertical
5	3366.3660	-61.7	-13.00	48.70	-10.32	-47.87	37.55			Vertical
6	3432.4320	-60.52	-13.00	47.52	-9.61	-47.52	37.91			Vertical
7	4039.0390	-58.83	-13.00	45.83	-7.50	-46.81	39.31			Vertical
8	4711.7120	-56.73	-13.00	43.73	-4.37	-45.05	40.68			Vertical
9	5144.1440	-55.13	-13.00	42.13	-2.48	-43.82	41.34			Vertical
10	5384.3840	-56.92	-13.00	43.92	-2.63	-43.01	40.38			Vertical
11	6057.0570	-55.32	-13.00	42.32	-1.04	-42.42	41.38			Vertical
12	6729.7300	-54.09	-13.00	41.09	1.72	-41.23	42.95			Vertical
13	6861.8620	-52.76	-13.00	39.76	2.56	-40.86	43.42			Vertical
14	8579.5800	-51.08	-13.00	38.08	7.19	-38.64	45.83			Vertical
15	10288.2880	-56.53	-13.00	43.53	11.79	-36.80	48.59			Vertical
16	12009.0090	-52.31	-13.00	39.31	17.63	-31.31	48.94			Vertical
17	13720.7210	-52.45	-13.00	39.45	20.42	-29.20	49.62			Vertical
18	15432.4320	-52.21	-13.00	39.21	19.88	-28.89	48.77			Vertical
19	17153.1530	-49.92	-13.00	36.92	22.68	-28.05	50.73			Vertical






CH423000 10MBW CP-OFDM QPSK 1RB\_Right SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-58.79	-13.00	45.79	-9.81	-39.59	29.78			Horizontal
2	43.5940	-59.52	-13.00	46.52	-7.04	-39.51	32.47			Horizontal
3	103.7940	-69.23	-13.00	56.23	-17.50	-38.70	21.20			Horizontal
4	199.9200	-71.18	-13.00	58.18	-14.94	-37.84	22.90			Horizontal
5	635.8860	-45.2	-13.00	32.20	-5.54	-34.55	29.01			NA
6	665.0150	-37.1	-13.00	24.10	-4.22	-34.39	30.17			NA




CH423000 10MBW CP-OFDM QPSK 1RB\_Right SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-58.99	-13.00	45.99	-16.48	-39.56	23.08			Vertical
2	104.7650	-67.6	-13.00	54.60	-14.20	-38.70	24.50			Vertical
3	197.9780	-74.1	-13.00	61.10	-15.99	-37.89	21.90			Vertical
4	296.0460	-71.63	-13.00	58.63	-12.04	-36.97	24.93			Vertical
5	620.3500	-44.38	-13.00	31.38	-5.38	-34.72	29.34			NA
6	663.0730	-33.59	-13.00	20.59	-4.35	-34.39	30.04			NA




CH423000 10MBW DFT-s-OFDM PI/2 BPSK 1RB\_Right SCS15KHz 1-18G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-62.36	-13.00	49.36	-7.96	-45.27	37.31			Horizontal
2	1710.7110	-29	-13.00	16.00	-8.41	-46.34	37.93			NA
3	2019.0190	-59	-13.00	46.00	-5.02	-46.44	41.42			Horizontal
4	2695.6960	-61	-13.00	48.00	-10.16	-47.43	37.27			Horizontal
5	3366.3660	-60.49	-13.00	47.49	-9.67	-47.87	38.20			Horizontal
6	3432.4320	-60.35	-13.00	47.35	-8.98	-47.52	38.54			Horizontal
7	4039.0390	-58.45	-13.00	45.45	-7.06	-46.81	39.75			Horizontal
8	4711.7120	-56.78	-13.00	43.78	-4.18	-45.05	40.87			Horizontal
9	5150.1500	-55.44	-13.00	42.44	-2.47	-43.82	41.35			Horizontal
10	5384.3840	-55.98	-13.00	42.98	-2.17	-43.01	40.84			Horizontal
11	6057.0570	-55.66	-13.00	42.66	-0.97	-42.42	41.45			Horizontal
12	6729.7300	-53.55	-13.00	40.55	1.63	-41.23	42.86			Horizontal
13	6855.8560	-53	-13.00	40.00	2.21	-40.95	43.16			Horizontal
14	8573.5740	-51.38	-13.00	38.38	7.28	-38.67	45.95			Horizontal
15	10288.2880	-56.66	-13.00	43.66	11.86	-36.80	48.66			Horizontal
16	12009.0090	-51.9	-13.00	38.90	18.04	-31.31	49.35			Horizontal
17	13729.7300	-52.26	-13.00	39.26	20.58	-29.22	49.80			Horizontal
18	15432.4320	-49.97	-13.00	36.97	21.94	-28.89	50.83			Horizontal
19	17153.1530	-48.87	-13.00	35.87	23.51	-28.05	51.56			Horizontal




CH423000 10MBW DFT-s-OFDM PI/2 BPSK 1RB\_Right SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-62.85	-13.00	49.85	-8.67	-45.27	36.60			Vertical
2	1710.7110	-32.29	-13.00	19.29	-9.39	-46.34	36.95			NA
3	2017.0170	-63.95	-13.00	50.95	-10.03	-46.42	36.39			Vertical
4	2691.6920	-61.1	-13.00	48.10	-10.41	-47.42	37.01			Vertical
5	3366.3660	-61.32	-13.00	48.32	-10.32	-47.87	37.55			Vertical
6	3432.4320	-60.34	-13.00	47.34	-9.61	-47.52	37.91			Vertical
7	4039.0390	-57.66	-13.00	44.66	-7.50	-46.81	39.31			Vertical
8	4711.7120	-56.55	-13.00	43.55	-4.37	-45.05	40.68			Vertical
9	5144.1440	-55.67	-13.00	42.67	-2.48	-43.82	41.34			Vertical
10	5384.3840	-56.97	-13.00	43.97	-2.63	-43.01	40.38			Vertical
11	6051.0510	-55.19	-13.00	42.19	-1.03	-42.40	41.37			Vertical
12	6735.7360	-51.85	-13.00	38.85	1.83	-41.14	42.97			Vertical
13	6867.8680	-53.31	-13.00	40.31	2.67	-40.77	43.44			Vertical
14	8579.5800	-50.82	-13.00	37.82	7.19	-38.64	45.83			Vertical
15	10288.2880	-56.65	-13.00	43.65	11.79	-36.80	48.59			Vertical
16	12009.0090	-52.44	-13.00	39.44	17.63	-31.31	48.94			Vertical
17	13720.7210	-52.19	-13.00	39.19	20.42	-29.20	49.62			Vertical
18	15432.4320	-52.16	-13.00	39.16	19.88	-28.89	48.77			Vertical
19	17153.1530	-49.84	-13.00	36.84	22.68	-28.05	50.73			Vertical




CH423000 10MBW DFT-s-OFDM PI/2 BPSK 1RB\_Right SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-60.27	-13.00	47.27	-8.93	-39.57	30.64			Horizontal
2	44.5650	-60.09	-13.00	47.09	-7.03	-39.50	32.47			Horizontal
3	104.7650	-68.1	-13.00	55.10	-17.53	-38.70	21.17			Horizontal
4	197.0070	-72.05	-13.00	59.05	-14.88	-37.91	23.03			Horizontal
5	632.0020	-45.72	-13.00	32.72	-5.62	-34.59	28.97			NA
6	665.0150	-33.74	-13.00	20.74	-4.22	-34.39	30.17			NA




CH423000 10MBW DFT-s-OFDM PI/2 BPSK 1RB\_Right SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-60.34	-13.00	47.34	-16.48	-39.56	23.08			Vertical
2	103.7940	-67.7	-13.00	54.70	-13.84	-38.70	24.86			Vertical
3	169.8200	-74.19	-13.00	61.19	-17.13	-38.12	20.99			Vertical
4	296.0460	-71.89	-13.00	58.89	-12.04	-36.97	24.93			Vertical
5	628.1180	-43.81	-13.00	30.81	-5.40	-34.64	29.24			NA
6	664.0440	-34.63	-13.00	21.63	-4.35	-34.39	30.04			NA



CH429000 10MBW CP-OFDM QPSK 1RB\_Right SCS15KHz 1-18G H


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1360.3600	-62.04	-13.00	49.04	-8.09	-45.29	37.20			Horizontal
2	1696.6970	-47.98	-13.00	34.98	-8.47	-46.35	37.88			NA
3	2041.0410	-59.87	-13.00	46.87	-5.93	-46.64	40.71			Horizontal
4	2723.7240	-60.85	-13.00	47.85	-9.84	-47.41	37.57			Horizontal
5	3402.4020	-60.66	-13.00	47.66	-9.16	-47.49	38.33			Horizontal
6	3492.4920	-58.96	-13.00	45.96	-8.41	-47.39	38.98			Horizontal
7	4087.0870	-57.55	-13.00	44.55	-6.87	-46.80	39.93			Horizontal
8	4765.7660	-57.39	-13.00	44.39	-4.68	-45.57	40.89			Horizontal
9	5234.2340	-56.03	-13.00	43.03	-2.52	-43.39	40.87			Horizontal
10	5444.4440	-56.1	-13.00	43.10	-2.16	-42.98	40.82			Horizontal
11	6129.1290	-56.19	-13.00	43.19	-1.02	-42.51	41.49			Horizontal
12	6801.8020	-54.05	-13.00	41.05	1.53	-41.36	42.89			Horizontal
13	6987.9880	-50.52	-13.00	37.52	4.13	-40.00	44.13			Horizontal
14	8729.7300	-51.78	-13.00	38.78	7.67	-39.03	46.70			Horizontal
15	10468.4680	-55.25	-13.00	42.25	12.69	-36.33	49.02			Horizontal
16	12216.2160	-53.29	-13.00	40.29	18.02	-31.25	49.27			Horizontal
17	13963.9640	-51.91	-13.00	38.91	20.96	-28.56	49.52			Horizontal
18	15702.7030	-51.94	-13.00	38.94	21.14	-29.81	50.95			Horizontal
19	17450.4500	-48.57	-13.00	35.57	23.91	-27.10	51.01			Horizontal



CH429000 10MBW CP-OFDM QPSK 1RB\_Right SCS15KHz 1-18G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1360.3600	-62.2	-13.00	49.20	-8.50	-45.29	36.79			Vertical
2	1698.6990	-56.12	-13.00	43.12	-9.43	-46.36	36.93			NA
3	2039.0390	-64.44	-13.00	51.44	-10.09	-46.62	36.53			Vertical
4	2719.7200	-61.37	-13.00	48.37	-10.17	-47.41	37.24			Vertical
5	3402.4020	-61.39	-13.00	48.39	-9.88	-47.49	37.61			Vertical
6	3492.4920	-59.85	-13.00	46.85	-8.89	-47.39	38.50			Vertical
7	4081.0810	-56.79	-13.00	43.79	-7.32	-46.78	39.46			Vertical
8	4759.7600	-57.08	-13.00	44.08	-5.05	-45.77	40.72			Vertical
9	5234.2340	-56.26	-13.00	43.26	-2.84	-43.39	40.55			Vertical
10	5444.4440	-56.96	-13.00	43.96	-2.51	-42.98	40.47			Vertical
11	6123.1230	-55.77	-13.00	42.77	-1.10	-42.52	41.42			Vertical
12	6801.8020	-53.49	-13.00	40.49	1.80	-41.36	43.16			Vertical
13	6975.9760	-52.35	-13.00	39.35	3.71	-40.18	43.89			Vertical
14	8729.7300	-51.57	-13.00	38.57	7.46	-39.03	46.49			Vertical
15	10468.4680	-55.08	-13.00	42.08	12.63	-36.33	48.96			Vertical
16	12216.2160	-53.57	-13.00	40.57	17.60	-31.25	48.85			Vertical
17	13963.9640	-51.44	-13.00	38.44	21.10	-28.56	49.66			Vertical
18	15702.7030	-54.63	-13.00	41.63	18.54	-29.81	48.35			Vertical
19	17450.4500	-49.44	-13.00	36.44	23.06	-27.10	50.16			Vertical






CH429000 10MBW CP-OFDM QPSK 1RB\_Right SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	34.8550	-60.61	-13.00	47.61	-9.37	-39.58	30.21			Horizontal
2	42.6230	-60.21	-13.00	47.21	-7.05	-39.52	32.47			Horizontal
3	198.9490	-71.25	-13.00	58.25	-14.91	-37.86	22.95			Horizontal
4	296.0460	-73.79	-13.00	60.79	-11.97	-36.97	25.00			Horizontal
5	642.6830	-44.05	-13.00	31.05	-5.27	-34.48	29.21			NA
6	670.8410	-30.4	-13.00	17.40	-4.16	-34.39	30.23			NA



Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-59.11	-13.00	46.11	-16.48	-39.56	23.08			Vertical
2	104.7650	-69.19	-13.00	56.19	-14.20	-38.70	24.50			Vertical
3	203.8040	-75.38	-13.00	62.38	-16.34	-37.73	21.39			Vertical
4	397.0270	-73.82	-13.00	60.82	-9.66	-36.31	26.65			Vertical
5	631.0310	-44.47	-13.00	31.47	-5.37	-34.60	29.23			NA
6	665.9860	-40.49	-13.00	27.49	-4.36	-34.39	30.03			NA



**Suspected List**

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1362.3620	-61.18	-13.00	48.18	-8.11	-45.29	37.18			Horizontal
2	1696.6970	-51.23	-13.00	38.23	-8.47	-46.35	37.88			NA
3	2041.0410	-59.94	-13.00	46.94	-5.93	-46.64	40.71			Horizontal
4	2721.7220	-60.44	-13.00	47.44	-9.87	-47.41	37.54			Horizontal
5	3402.4020	-60.25	-13.00	47.25	-9.16	-47.49	38.33			Horizontal
6	3492.4920	-59.66	-13.00	46.66	-8.41	-47.39	38.98			Horizontal
7	4081.0810	-57.15	-13.00	44.15	-6.87	-46.78	39.91			Horizontal
8	4765.7660	-57.25	-13.00	44.25	-4.68	-45.57	40.89			Horizontal
9	5234.2340	-56.81	-13.00	43.81	-2.52	-43.39	40.87			Horizontal
10	5444.4440	-55.68	-13.00	42.68	-2.16	-42.98	40.82			Horizontal
11	6123.1230	-55.84	-13.00	42.84	-1.04	-42.52	41.48			Horizontal
12	6807.8080	-54.74	-13.00	41.74	1.60	-41.32	42.92			Horizontal
13	6981.9820	-51.28	-13.00	38.28	3.99	-40.09	44.08			Horizontal
14	8723.7240	-50.79	-13.00	37.79	7.72	-38.96	46.68			Horizontal
15	10477.4770	-54.89	-13.00	41.89	12.63	-36.32	48.95			Horizontal
16	12207.2070	-52.9	-13.00	39.90	17.84	-31.44	49.28			Horizontal
17	13963.9640	-51.89	-13.00	38.89	20.96	-28.56	49.52			Horizontal
18	15702.7030	-51.66	-13.00	38.66	21.14	-29.81	50.95			Horizontal
19	17450.4500	-48.46	-13.00	35.46	23.91	-27.10	51.01			Horizontal