




Test Graph




CA_5A-66A Mid 5A_10M 66A_20M 1RB 1-18G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 1672.6730 | -61.45 | -13.00 | 48.45 | -8.72 | -46.29 | 37.57 | 283 | Z | Horizontal |
| 2 | 2507.5080 | -62.03 | -13.00 | 49.03 | -10.47 | -47.17 | 36.70 | 155 | Z | Horizontal |
| 3 | 3342.3420 | -60.55 | -13.00 | 47.55 | -9.94 | -48.06 | 38.12 | 134 | Z | Horizontal |
| 4 | 3486.4860 | -58.58 | -13.00 | 45.58 | -8.48 | -47.41 | 38.93 | 230 | Z | Horizontal |
| 5 | 4189.1890 | -57.75 | -13.00 | 44.75 | -6.80 | -46.49 | 39.69 | 220 | Z | Horizontal |
| 6 | 5024.0240 | -55.79 | -13.00 | 42.79 | -2.42 | -43.83 | 41.41 | 183 | Z | Horizontal |
| 7 | 5156.1560 | -55.64 | -13.00 | 42.64 | -2.41 | -43.74 | 41.33 | 161 | Z | Horizontal |
| 8 | 5852.8530 | -56.12 | -13.00 | 43.12 | -0.90 | -42.25 | 41.35 | 29 | Z | Horizontal |
| 9 | 6693.6940 | -52.73 | -13.00 | 39.73 | 1.21 | -41.68 | 42.89 | 280 | Z | Horizontal |
| 10 | 6981.9820 | -51.13 | -13.00 | 38.13 | 3.99 | -40.09 | 44.08 | 136 | Z | Horizontal |
| 11 | 7522.5230 | -50.42 | -13.00 | 37.42 | 7.68 | -38.27 | 45.95 | 78 | Z | Horizontal |
| 12 | 8363.3630 | -53.46 | -13.00 | 40.46 | 6.51 | -38.36 | 44.87 | 266 | Z | Horizontal |
| 13 | 8729.7300 | -49.85 | -13.00 | 36.85 | 7.67 | -39.03 | 46.70 | 70 | Z | Horizontal |
| 14 | 10468.4680 | -54.58 | -13.00 | 41.58 | 12.69 | -36.33 | 49.02 | 55 | Z | Horizontal |
| 15 | 12216.2160 | -52.26 | -13.00 | 39.26 | 18.02 | -31.25 | 49.27 | 73 | Z | Horizontal |
| 16 | 13963.9640 | -51.34 | -13.00 | 38.34 | 20.96 | -28.56 | 49.52 | 298 | Z | Horizontal |
| 17 | 15711.7120 | -50.75 | -13.00 | 37.75 | 21.16 | -29.76 | 50.92 | 102 | Z | Horizontal |
| 18 | 17450.4500 | -48.05 | -13.00 | 35.05 | 23.91 | -27.10 | 51.01 | 134 | Z | Horizontal |

Test Graph



○ Final Test


CA_5A-66A Mid 5A_10M 66A_20M 1RB 1-18G V

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| 1 | 1672.6730 | -62.77 | -13.00 | 49.77 | -9.64 | -46.29 | 36.65 | 263 | Z | Vertical |
| 2 | 2509.5100 | -62.28 | -13.00 | 49.28 | -10.63 | -47.19 | 36.56 | 158 | Z | Vertical |
| 3 | 3348.3480 | -62.27 | -13.00 | 49.27 | -10.53 | -48.06 | 37.53 | 4 | Z | Vertical |
| 4 | 3492.4920 | -59.42 | -13.00 | 46.42 | -8.89 | -47.39 | 38.50 | 336 | Z | Vertical |
| 5 | 4189.1890 | -57.41 | -13.00 | 44.41 | -7.00 | -46.49 | 39.49 | 184 | Z | Vertical |
| 6 | 5012.0120 | -54.76 | -13.00 | 41.76 | -2.94 | -43.82 | 40.88 | 267 | Z | Vertical |
| 7 | 5234.2340 | -56.03 | -13.00 | 43.03 | -2.84 | -43.39 | 40.55 | 305 | Z | Vertical |
| 8 | 5858.8590 | -55.72 | -13.00 | 42.72 | -1.14 | -42.30 | 41.16 | 212 | Z | Vertical |
| 9 | 6687.6880 | -52.86 | -13.00 | 39.86 | 1.25 | -41.71 | 42.96 | 154 | Z | Vertical |
| 10 | 6975.9760 | -51.16 | -13.00 | 38.16 | 3.71 | -40.18 | 43.89 | 119 | Z | Vertical |
| 11 | 7522.5230 | -50.11 | -13.00 | 37.11 | 7.38 | -38.27 | 45.65 | 131 | Z | Vertical |
| 12 | 8357.3570 | -52.51 | -13.00 | 39.51 | 6.38 | -38.35 | 44.73 | 180 | Z | Vertical |
| 13 | 8723.7240 | -51.96 | -13.00 | 38.96 | 7.56 | -38.96 | 46.52 | 306 | Z | Vertical |
| 14 | 10477.4770 | -55.09 | -13.00 | 42.09 | 12.55 | -36.32 | 48.87 | 316 | Z | Vertical |
| 15 | 12216.2160 | -52.7 | -13.00 | 39.70 | 17.60 | -31.25 | 48.85 | 7 | Z | Vertical |
| 16 | 13954.9550 | -51.14 | -13.00 | 38.14 | 21.06 | -28.63 | 49.69 | 99 | Z | Vertical |
| 17 | 15702.7030 | -53.73 | -13.00 | 40.73 | 18.54 | -29.81 | 48.35 | 87 | Z | Vertical |
| 18 | 17450.4500 | -48.85 | -13.00 | 35.85 | 23.06 | -27.10 | 50.16 | 226 | Z | Vertical |



Test Graph




CA_5A-66A Mid 5A_10M 66A_20M 1RB 30M-1G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 34.8550 | -57.29 | -13.00 | 44.29 | -9.37 | -39.58 | 30.21 | 87 | Z | Horizontal |
| 2 | 48.4480 | -59.83 | -13.00 | 46.83 | -7.02 | -39.47 | 32.45 | 245 | Z | Horizontal |
| 3 | 103.7940 | -71.33 | -13.00 | 58.33 | -17.50 | -38.70 | 21.20 | 277 | Z | Horizontal |
| 4 | 173.7040 | -71.33 | -13.00 | 58.33 | -18.04 | -38.12 | 20.08 | 60 | Z | Horizontal |
| 5 | 832.0220 | -42.08 | -13.00 | 29.08 | -2.73 | -34.14 | 31.41 | 21 | Z | NA |
| 6 | 885.4250 | -36.73 | -13.00 | 23.73 | -2.07 | -34.00 | 31.93 | 94 | Z | NA |



Test Graph




○ Final Test

CA_5A-66A Mid 5A_10M 66A_20M 1RB 30M-1G V

| Suspected List | | | | | | | | | | |
|----------------|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
| 1 | 34.8550 | -58.79 | -13.00 | 45.79 | -16.68 | -39.58 | 22.90 | 129 | Z | Vertical |
| 2 | 90.2000 | -68.59 | -13.00 | 55.59 | -16.50 | -38.71 | 22.21 | 35 | Z | Vertical |
| 3 | 172.7330 | -72.69 | -13.00 | 59.69 | -17.01 | -38.12 | 21.11 | 245 | Z | Vertical |
| 4 | 296.0460 | -72.8 | -13.00 | 59.80 | -12.04 | -36.97 | 24.93 | 294 | Z | Vertical |
| 5 | 832.0220 | -44.09 | -13.00 | 31.09 | -2.58 | -34.14 | 31.56 | 331 | Z | NA |
| 6 | 879.6000 | -40.56 | -13.00 | 27.56 | -1.61 | -34.02 | 32.41 | 146 | Z | NA |



Test Graph



○ Final Test


CA_5A-66A High 5A_10M 66A_20M 1RB 1-18G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 1686.6870 | -62.02 | -13.00 | 49.02 | -8.58 | -46.33 | 37.75 | 197 | Z | Horizontal |
| 2 | 2539.5400 | -62.13 | -13.00 | 49.13 | -10.70 | -47.48 | 36.78 | 109 | Z | Horizontal |
| 3 | 3366.3660 | -59.04 | -13.00 | 46.04 | -9.67 | -47.87 | 38.20 | 16 | Z | Horizontal |
| 4 | 3546.5470 | -59.57 | -13.00 | 46.57 | -8.80 | -47.95 | 39.15 | 217 | Z | Horizontal |
| 5 | 4225.2250 | -57.18 | -13.00 | 44.18 | -6.89 | -46.61 | 39.72 | 141 | Z | Horizontal |
| 6 | 5072.0720 | -54.77 | -13.00 | 41.77 | -2.35 | -43.85 | 41.50 | 51 | Z | Horizontal |
| 7 | 5318.3180 | -56.76 | -13.00 | 43.76 | -2.81 | -43.26 | 40.45 | 250 | Z | Horizontal |
| 8 | 5900.9010 | -55.11 | -13.00 | 42.11 | -1.36 | -42.66 | 41.30 | 348 | Z | Horizontal |
| 9 | 6753.7540 | -52.83 | -13.00 | 39.83 | 1.90 | -40.97 | 42.87 | 259 | Z | Horizontal |
| 10 | 7084.0840 | -51.1 | -13.00 | 38.10 | 4.87 | -39.82 | 44.69 | 312 | Z | Horizontal |
| 11 | 7594.5950 | -50.05 | -13.00 | 37.05 | 7.27 | -37.84 | 45.11 | 196 | Z | Horizontal |
| 12 | 8441.4410 | -51.35 | -13.00 | 38.35 | 6.88 | -38.13 | 45.01 | 211 | Z | Horizontal |
| 13 | 8855.8560 | -50.35 | -13.00 | 37.35 | 7.76 | -38.96 | 46.72 | 344 | Z | Horizontal |
| 14 | 10630.6310 | -53.3 | -13.00 | 40.30 | 13.43 | -35.23 | 48.66 | 12 | Z | Horizontal |
| 15 | 12405.4050 | -53 | -13.00 | 40.00 | 17.62 | -31.11 | 48.73 | 7 | Z | Horizontal |
| 16 | 14180.1800 | -51.1 | -13.00 | 38.10 | 20.87 | -29.10 | 49.97 | 311 | Z | Horizontal |
| 17 | 15927.9280 | -48.79 | -13.00 | 35.79 | 22.51 | -28.25 | 50.76 | 197 | Z | Horizontal |
| 18 | 17702.7030 | -47 | -13.00 | 34.00 | 25.81 | -26.28 | 52.09 | 65 | Z | Horizontal |



Test Graph




CA_5A-66A High 5A_10M 66A_20M 1RB 1-18G V

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| 1 | 1686.6870 | -62.64 | -13.00 | 49.64 | -9.53 | -46.33 | 36.80 | 96 | Z | Vertical |
| 2 | 2535.5360 | -62.61 | -13.00 | 49.61 | -10.81 | -47.44 | 36.63 | 71 | Z | Vertical |
| 3 | 3372.3720 | -60.9 | -13.00 | 47.90 | -10.24 | -47.80 | 37.56 | 189 | Z | Vertical |
| 4 | 3540.5410 | -59.57 | -13.00 | 46.57 | -9.25 | -47.87 | 38.62 | 53 | Z | Vertical |
| 5 | 4219.2190 | -57.73 | -13.00 | 44.73 | -7.04 | -46.54 | 39.50 | 126 | Z | Vertical |
| 6 | 5060.0600 | -55.07 | -13.00 | 42.07 | -2.52 | -43.86 | 41.34 | 310 | Z | Vertical |
| 7 | 5312.3120 | -57.43 | -13.00 | 44.43 | -3.28 | -43.31 | 40.03 | 88 | Z | Vertical |
| 8 | 5900.9010 | -55.78 | -13.00 | 42.78 | -1.31 | -42.66 | 41.35 | 170 | Z | Vertical |
| 9 | 6753.7540 | -52.99 | -13.00 | 39.99 | 2.05 | -40.97 | 43.02 | 244 | Z | Vertical |
| 10 | 7084.0840 | -51.22 | -13.00 | 38.22 | 4.92 | -39.82 | 44.74 | 271 | Z | Vertical |
| 11 | 7588.5890 | -50.02 | -13.00 | 37.02 | 7.31 | -37.93 | 45.24 | 40 | Z | Vertical |
| 12 | 8435.4350 | -52.03 | -13.00 | 39.03 | 6.69 | -38.17 | 44.86 | 291 | Z | Vertical |
| 13 | 8849.8500 | -49.57 | -13.00 | 36.57 | 7.77 | -38.89 | 46.66 | 2 | Z | Vertical |
| 14 | 10630.6310 | -53.32 | -13.00 | 40.32 | 13.60 | -35.23 | 48.83 | 257 | Z | Vertical |
| 15 | 12396.3960 | -53.76 | -13.00 | 40.76 | 16.77 | -31.20 | 47.97 | 143 | Z | Vertical |
| 16 | 14189.1890 | -50.51 | -13.00 | 37.51 | 21.50 | -29.00 | 50.50 | 257 | Z | Vertical |
| 17 | 15936.9370 | -52.04 | -13.00 | 39.04 | 19.67 | -28.66 | 48.33 | 209 | Z | Vertical |
| 18 | 17702.7030 | -47.79 | -13.00 | 34.79 | 24.87 | -26.28 | 51.15 | 327 | Z | Vertical |

Test Graph




CA_5A-66A High 5A_10M 66A_20M 1RB 30M-1G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 34.8550 | -56.3 | -13.00 | 43.30 | -9.37 | -39.58 | 30.21 | 52 | Z | Horizontal |
| 2 | 49.4190 | -59.72 | -13.00 | 46.72 | -7.01 | -39.46 | 32.45 | 166 | Z | Horizontal |
| 3 | 103.7940 | -71.81 | -13.00 | 58.81 | -17.50 | -38.70 | 21.20 | 282 | Z | Horizontal |
| 4 | 173.7040 | -70.72 | -13.00 | 57.72 | -18.04 | -38.12 | 20.08 | 33 | Z | Horizontal |
| 5 | 839.7900 | -41.94 | -13.00 | 28.94 | -2.50 | -34.12 | 31.62 | 121 | Z | NA |
| 6 | 889.3090 | -36.21 | -13.00 | 23.21 | -2.03 | -34.00 | 31.97 | 281 | Z | NA |

Test Graph




CA_5A-66A High 5A_10M 66A_20M 1RB 30M-1G V

| Suspected List | | | | | | | | | | |
|----------------|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
| 1 | 34.8550 | -57.93 | -13.00 | 44.93 | -16.68 | -39.58 | 22.90 | 17 | Z | Vertical |
| 2 | 101.8520 | -69.4 | -13.00 | 56.40 | -13.11 | -38.70 | 25.59 | 95 | Z | Vertical |
| 3 | 174.6750 | -71.79 | -13.00 | 58.79 | -16.92 | -38.12 | 21.20 | 257 | Z | Vertical |
| 4 | 311.5820 | -73.27 | -13.00 | 60.27 | -11.78 | -36.97 | 25.19 | 49 | Z | Vertical |
| 5 | 839.7900 | -44.24 | -13.00 | 31.24 | -2.77 | -34.12 | 31.35 | 121 | Z | NA |
| 6 | 885.4250 | -40.76 | -13.00 | 27.76 | -1.36 | -34.00 | 32.64 | 37 | Z | NA |



12A_66A

Test Graph




CA_12A-66A Low 12A_10M 66A_20M 1RB 1-18G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 1408.4080 | -62.32 | -13.00 | 49.32 | -8.55 | -45.36 | 36.81 | 151 | Z | Horizontal |
| 2 | 2123.1230 | -43.33 | -13.00 | 30.33 | -8.19 | -47.05 | 38.86 | 360 | Z | Horizontal |
| 3 | 2817.8180 | -60.74 | -13.00 | 47.74 | -9.29 | -47.80 | 38.51 | 158 | Z | Horizontal |
| 4 | 3438.4380 | -59.82 | -13.00 | 46.82 | -8.93 | -47.52 | 38.59 | 307 | Z | Horizontal |
| 5 | 3522.5230 | -59.2 | -13.00 | 46.20 | -8.56 | -47.65 | 39.09 | 100 | Z | Horizontal |
| 6 | 4219.2190 | -58.05 | -13.00 | 45.05 | -6.84 | -46.54 | 39.70 | 189 | Z | Horizontal |
| 7 | 4933.9340 | -55.47 | -13.00 | 42.47 | -3.41 | -44.57 | 41.16 | 248 | Z | Horizontal |
| 8 | 5162.1620 | -55.25 | -13.00 | 42.25 | -2.36 | -43.66 | 41.30 | 121 | Z | Horizontal |
| 9 | 5630.6310 | -54.79 | -13.00 | 41.79 | -2.12 | -42.94 | 40.82 | 312 | Z | Horizontal |
| 10 | 6339.3390 | -53.51 | -13.00 | 40.51 | -0.25 | -42.46 | 42.21 | 96 | Z | Horizontal |
| 11 | 6885.8860 | -51.6 | -13.00 | 38.60 | 2.81 | -40.50 | 43.31 | 132 | Z | Horizontal |
| 12 | 7048.0480 | -50.15 | -13.00 | 37.15 | 4.57 | -39.92 | 44.49 | 216 | Z | Horizontal |
| 13 | 8597.5980 | -48.89 | -13.00 | 35.89 | 7.62 | -38.53 | 46.15 | 186 | Z | Horizontal |
| 14 | 10324.3240 | -55.62 | -13.00 | 42.62 | 12.74 | -36.16 | 48.90 | 312 | Z | Horizontal |
| 15 | 12027.0270 | -52.19 | -13.00 | 39.19 | 18.10 | -31.28 | 49.38 | 142 | Z | Horizontal |
| 16 | 13765.7660 | -51.67 | -13.00 | 38.67 | 21.00 | -28.67 | 49.67 | 288 | Z | Horizontal |
| 17 | 15486.4860 | -48.98 | -13.00 | 35.98 | 21.99 | -28.88 | 50.87 | 183 | Z | Horizontal |
| 18 | 17198.1980 | -46.93 | -13.00 | 33.93 | 24.47 | -27.23 | 51.70 | 288 | Z | Horizontal |



Test Graph




CA_12A-66A Low 12A_10M 66A_20M 1RB 1-18G V

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| 1 | 1408.4080 | -61.58 | -13.00 | 48.58 | -8.21 | -45.36 | 37.15 | 354 | Z | Vertical |
| 2 | 2123.1230 | -52.02 | -13.00 | 39.02 | -9.54 | -47.05 | 37.51 | 304 | Z | Vertical |
| 3 | 2815.8160 | -59.78 | -13.00 | 46.78 | -9.64 | -47.81 | 38.17 | 142 | Z | Vertical |
| 4 | 3444.4440 | -60.16 | -13.00 | 47.16 | -9.50 | -47.53 | 38.03 | 74 | Z | Vertical |
| 5 | 3516.5170 | -59.12 | -13.00 | 46.12 | -8.98 | -47.57 | 38.59 | 142 | Z | Vertical |
| 6 | 4225.2250 | -58.37 | -13.00 | 45.37 | -7.10 | -46.61 | 39.51 | 51 | Z | Vertical |
| 7 | 4927.9280 | -56.59 | -13.00 | 43.59 | -3.78 | -44.45 | 40.67 | 156 | Z | Vertical |
| 8 | 5162.1620 | -54.8 | -13.00 | 41.80 | -2.48 | -43.66 | 41.18 | 223 | Z | Vertical |
| 9 | 5636.6370 | -55.29 | -13.00 | 42.29 | -2.43 | -42.90 | 40.47 | 91 | Z | Vertical |
| 10 | 6339.3390 | -52.82 | -13.00 | 39.82 | -0.11 | -42.46 | 42.35 | 98 | Z | Vertical |
| 11 | 6873.8740 | -51.92 | -13.00 | 38.92 | 2.79 | -40.68 | 43.47 | 324 | Z | Vertical |
| 12 | 7042.0420 | -50.74 | -13.00 | 37.74 | 4.46 | -39.90 | 44.36 | 99 | Z | Vertical |
| 13 | 8603.6040 | -50.4 | -13.00 | 37.40 | 7.48 | -38.55 | 46.03 | 242 | Z | Vertical |
| 14 | 10315.3150 | -55.5 | -13.00 | 42.50 | 12.44 | -36.29 | 48.73 | 288 | Z | Vertical |
| 15 | 12036.0360 | -52.82 | -13.00 | 39.82 | 17.61 | -31.27 | 48.88 | 242 | Z | Vertical |
| 16 | 13765.7660 | -51.6 | -13.00 | 38.60 | 20.88 | -28.67 | 49.55 | 70 | Z | Vertical |
| 17 | 15477.4770 | -50.66 | -13.00 | 37.66 | 19.90 | -28.86 | 48.76 | 300 | Z | Vertical |
| 18 | 17198.1980 | -47.59 | -13.00 | 34.59 | 23.64 | -27.23 | 50.87 | 202 | Z | Vertical |

Test Graph




CA_12A-66A Mid 12A_10M 66A_20M 1RB 1-18G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 1414.4140 | -62.65 | -13.00 | 49.65 | -8.60 | -45.37 | 36.77 | 21 | Z | Horizontal |
| 2 | 2139.1390 | -43.64 | -13.00 | 30.64 | -7.94 | -46.85 | 38.91 | 79 | Z | Horizontal |
| 3 | 2833.8340 | -60.31 | -13.00 | 47.31 | -9.10 | -47.65 | 38.55 | 57 | Z | Horizontal |
| 4 | 3498.4980 | -58.54 | -13.00 | 45.54 | -8.35 | -47.37 | 39.02 | 322 | Z | Horizontal |
| 5 | 3534.5350 | -58.26 | -13.00 | 45.26 | -8.68 | -47.80 | 39.12 | 311 | Z | Horizontal |
| 6 | 4243.2430 | -57.77 | -13.00 | 44.77 | -7.07 | -46.83 | 39.76 | 18 | Z | Horizontal |
| 7 | 4957.9580 | -55.13 | -13.00 | 42.13 | -3.49 | -44.72 | 41.23 | 351 | Z | Horizontal |
| 8 | 5240.2400 | -55.49 | -13.00 | 42.49 | -2.61 | -43.43 | 40.82 | 284 | Z | Horizontal |
| 9 | 5654.6550 | -55.58 | -13.00 | 42.58 | -1.98 | -42.80 | 40.82 | 63 | Z | Horizontal |
| 10 | 6369.3690 | -54.89 | -13.00 | 41.89 | -0.12 | -42.36 | 42.24 | 113 | Z | Horizontal |
| 11 | 6975.9760 | -51.25 | -13.00 | 38.25 | 3.85 | -40.18 | 44.03 | 55 | Z | Horizontal |
| 12 | 7078.0780 | -51.05 | -13.00 | 38.05 | 4.82 | -39.84 | 44.66 | 322 | Z | Horizontal |
| 13 | 8723.7240 | -49.93 | -13.00 | 36.93 | 7.72 | -38.96 | 46.68 | 286 | Z | Horizontal |
| 14 | 10477.4770 | -54.58 | -13.00 | 41.58 | 12.63 | -36.32 | 48.95 | 336 | Z | Horizontal |
| 15 | 12207.2070 | -52.02 | -13.00 | 39.02 | 17.84 | -31.44 | 49.28 | 92 | Z | Horizontal |
| 16 | 13972.9730 | -51.01 | -13.00 | 38.01 | 20.99 | -28.50 | 49.49 | 89 | Z | Horizontal |
| 17 | 15702.7030 | -50.88 | -13.00 | 37.88 | 21.14 | -29.81 | 50.95 | 356 | Z | Horizontal |
| 18 | 17450.4500 | -47.61 | -13.00 | 34.61 | 23.91 | -27.10 | 51.01 | 204 | Z | Horizontal |

Test Graph




CA_12A-66A Mid 12A_10M 66A_20M 1RB 1-18G V

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| 1 | 1408.4080 | -61.02 | -13.00 | 48.02 | -8.21 | -45.36 | 37.15 | 355 | Z | Vertical |
| 2 | 2149.1490 | -53.74 | -13.00 | 40.74 | -8.54 | -46.73 | 38.19 | 105 | Z | Vertical |
| 3 | 2835.8360 | -59.94 | -13.00 | 46.94 | -9.38 | -47.63 | 38.25 | 323 | Z | Vertical |
| 4 | 3492.4920 | -59.78 | -13.00 | 46.78 | -8.89 | -47.39 | 38.50 | 179 | Z | Vertical |
| 5 | 3534.5350 | -60.18 | -13.00 | 47.18 | -9.19 | -47.80 | 38.61 | 148 | Z | Vertical |
| 6 | 4249.2490 | -57.52 | -13.00 | 44.52 | -7.36 | -46.90 | 39.54 | 182 | Z | Vertical |
| 7 | 4945.9460 | -56.17 | -13.00 | 43.17 | -4.11 | -44.81 | 40.70 | 121 | Z | Vertical |
| 8 | 5234.2340 | -56.03 | -13.00 | 43.03 | -2.84 | -43.39 | 40.55 | 74 | Z | Vertical |
| 9 | 5660.6610 | -55.57 | -13.00 | 42.57 | -2.26 | -42.80 | 40.54 | 83 | Z | Vertical |
| 10 | 6369.3690 | -53.95 | -13.00 | 40.95 | 0.13 | -42.36 | 42.49 | 28 | Z | Vertical |
| 11 | 6975.9760 | -51.18 | -13.00 | 38.18 | 3.71 | -40.18 | 43.89 | 92 | Z | Vertical |
| 12 | 7072.0720 | -51.29 | -13.00 | 38.29 | 4.77 | -39.86 | 44.63 | 11 | Z | Vertical |
| 13 | 8723.7240 | -50.75 | -13.00 | 37.75 | 7.56 | -38.96 | 46.52 | 15 | Z | Vertical |
| 14 | 10477.4770 | -54.38 | -13.00 | 41.38 | 12.55 | -36.32 | 48.87 | 143 | Z | Vertical |
| 15 | 12216.2160 | -52.5 | -13.00 | 39.50 | 17.60 | -31.25 | 48.85 | 63 | Z | Vertical |
| 16 | 13963.9640 | -51.33 | -13.00 | 38.33 | 21.10 | -28.56 | 49.66 | 94 | Z | Vertical |
| 17 | 15711.7120 | -53.15 | -13.00 | 40.15 | 18.55 | -29.76 | 48.31 | 359 | Z | Vertical |
| 18 | 17450.4500 | -48.36 | -13.00 | 35.36 | 23.06 | -27.10 | 50.16 | 99 | Z | Vertical |



Test Graph




CA_12A-66A Mid 12A_10M 66A_20M 1RB 30M-1G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 34.8550 | -54.98 | -13.00 | 41.98 | -9.37 | -39.58 | 30.21 | 89 | Z | Horizontal |
| 2 | 49.4190 | -59.12 | -13.00 | 46.12 | -7.01 | -39.46 | 32.45 | 302 | Z | Horizontal |
| 3 | 104.7650 | -71.08 | -13.00 | 58.08 | -17.53 | -38.70 | 21.17 | 190 | Z | Horizontal |
| 4 | 233.9040 | -72.89 | -13.00 | 59.89 | -10.80 | -37.56 | 26.76 | 70 | Z | Horizontal |
| 5 | 702.8830 | -42.46 | -13.00 | 29.46 | -4.45 | -34.37 | 29.92 | 268 | Z | NA |
| 6 | 741.7220 | -36.26 | -13.00 | 23.26 | -3.21 | -34.23 | 31.02 | 303 | Z | NA |


Test Graph



CA_12A-66A Mid 12A_10M 66A_20M 1RB 30M-1G V

| Suspected List | | | | | | | | | | |
|----------------|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
| 1 | 37.7680 | -57.29 | -13.00 | 44.29 | -16.48 | -39.56 | 23.08 | 358 | Z | Vertical |
| 2 | 103.7940 | -69.02 | -13.00 | 56.02 | -13.84 | -38.70 | 24.86 | 330 | Z | Vertical |
| 3 | 204.7750 | -71.37 | -13.00 | 58.37 | -16.40 | -37.71 | 21.31 | 247 | Z | Vertical |
| 4 | 280.5110 | -70.48 | -13.00 | 57.48 | -12.48 | -37.03 | 24.55 | 42 | Z | Vertical |
| 5 | 702.8830 | -46.44 | -13.00 | 33.44 | -4.36 | -34.37 | 30.01 | 0 | Z | NA |
| 6 | 740.7510 | -45.04 | -13.00 | 32.04 | -3.19 | -34.23 | 31.04 | 115 | Z | NA |

Test Graph




CA_12A-66A High 12A_10M 66A_20M 1RB 1-18G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 1422.4220 | -61.47 | -13.00 | 48.47 | -8.68 | -45.38 | 36.70 | 274 | Z | Horizontal |
| 2 | 2167.1670 | -51.23 | -13.00 | 38.23 | -7.79 | -46.79 | 39.00 | 46 | Z | Horizontal |
| 3 | 2841.8420 | -59.64 | -13.00 | 46.64 | -9.01 | -47.58 | 38.57 | 41 | Z | Horizontal |
| 4 | 3534.5350 | -59.84 | -13.00 | 46.84 | -8.68 | -47.80 | 39.12 | 79 | Z | Horizontal |
| 5 | 3558.5590 | -59.08 | -13.00 | 46.08 | -8.63 | -47.81 | 39.18 | 134 | Z | Horizontal |
| 6 | 4267.2670 | -57.12 | -13.00 | 44.12 | -6.86 | -46.68 | 39.82 | 43 | Z | Horizontal |
| 7 | 4975.9760 | -56.1 | -13.00 | 43.10 | -3.04 | -44.33 | 41.29 | 111 | Z | Horizontal |
| 8 | 5312.3120 | -56.18 | -13.00 | 43.18 | -2.90 | -43.31 | 40.41 | 38 | Z | Horizontal |
| 9 | 5684.6850 | -56.06 | -13.00 | 43.06 | -1.93 | -42.76 | 40.83 | 182 | Z | Horizontal |
| 10 | 6393.3930 | -53.99 | -13.00 | 40.99 | 0.11 | -42.14 | 42.25 | 189 | Z | Horizontal |
| 11 | 7084.0840 | -51.65 | -13.00 | 38.65 | 4.87 | -39.82 | 44.69 | 71 | Z | Horizontal |
| 12 | 7108.1080 | -51.67 | -13.00 | 38.67 | 5.09 | -39.73 | 44.82 | 30 | Z | Horizontal |
| 13 | 8855.8560 | -50.32 | -13.00 | 37.32 | 7.76 | -38.96 | 46.72 | 71 | Z | Horizontal |
| 14 | 10630.6310 | -53.21 | -13.00 | 40.21 | 13.43 | -35.23 | 48.66 | 355 | Z | Horizontal |
| 15 | 12387.3870 | -53.1 | -13.00 | 40.10 | 17.57 | -31.21 | 48.78 | 6 | Z | Horizontal |
| 16 | 14162.1620 | -51.26 | -13.00 | 38.26 | 20.72 | -29.28 | 50.00 | 357 | Z | Horizontal |
| 17 | 15927.9280 | -48.8 | -13.00 | 35.80 | 22.51 | -28.25 | 50.76 | 173 | Z | Horizontal |
| 18 | 17702.7030 | -46.75 | -13.00 | 33.75 | 25.81 | -26.28 | 52.09 | 120 | Z | Horizontal |

Test Graph



○ Final Test


CA_12A-66A High 12A_10M 66A_20M 1RB 1-18G V

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| 1 | 1422.4220 | -62.36 | -13.00 | 49.36 | -8.51 | -45.38 | 36.87 | 87 | Z | Vertical |
| 2 | 2173.1730 | -50.25 | -13.00 | 37.25 | -7.99 | -46.81 | 38.82 | 309 | Z | Vertical |
| 3 | 2841.8420 | -59.66 | -13.00 | 46.66 | -9.31 | -47.58 | 38.27 | 239 | Z | Vertical |
| 4 | 3540.5410 | -60.07 | -13.00 | 47.07 | -9.25 | -47.87 | 38.62 | 91 | Z | Vertical |
| 5 | 3558.5590 | -60.46 | -13.00 | 47.46 | -9.17 | -47.81 | 38.64 | 343 | Z | Vertical |
| 6 | 4261.2610 | -57.72 | -13.00 | 44.72 | -7.21 | -46.76 | 39.55 | 60 | Z | Vertical |
| 7 | 4975.9760 | -55.4 | -13.00 | 42.40 | -3.60 | -44.33 | 40.73 | 87 | Z | Vertical |
| 8 | 5306.3060 | -57.54 | -13.00 | 44.54 | -3.35 | -43.35 | 40.00 | 113 | Z | Vertical |
| 9 | 5684.6850 | -56.22 | -13.00 | 43.22 | -2.14 | -42.76 | 40.62 | 63 | Z | Vertical |
| 10 | 6393.3930 | -53.49 | -13.00 | 40.49 | 0.47 | -42.14 | 42.61 | 331 | Z | Vertical |
| 11 | 7078.0780 | -51.01 | -13.00 | 38.01 | 4.84 | -39.84 | 44.68 | 184 | Z | Vertical |
| 12 | 7108.1080 | -51.08 | -13.00 | 38.08 | 5.20 | -39.73 | 44.93 | 294 | Z | Vertical |
| 13 | 8849.8500 | -49.4 | -13.00 | 36.40 | 7.77 | -38.89 | 46.66 | 114 | Z | Vertical |
| 14 | 10612.6130 | -53.72 | -13.00 | 40.72 | 13.40 | -35.50 | 48.90 | 262 | Z | Vertical |
| 15 | 12396.3960 | -53.64 | -13.00 | 40.64 | 16.77 | -31.20 | 47.97 | 137 | Z | Vertical |
| 16 | 14162.1620 | -50.91 | -13.00 | 37.91 | 21.19 | -29.28 | 50.47 | 223 | Z | Vertical |
| 17 | 15927.9280 | -51.14 | -13.00 | 38.14 | 20.02 | -28.25 | 48.27 | 254 | Z | Vertical |
| 18 | 17693.6940 | -47.58 | -13.00 | 34.58 | 24.81 | -26.26 | 51.07 | 328 | Z | Vertical |



Test Graph




CA_12A-66A High 12A_10M 66A_20M 1RB 30M-1G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 33.8840 | -54.82 | -13.00 | 41.82 | -9.81 | -39.59 | 29.78 | 342 | Z | Horizontal |
| 2 | 59.1290 | -63.93 | -13.00 | 50.93 | -10.59 | -39.48 | 28.89 | 127 | Z | Horizontal |
| 3 | 103.7940 | -70.96 | -13.00 | 57.96 | -17.50 | -38.70 | 21.20 | 109 | Z | Horizontal |
| 4 | 206.7170 | -72.87 | -13.00 | 59.87 | -14.34 | -37.66 | 23.32 | 167 | Z | Horizontal |
| 5 | 706.7670 | -34.65 | -13.00 | 21.65 | -4.30 | -34.36 | 30.06 | 120 | Z | NA |
| 6 | 742.6930 | -35.71 | -13.00 | 22.71 | -3.19 | -34.23 | 31.04 | 44 | Z | NA |



Test Graph




CA_12A-66A High 12A_10M 66A_20M 1RB 30M-1G V

| Suspected List | | | | | | | | | | |
|----------------|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
| 1 | 37.7680 | -58.16 | -13.00 | 45.16 | -16.48 | -39.56 | 23.08 | 210 | Z | Vertical |
| 2 | 90.2000 | -67.82 | -13.00 | 54.82 | -16.50 | -38.71 | 22.21 | 260 | Z | Vertical |
| 3 | 104.7650 | -68.2 | -13.00 | 55.20 | -14.20 | -38.70 | 24.50 | 59 | Z | Vertical |
| 4 | 279.5400 | -69.97 | -13.00 | 56.97 | -12.54 | -37.04 | 24.50 | 76 | Z | Vertical |
| 5 | 706.7670 | -39.94 | -13.00 | 26.94 | -4.25 | -34.36 | 30.11 | 153 | Z | NA |
| 6 | 741.7220 | -45.1 | -13.00 | 32.10 | -3.13 | -34.23 | 31.10 | 108 | Z | NA |



13A_66A

Test Graph




CA_13A-66A Low 13A_10M 66A_20M 1RB 1-18G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 1560.5610 | -62.59 | -13.00 | 49.59 | -9.29 | -45.71 | 36.42 | 47 | Z | Horizontal |
| 2 | 2333.3330 | -55.13 | -13.00 | 42.13 | -7.85 | -46.47 | 38.62 | 214 | Z | Horizontal |
| 3 | 3120.1200 | -57.98 | -13.00 | 44.98 | -8.36 | -47.39 | 39.03 | 294 | Z | Horizontal |
| 4 | 3444.4440 | -59.51 | -13.00 | 46.51 | -8.90 | -47.53 | 38.63 | 310 | Z | Horizontal |
| 5 | 3906.9070 | -57.13 | -13.00 | 44.13 | -7.00 | -46.81 | 39.81 | 343 | Z | Horizontal |
| 6 | 4681.6820 | -55.58 | -13.00 | 42.58 | -4.05 | -44.84 | 40.79 | 81 | Z | Horizontal |
| 7 | 5162.1620 | -54.5 | -13.00 | 41.50 | -2.36 | -43.66 | 41.30 | 50 | Z | Horizontal |
| 8 | 5462.4620 | -56.28 | -13.00 | 43.28 | -2.15 | -42.93 | 40.78 | 21 | Z | Horizontal |
| 9 | 6243.2430 | -53.49 | -13.00 | 40.49 | -0.04 | -41.89 | 41.85 | 258 | Z | Horizontal |
| 10 | 6885.8860 | -52.37 | -13.00 | 39.37 | 2.81 | -40.50 | 43.31 | 298 | Z | Horizontal |
| 11 | 7024.0240 | -50.81 | -13.00 | 37.81 | 4.49 | -39.87 | 44.36 | 327 | Z | Horizontal |
| 12 | 7804.8050 | -52.88 | -13.00 | 39.88 | 6.42 | -38.20 | 44.62 | 290 | Z | Horizontal |
| 13 | 8603.6040 | -50.22 | -13.00 | 37.22 | 7.64 | -38.55 | 46.19 | 298 | Z | Horizontal |
| 14 | 10324.3240 | -56.05 | -13.00 | 43.05 | 12.74 | -36.16 | 48.90 | 6 | Z | Horizontal |
| 15 | 12045.0450 | -52.57 | -13.00 | 39.57 | 18.16 | -31.25 | 49.41 | 130 | Z | Horizontal |
| 16 | 13756.7570 | -52.06 | -13.00 | 39.06 | 20.71 | -29.00 | 49.71 | 83 | Z | Horizontal |
| 17 | 15486.4860 | -49.31 | -13.00 | 36.31 | 21.99 | -28.88 | 50.87 | 12 | Z | Horizontal |
| 18 | 17198.1980 | -46.84 | -13.00 | 33.84 | 24.47 | -27.23 | 51.70 | 257 | Z | Horizontal |

Test Graph




CA_13A-66A Low 13A_10M 66A_20M 1RB 1-18G V

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| 1 | 1560.5610 | -63.61 | -13.00 | 50.61 | -10.04 | -45.71 | 35.67 | 235 | Z | Vertical |
| 2 | 2341.3410 | -60.07 | -13.00 | 47.07 | -8.27 | -46.51 | 38.24 | 160 | Z | Vertical |
| 3 | 3120.1200 | -59.83 | -13.00 | 46.83 | -8.80 | -47.39 | 38.59 | 294 | Z | Vertical |
| 4 | 3438.4380 | -60.07 | -13.00 | 47.07 | -9.55 | -47.52 | 37.97 | 25 | Z | Vertical |
| 5 | 3900.9010 | -56.86 | -13.00 | 43.86 | -7.37 | -46.73 | 39.36 | 319 | Z | Vertical |
| 6 | 4675.6760 | -54.77 | -13.00 | 41.77 | -4.34 | -44.88 | 40.54 | 82 | Z | Vertical |
| 7 | 5156.1560 | -55.22 | -13.00 | 42.22 | -2.50 | -43.74 | 41.24 | 40 | Z | Vertical |
| 8 | 5462.4620 | -56.6 | -13.00 | 43.60 | -2.45 | -42.93 | 40.48 | 90 | Z | Vertical |
| 9 | 6243.2430 | -54.11 | -13.00 | 41.11 | -0.23 | -41.89 | 41.66 | 143 | Z | Vertical |
| 10 | 6879.8800 | -51.55 | -13.00 | 38.55 | 2.90 | -40.59 | 43.49 | 225 | Z | Vertical |
| 11 | 7024.0240 | -51.31 | -13.00 | 38.31 | 4.33 | -39.87 | 44.20 | 88 | Z | Vertical |
| 12 | 7804.8050 | -53.52 | -13.00 | 40.52 | 6.30 | -38.20 | 44.50 | 197 | Z | Vertical |
| 13 | 8603.6040 | -50.31 | -13.00 | 37.31 | 7.48 | -38.55 | 46.03 | 100 | Z | Vertical |
| 14 | 10324.3240 | -56.02 | -13.00 | 43.02 | 12.66 | -36.16 | 48.82 | 101 | Z | Vertical |
| 15 | 12045.0450 | -53.27 | -13.00 | 40.27 | 17.61 | -31.25 | 48.86 | 311 | Z | Vertical |
| 16 | 13756.7570 | -52.27 | -13.00 | 39.27 | 20.56 | -29.00 | 49.56 | 30 | Z | Vertical |
| 17 | 15486.4860 | -50.97 | -13.00 | 37.97 | 19.88 | -28.88 | 48.76 | 50 | Z | Vertical |
| 18 | 17207.2070 | -47.39 | -13.00 | 34.39 | 23.72 | -27.14 | 50.86 | 181 | Z | Vertical |

Test Graph



○ Final Test


CA_13A-66A Low 13A_10M 66A_20M 1RB 30M-1G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 33.8840 | -55.16 | -13.00 | 42.16 | -9.81 | -39.59 | 29.78 | 203 | Z | Horizontal |
| 2 | 48.4480 | -60.46 | -13.00 | 47.46 | -7.02 | -39.47 | 32.45 | 292 | Z | Horizontal |
| 3 | 104.7650 | -71.1 | -13.00 | 58.10 | -17.53 | -38.70 | 21.17 | 220 | Z | Horizontal |
| 4 | 174.6750 | -72.18 | -13.00 | 59.18 | -17.93 | -38.12 | 20.19 | 103 | Z | Horizontal |
| 5 | 747.5480 | -33.34 | -13.00 | 20.34 | -3.07 | -34.21 | 31.14 | 1 | Z | NA |
| 6 | 777.6480 | -39.9 | -13.00 | 26.90 | -3.07 | -34.22 | 31.15 | 166 | Z | NA |




Test Graph



CA_13A-66A Low 13A_10M 66A_20M 1RB 30M-1G V

| Suspected List | | | | | | | | | | |
|----------------|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
| 1 | 37.7680 | -58.69 | -13.00 | 45.69 | -16.48 | -39.56 | 23.08 | 149 | Z | Vertical |
| 2 | 59.1290 | -71.31 | -13.00 | 58.31 | -18.04 | -39.48 | 21.44 | 280 | Z | Vertical |
| 3 | 103.7940 | -69.8 | -13.00 | 56.80 | -13.84 | -38.70 | 24.86 | 182 | Z | Vertical |
| 4 | 299.9300 | -73.15 | -13.00 | 60.15 | -12.01 | -36.97 | 24.96 | 329 | Z | Vertical |
| 5 | 753.3730 | -45.99 | -13.00 | 32.99 | -2.51 | -34.20 | 31.69 | 38 | Z | NA |
| 6 | 777.6480 | -47.82 | -13.00 | 34.82 | -3.12 | -34.22 | 31.10 | 352 | Z | NA |

Test Graph




CA_13A-66A Mid 13A_10M 66A_20M 1RB 1-18G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 1562.5630 | -61.63 | -13.00 | 48.63 | -9.29 | -45.72 | 36.43 | 246 | Z | Horizontal |
| 2 | 2339.3390 | -58.27 | -13.00 | 45.27 | -8.00 | -46.50 | 38.50 | 188 | Z | Horizontal |
| 3 | 3120.1200 | -59.55 | -13.00 | 46.55 | -8.36 | -47.39 | 39.03 | 324 | Z | Horizontal |
| 4 | 3486.4860 | -59.52 | -13.00 | 46.52 | -8.48 | -47.41 | 38.93 | 258 | Z | Horizontal |
| 5 | 3900.9010 | -56.91 | -13.00 | 43.91 | -6.91 | -46.73 | 39.82 | 304 | Z | Horizontal |
| 6 | 4675.6760 | -56.15 | -13.00 | 43.15 | -4.11 | -44.88 | 40.77 | 48 | Z | Horizontal |
| 7 | 5234.2340 | -55.83 | -13.00 | 42.83 | -2.52 | -43.39 | 40.87 | 53 | Z | Horizontal |
| 8 | 5462.4620 | -55.99 | -13.00 | 42.99 | -2.15 | -42.93 | 40.78 | 157 | Z | Horizontal |
| 9 | 6243.2430 | -52.87 | -13.00 | 39.87 | -0.04 | -41.89 | 41.85 | 56 | Z | Horizontal |
| 10 | 6987.9880 | -51.63 | -13.00 | 38.63 | 4.13 | -40.00 | 44.13 | 163 | Z | Horizontal |
| 11 | 7024.0240 | -50.69 | -13.00 | 37.69 | 4.49 | -39.87 | 44.36 | 104 | Z | Horizontal |
| 12 | 7804.8050 | -53.29 | -13.00 | 40.29 | 6.42 | -38.20 | 44.62 | 76 | Z | Horizontal |
| 13 | 8729.7300 | -51.06 | -13.00 | 38.06 | 7.67 | -39.03 | 46.70 | 349 | Z | Horizontal |
| 14 | 10468.4680 | -54.77 | -13.00 | 41.77 | 12.69 | -36.33 | 49.02 | 238 | Z | Horizontal |
| 15 | 12225.2250 | -51.94 | -13.00 | 38.94 | 18.20 | -31.05 | 49.25 | 83 | Z | Horizontal |
| 16 | 13954.9550 | -51.72 | -13.00 | 38.72 | 20.92 | -28.63 | 49.55 | 171 | Z | Horizontal |
| 17 | 15702.7030 | -50.88 | -13.00 | 37.88 | 21.14 | -29.81 | 50.95 | 31 | Z | Horizontal |
| 18 | 17459.4590 | -47.91 | -13.00 | 34.91 | 23.86 | -27.15 | 51.01 | 330 | Z | Horizontal |

Test Graph



○ Final Test


CA_13A-66A Mid 13A_10M 66A_20M 1RB 1-18G V

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| 1 | 1560.5610 | -62.76 | -13.00 | 49.76 | -10.04 | -45.71 | 35.67 | 74 | Z | Vertical |
| 2 | 2339.3390 | -59.64 | -13.00 | 46.64 | -8.23 | -46.50 | 38.27 | 207 | Z | Vertical |
| 3 | 3120.1200 | -59.72 | -13.00 | 46.72 | -8.80 | -47.39 | 38.59 | 258 | Z | Vertical |
| 4 | 3492.4920 | -59.53 | -13.00 | 46.53 | -8.89 | -47.39 | 38.50 | 352 | Z | Vertical |
| 5 | 3900.9010 | -57.5 | -13.00 | 44.50 | -7.37 | -46.73 | 39.36 | 218 | Z | Vertical |
| 6 | 4675.6760 | -54.98 | -13.00 | 41.98 | -4.34 | -44.88 | 40.54 | 131 | Z | Vertical |
| 7 | 5240.2400 | -56.23 | -13.00 | 43.23 | -2.93 | -43.43 | 40.50 | 69 | Z | Vertical |
| 8 | 5456.4560 | -56.43 | -13.00 | 43.43 | -2.47 | -42.95 | 40.48 | 145 | Z | Vertical |
| 9 | 6243.2430 | -54.66 | -13.00 | 41.66 | -0.23 | -41.89 | 41.66 | 28 | Z | Vertical |
| 10 | 6987.9880 | -51.15 | -13.00 | 38.15 | 3.94 | -40.00 | 43.94 | 166 | Z | Vertical |
| 11 | 7024.0240 | -50.69 | -13.00 | 37.69 | 4.33 | -39.87 | 44.20 | 241 | Z | Vertical |
| 12 | 7804.8050 | -53.32 | -13.00 | 40.32 | 6.30 | -38.20 | 44.50 | 328 | Z | Vertical |
| 13 | 8723.7240 | -50.06 | -13.00 | 37.06 | 7.56 | -38.96 | 46.52 | 345 | Z | Vertical |
| 14 | 10468.4680 | -54.33 | -13.00 | 41.33 | 12.63 | -36.33 | 48.96 | 101 | Z | Vertical |
| 15 | 12207.2070 | -53.38 | -13.00 | 40.38 | 17.43 | -31.44 | 48.87 | 139 | Z | Vertical |
| 16 | 13954.9550 | -51.72 | -13.00 | 38.72 | 21.06 | -28.63 | 49.69 | 204 | Z | Vertical |
| 17 | 15702.7030 | -53.52 | -13.00 | 40.52 | 18.54 | -29.81 | 48.35 | 132 | Z | Vertical |
| 18 | 17450.4500 | -49.03 | -13.00 | 36.03 | 23.06 | -27.10 | 50.16 | 245 | Z | Vertical |



Test Graph




CA_13A-66A Mid 13A_10M 66A_20M 1RB 30M-1G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 33.8840 | -55.41 | -13.00 | 42.41 | -9.81 | -39.59 | 29.78 | 355 | Z | Horizontal |
| 2 | 49.4190 | -59.72 | -13.00 | 46.72 | -7.01 | -39.46 | 32.45 | 216 | Z | Horizontal |
| 3 | 104.7650 | -70.74 | -13.00 | 57.74 | -17.53 | -38.70 | 21.17 | 243 | Z | Horizontal |
| 4 | 172.7330 | -71.06 | -13.00 | 58.06 | -18.15 | -38.12 | 19.97 | 121 | Z | Horizontal |
| 5 | 746.5770 | -34.97 | -13.00 | 21.97 | -3.09 | -34.21 | 31.12 | 174 | Z | NA |
| 6 | 777.6480 | -40.62 | -13.00 | 27.62 | -3.07 | -34.22 | 31.15 | 151 | Z | NA |




Test Graph



CA_13A-66A Mid 13A_10M 66A_20M 1RB 30M-1G V

| Suspected List | | | | | | | | | | |
|----------------|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
| 1 | 37.7680 | -58.55 | -13.00 | 45.55 | -16.48 | -39.56 | 23.08 | 217 | Z | Vertical |
| 2 | 90.2000 | -68.78 | -13.00 | 55.78 | -16.50 | -38.71 | 22.21 | 272 | Z | Vertical |
| 3 | 170.7910 | -73.45 | -13.00 | 60.45 | -17.10 | -38.12 | 21.02 | 14 | Z | Vertical |
| 4 | 311.5820 | -72.77 | -13.00 | 59.77 | -11.78 | -36.97 | 25.19 | 347 | Z | Vertical |
| 5 | 748.5190 | -46.44 | -13.00 | 33.44 | -2.72 | -34.21 | 31.49 | 177 | Z | NA |
| 6 | 777.6480 | -48.21 | -13.00 | 35.21 | -3.12 | -34.22 | 31.10 | 331 | Z | NA |

Test Graph




CA_13A-66A High 13A_10M 66A_20M 1RB 1-18G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 1560.5610 | -62.32 | -13.00 | 49.32 | -9.29 | -45.71 | 36.42 | 132 | Z | Horizontal |
| 2 | 2341.3410 | -59.73 | -13.00 | 46.73 | -8.05 | -46.51 | 38.46 | 148 | Z | Horizontal |
| 3 | 3120.1200 | -58.77 | -13.00 | 45.77 | -8.36 | -47.39 | 39.03 | 191 | Z | Horizontal |
| 4 | 3540.5410 | -58.98 | -13.00 | 45.98 | -8.73 | -47.87 | 39.14 | 226 | Z | Horizontal |
| 5 | 3900.9010 | -56.58 | -13.00 | 43.58 | -6.91 | -46.73 | 39.82 | 332 | Z | Horizontal |
| 6 | 4681.6820 | -55.42 | -13.00 | 42.42 | -4.05 | -44.84 | 40.79 | 261 | Z | Horizontal |
| 7 | 5312.3120 | -56.64 | -13.00 | 43.64 | -2.90 | -43.31 | 40.41 | 186 | Z | Horizontal |
| 8 | 5462.4620 | -55.85 | -13.00 | 42.85 | -2.15 | -42.93 | 40.78 | 340 | Z | Horizontal |
| 9 | 6243.2430 | -53.23 | -13.00 | 40.23 | -0.04 | -41.89 | 41.85 | 356 | Z | Horizontal |
| 10 | 7024.0240 | -51.35 | -13.00 | 38.35 | 4.49 | -39.87 | 44.36 | 225 | Z | Horizontal |
| 11 | 7084.0840 | -51.79 | -13.00 | 38.79 | 4.87 | -39.82 | 44.69 | 318 | Z | Horizontal |
| 12 | 7804.8050 | -52.86 | -13.00 | 39.86 | 6.42 | -38.20 | 44.62 | 158 | Z | Horizontal |
| 13 | 8843.8440 | -50.07 | -13.00 | 37.07 | 7.81 | -38.94 | 46.75 | 63 | Z | Horizontal |
| 14 | 10630.6310 | -53.62 | -13.00 | 40.62 | 13.43 | -35.23 | 48.66 | 315 | Z | Horizontal |
| 15 | 12396.3960 | -52.88 | -13.00 | 39.88 | 17.55 | -31.20 | 48.75 | 163 | Z | Horizontal |
| 16 | 14162.1620 | -51.64 | -13.00 | 38.64 | 20.72 | -29.28 | 50.00 | 192 | Z | Horizontal |
| 17 | 15936.9370 | -49.77 | -13.00 | 36.77 | 22.14 | -28.66 | 50.80 | 169 | Z | Horizontal |
| 18 | 17702.7030 | -47.04 | -13.00 | 34.04 | 25.81 | -26.28 | 52.09 | 128 | Z | Horizontal |

Test Graph



○ Final Test


CA_13A-66A High 13A_10M 66A_20M 1RB 1-18G V

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| 1 | 1560.5610 | -62.27 | -13.00 | 49.27 | -10.04 | -45.71 | 35.67 | 142 | Z | Vertical |
| 2 | 2341.3410 | -60.03 | -13.00 | 47.03 | -8.27 | -46.51 | 38.24 | 183 | Z | Vertical |
| 3 | 3120.1200 | -59.46 | -13.00 | 46.46 | -8.80 | -47.39 | 38.59 | 177 | Z | Vertical |
| 4 | 3540.5410 | -60.02 | -13.00 | 47.02 | -9.25 | -47.87 | 38.62 | 320 | Z | Vertical |
| 5 | 3900.9010 | -57.04 | -13.00 | 44.04 | -7.37 | -46.73 | 39.36 | 223 | Z | Vertical |
| 6 | 4681.6820 | -55.31 | -13.00 | 42.31 | -4.27 | -44.84 | 40.57 | 268 | Z | Vertical |
| 7 | 5312.3120 | -56.54 | -13.00 | 43.54 | -3.28 | -43.31 | 40.03 | 288 | Z | Vertical |
| 8 | 5456.4560 | -56.51 | -13.00 | 43.51 | -2.47 | -42.95 | 40.48 | 80 | Z | Vertical |
| 9 | 6237.2370 | -53.21 | -13.00 | 40.21 | -0.34 | -41.95 | 41.61 | 297 | Z | Vertical |
| 10 | 7018.0180 | -51.72 | -13.00 | 38.72 | 4.29 | -39.86 | 44.15 | 285 | Z | Vertical |
| 11 | 7078.0780 | -49.25 | -13.00 | 36.25 | 4.84 | -39.84 | 44.68 | 102 | Z | Vertical |
| 12 | 7798.7990 | -52.17 | -13.00 | 39.17 | 6.21 | -38.26 | 44.47 | 255 | Z | Vertical |
| 13 | 8849.8500 | -50.45 | -13.00 | 37.45 | 7.77 | -38.89 | 46.66 | 54 | Z | Vertical |
| 14 | 10621.6220 | -54 | -13.00 | 41.00 | 13.51 | -35.36 | 48.87 | 334 | Z | Vertical |
| 15 | 12396.3960 | -53.81 | -13.00 | 40.81 | 16.77 | -31.20 | 47.97 | 319 | Z | Vertical |
| 16 | 14153.1530 | -51.24 | -13.00 | 38.24 | 21.07 | -29.38 | 50.45 | 138 | Z | Vertical |
| 17 | 15936.9370 | -52.45 | -13.00 | 39.45 | 19.67 | -28.66 | 48.33 | 60 | Z | Vertical |
| 18 | 17702.7030 | -48.07 | -13.00 | 35.07 | 24.87 | -26.28 | 51.15 | 77 | Z | Vertical |



Test Graph




CA_13A-66A High 13A_10M 66A_20M 1RB 30M-1G H

Suspected List

| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
|-----|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|------------|
| 1 | 34.8550 | -56.55 | -13.00 | 43.55 | -9.37 | -39.58 | 30.21 | 348 | Z | Horizontal |
| 2 | 48.4480 | -59.36 | -13.00 | 46.36 | -7.02 | -39.47 | 32.45 | 360 | Z | Horizontal |
| 3 | 174.6750 | -71.99 | -13.00 | 58.99 | -17.93 | -38.12 | 20.19 | 223 | Z | Horizontal |
| 4 | 228.0780 | -72.22 | -13.00 | 59.22 | -10.95 | -37.53 | 26.58 | 137 | Z | Horizontal |
| 5 | 747.5480 | -35.22 | -13.00 | 22.22 | -3.07 | -34.21 | 31.14 | 147 | Z | NA |
| 6 | 777.6480 | -40.34 | -13.00 | 27.34 | -3.07 | -34.22 | 31.15 | 310 | Z | NA |

Test Graph



○ Final Test

CA_13A-66A High 13A_10M 66A_20M 1RB 30M-1G V

| Suspected List | | | | | | | | | | |
|----------------|-------------|-------------|-------------|-------------|-------------|-----------|----------|-----------|----------|-----------|
| NO. | Freq. [MHz] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Path [dB] | Air [dB] | Angle [°] | EUT Pol. | Ant. Pol. |
| 1 | 37.7680 | -57.69 | -13.00 | 44.69 | -16.48 | -39.56 | 23.08 | 27 | Z | Vertical |
| 2 | 90.2000 | -68.96 | -13.00 | 55.96 | -16.50 | -38.71 | 22.21 | 299 | Z | Vertical |
| 3 | 168.8490 | -72.97 | -13.00 | 59.97 | -17.12 | -38.15 | 21.03 | 155 | Z | Vertical |
| 4 | 428.0980 | -74.73 | -13.00 | 61.73 | -9.23 | -35.70 | 26.47 | 122 | Z | Vertical |
| 5 | 755.3150 | -46.46 | -13.00 | 33.46 | -2.44 | -34.20 | 31.76 | 337 | Z | NA |
| 6 | 777.6480 | -47.85 | -13.00 | 34.85 | -3.12 | -34.22 | 31.10 | 44 | Z | NA |



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

| Test items | Uncertainty |
|-------------------------------------|---------------|
| Output Power | ± 2.22 dB |
| Bandwidth | $\pm 5\%$ |
| Conducted Spurious Emission | ± 2.77 dB |
| Band Edge | ± 2.77 dB |
| Equivalent Isotropic Radiated Power | ± 2.22 dB |
| Radiated Spurious Emissions | ± 6 dB |

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

| | |
|----------------------|--|
| Company Name: | Shenzhen Morlab Communications Technology Co., Ltd. |
| Address: | FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China |
| Telephone: | +86 755 36698555 |
| Facsimile: | +86 755 36698525 |

2. Identification of the Responsible Testing Location

| | |
|-----------------|--|
| Name: | Shenzhen Morlab Communications Technology Co., Ltd. |
| Address: | FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China |

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



4. Test Equipments Utilized

4.1 Conducted Test Equipments

| Equipment Name | Serial No. | Type | Manufacturer | Cal. Date | Cal. Due |
|------------------------|------------|-----------|--|------------|------------|
| Power Splitter | NW521 | 1506A | Weinschel | 2020.04.15 | 2021.04.14 |
| Attenuator 1 | (N/A.) | 10dB | Resnet | 2020.04.15 | 2021.04.14 |
| Attenuator 2 | (N/A.) | 3dB | Resnet | 2020.04.15 | 2021.04.14 |
| EXA Signal Analyzer | MY51511149 | N9020A | Agilent | 2020.07.28 | 2021.07.27 |
| USB Power Sensor | MY54210011 | U2021XA | Agilent | 2020.04.15 | 2021.04.14 |
| System Simulator | 6261830572 | MT8821C | Anritsu | 2020.02.25 | 2021.02.24 |
| RF cable (30MHz-26GHz) | CB01 | RF01 | Morlab | N/A | N/A |
| Coaxial cable | CB02 | RF02 | Morlab | N/A | N/A |
| SMA connector | CN01 | RF03 | HUBER-SUHNER | N/A | N/A |
| Temperature Chamber | (N/A) | HUT705P | CHONGQING HANBA EXPERIMENTAL EQUIPMENT CO.,LTD | 2020.03.25 | 2021.03.24 |
| Computer | T430i | Think Pad | Lenovo | N/A | N/A |



4.2 Radiated Test Equipments

| Equipment Name | Serial No. | Type | Manufacturer | Cal. Date | Cal. Due |
|--------------------------------------|--------------|----------------|--------------|------------|------------|
| System Simulator | 152038 | CMW500 | R&S | 2020.11.19 | 2021.11.18 |
| System Simulator | 6200995016 | MT8820C | Anritsu | 2020.02.25 | 2021.02.24 |
| Receiver | MY54130016 | N9038A | Agilent | 2020.07.28 | 2021.07.27 |
| Test Antenna - Bi-Log | 9163-519 | VULB 9163 | Schwarzbeck | 2019.05.24 | 2022.05.23 |
| Test Antenna - Horn | 9170C-531 | BBHA9170 | Schwarzbeck | 2019.07.26 | 2022.07.25 |
| Test Antenna - Horn | 01774 | BBHA 9120D | Schwarzbeck | 2019.05.24 | 2022.05.23 |
| Coaxial cable (N male) (9KHz-30MHz) | CB04 | EMC04 | Morlab | N/A | N/A |
| Coaxial cable (N male) (30MHz-26GHz) | CB02 | EMC02 | Morlab | N/A | N/A |
| Coaxial cable(N male) (30MHz-26GHz) | CB03 | EMC03 | Morlab | N/A | N/A |
| 1-18GHz pre-Amplifier | S020180L3203 | N/A | Dongsheng | 2020.07.28 | 2021.07.27 |
| 18-26.5GHz pre-Amplifier | S10M100L3802 | N/A | Dongsheng | 2020.07.28 | 2021.07.27 |
| Notch Filter | N/A | WRCGV -LTE B2 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B4 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B5 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B7 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B12 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B17 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B19 | Wainwright | 2019.12.01 | 2020.11.30 |
| Equipment Name | Serial No. | Type | Manufacturer | Cal. Date | Cal. Due |



| | | | | | |
|------------------|-----|-------------------|------------|------------|------------|
| Notch Filter | N/A | WRCGV -LTE B25 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B26 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B30 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE 38 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B40 | Wainwright | 2020.07.21 | 2021.07.20 |
| Notch Filter | N/A | WRCGV -LTE B41 | Wainwright | 2020.07.21 | 2021.07.20 |
| Anechoic Chamber | N/A | 9m*6m*6m | CRT | 2019.07.13 | 2022.07.12 |

————— END OF REPORT —————