




n77(3700-3980MHz) 80M DFT-s-OFDM BPSK Outer_Full Low




n77(3700-3980MHz) 80M DFT-s-OFDM 256QAM Outer_Full Low




n77(3700-3980MHz) 80M CP-OFDM QPSK Outer_Full Low




n77(3700-3980MHz) 80M CP-OFDM 256QAM Outer_Full Low




n77(3700-3980MHz) 80M DFT-s-OFDM BPSK Outer_Full Mid




n77(3700-3980MHz) 80M DFT-s-OFDM 256QAM Outer_Full Mid




n77(3700-3980MHz) 80M CP-OFDM QPSK Outer_Full Mid




n77(3700-3980MHz) 80M CP-OFDM 256QAM Outer_Full Mid




n77(3700-3980MHz) 80M DFT-s-OFDM BPSK Outer_Full High




n77(3700-3980MHz) 80M DFT-s-OFDM 256QAM Outer_Full High




n77(3700-3980MHz) 80M CP-OFDM QPSK Outer_Full High




n77(3700-3980MHz) 80M CP-OFDM 256QAM Outer_Full High




n77(3700-3980MHz) 100M DFT-s-OFDM BPSK Outer_Full Low




n77(3700-3980MHz) 100M DFT-s-OFDM 256QAM Outer_Full Low




n77(3700-3980MHz) 100M CP-OFDM QPSK Outer_Full Low




n77(3700-3980MHz) 100M CP-OFDM 256QAM Outer_Full Low




n77(3700-3980MHz) 100M DFT-s-OFDM BPSK Outer_Full Mid




n77(3700-3980MHz) 100M DFT-s-OFDM 256QAM Outer_Full Mid




n77(3700-3980MHz) 100M CP-OFDM QPSK Outer_Full Mid




n77(3700-3980MHz) 100M CP-OFDM 256QAM Outer_Full Mid




n77(3700-3980MHz) 100M DFT-s-OFDM BPSK Outer_Full High



n77(3700-3980MHz) 100M DFT-s-OFDM 256QAM Outer_Full High



n77(3700-3980MHz) 100M CP-OFDM QPSK Outer_Full High



n77(3700-3980MHz) 100M CP-OFDM 256QAM Outer_Full High



2.5. Conducted Spurious Emissions

2.5.1. Requirement

According to FCC section 2.1051, section 22.917(a), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43+10*\log(P)$ dB. This calculated to be -13dBm.

According to FCC section 24.238(a) for n2, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Additional to FCC section 22.917(a) for n5, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This calculated to be -13dBm.


According to FCC section 27.53(h) for n66, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB.

According to FCC section 27.53(l)(2) for n77, n78, for mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

According to FCC section 27.53(n)(2) for n77, n78, for mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

According to FCC section 96.41(e), the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz.

2.5.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.5.3. Test procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.

2.5.4. Test Result

Note: In the same NR frequency band, The measured power in SA mode is higher than that in NSA mode, SA mode is selected to test all test cases.


Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dBm)	Limit (dBm)	Verdict
n2	15	5	370500	DFT-s-OFDM PI/2 BPSK	1/1	-44.17	-13	PASS
n2	15	5	370500	DFT-s-OFDM PI/2 BPSK	1/23	-43.95	-13	PASS
n2	15	5	370500	DFT-s-OFDM QPSK	1/1	-44.15	-13	PASS
n2	15	5	370500	DFT-s-OFDM QPSK	1/23	-44.31	-13	PASS
n2	15	5	376000	DFT-s-OFDM PI/2 BPSK	1/1	-44.02	-13	PASS
n2	15	5	376000	DFT-s-OFDM PI/2 BPSK	1/23	-44.15	-13	PASS
n2	15	5	376000	DFT-s-OFDM QPSK	1/1	-44.22	-13	PASS




n2	15	5	376000	DFT-s-OFDM QPSK	1/23	-43.98	-13	PASS
n2	15	5	381500	DFT-s-OFDM PI/2 BPSK	1/1	-44.14	-13	PASS
n2	15	5	381500	DFT-s-OFDM PI/2 BPSK	1/23	-44.13	-13	PASS
n2	15	5	381500	DFT-s-OFDM QPSK	1/1	-44.16	-13	PASS
n2	15	5	381500	DFT-s-OFDM QPSK	1/23	-44.19	-13	PASS
n2	15	10	371000	DFT-s-OFDM PI/2 BPSK	1/1	-44.24	-13	PASS
n2	15	10	371000	DFT-s-OFDM PI/2 BPSK	1/50	-44.08	-13	PASS
n2	15	10	371000	DFT-s-OFDM QPSK	1/1	-44.08	-13	PASS
n2	15	10	371000	DFT-s-OFDM QPSK	1/50	-44.21	-13	PASS
n2	15	10	376000	DFT-s-OFDM PI/2 BPSK	1/1	-44.07	-13	PASS
n2	15	10	376000	DFT-s-OFDM PI/2 BPSK	1/50	-44.06	-13	PASS
n2	15	10	376000	DFT-s-OFDM QPSK	1/1	-44.21	-13	PASS
n2	15	10	376000	DFT-s-OFDM QPSK	1/50	-44.12	-13	PASS
n2	15	10	381000	DFT-s-OFDM PI/2 BPSK	1/1	-44.19	-13	PASS
n2	15	10	381000	DFT-s-OFDM PI/2 BPSK	1/50	-44.11	-13	PASS
n2	15	10	381000	DFT-s-OFDM QPSK	1/1	-43.86	-13	PASS
n2	15	10	381000	DFT-s-OFDM QPSK	1/50	-44.12	-13	PASS
n2	15	15	371500	DFT-s-OFDM PI/2 BPSK	1/1	-44.15	-13	PASS
n2	15	15	371500	DFT-s-OFDM PI/2 BPSK	1/77	-44.20	-13	PASS
n2	15	15	371500	DFT-s-OFDM QPSK	1/1	-44.09	-13	PASS
n2	15	15	371500	DFT-s-OFDM QPSK	1/77	-44.17	-13	PASS
n2	15	15	376000	DFT-s-OFDM PI/2 BPSK	1/1	-44.16	-13	PASS
n2	15	15	376000	DFT-s-OFDM PI/2 BPSK	1/77	-44.08	-13	PASS
n2	15	15	376000	DFT-s-OFDM QPSK	1/1	-44.13	-13	PASS




n2	15	15	376000	DFT-s-OFDM QPSK	1/77	-44.20	-13	PASS
n2	15	15	380500	DFT-s-OFDM PI/2 BPSK	1/1	-44.05	-13	PASS
n2	15	15	380500	DFT-s-OFDM PI/2 BPSK	1/77	-44.10	-13	PASS
n2	15	15	380500	DFT-s-OFDM QPSK	1/1	-44.14	-13	PASS
n2	15	15	380500	DFT-s-OFDM QPSK	1/77	-43.94	-13	PASS
n2	15	20	372000	DFT-s-OFDM PI/2 BPSK	1/1	-44.12	-13	PASS
n2	15	20	372000	DFT-s-OFDM PI/2 BPSK	1/104	-44.19	-13	PASS
n2	15	20	372000	DFT-s-OFDM QPSK	1/1	-44.30	-13	PASS
n2	15	20	372000	DFT-s-OFDM QPSK	1/104	-44.30	-13	PASS
n2	15	20	376000	DFT-s-OFDM PI/2 BPSK	1/1	-44.01	-13	PASS
n2	15	20	376000	DFT-s-OFDM PI/2 BPSK	1/104	-43.84	-13	PASS
n2	15	20	376000	DFT-s-OFDM QPSK	1/1	-44.12	-13	PASS
n2	15	20	376000	DFT-s-OFDM QPSK	1/104	-44.11	-13	PASS
n2	15	20	380000	DFT-s-OFDM PI/2 BPSK	1/1	-44.15	-13	PASS
n2	15	20	380000	DFT-s-OFDM PI/2 BPSK	1/104	-44.15	-13	PASS
n2	15	20	380000	DFT-s-OFDM QPSK	1/1	-44.15	-13	PASS
n2	15	20	380000	DFT-s-OFDM QPSK	1/104	-44.16	-13	PASS




n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left Low




n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left Low




n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right Low




n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left Mid




n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right Mid




n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left Mid




n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left High




n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right High




n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left High




n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right High




n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left Low




n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right Low




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left Low




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right Low




n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left Mid




n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right Mid




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left Mid




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right Mid




n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left High




n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right High




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left High




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left Low




n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right Low




n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left Low




n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right Low




n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left Mid




n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left Mid




n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right Mid




n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left High




n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right High




n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left High




n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right High




n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right Low




n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left Low




n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right Low




n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left Mid




n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right Mid




n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left Mid




n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right High



Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dBm)	Limit (dBm)	Verdict
n5	15	5	165300	DFT-s-OFDM PI/2 BPSK	1/1	-47.08	-13	PASS
n5	15	5	165300	DFT-s-OFDM PI/2 BPSK	1/23	-47.19	-13	PASS
n5	15	5	165300	DFT-s-OFDM QPSK	1/1	-47.19	-13	PASS
n5	15	5	165300	DFT-s-OFDM QPSK	1/23	-46.76	-13	PASS
n5	15	5	167300	DFT-s-OFDM PI/2 BPSK	1/1	-46.87	-13	PASS
n5	15	5	167300	DFT-s-OFDM PI/2 BPSK	1/23	-47.00	-13	PASS
n5	15	5	167300	DFT-s-OFDM QPSK	1/1	-47.00	-13	PASS
n5	15	5	167300	DFT-s-OFDM QPSK	1/23	-46.86	-13	PASS
n5	15	5	169300	DFT-s-OFDM PI/2 BPSK	1/1	-46.98	-13	PASS
n5	15	5	169300	DFT-s-OFDM PI/2 BPSK	1/23	-46.97	-13	PASS
n5	15	5	169300	DFT-s-OFDM QPSK	1/1	-46.99	-13	PASS
n5	15	5	169300	DFT-s-OFDM QPSK	1/23	-47.04	-13	PASS
n5	15	10	165800	DFT-s-OFDM PI/2 BPSK	1/1	-46.86	-13	PASS
n5	15	10	165800	DFT-s-OFDM PI/2 BPSK	1/50	-47.05	-13	PASS
n5	15	10	165800	DFT-s-OFDM QPSK	1/1	-47.04	-13	PASS
n5	15	10	165800	DFT-s-OFDM QPSK	1/50	-47.21	-13	PASS
n5	15	10	167300	DFT-s-OFDM PI/2 BPSK	1/1	-46.95	-13	PASS
n5	15	10	167300	DFT-s-OFDM PI/2 BPSK	1/50	-46.74	-13	PASS
n5	15	10	167300	DFT-s-OFDM QPSK	1/1	-47.26	-13	PASS
n5	15	10	167300	DFT-s-OFDM QPSK	1/50	-47.15	-13	PASS
n5	15	10	168800	DFT-s-OFDM PI/2 BPSK	1/1	-47.13	-13	PASS
n5	15	10	168800	DFT-s-OFDM PI/2 BPSK	1/50	-47.04	-13	PASS
n5	15	10	168800	DFT-s-OFDM QPSK	1/1	-47.16	-13	PASS




n5	15	10	168800	DFT-s-OFDM QPSK	1/50	-46.89	-13	PASS
n5	15	15	166300	DFT-s-OFDM PI/2 BPSK	1/1	-46.89	-13	PASS
n5	15	15	166300	DFT-s-OFDM PI/2 BPSK	1/77	-47.01	-13	PASS
n5	15	15	166300	DFT-s-OFDM QPSK	1/1	-46.90	-13	PASS
n5	15	15	166300	DFT-s-OFDM QPSK	1/77	-46.87	-13	PASS
n5	15	15	167300	DFT-s-OFDM PI/2 BPSK	1/1	-46.88	-13	PASS
n5	15	15	167300	DFT-s-OFDM PI/2 BPSK	1/77	-46.88	-13	PASS
n5	15	15	167300	DFT-s-OFDM QPSK	1/1	-46.96	-13	PASS
n5	15	15	167300	DFT-s-OFDM QPSK	1/77	-47.12	-13	PASS
n5	15	15	168300	DFT-s-OFDM PI/2 BPSK	1/1	-47.07	-13	PASS
n5	15	15	168300	DFT-s-OFDM PI/2 BPSK	1/77	-46.86	-13	PASS
n5	15	15	168300	DFT-s-OFDM QPSK	1/1	-47.12	-13	PASS
n5	15	15	168300	DFT-s-OFDM QPSK	1/77	-47.07	-13	PASS
n5	15	20	166800	DFT-s-OFDM PI/2 BPSK	1/1	-47.07	-13	PASS
n5	15	20	166800	DFT-s-OFDM PI/2 BPSK	1/104	-46.95	-13	PASS
n5	15	20	166800	DFT-s-OFDM QPSK	1/1	-46.82	-13	PASS
n5	15	20	166800	DFT-s-OFDM QPSK	1/104	-46.96	-13	PASS
n5	15	20	167300	DFT-s-OFDM PI/2 BPSK	1/1	-47.13	-13	PASS
n5	15	20	167300	DFT-s-OFDM PI/2 BPSK	1/104	-46.91	-13	PASS
n5	15	20	167300	DFT-s-OFDM QPSK	1/1	-47.08	-13	PASS
n5	15	20	167300	DFT-s-OFDM QPSK	1/104	-47.06	-13	PASS
n5	15	20	167800	DFT-s-OFDM PI/2 BPSK	1/1	-47.01	-13	PASS
n5	15	20	167800	DFT-s-OFDM PI/2 BPSK	1/104	-47.02	-13	PASS
n5	15	20	167800	DFT-s-OFDM QPSK	1/1	-46.99	-13	PASS




REPORT No.: SZ23120302W02


n5	15	20	167800	DFT-s-OFDM QPSK	1/104	-47.06	-13	PASS
----	----	----	--------	--------------------	-------	--------	-----	------




n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left Low




n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right Low




n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left Low




n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right Low




n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left Mid




n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right Mid




n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left Mid



n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right Mid




n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left High




n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right High




n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left High




n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right High



n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left Low




n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right Low




n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left Low




n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right Low




n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left Mid




n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right Mid




n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left Mid




n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right Mid




n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left High




n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right High




n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left High




n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right High




n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left Low




n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right Low




n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left Low




n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right Low




n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left Mid




n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right Mid




n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left Mid




n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right Mid




n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left High




n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right High




n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left High




n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right High




n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left Low




n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right Low




n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left Low




n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right Low




n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left Mid




n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right Mid




n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left Mid




n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right Mid




n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left High



n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right High



n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left High



n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right High



Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dBm)	Limit (dBm)	Verdict
n48	30	20	637334	DFT-s-OFDM PI/2 BPSK	1/1	-43.58	-40	PASS
n48	30	20	637334	DFT-s-OFDM PI/2 BPSK	1/1	-42.90	-40	PASS
n48	30	20	637334	DFT-s-OFDM PI/2 BPSK	1/49	-43.74	-40	PASS
n48	30	20	637334	DFT-s-OFDM PI/2 BPSK	1/49	-43.06	-40	PASS
n48	30	20	637334	DFT-s-OFDM QPSK	1/1	-43.60	-40	PASS
n48	30	20	637334	DFT-s-OFDM QPSK	1/1	-43.10	-40	PASS
n48	30	20	637334	DFT-s-OFDM QPSK	1/49	-43.57	-40	PASS
n48	30	20	637334	DFT-s-OFDM QPSK	1/49	-43.00	-40	PASS
n48	30	20	641666	DFT-s-OFDM PI/2 BPSK	1/1	-43.83	-40	PASS
n48	30	20	641666	DFT-s-OFDM PI/2 BPSK	1/1	-42.63	-40	PASS
n48	30	20	641666	DFT-s-OFDM PI/2 BPSK	1/49	-43.77	-40	PASS
n48	30	20	641666	DFT-s-OFDM PI/2 BPSK	1/49	-43.09	-40	PASS
n48	30	20	641666	DFT-s-OFDM QPSK	1/1	-43.60	-40	PASS
n48	30	20	641666	DFT-s-OFDM QPSK	1/1	-43.15	-40	PASS
n48	30	20	641666	DFT-s-OFDM QPSK	1/49	-43.94	-40	PASS
n48	30	20	641666	DFT-s-OFDM QPSK	1/49	-43.06	-40	PASS
n48	30	20	646000	DFT-s-OFDM PI/2 BPSK	1/1	-43.78	-40	PASS
n48	30	20	646000	DFT-s-OFDM PI/2 BPSK	1/1	-43.21	-40	PASS
n48	30	20	646000	DFT-s-OFDM PI/2 BPSK	1/49	-43.81	-40	PASS
n48	30	20	646000	DFT-s-OFDM PI/2 BPSK	1/49	-43.10	-40	PASS
n48	30	20	646000	DFT-s-OFDM QPSK	1/1	-43.84	-40	PASS
n48	30	20	646000	DFT-s-OFDM QPSK	1/1	-43.00	-40	PASS
n48	30	20	646000	DFT-s-OFDM QPSK	1/49	-43.94	-40	PASS



n48	30	20	646000	DFT-s-OFDM QPSK	1/49	-43.12	-40	PASS
n48	30	40	638000	DFT-s-OFDM PI/2 BPSK	1/1	-41.08	-40	PASS
n48	30	40	638000	DFT-s-OFDM PI/2 BPSK	1/1	-43.01	-40	PASS
n48	30	40	638000	DFT-s-OFDM PI/2 BPSK	1/104	-41.77	-40	PASS
n48	30	40	638000	DFT-s-OFDM PI/2 BPSK	1/104	-43.15	-40	PASS
n48	30	40	638000	DFT-s-OFDM QPSK	1/1	-42.54	-40	PASS
n48	30	40	638000	DFT-s-OFDM QPSK	1/1	-43.25	-40	PASS
n48	30	40	638000	DFT-s-OFDM QPSK	1/104	-41.77	-40	PASS
n48	30	40	638000	DFT-s-OFDM QPSK	1/104	-43.23	-40	PASS
n48	30	40	641666	DFT-s-OFDM PI/2 BPSK	1/1	-42.51	-40	PASS
n48	30	40	641666	DFT-s-OFDM PI/2 BPSK	1/1	-42.92	-40	PASS
n48	30	40	641666	DFT-s-OFDM PI/2 BPSK	1/104	-41.92	-40	PASS
n48	30	40	641666	DFT-s-OFDM PI/2 BPSK	1/104	-42.97	-40	PASS
n48	30	40	641666	DFT-s-OFDM QPSK	1/1	-40.54	-40	PASS
n48	30	40	641666	DFT-s-OFDM QPSK	1/1	-43.20	-40	PASS
n48	30	40	641666	DFT-s-OFDM QPSK	1/104	-41.36	-40	PASS
n48	30	40	641666	DFT-s-OFDM QPSK	1/104	-43.08	-40	PASS
n48	30	40	645332	DFT-s-OFDM PI/2 BPSK	1/1	-41.91	-40	PASS
n48	30	40	645332	DFT-s-OFDM PI/2 BPSK	1/1	-43.21	-40	PASS
n48	30	40	645332	DFT-s-OFDM PI/2 BPSK	1/104	-40.44	-40	PASS
n48	30	40	645332	DFT-s-OFDM PI/2 BPSK	1/104	-43.07	-40	PASS
n48	30	40	645332	DFT-s-OFDM QPSK	1/1	-43.87	-40	PASS
n48	30	40	645332	DFT-s-OFDM QPSK	1/1	-43.13	-40	PASS
n48	30	40	645332	DFT-s-OFDM QPSK	1/104	-41.94	-40	PASS



REPORT No.: SZ23120302W02

n48	30	40	645332	DFT-s-OFDM QPSK	1/104	-43.17	-40	PASS
-----	----	----	--------	--------------------	-------	--------	-----	------