




REV.	DESCRIPTION	PROJECT ENGR/DATE	APPROVAL /DATE
------	-------------	-------------------	----------------




### COLOR CHART

RED		100M 85Y
YELLOW		100Y
BLUE		100C 100M
GREEN		100C 100Y
BLACK		100K
GREY		30K




LB0R07130013-00-01



Hologram Sticker


LB0RC1701001-03-00



LB0RPP180013-04-00

		DRAWN BY: JackCheng	CHECKED BY:	AUDITING BY:	APPROVED BY:
		DATE:	DATE:	DATE:	DATE:
MODEL: DV1230	PAT NAME:	MAT'L:	SCALE:	SHEET: 4 OF 15	
PART NO.	REV. A	FILE NAME:	SIZE: A4	FINISH:	QTY 1

REV.	DESCRIPTION	PROJECT ENGR/DATE	APPROVAL /DATE
------	-------------	-------------------	----------------



LB0RPP180013-01-01  
 Size: 68x29mm



Patent stickers




		DRAWN BY: JackCheng	CHECKED BY:	AUDITING BY:	APPROVED BY:
		DATE: 2017.08.07	DATE:	DATE:	DATE:
MODEL: DV1230	PAT NAME:	MAT'L:	SCALE:	SHEET: 5 OF 15	
PART NO.	REV: A	FILE NAME:	SIZE: A4	FINISH:	QTY 1

REV.	DESCRIPTION	PROJECT ENGR/DATE	APPROVAL /DATE
------	-------------	-------------------	----------------

**FCC ID: 2ABH3-DV1230**  
 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:  
 (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

**LB0RPP180015-00-11**  
 FCC Label



**130.00 mm**


**30.00 mm**

**CAUTION: FOR CONTINUED PROTECTION AGAINST RISK OF FIRE, REPLACE ONLY WITH SAME TYPE 15A-32V FUSE.**  
 This product complies with Part 15 of FCC regulations Class 1 laser product: Complies with DHHS 21CFR Chapter 1, subchapter J.

**MISE EN GARDE : POUR ASSURER UNE PROTECTION CONTINUE CONTRE LE RISQUE D'INCENDIE, REMPLACEZ SEULEMENT CE FUSIBLE PAR UN FUSIBLE DE RECHANGE DU MÊME TYPE (15 A/32 V).**  
 Ce produit est conforme à la partie 15 du règlement de la FCC, produits au laser de classe 1 : Conforme au DHHS 21CFR, chapitre 1, sous-chapitre J.

**PRECAUCIÓN: PARA UNA PROTECCIÓN CONTINUA CONTRA EL RIESGO DE INCENDIO, REEMPLACE SOLO CON EL MISMO TIPO DE FUSIBLE DE 15 A-32 V.**  
 Este producto cumple con las regulaciones de la sección 15 de la FCC, Clase 1 del producto láser: Cumple con el Capítulo 1, subcapítulo J de DHHS 21CFR.

**LB0RPP180012-02-00**



**LB0RPP180015-01-00**

		DRAWN BY: <b>JackCheng</b>	CHECKED BY:	AUDITING BY:	APPROVED BY:
		DATE:	DATE:	DATE:	DATE:
MODEL: <b>DV1230</b>	PAT NAME:	MAT'L:	SCALE: <b>80g铜版纸</b>	SHEET: <b>6</b> OF <b>15</b>	
PART NO.	REV. <b>A</b>	FILE NAME:	SIZE: <b>A4</b>	FINISH:	QTY <b>1</b>