


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68006G	50.26	83.54	-33.28	46.87	1	Horizontal	41	1.69	-	37.68	15.27	49.56
AV	18.67958G	36.62	63.54	-26.92	33.23	1	Horizontal	41	1.69	-	37.68	15.27	49.56

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76738G	51.84	88.20	-36.36	68.53	3	Vertical	334	2.87	-	39.47	9.10	65.26
RMS	12.76771G	37.77	68.20	-30.43	54.46	3	Vertical	334	2.87	-	39.47	9.10	65.26

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76567G	51.96	88.20	-36.24	68.66	3	Horizontal	304	1.08	-	39.46	9.10	65.26
RMS	12.76614G	37.77	68.20	-30.43	54.47	3	Horizontal	304	1.08	-	39.46	9.10	65.26

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1569G	46.95	83.54	-36.59	43.42	1	Vertical	316	1.54	-	37.74	15.24	49.45
AV	19.15847G	32.93	63.54	-30.61	29.39	1	Vertical	316	1.54	-	37.75	15.24	49.45

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15353G	47.79	83.54	-35.75	44.27	1	Horizontal	24	1.50	-	37.72	15.24	49.44
AV	19.1585G	32.96	63.54	-30.58	29.42	1	Horizontal	24	1.50	-	37.75	15.24	49.45

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92895G	53.73	88.20	-34.47	69.88	3	Vertical	238	2.18	-	39.92	9.17	65.24
RMS	12.92608G	39.16	68.20	-29.04	55.33	3	Vertical	238	2.18	-	39.90	9.17	65.24

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93361G	53.51	88.20	-34.69	69.65	3	Horizontal	141	2.09	-	39.93	9.17	65.24
RMS	12.92591G	39.18	68.20	-29.02	55.35	3	Horizontal	141	2.09	-	39.90	9.17	65.24

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39813G	46.31	83.54	-37.23	42.70	1	Vertical	283	1.52	-	37.99	15.23	49.61
AV	19.39702G	32.62	63.54	-30.92	29.01	1	Vertical	283	1.52	-	37.99	15.23	49.61



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39112G	46.57	83.54	-36.97	42.99	1	Horizontal	226	1.57	-	37.96	15.23	49.61
AV	19.39692G	32.64	63.54	-30.90	29.03	1	Horizontal	226	1.57	-	37.99	15.23	49.61

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09244G	52.11	88.20	-36.09	68.31	3	Vertical	100	2.39	-	39.60	9.25	65.05
RMS	13.08507G	38.45	68.20	-29.75	54.67	3	Vertical	100	2.39	-	39.60	9.24	65.06

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09264G	52.56	88.20	-35.64	68.76	3	Horizontal	244	2.88	-	39.60	9.25	65.05
RMS	13.08674G	38.46	68.20	-29.74	54.67	3	Horizontal	244	2.88	-	39.60	9.25	65.06

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63911G	47.88	83.54	-35.66	44.20	1	Vertical	329	1.57	-	38.03	15.22	49.57
AV	19.63836G	33.79	63.54	-29.75	30.11	1	Vertical	329	1.57	-	38.03	15.22	49.57

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63789G	48.05	83.54	-35.49	44.37	1	Horizontal	223	1.58	-	38.03	15.22	49.57
AV	19.63805G	33.81	63.54	-29.73	30.13	1	Horizontal	223	1.58	-	38.03	15.22	49.57

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT Y\_4TX  
Setting 15.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24787G	52.45	88.20	-35.75	68.08	3	Vertical	358	1.11	-	39.80	9.32	64.75
RMS	13.24595G	37.89	68.20	-30.31	53.53	3	Vertical	358	1.11	-	39.79	9.32	64.75

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
 Setting 15.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24759G	51.55	88.20	-36.65	67.18	3	Horizontal	284	1.37	-	39.80	9.32	64.75
RMS	13.24616G	37.88	68.20	-30.32	53.52	3	Horizontal	284	1.37	-	39.79	9.32	64.75

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT Y\_4TX  
Setting 15.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87503G	46.08	83.54	-37.46	42.49	1	Vertical	177	1.57	-	37.75	15.21	49.37
AV	19.87776G	32.61	63.54	-30.93	29.00	1	Vertical	177	1.57	-	37.77	15.21	49.37



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
 Setting 15.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87663G	46.86	83.54	-36.68	43.26	1	Horizontal	235	1.58	-	37.76	15.21	49.37
AV	19.87732G	32.62	63.54	-30.92	29.02	1	Horizontal	235	1.58	-	37.76	15.21	49.37

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40564G	53.14	88.20	-35.06	67.97	3	Vertical	153	2.20	-	40.22	9.39	64.44
RMS	13.40838G	38.36	68.20	-29.84	53.18	3	Vertical	153	2.20	-	40.23	9.39	64.44

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.405G	53.09	88.20	-35.11	67.92	3	Horizontal	1	1.23	-	40.22	9.39	64.44
RMS	13.40796G	38.35	68.20	-29.85	53.17	3	Horizontal	1	1.23	-	40.23	9.39	64.44

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 15  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11068G	46.88	83.54	-36.66	42.99	1	Vertical	120	1.55	-	37.84	15.29	49.24
AV	20.11963G	33.48	63.54	-30.06	29.64	1	Vertical	120	1.55	-	37.78	15.30	49.24

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 15  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11576G	47.49	83.54	-36.05	43.63	1	Horizontal	129	1.56	-	37.81	15.29	49.24
AV	20.11996G	33.50	63.54	-30.04	29.66	1	Horizontal	129	1.56	-	37.78	15.30	49.24

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57094G	53.55	88.20	-34.65	67.81	3	Vertical	46	2.96	-	40.56	9.47	64.29
RMS	13.57365G	39.71	68.20	-28.49	53.98	3	Vertical	46	2.96	-	40.55	9.47	64.29

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56981G	54.05	88.20	-34.15	68.31	3	Horizontal	3	2.32	-	40.56	9.47	64.29
RMS	13.57294G	39.69	68.20	-28.51	53.96	3	Horizontal	3	2.32	-	40.55	9.47	64.29

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
Setting 15  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3519G	48.05	83.54	-35.49	43.65	1	Vertical	140	1.53	-	38.10	15.48	49.18
AV	20.35264G	34.41	63.54	-29.13	30.02	1	Vertical	140	1.53	-	38.09	15.48	49.18



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
Setting 15  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35139G	48.24	83.54	-35.30	43.84	1	Horizontal	228	1.57	-	38.10	15.48	49.18
AV	20.35173G	34.38	63.54	-29.16	29.98	1	Horizontal	228	1.57	-	38.10	15.48	49.18

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73267G	53.51	88.20	-34.69	67.91	3	Vertical	19	1.42	-	40.40	9.55	64.35
RMS	13.72688G	39.67	68.20	-28.53	54.08	3	Vertical	19	1.42	-	40.40	9.54	64.35

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73462G	53.48	88.20	-34.72	67.88	3	Horizontal	241	1.83	-	40.40	9.55	64.35
RMS	13.72703G	39.70	68.20	-28.50	54.11	3	Horizontal	241	1.83	-	40.40	9.54	64.35

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
Setting 15  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59722G	46.99	83.54	-36.55	42.41	1	Vertical	29	1.58	-	37.99	15.68	49.09
AV	20.59937G	33.65	63.54	-29.89	29.06	1	Vertical	29	1.58	-	38.00	15.68	49.09

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
Setting 15  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59431G	47.45	83.54	-36.09	42.87	1	Horizontal	329	1.54	-	37.99	15.68	49.09
AV	20.59803G	33.65	63.54	-29.89	29.06	1	Horizontal	329	1.54	-	38.00	15.68	49.09

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
Setting 16.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88871G	53.97	88.20	-34.23	68.32	3	Vertical	71	1.81	-	40.45	9.62	64.42
RMS	13.88692G	39.76	68.20	-28.44	54.10	3	Vertical	71	1.81	-	40.45	9.62	64.41

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
Setting 16.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8891G	54.32	88.20	-33.88	68.66	3	Horizontal	177	2.36	-	40.46	9.62	64.42
RMS	13.88653G	39.76	68.20	-28.44	54.10	3	Horizontal	177	2.36	-	40.45	9.62	64.41

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
 Setting 16.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83687G	48.62	83.54	-34.92	43.51	1	Vertical	43	1.54	-	38.20	15.87	48.96
AV	20.83185G	34.61	63.54	-28.93	29.51	1	Vertical	43	1.54	-	38.20	15.87	48.97



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 16.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83671G	48.34	83.54	-35.20	43.23	1	Horizontal	326	1.55	-	38.20	15.87	48.96
AV	20.83281G	34.61	63.54	-28.93	29.51	1	Horizontal	326	1.55	-	38.20	15.87	48.97

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0182G	105.41	Inf	-Inf	95.19	3	Vertical	165	1.49	-	35.81	6.36	31.95
RMS	7.0002G	96.60	Inf	-Inf	86.49	3	Vertical	165	1.49	-	35.70	6.35	31.94
PK	7.149G	62.70	88.20	-25.50	51.80	3	Vertical	165	1.49	-	36.50	6.42	32.02
RMS	7.1858G	52.30	68.20	-15.90	41.33	3	Vertical	165	1.49	-	36.57	6.44	32.04

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	109.37	Inf	-Inf	99.28	3	Horizontal	100	2.68	-	35.67	6.34	31.92
RMS	7.0266G	99.42	Inf	-Inf	89.15	3	Horizontal	100	2.68	-	35.86	6.36	31.95
PK	7.1842G	62.44	88.20	-25.76	51.47	3	Horizontal	100	2.68	-	36.57	6.44	32.04
RMS	7.1398G	52.33	68.20	-15.87	41.47	3	Horizontal	100	2.68	-	36.46	6.42	32.02

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04889G	54.48	88.20	-33.72	68.55	3	Vertical	46	2.17	-	40.60	9.68	64.35
RMS	14.05359G	40.41	68.20	-27.79	54.46	3	Vertical	46	2.17	-	40.60	9.69	64.34

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04907G	54.31	88.20	-33.89	68.38	3	Horizontal	154	2.04	-	40.60	9.68	64.35
RMS	14.04985G	40.34	68.20	-27.86	54.40	3	Horizontal	154	2.04	-	40.60	9.69	64.35

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07186G	47.71	83.54	-35.83	42.25	1	Vertical	151	1.50	-	38.27	16.06	48.87
AV	21.07257G	33.71	63.54	-29.83	28.26	1	Vertical	151	1.50	-	38.26	16.06	48.87

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 14  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07027G	47.48	83.54	-36.06	42.01	1	Horizontal	228	1.50	-	38.28	16.06	48.87
AV	21.07272G	33.70	63.54	-29.84	28.25	1	Horizontal	228	1.50	-	38.26	16.06	48.87

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	59.95	88.20	-28.25	51.34	3	Vertical	163	1.80	-	34.00	5.76	31.15
RMS	5.9195G	49.57	68.20	-18.63	40.96	3	Vertical	163	1.80	-	34.00	5.76	31.15
PK	6.0495G	105.59	Inf	-Inf	96.94	3	Vertical	163	1.80	-	34.00	5.86	31.21
RMS	6.089G	96.12	Inf	-Inf	87.55	3	Vertical	163	1.80	-	33.92	5.87	31.22



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
 Setting 18  
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.36	88.20	-25.84	53.75	3	Horizontal	286	1.98	-	34.00	5.77	31.16
RMS	5.925G	53.25	68.20	-14.95	44.64	3	Horizontal	286	1.98	-	34.00	5.77	31.16
PK	6.0865G	109.38	Inf	-Inf	100.80	3	Horizontal	286	1.98	-	33.93	5.87	31.22
RMS	6.0455G	99.47	Inf	-Inf	90.83	3	Horizontal	286	1.98	-	33.99	5.86	31.21

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 18  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05239G	50.30	74.00	-23.70	68.53	3	Vertical	330	1.55	-	38.70	8.76	65.69
AV	12.05256G	36.42	54.00	-17.58	54.64	3	Vertical	330	1.55	-	38.71	8.76	65.69

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05077G	50.44	74.00	-23.56	68.67	3	Horizontal	229	2.65	-	38.70	8.76	65.69
AV	12.05251G	36.42	54.00	-17.58	54.64	3	Horizontal	229	2.65	-	38.71	8.76	65.69

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.09644G	57.64	83.54	-25.90	54.24	1	Vertical	90	1.80	-	37.59	15.30	49.49
AV	18.09692G	43.93	63.54	-19.61	40.53	1	Vertical	90	1.80	-	37.59	15.30	49.49

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.10028G	54.03	83.54	-29.51	50.63	1	Horizontal	66	1.62	-	37.60	15.29	49.49
AV	18.12076G	40.46	63.54	-23.08	36.99	1	Horizontal	66	1.62	-	37.68	15.29	49.50

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37137G	51.21	74.00	-22.79	69.05	3	Vertical	194	1.47	-	38.66	8.91	65.41
AV	12.37498G	36.92	54.00	-17.08	54.76	3	Vertical	194	1.47	-	38.65	8.91	65.40

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36783G	50.70	74.00	-23.30	68.54	3	Horizontal	237	2.99	-	38.66	8.91	65.41
AV	12.37467G	36.90	54.00	-17.10	54.74	3	Horizontal	237	2.99	-	38.65	8.91	65.40

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55961G	46.59	83.54	-36.95	43.26	1	Vertical	227	1.51	-	37.70	15.27	49.64
AV	18.55973G	33.27	63.54	-30.27	29.94	1	Vertical	227	1.51	-	37.70	15.27	49.64



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55718G	46.92	83.54	-36.62	43.59	1	Horizontal	157	1.54	-	37.70	15.27	49.64
AV	18.55955G	33.26	63.54	-30.28	29.93	1	Horizontal	157	1.54	-	37.70	15.27	49.64

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6935G	51.50	74.00	-22.50	68.42	3	Vertical	123	1.60	-	39.29	9.06	65.27
AV	12.69361G	37.31	54.00	-16.69	54.23	3	Vertical	123	1.60	-	39.29	9.06	65.27

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69416G	51.57	74.00	-22.43	68.49	3	Horizontal	312	2.46	-	39.29	9.06	65.27
AV	12.69318G	37.31	54.00	-16.69	54.23	3	Horizontal	312	2.46	-	39.29	9.06	65.27

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03024G	46.33	83.54	-37.21	42.54	1	Vertical	331	1.58	-	37.90	15.25	49.36
AV	19.03528G	32.70	63.54	-30.84	28.91	1	Vertical	331	1.58	-	37.90	15.25	49.36

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03869G	45.90	83.54	-37.64	42.12	1	Horizontal	81	1.55	-	37.90	15.25	49.37
AV	19.03869G	32.72	63.54	-30.82	28.94	1	Horizontal	81	1.55	-	37.90	15.25	49.37

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0136G	52.86	88.20	-35.34	69.03	3	Vertical	199	1.80	-	39.82	9.21	65.20
RMS	13.01479G	38.87	68.20	-29.33	55.05	3	Vertical	199	1.80	-	39.81	9.21	65.20

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00597G	52.63	88.20	-35.57	68.78	3	Horizontal	327	1.89	-	39.86	9.21	65.22
RMS	13.01463G	38.83	68.20	-29.37	55.01	3	Horizontal	327	1.89	-	39.81	9.21	65.20

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51668G	45.79	83.54	-37.75	42.21	1	Vertical	349	1.54	-	38.03	15.22	49.67
AV	19.51989G	32.43	63.54	-31.11	28.83	1	Vertical	349	1.54	-	38.04	15.22	49.66



6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51291G	46.53	83.54	-37.01	42.95	1	Horizontal	93	1.58	-	38.03	15.22	49.67
AV	19.51982G	32.44	63.54	-31.10	28.84	1	Horizontal	93	1.58	-	38.04	15.22	49.66

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
Setting 17  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33247G	52.67	74.00	-21.33	67.87	3	Vertical	104	2.52	-	40.03	9.36	64.59
AV	13.3346G	37.84	54.00	-16.16	53.02	3	Vertical	104	2.52	-	40.04	9.36	64.58

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT Y\_4TX  
Setting 17  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3347G	51.81	74.00	-22.19	66.99	3	Horizontal	101	1.10	-	40.04	9.36	64.58
AV	13.33461G	37.84	54.00	-16.16	53.02	3	Horizontal	101	1.10	-	40.04	9.36	64.58

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99024G	45.86	83.54	-37.68	42.14	1	Vertical	234	1.55	-	37.80	15.20	49.28
AV	19.99007G	32.52	63.54	-31.02	28.80	1	Vertical	234	1.55	-	37.80	15.20	49.28

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9981G	46.40	83.54	-37.14	42.67	1	Horizontal	119	1.53	-	37.80	15.20	49.27
AV	19.99007G	32.54	63.54	-31.00	28.82	1	Horizontal	119	1.53	-	37.80	15.20	49.28

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65017G	53.54	88.20	-34.66	68.05	3	Vertical	266	2.50	-	40.30	9.51	64.32
RMS	13.64667G	39.34	68.20	-28.86	53.84	3	Vertical	266	2.50	-	40.31	9.51	64.32

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64536G	53.09	88.20	-35.11	67.58	3	Horizontal	167	2.72	-	40.32	9.51	64.32
RMS	13.64693G	39.38	68.20	-28.82	53.88	3	Horizontal	167	2.72	-	40.31	9.51	64.32

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




EUT Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47434G	47.11	83.54	-36.43	42.87	1	Vertical	193	1.52	-	37.81	15.58	49.15
AV	20.47047G	33.42	63.54	-30.12	29.15	1	Vertical	193	1.52	-	37.84	15.58	49.15



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47659G	47.22	83.54	-36.32	43.00	1	Horizontal	13	1.51	-	37.79	15.58	49.15
AV	20.47385G	33.44	63.54	-30.10	29.20	1	Horizontal	13	1.51	-	37.81	15.58	49.15

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9994G	103.11	Inf	-Inf	93.00	3	Vertical	160	1.62	-	35.70	6.35	31.94
RMS	7.0201G	92.59	Inf	-Inf	82.36	3	Vertical	160	1.62	-	35.82	6.36	31.95
PK	7.1605G	54.84	88.20	-33.36	43.92	3	Vertical	160	1.62	-	36.52	6.43	32.03
RMS	7.1398G	43.76	68.20	-24.44	32.90	3	Vertical	160	1.62	-	36.46	6.42	32.02
PK	7.2604G	52.88	74.00	-21.12	41.77	3	Vertical	160	1.62	-	36.72	6.48	32.09
AV	7.2541G	40.74	54.00	-13.26	29.63	3	Vertical	160	1.62	-	36.71	6.48	32.08

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9265G	108.79	Inf	-Inf	98.74	3	Horizontal	97	2.72	-	35.60	6.30	31.85
RMS	6.9067G	97.70	Inf	-Inf	87.65	3	Horizontal	97	2.72	-	35.60	6.28	31.83
PK	7.1263G	56.43	88.20	-31.77	45.62	3	Horizontal	97	2.72	-	36.41	6.41	32.01
RMS	7.1263G	45.37	68.20	-22.83	34.56	3	Horizontal	97	2.72	-	36.41	6.41	32.01
PK	7.3162G	52.64	74.00	-21.36	41.51	3	Horizontal	97	2.72	-	36.74	6.51	32.12
AV	7.25G	40.77	54.00	-13.23	29.67	3	Horizontal	97	2.72	-	36.70	6.48	32.08

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 17  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96612G	53.80	88.20	-34.40	68.10	3	Vertical	20	2.77	-	40.50	9.65	64.45
RMS	13.96905G	39.74	68.20	-28.46	54.03	3	Vertical	20	2.77	-	40.50	9.66	64.45

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 17  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97394G	53.85	88.20	-34.35	68.14	3	Horizontal	316	1.91	-	40.50	9.66	64.45
RMS	13.96928G	39.72	68.20	-28.48	54.01	3	Horizontal	316	1.91	-	40.50	9.66	64.45

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 17  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95161G	47.62	83.54	-35.92	42.48	1	Vertical	324	1.55	-	38.09	15.96	48.91
AV	20.95007G	33.70	63.54	-29.84	28.55	1	Vertical	324	1.55	-	38.10	15.96	48.91

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 17  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95386G	48.41	83.54	-35.13	43.27	1	Horizontal	342	1.55	-	38.08	15.96	48.90
AV	20.95004G	33.74	63.54	-29.80	28.59	1	Horizontal	342	1.55	-	38.10	15.96	48.91

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.912G	50.89	88.20	-37.31	42.29	3	Vertical	170	1.80	-	34.00	5.75	31.15
RMS	5.919G	39.62	68.20	-28.58	31.01	3	Vertical	170	1.80	-	34.00	5.76	31.15
PK	6.187G	93.57	Inf	-Inf	85.05	3	Vertical	170	1.80	-	33.87	5.90	31.25
RMS	6.088G	84.48	Inf	-Inf	75.91	3	Vertical	170	1.80	-	33.92	5.87	31.22



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.45	88.20	-25.75	53.84	3	Horizontal	287	2.69	-	34.00	5.77	31.16
RMS	5.925G	53.53	68.20	-14.67	44.92	3	Horizontal	287	2.69	-	34.00	5.77	31.16
PK	6.045G	108.72	Inf	-Inf	100.08	3	Horizontal	287	2.69	-	33.99	5.86	31.21
RMS	6.084G	99.02	Inf	-Inf	90.44	3	Horizontal	287	2.69	-	33.93	5.87	31.22

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21063G	50.27	74.00	-23.73	68.20	3	Vertical	253	1.14	-	38.78	8.84	65.55
AV	12.2145G	35.82	54.00	-18.18	53.76	3	Vertical	253	1.14	-	38.77	8.84	65.55

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20855G	50.33	74.00	-23.67	68.26	3	Horizontal	68	2.86	-	38.78	8.84	65.55
AV	12.21448G	35.81	54.00	-18.19	53.75	3	Horizontal	68	2.86	-	38.77	8.84	65.55

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31809G	46.66	83.54	-36.88	43.47	1	Vertical	27	1.55	-	37.50	15.28	49.59
AV	18.31962G	45.33	63.54	-18.21	42.14	1	Vertical	27	1.55	-	37.50	15.28	49.59

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.31317G	45.84	83.54	-37.70	42.65	1	Horizontal	21	1.57	-	37.50	15.28	49.59
AV	18.31978G	43.31	63.54	-20.23	40.12	1	Horizontal	21	1.57	-	37.50	15.28	49.59

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
Setting 22  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52549G	50.58	74.00	-23.42	68.19	3	Vertical	351	1.49	-	38.70	8.98	65.29
AV	12.53091G	36.90	54.00	-17.10	54.48	3	Vertical	351	1.49	-	38.72	8.99	65.29

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
Setting 22  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.53345G	51.55	74.00	-22.45	69.12	3	Horizontal	6	2.25	-	38.73	8.99	65.29
AV	12.53074G	36.89	54.00	-17.11	54.47	3	Horizontal	6	2.25	-	38.72	8.99	65.29

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
Setting 22  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79504G	47.08	83.54	-36.46	43.50	1	Vertical	316	1.55	-	37.80	15.26	49.48
AV	18.79057G	33.45	63.54	-30.09	29.87	1	Vertical	316	1.55	-	37.80	15.26	49.48



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
Setting 22  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7953G	47.55	83.54	-35.99	43.97	1	Horizontal	188	1.55	-	37.80	15.26	49.48
AV	18.7908G	33.45	63.54	-30.09	29.87	1	Horizontal	188	1.55	-	37.80	15.26	49.48

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT Y\_4TX  
Setting 22  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84701G	52.75	88.20	-35.45	69.18	3	Vertical	328	1.30	-	39.69	9.13	65.25
RMS	12.8518G	38.22	68.20	-29.98	54.63	3	Vertical	328	1.30	-	39.70	9.14	65.25

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT\_Y\_4TX  
Setting 22  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85163G	52.57	88.20	-35.63	68.98	3	Horizontal	21	1.71	-	39.70	9.14	65.25
RMS	12.85172G	38.20	68.20	-30.00	54.61	3	Horizontal	21	1.71	-	39.70	9.14	65.25

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT Y\_4TX  
Setting 22  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27839G	46.98	83.54	-36.56	43.31	1	Vertical	125	1.52	-	37.96	15.24	49.53
AV	19.27645G	32.62	63.54	-30.92	28.96	1	Vertical	125	1.52	-	37.95	15.24	49.53

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT\_Y\_4TX  
Setting 22  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27009G	46.21	83.54	-37.33	42.55	1	Horizontal	84	1.52	-	37.94	15.24	49.52
AV	19.27644G	32.63	63.54	-30.91	28.97	1	Horizontal	84	1.52	-	37.95	15.24	49.53

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17309G	52.08	88.20	-36.12	67.93	3	Vertical	360	2.07	-	39.75	9.29	64.89
RMS	13.17208G	37.99	68.20	-30.21	53.84	3	Vertical	360	2.07	-	39.76	9.29	64.90

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17433G	52.25	88.20	-35.95	68.10	3	Horizontal	306	1.26	-	39.75	9.29	64.89
RMS	13.17173G	38.00	68.20	-30.20	53.86	3	Horizontal	306	1.26	-	39.76	9.28	64.90

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75257G	47.59	83.54	-35.95	43.94	1	Vertical	126	1.51	-	37.91	15.21	49.47
AV	19.75758G	33.57	63.54	-29.97	29.90	1	Vertical	126	1.51	-	37.93	15.21	49.47



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75354G	47.74	83.54	-35.80	44.09	1	Horizontal	30	1.52	-	37.91	15.21	49.47
AV	19.75142G	33.55	63.54	-29.99	29.90	1	Horizontal	30	1.52	-	37.91	15.21	49.47

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48677G	53.15	88.20	-35.05	67.54	3	Vertical	213	2.13	-	40.47	9.43	64.29
RMS	13.495G	39.09	68.20	-29.11	53.43	3	Vertical	213	2.13	-	40.49	9.44	64.27

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48752G	53.67	88.20	-34.53	68.04	3	Horizontal	246	2.98	-	40.48	9.43	64.28
RMS	13.49474G	39.12	68.20	-29.08	53.46	3	Horizontal	246	2.98	-	40.49	9.44	64.27

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT\_Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23221G	48.11	83.54	-35.43	43.97	1	Vertical	252	1.57	-	37.96	15.39	49.21
AV	20.23562G	34.61	63.54	-28.93	30.46	1	Vertical	252	1.57	-	37.97	15.39	49.21

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




EUT Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23442G	48.89	83.54	-34.65	44.74	1	Horizontal	133	1.58	-	37.97	15.39	49.21
AV	20.23892G	34.60	63.54	-28.94	30.44	1	Horizontal	133	1.58	-	37.98	15.39	49.21

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9185G	103.44	Inf	-Inf	93.40	3	Vertical	165	1.80	-	35.60	6.29	31.85
RMS	6.8987G	92.30	Inf	-Inf	82.24	3	Vertical	165	1.80	-	35.60	6.28	31.82
PK	7.1489G	60.71	88.20	-27.49	49.81	3	Vertical	165	1.80	-	36.50	6.42	32.02
RMS	7.1282G	49.51	68.20	-18.69	38.70	3	Vertical	165	1.80	-	36.41	6.41	32.01
PK	7.25G	56.91	74.00	-17.09	45.81	3	Vertical	165	1.80	-	36.70	6.48	32.08
AV	7.2578G	45.42	54.00	-8.58	34.30	3	Vertical	165	1.80	-	36.72	6.48	32.08

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7673G	108.21	Inf	-Inf	97.87	3	Horizontal	97	2.81	-	35.80	6.21	31.67
RMS	6.7664G	97.72	Inf	-Inf	87.38	3	Horizontal	97	2.81	-	35.80	6.21	31.67
PK	7.1255G	62.50	88.20	-25.70	51.70	3	Horizontal	97	2.81	-	36.40	6.41	32.01
RMS	7.1462G	51.27	68.20	-16.93	40.39	3	Horizontal	97	2.81	-	36.48	6.42	32.02
PK	7.2677G	57.05	74.00	-16.95	45.91	3	Horizontal	97	2.81	-	36.74	6.49	32.09
AV	7.2668G	46.25	54.00	-7.75	35.12	3	Horizontal	97	2.81	-	36.73	6.49	32.09

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
 Setting 19.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81363G	53.50	88.20	-34.70	68.01	3	Vertical	83	1.30	-	40.30	9.58	64.39
RMS	13.81406G	39.27	68.20	-28.93	53.78	3	Vertical	83	1.30	-	40.30	9.58	64.39



6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
 Setting 19.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80653G	53.64	88.20	-34.56	68.14	3	Horizontal	164	2.83	-	40.30	9.58	64.38
RMS	13.81365G	39.24	68.20	-28.96	53.75	3	Horizontal	164	2.83	-	40.30	9.58	64.39

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71777G	48.01	83.54	-35.53	43.41	1	Vertical	212	1.52	-	37.86	15.77	49.03
AV	20.71949G	34.01	63.54	-29.53	29.40	1	Vertical	212	1.52	-	37.86	15.78	49.03

6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71282G	47.63	83.54	-35.91	43.02	1	Horizontal	205	1.57	-	37.87	15.77	49.03
AV	20.71946G	34.03	63.54	-29.51	29.42	1	Horizontal	205	1.57	-	37.86	15.78	49.03

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9145G	48.59	88.20	-39.61	39.98	3	Vertical	165	1.77	-	34.00	5.76	31.15
RMS	5.9245G	38.38	68.20	-29.82	29.77	3	Vertical	165	1.77	-	34.00	5.77	31.16
PK	5.946G	95.35	Inf	-Inf	86.73	3	Vertical	165	1.77	-	34.00	5.79	31.17
RMS	5.947G	86.81	Inf	-Inf	78.19	3	Vertical	165	1.77	-	34.00	5.79	31.17

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8635G	48.39	88.20	-39.81	40.04	3	Horizontal	274	1.71	-	33.78	5.70	31.13
RMS	5.9225G	38.56	68.20	-29.64	29.95	3	Horizontal	274	1.71	-	34.00	5.76	31.15
PK	5.947G	99.90	Inf	-Inf	91.28	3	Horizontal	274	1.71	-	34.00	5.79	31.17
RMS	5.946G	89.67	Inf	-Inf	81.05	3	Horizontal	274	1.71	-	34.00	5.79	31.17

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90992G	50.94	74.00	-23.06	69.61	3	Vertical	257	2.55	-	38.42	8.71	65.80
AV	11.90995G	39.77	54.00	-14.23	58.44	3	Vertical	257	2.55	-	38.42	8.71	65.80
PK	17.86102G	59.11	74.00	-14.89	67.34	3	Vertical	76	2.59	-	42.75	11.57	62.55
AV	17.86664G	45.12	54.00	-8.88	53.25	3	Vertical	76	2.59	-	42.83	11.58	62.54

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
 Setting 13.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91014G	51.15	74.00	-22.85	69.82	3	Horizontal	349	2.74	-	38.42	8.71	65.80
AV	11.90998G	39.74	54.00	-14.26	58.41	3	Horizontal	349	2.74	-	38.42	8.71	65.80
PK	17.86087G	59.22	74.00	-14.78	67.45	3	Horizontal	324	1.17	-	42.75	11.57	62.55
AV	17.86725G	45.08	54.00	-8.92	53.20	3	Horizontal	324	1.17	-	42.84	11.58	62.54

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39297G	51.19	74.00	-22.81	69.05	3	Vertical	304	1.02	-	38.61	8.92	65.39
AV	12.39486G	-1.03	54.00	-55.03	16.82	3	Vertical	304	1.02	-	38.61	8.92	65.38



5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 14  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38965G	12.87	74.00	-61.13	30.72	3	Horizontal	265	2.60	-	38.62	8.92	65.39
AV	12.39469G	-1.02	54.00	-55.02	16.83	3	Horizontal	265	2.60	-	38.61	8.92	65.38

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 14  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5849G	47.09	83.54	-36.45	43.74	1	Vertical	98	1.57	-	37.70	15.27	49.62
AV	18.58937G	33.36	63.54	-30.18	30.01	1	Vertical	98	1.57	-	37.70	15.27	49.62

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 14  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58338G	46.69	83.54	-36.85	43.34	1	Horizontal	87	1.55	-	37.70	15.27	49.62
AV	18.58584G	33.36	63.54	-30.18	30.01	1	Horizontal	87	1.55	-	37.70	15.27	49.62

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83094G	52.52	88.20	-35.68	68.98	3	Vertical	49	1.28	-	39.66	9.13	65.25
RMS	12.83248G	38.09	68.20	-30.11	54.55	3	Vertical	49	1.28	-	39.66	9.13	65.25

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82841G	52.34	88.20	-35.86	68.80	3	Horizontal	119	2.27	-	39.66	9.13	65.25
RMS	12.83461G	38.07	68.20	-30.13	54.52	3	Horizontal	119	2.27	-	39.67	9.13	65.25

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24662G	46.49	83.54	-37.05	42.85	1	Vertical	317	1.51	-	37.91	15.24	49.51
AV	19.24G	32.99	63.54	-30.55	29.33	1	Vertical	317	1.51	-	37.92	15.24	49.50

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24776G	46.26	83.54	-37.28	42.63	1	Horizontal	348	1.54	-	37.90	15.24	49.51
AV	19.24017G	32.99	63.54	-30.55	29.33	1	Horizontal	348	1.54	-	37.92	15.24	49.50

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6435MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86592G	52.91	88.20	-35.29	69.29	3	Vertical	307	1.08	-	39.73	9.14	65.25
RMS	12.87414G	38.63	68.20	-29.57	54.98	3	Vertical	307	1.08	-	39.75	9.15	65.25



6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6435MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87077G	52.60	88.20	-35.60	68.97	3	Horizontal	250	2.22	-	39.74	9.14	65.25
RMS	12.87132G	38.63	68.20	-29.57	54.99	3	Horizontal	250	2.22	-	39.74	9.15	65.25

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
 Setting 13.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30508G	46.05	83.54	-37.49	42.39	1	Vertical	16	1.57	-	37.98	15.23	49.55
AV	19.30164G	32.61	63.54	-30.93	28.94	1	Vertical	16	1.57	-	37.99	15.23	49.55

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
 Setting 13.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30514G	46.22	83.54	-37.32	42.56	1	Horizontal	278	1.50	-	37.98	15.23	49.55
AV	19.30168G	32.61	63.54	-30.93	28.94	1	Horizontal	278	1.50	-	37.99	15.23	49.55

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95214G	53.67	88.20	-34.53	69.73	3	Vertical	109	1.24	-	40.00	9.18	65.24
RMS	12.95454G	39.23	68.20	-28.97	55.30	3	Vertical	109	1.24	-	39.99	9.18	65.24

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95446G	53.20	88.20	-35.00	69.27	3	Horizontal	55	2.44	-	39.99	9.18	65.24
RMS	12.9541G	39.24	68.20	-28.96	55.31	3	Horizontal	55	2.44	-	39.99	9.18	65.24

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 14  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42883G	46.22	83.54	-37.32	42.74	1	Vertical	4	1.53	-	37.88	15.23	49.63
AV	19.42587G	32.38	63.54	-31.16	28.88	1	Vertical	4	1.53	-	37.90	15.23	49.63

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 14  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42824G	46.44	83.54	-37.10	42.95	1	Horizontal	107	1.54	-	37.89	15.23	49.63
AV	19.42263G	32.36	63.54	-31.18	28.85	1	Horizontal	107	1.54	-	37.91	15.23	49.63

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6515MHz\_TX




EUT Y\_4TX  
 Setting 13.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03158G	53.49	88.20	-34.71	69.73	3	Vertical	350	1.47	-	39.71	9.22	65.17
RMS	13.02965G	38.84	68.20	-29.36	55.07	3	Vertical	350	1.47	-	39.72	9.22	65.17



6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6515MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03382G	53.59	88.20	-34.61	69.83	3	Horizontal	350	1.41	-	39.70	9.22	65.16
RMS	13.0298G	38.85	68.20	-29.35	55.08	3	Horizontal	350	1.41	-	39.72	9.22	65.17

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54833G	46.95	83.54	-36.59	43.27	1	Vertical	100	1.51	-	38.10	15.22	49.64
AV	19.5493G	32.99	63.54	-30.55	29.31	1	Vertical	100	1.51	-	38.10	15.22	49.64

6.425-6.525GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
 Setting 13.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54876G	46.87	83.54	-36.67	43.19	1	Horizontal	196	1.57	-	38.10	15.22	49.64
AV	19.54989G	32.99	63.54	-30.55	29.31	1	Horizontal	196	1.57	-	38.10	15.22	49.64

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06693G	52.92	88.20	-35.28	69.18	3	Vertical	196	1.52	-	39.60	9.24	65.10
RMS	13.06807G	38.96	68.20	-29.24	55.22	3	Vertical	196	1.52	-	39.60	9.24	65.10

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6535MHz\_TX




EUT Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07052G	52.49	88.20	-35.71	68.74	3	Horizontal	158	1.32	-	39.60	9.24	65.09
RMS	13.06781G	38.95	68.20	-29.25	55.21	3	Horizontal	158	1.32	-	39.60	9.24	65.10

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60602G	47.00	83.54	-36.54	43.53	1	Vertical	23	1.55	-	37.84	15.22	49.59
AV	19.60879G	33.36	63.54	-30.18	29.88	1	Vertical	23	1.55	-	37.85	15.22	49.59

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60437G	46.71	83.54	-36.83	43.25	1	Horizontal	336	1.53	-	37.83	15.22	49.59
AV	19.60879G	33.39	63.54	-30.15	29.91	1	Horizontal	336	1.53	-	37.85	15.22	49.59

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3879G	52.14	74.00	-21.86	67.05	3	Vertical	339	2.92	-	40.18	9.39	64.48
AV	13.39259G	38.73	54.00	-15.27	53.62	3	Vertical	339	2.92	-	40.19	9.39	64.47



6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38759G	52.07	74.00	-21.93	66.98	3	Horizontal	258	2.67	-	40.18	9.39	64.48
AV	13.39253G	38.75	54.00	-15.25	53.64	3	Horizontal	258	2.67	-	40.19	9.39	64.47

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08645G	46.30	83.54	-37.24	42.43	1	Vertical	57	1.56	-	37.85	15.27	49.25
AV	20.08968G	33.12	63.54	-30.42	29.24	1	Vertical	57	1.56	-	37.86	15.27	49.25

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08329G	47.14	83.54	-36.40	43.29	1	Horizontal	191	1.54	-	37.83	15.27	49.25
AV	20.08879G	33.20	63.54	-30.34	29.32	1	Horizontal	191	1.54	-	37.86	15.27	49.25

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75452G	53.91	88.20	-34.29	68.32	3	Vertical	240	1.93	-	40.39	9.56	64.36
RMS	13.74972G	39.75	68.20	-28.45	54.16	3	Vertical	240	1.93	-	40.40	9.55	64.36

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 14  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75398G	53.52	88.20	-34.68	67.93	3	Horizontal	284	1.58	-	40.39	9.56	64.36
RMS	13.74987G	39.71	68.20	-28.49	54.12	3	Horizontal	284	1.58	-	40.40	9.55	64.36

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 14  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62353G	47.05	83.54	-36.49	42.48	1	Vertical	51	1.57	-	37.95	15.70	49.08
AV	20.62452G	34.12	63.54	-29.42	29.55	1	Vertical	51	1.57	-	37.95	15.70	49.08

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 14  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62301G	47.83	83.54	-35.71	43.26	1	Horizontal	328	1.50	-	37.95	15.70	49.08
AV	20.6245G	34.13	63.54	-29.41	29.56	1	Horizontal	328	1.50	-	37.95	15.70	49.08

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78995G	52.98	88.20	-35.22	67.47	3	Vertical	133	1.91	-	40.32	9.57	64.38
AV	13.78545G	39.37	68.20	-28.83	53.84	3	Vertical	133	1.91	-	40.33	9.57	64.37



6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79025G	53.69	88.20	-34.51	68.18	3	Horizontal	35	2.62	-	40.32	9.57	64.38
AV	13.78539G	39.34	68.20	-28.86	53.81	3	Horizontal	35	2.62	-	40.33	9.57	64.37

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
 Setting 13.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68249G	47.93	83.54	-35.61	43.33	1	Vertical	269	1.55	-	37.90	15.75	49.05
AV	20.68978G	34.09	63.54	-29.45	29.48	1	Vertical	269	1.55	-	37.90	15.75	49.04

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68869G	47.89	83.54	-35.65	43.28	1	Horizontal	52	1.51	-	37.90	15.75	49.04
AV	20.68624G	34.09	63.54	-29.45	29.48	1	Horizontal	52	1.51	-	37.90	15.75	49.04

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99485G	54.82	88.20	-33.38	69.11	3	Vertical	172	1.19	-	40.50	9.67	64.46
RMS	13.99468G	39.97	68.20	-28.23	54.26	3	Vertical	172	1.19	-	40.50	9.67	64.46

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99065G	54.44	88.20	-33.76	68.73	3	Horizontal	232	1.90	-	40.50	9.67	64.46
RMS	13.99441G	39.96	68.20	-28.24	54.25	3	Horizontal	232	1.90	-	40.50	9.67	64.46

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9827G	46.99	83.54	-36.55	41.92	1	Vertical	285	1.52	-	37.97	15.99	48.89
AV	20.98152G	33.39	63.54	-30.15	28.32	1	Vertical	285	1.52	-	37.97	15.99	48.89

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98168G	47.25	83.54	-36.29	42.18	1	Horizontal	143	1.50	-	37.97	15.99	48.89
AV	20.98125G	33.39	63.54	-30.15	28.31	1	Horizontal	143	1.50	-	37.98	15.99	48.89

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0888G	106.65	Inf	-Inf	96.02	3	Vertical	170	1.80	-	36.23	6.39	31.99
RMS	7.1038G	96.96	Inf	-Inf	86.24	3	Vertical	170	1.80	-	36.32	6.40	32.00
PK	7.183G	61.90	88.20	-26.30	50.93	3	Vertical	170	1.80	-	36.57	6.44	32.04
RMS	7.1836G	51.73	68.20	-16.47	40.76	3	Vertical	170	1.80	-	36.57	6.44	32.04



6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0862G	110.17	Inf	-Inf	99.55	3	Horizontal	102	2.18	-	36.22	6.39	31.99
RMS	7.104G	99.84	Inf	-Inf	89.12	3	Horizontal	102	2.18	-	36.32	6.40	32.00
PK	7.1666G	62.11	88.20	-26.09	51.18	3	Horizontal	102	2.18	-	36.53	6.43	32.03
RMS	7.1398G	51.77	68.20	-16.43	40.91	3	Horizontal	102	2.18	-	36.46	6.42	32.02

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1929G	54.90	88.20	-33.30	68.61	3	Vertical	129	2.42	-	40.60	9.73	64.04
RMS	14.19272G	40.22	68.20	-27.98	53.93	3	Vertical	129	2.42	-	40.60	9.73	64.04

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1905G	54.13	88.20	-34.07	67.84	3	Horizontal	4	1.83	-	40.60	9.73	64.04
RMS	14.19217G	40.25	68.20	-27.95	53.96	3	Horizontal	4	1.83	-	40.60	9.73	64.04

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28179G	49.24	83.54	-34.30	43.61	1	Vertical	64	1.57	-	38.25	16.23	48.85
AV	21.28963G	35.32	63.54	-28.22	29.62	1	Vertical	64	1.57	-	38.32	16.23	48.85

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28561G	49.21	83.54	-34.33	43.55	1	Horizontal	203	1.51	-	38.28	16.23	48.85
AV	21.28988G	35.33	63.54	-28.21	29.63	1	Horizontal	203	1.51	-	38.32	16.23	48.85

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 5.5  
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1085G	98.67	Inf	-Inf	87.94	3	Vertical	167	1.80	BP 1MHz	36.33	6.40	32.00
RMS	7.1085G	91.18	Inf	-Inf	80.45	3	Vertical	167	1.80	BP 1MHz	36.33	6.40	32.00
PK	7.1255G	76.78	88.20	-11.42	65.98	3	Vertical	167	1.80	BP 1MHz	36.40	6.41	32.01
RMS	7.1255G	66.78	68.20	-1.42	55.98	3	Vertical	167	1.80	BP 1MHz	36.40	6.41	32.01

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 5.5  
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1175G	100.97	Inf	-Inf	90.20	3	Horizontal	99	2.02	BP 1MHz	36.37	6.41	32.01
RMS	7.1065G	92.89	Inf	-Inf	82.16	3	Horizontal	99	2.02	BP 1MHz	36.33	6.40	32.00
PK	7.1255G	77.49	88.20	-10.71	66.69	3	Horizontal	99	2.02	BP 1MHz	36.40	6.41	32.01
RMS	7.1255G	68.06	68.20	-0.14	57.26	3	Horizontal	99	2.02	BP 1MHz	36.40	6.41	32.01

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7115MHz\_TX




EUT Y\_4TX  
Setting 5.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23336G	54.40	88.20	-33.80	68.14	3	Vertical	311	1.60	-	40.47	9.74	63.95
RMS	14.22507G	40.22	68.20	-27.98	53.95	3	Vertical	311	1.60	-	40.50	9.74	63.97



6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7115MHz\_TX




EUT Y\_4TX  
Setting 5.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23465G	54.11	88.20	-34.09	67.86	3	Horizontal	114	1.91	-	40.46	9.74	63.95
RMS	14.22501G	40.19	68.20	-28.01	53.92	3	Horizontal	114	1.91	-	40.50	9.74	63.97

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7115MHz\_TX




EUT Y\_4TX  
Setting 5.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34116G	49.61	83.54	-33.93	43.86	1	Vertical	15	1.50	-	38.32	16.27	48.84
AV	21.34682G	35.72	63.54	-27.82	29.97	1	Vertical	15	1.50	-	38.31	16.28	48.84

6.875-7.125GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 5.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34125G	49.07	83.54	-34.47	43.32	1	Horizontal	98	1.53	-	38.32	16.27	48.84
AV	21.34677G	35.73	63.54	-27.81	29.98	1	Horizontal	98	1.53	-	38.31	16.28	48.84

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8838G	58.50	88.20	-29.70	50.02	3	Vertical	159	1.70	-	33.90	5.72	31.14
RMS	5.9244G	49.00	68.20	-19.20	40.39	3	Vertical	159	1.70	-	34.00	5.77	31.16
PK	5.9728G	107.58	Inf	-Inf	98.99	3	Vertical	159	1.70	-	33.95	5.82	31.18
RMS	5.9818G	97.24	Inf	-Inf	88.65	3	Vertical	159	1.70	-	33.94	5.83	31.18

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9224G	60.59	88.20	-27.61	51.98	3	Horizontal	272	1.84	-	34.00	5.76	31.15
RMS	5.9246G	50.59	68.20	-17.61	41.98	3	Horizontal	272	1.84	-	34.00	5.77	31.16
PK	5.9826G	110.38	Inf	-Inf	101.80	3	Horizontal	272	1.84	-	33.93	5.83	31.18
RMS	5.9798G	100.07	Inf	-Inf	91.48	3	Horizontal	272	1.84	-	33.94	5.83	31.18

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9338G	51.46	74.00	-22.54	70.05	3	Vertical	40	2.51	-	38.47	8.72	65.78
AV	11.92948G	36.93	54.00	-17.07	55.54	3	Vertical	40	2.51	-	38.46	8.72	65.79
PK	17.89502G	58.73	74.00	-15.27	66.39	3	Vertical	15	1.57	-	43.23	11.60	62.49
AV	17.89995G	44.73	54.00	-9.27	52.31	3	Vertical	15	1.57	-	43.30	11.60	62.48

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93363G	50.61	74.00	-23.39	69.20	3	Horizontal	305	1.16	-	38.47	8.72	65.78
AV	11.93009G	36.94	54.00	-17.06	55.55	3	Horizontal	305	1.16	-	38.46	8.72	65.79
PK	17.8983G	58.14	74.00	-15.86	65.74	3	Horizontal	309	2.64	-	43.28	11.60	62.48
AV	17.89178G	44.59	54.00	-9.41	52.31	3	Horizontal	309	2.64	-	43.18	11.59	62.49

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 18  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41388G	51.08	74.00	-22.92	68.92	3	Vertical	177	1.60	-	38.60	8.93	65.37
AV	12.40574G	36.97	54.00	-17.03	54.81	3	Vertical	177	1.60	-	38.60	8.93	65.37



5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 18  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40822G	50.87	74.00	-23.13	68.71	3	Horizontal	284	1.31	-	38.60	8.93	65.37
AV	12.40581G	36.95	54.00	-17.05	54.79	3	Horizontal	284	1.31	-	38.60	8.93	65.37

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61388G	47.24	83.54	-36.30	43.84	1	Vertical	121	1.50	-	37.73	15.27	49.60
AV	18.61853G	33.56	63.54	-29.98	30.15	1	Vertical	121	1.50	-	37.74	15.27	49.60

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61919G	47.64	83.54	-35.90	44.23	1	Horizontal	17	1.55	-	37.74	15.27	49.60
AV	18.61833G	33.55	63.54	-29.99	30.14	1	Horizontal	17	1.55	-	37.74	15.27	49.60

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8062G	51.84	88.20	-36.36	68.37	3	Vertical	27	2.26	-	39.61	9.11	65.25
RMS	12.80867G	37.76	68.20	-30.44	54.27	3	Vertical	27	2.26	-	39.62	9.12	65.25

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80902G	52.17	88.20	-36.03	68.68	3	Horizontal	157	1.30	-	39.62	9.12	65.25
RMS	12.8064G	37.78	68.20	-30.42	54.31	3	Horizontal	157	1.30	-	39.61	9.11	65.25

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21661G	47.34	83.54	-36.20	43.62	1	Vertical	91	1.57	-	37.97	15.24	49.49
AV	19.21321G	33.17	63.54	-30.37	29.44	1	Vertical	91	1.57	-	37.97	15.24	49.48

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21707G	46.79	83.54	-36.75	43.07	1	Horizontal	31	1.51	-	37.97	15.24	49.49
AV	19.21357G	33.16	63.54	-30.38	29.44	1	Horizontal	31	1.51	-	37.97	15.24	49.49

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 18.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89424G	53.15	88.20	-35.05	69.44	3	Vertical	59	2.92	-	39.79	9.16	65.24
RMS	12.89335G	39.02	68.20	-29.18	55.31	3	Vertical	59	2.92	-	39.79	9.16	65.24



6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 18.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89074G	53.94	88.20	-34.26	70.25	3	Horizontal	10	1.31	-	39.78	9.15	65.24
RMS	12.89425G	39.01	68.20	-29.19	55.30	3	Horizontal	10	1.31	-	39.79	9.16	65.24

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
 Setting 18.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33334G	45.87	83.54	-37.67	42.34	1	Vertical	345	1.55	-	37.87	15.23	49.57
AV	19.33053G	32.28	63.54	-31.26	28.73	1	Vertical	345	1.55	-	37.88	15.23	49.56

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
 Setting 18.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33466G	46.22	83.54	-37.32	42.70	1	Horizontal	66	1.58	-	37.86	15.23	49.57
AV	19.33025G	32.32	63.54	-31.22	28.77	1	Horizontal	66	1.58	-	37.88	15.23	49.56

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96538G	52.08	88.20	-36.12	68.15	3	Vertical	277	1.92	-	39.97	9.19	65.23
RMS	12.96588G	38.85	68.20	-29.35	54.92	3	Vertical	277	1.92	-	39.97	9.19	65.23

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97184G	53.14	88.20	-35.06	69.22	3	Horizontal	138	1.92	-	39.96	9.19	65.23
RMS	12.9657G	38.86	68.20	-29.34	54.93	3	Horizontal	138	1.92	-	39.97	9.19	65.23

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45664G	46.88	83.54	-36.66	43.47	1	Vertical	347	1.53	-	37.83	15.23	49.65
AV	19.45145G	32.32	63.54	-31.22	28.93	1	Vertical	347	1.53	-	37.81	15.23	49.65

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 18  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45597G	46.12	83.54	-37.42	42.72	1	Horizontal	27	1.57	-	37.82	15.23	49.65
AV	19.4544G	32.36	63.54	-31.18	28.96	1	Horizontal	27	1.57	-	37.82	15.23	49.65

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04759G	53.18	88.20	-35.02	69.48	3	Vertical	173	1.00	-	39.61	9.23	65.14
RMS	13.04891G	38.78	68.20	-29.42	55.08	3	Vertical	173	1.00	-	39.61	9.23	65.14



6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05093G	52.74	88.20	-35.46	69.04	3	Horizontal	350	2.42	-	39.60	9.23	65.13
RMS	13.04849G	38.79	68.20	-29.41	55.09	3	Horizontal	350	2.42	-	39.61	9.23	65.14

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57097G	46.62	83.54	-36.92	43.05	1	Vertical	345	1.51	-	37.97	15.22	49.62
AV	19.57954G	33.07	63.54	-30.47	29.54	1	Vertical	345	1.51	-	37.92	15.22	49.61

6.425-6.525GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57959G	46.96	83.54	-36.58	43.43	1	Horizontal	304	1.56	-	37.92	15.22	49.61
AV	19.57968G	33.08	63.54	-30.46	29.55	1	Horizontal	304	1.56	-	37.92	15.22	49.61

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13439G	52.25	88.20	-35.95	68.21	3	Vertical	321	1.88	-	39.74	9.27	64.97
RMS	13.13442G	38.22	68.20	-29.98	54.18	3	Vertical	321	1.88	-	39.74	9.27	64.97

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6565MHz\_TX




EUT Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13321G	52.79	88.20	-35.41	68.76	3	Horizontal	236	1.55	-	39.73	9.27	64.97
RMS	13.13437G	38.21	68.20	-29.99	54.17	3	Horizontal	236	1.55	-	39.74	9.27	64.97

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69726G	47.61	83.54	-35.93	44.09	1	Vertical	44	1.51	-	37.82	15.22	49.52
AV	19.69807G	33.81	63.54	-29.73	30.30	1	Vertical	44	1.51	-	37.81	15.22	49.52

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 19  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69697G	47.18	83.54	-36.36	43.66	1	Horizontal	19	1.57	-	37.82	15.22	49.52
AV	19.69039G	33.81	63.54	-29.73	30.25	1	Horizontal	19	1.57	-	37.86	15.22	49.52

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX  
Setting 17.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36851G	52.50	74.00	-21.50	67.50	3	Vertical	244	1.73	-	40.14	9.38	64.52
AV	13.37274G	38.38	54.00	-15.62	53.36	3	Vertical	244	1.73	-	40.15	9.38	64.51



6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
 Setting 17.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36921G	52.71	74.00	-21.29	67.70	3	Horizontal	348	2.84	-	40.14	9.38	64.51
AV	13.37311G	38.39	54.00	-15.61	53.37	3	Horizontal	348	2.84	-	40.15	9.38	64.51

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
 Setting 17.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05401G	46.07	83.54	-37.47	42.37	1	Vertical	92	1.50	-	37.72	15.24	49.26
AV	20.05954G	32.48	63.54	-31.06	28.74	1	Vertical	92	1.50	-	37.74	15.25	49.25

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
 Setting 17.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05683G	45.76	83.54	-37.78	42.04	1	Horizontal	329	1.54	-	37.73	15.25	49.26
AV	20.05955G	32.48	63.54	-31.06	28.74	1	Horizontal	329	1.54	-	37.74	15.25	49.25

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6885MHz\_TX




EUT Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77044G	53.33	88.20	-34.87	67.78	3	Vertical	167	1.26	-	40.36	9.56	64.37
RMS	13.76923G	39.30	68.20	-28.90	53.75	3	Vertical	167	1.26	-	40.36	9.56	64.37

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.771G	53.09	88.20	-35.11	67.54	3	Horizontal	295	2.80	-	40.36	9.56	64.37
RMS	13.76917G	39.27	68.20	-28.93	53.72	3	Horizontal	295	2.80	-	40.36	9.56	64.37

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65881G	48.07	83.54	-35.47	43.50	1	Vertical	66	1.55	-	37.90	15.73	49.06
AV	20.65977G	33.87	63.54	-29.67	29.30	1	Vertical	66	1.55	-	37.90	15.73	49.06

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65668G	47.22	83.54	-36.32	42.65	1	Horizontal	276	1.50	-	37.90	15.73	49.06
AV	20.6595G	33.87	63.54	-29.67	29.30	1	Horizontal	276	1.50	-	37.90	15.73	49.06

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX  
Setting 17.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85062G	53.79	88.20	-34.41	68.29	3	Vertical	358	2.21	-	40.30	9.60	64.40
RMS	13.84508G	39.16	68.20	-29.04	53.66	3	Vertical	358	2.21	-	40.30	9.60	64.40



6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX  
Setting 17.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8455G	52.82	88.20	-35.38	67.32	3	Horizontal	106	2.58	-	40.30	9.60	64.40
RMS	13.845G	39.12	68.20	-29.08	53.62	3	Horizontal	106	2.58	-	40.30	9.60	64.40

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
 Setting 17.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77002G	48.24	83.54	-35.30	43.46	1	Vertical	86	1.54	-	37.96	15.82	49.00
AV	20.77717G	34.52	63.54	-29.02	29.68	1	Vertical	86	1.54	-	38.02	15.82	49.00

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
Setting 17.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77563G	48.51	83.54	-35.03	43.68	1	Horizontal	114	1.54	-	38.01	15.82	49.00
AV	20.77669G	34.54	63.54	-29.00	29.71	1	Horizontal	114	1.54	-	38.01	15.82	49.00

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX  
Setting 16.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00566G	54.16	88.20	-34.04	68.43	3	Vertical	105	1.88	-	40.51	9.67	64.45
RMS	14.01378G	40.07	68.20	-28.13	54.30	3	Vertical	105	1.88	-	40.53	9.67	64.43

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX  
Setting 16.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00801G	54.33	88.20	-33.87	68.58	3	Horizontal	101	1.91	-	40.52	9.67	64.44
RMS	14.01088G	40.00	68.20	-28.20	54.25	3	Horizontal	101	1.91	-	40.52	9.67	64.44

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX  
 Setting 16.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01677G	47.90	83.54	-35.64	42.70	1	Vertical	266	1.52	-	38.07	16.01	48.88
AV	21.01977G	33.35	63.54	-30.19	28.11	1	Vertical	266	1.52	-	38.10	16.02	48.88

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
 Setting 16.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01863G	47.51	83.54	-36.03	42.29	1	Horizontal	317	1.57	-	38.09	16.01	48.88
AV	21.01265G	33.33	63.54	-30.21	28.17	1	Horizontal	317	1.57	-	38.03	16.01	48.88

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.069G	105.73	Inf	-Inf	95.22	3	Vertical	167	1.80	-	36.11	6.38	31.98
AV	7.077G	94.86	Inf	-Inf	84.29	3	Vertical	167	1.80	-	36.16	6.39	31.98
PK	7.25G	51.15	74.00	-22.85	40.05	3	Vertical	167	1.80	-	36.70	6.48	32.08
AV	7.25G	40.60	54.00	-13.40	29.50	3	Vertical	167	1.80	-	36.70	6.48	32.08
PK	7.2705G	52.76	74.00	-21.24	41.62	3	Vertical	167	1.80	-	36.74	6.49	32.09
AV	7.2565G	40.64	54.00	-13.36	29.53	3	Vertical	167	1.80	-	36.71	6.48	32.08



6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0765G	109.27	Inf	-Inf	98.70	3	Horizontal	104	2.55	-	36.16	6.39	31.98
AV	7.082G	97.46	Inf	-Inf	86.87	3	Horizontal	104	2.55	-	36.19	6.39	31.99
PK	7.25G	52.45	74.00	-21.55	41.35	3	Horizontal	104	2.55	-	36.70	6.48	32.08
AV	7.25G	41.18	54.00	-12.82	30.08	3	Horizontal	104	2.55	-	36.70	6.48	32.08
PK	7.307G	52.89	74.00	-21.11	41.72	3	Horizontal	104	2.55	-	36.77	6.51	32.11
AV	7.2555G	41.20	54.00	-12.80	30.09	3	Horizontal	104	2.55	-	36.71	6.48	32.08

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16969G	54.54	88.20	-33.66	68.31	3	Vertical	5	1.85	-	40.60	9.72	64.09
RMS	14.17049G	39.89	68.20	-28.31	53.66	3	Vertical	5	1.85	-	40.60	9.72	64.09

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.165G	53.92	88.20	-34.28	67.70	3	Horizontal	155	2.30	-	40.60	9.72	64.10
RMS	14.17315G	39.89	68.20	-28.31	53.65	3	Horizontal	155	2.30	-	40.60	9.72	64.08

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25644G	48.94	83.54	-34.60	43.53	1	Vertical	94	1.57	-	38.05	16.21	48.85
AV	21.25727G	34.76	63.54	-28.78	29.34	1	Vertical	94	1.57	-	38.06	16.21	48.85

6.875-7.125GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25582G	48.33	83.54	-35.21	42.93	1	Horizontal	8	1.54	-	38.05	16.20	48.85
AV	21.25981G	34.77	63.54	-28.77	29.33	1	Horizontal	8	1.54	-	38.08	16.21	48.85

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	59.94	88.20	-28.26	51.34	3	Vertical	155	1.80	-	34.00	5.75	31.15
RMS	5.9234G	49.77	68.20	-18.43	41.15	3	Vertical	155	1.80	-	34.00	5.77	31.15
PK	5.9982G	106.64	Inf	-Inf	98.08	3	Vertical	155	1.80	-	33.90	5.85	31.19
RMS	6.0122G	96.46	Inf	-Inf	87.88	3	Vertical	155	1.80	-	33.92	5.85	31.19

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	64.37	88.20	-23.83	55.76	3	Horizontal	277	1.92	-	34.00	5.77	31.16
RMS	5.9246G	54.69	68.20	-13.51	46.08	3	Horizontal	277	1.92	-	34.00	5.77	31.16
PK	6.015G	109.39	Inf	-Inf	100.81	3	Horizontal	277	1.92	-	33.93	5.85	31.20
RMS	6.0226G	99.98	Inf	-Inf	91.37	3	Horizontal	277	1.92	-	33.95	5.86	31.20

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97219G	50.54	74.00	-23.46	69.03	3	Vertical	65	2.41	-	38.54	8.73	65.76
AV	11.96535G	37.17	54.00	-16.83	55.67	3	Vertical	65	2.41	-	38.53	8.73	65.76
PK	17.95688G	58.24	74.00	-15.76	65.09	3	Vertical	86	1.43	-	43.87	11.64	62.36
AV	17.95288G	45.04	54.00	-8.96	51.94	3	Vertical	86	1.43	-	43.83	11.64	62.37



5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 19  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96573G	50.47	74.00	-23.53	68.97	3	Horizontal	0	2.79	-	38.53	8.73	65.76
AV	11.96815G	37.21	54.00	-16.79	55.70	3	Horizontal	0	2.79	-	38.54	8.73	65.76
PK	17.95805G	58.75	74.00	-15.25	65.59	3	Horizontal	280	1.53	-	43.88	11.64	62.36
AV	17.95304G	45.06	54.00	-8.94	51.96	3	Horizontal	280	1.53	-	43.83	11.64	62.37

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6225MHz\_TX




EUT Y\_4TX  
Setting 21  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45163G	51.36	74.00	-22.64	69.14	3	Vertical	66	2.00	-	38.60	8.95	65.33
AV	12.44823G	37.27	54.00	-16.73	55.06	3	Vertical	66	2.00	-	38.60	8.95	65.34

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
Setting 21  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45373G	50.86	74.00	-23.14	68.64	3	Horizontal	78	1.03	-	38.60	8.95	65.33
AV	12.44791G	37.28	54.00	-16.72	55.07	3	Horizontal	78	1.03	-	38.60	8.95	65.34

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6225MHz\_TX




EUT Y\_4TX  
Setting 21  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67893G	47.82	83.54	-35.72	44.43	1	Vertical	221	1.56	-	37.68	15.27	49.56
AV	18.6731G	34.25	63.54	-29.29	30.83	1	Vertical	221	1.56	-	37.71	15.27	49.56

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
Setting 21  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67813G	47.81	83.54	-35.73	44.41	1	Horizontal	341	1.58	-	37.69	15.27	49.56
AV	18.67622G	33.95	63.54	-29.59	30.54	1	Horizontal	341	1.58	-	37.70	15.27	49.56

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77105G	51.85	88.20	-36.35	68.53	3	Vertical	229	2.37	-	39.48	9.10	65.26
RMS	12.77421G	38.19	68.20	-30.01	54.85	3	Vertical	229	2.37	-	39.50	9.10	65.26

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76923G	51.65	88.20	-36.55	68.33	3	Horizontal	7	1.72	-	39.48	9.10	65.26
RMS	12.7668G	38.12	68.20	-30.08	54.81	3	Horizontal	7	1.72	-	39.47	9.10	65.26

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15943G	46.48	83.54	-37.06	42.93	1	Vertical	95	1.56	-	37.76	15.24	49.45
AV	19.15041G	33.32	63.54	-30.22	29.82	1	Vertical	95	1.56	-	37.70	15.24	49.44



5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15339G	47.56	83.54	-35.98	44.04	1	Horizontal	219	1.51	-	37.72	15.24	49.44
AV	19.15844G	33.36	63.54	-30.18	29.82	1	Horizontal	219	1.51	-	37.75	15.24	49.45

6.425-6.525GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6465MHz\_TX




EUT Y\_4TX  
Setting 20.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9326G	52.95	88.20	-35.25	69.09	3	Vertical	123	1.90	-	39.93	9.17	65.24
RMS	12.92538G	39.53	68.20	-28.67	55.70	3	Vertical	123	1.90	-	39.90	9.17	65.24

6.425-6.525GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6465MHz\_TX




EUT Y\_4TX  
 Setting 20.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93141G	53.15	88.20	-35.05	69.29	3	Horizontal	76	2.80	-	39.93	9.17	65.24
RMS	12.9261G	39.53	68.20	-28.67	55.70	3	Horizontal	76	2.80	-	39.90	9.17	65.24

6.425-6.525GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
 Setting 20.5  
 04-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39568G	45.82	83.54	-37.72	42.22	1	Vertical	257	1.54	-	37.98	15.23	49.61
AV	19.39559G	32.93	63.54	-30.61	29.33	1	Vertical	257	1.54	-	37.98	15.23	49.61

6.425-6.525GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
 Setting 20.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39709G	46.39	83.54	-37.15	42.78	1	Horizontal	345	1.52	-	37.99	15.23	49.61
AV	19.39582G	32.82	63.54	-30.72	29.22	1	Horizontal	345	1.52	-	37.98	15.23	49.61

6.425-6.525GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6545MHz\_TX




EUT Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09461G	52.31	88.20	-35.89	68.51	3	Vertical	294	2.56	-	39.60	9.25	65.05
RMS	13.08755G	38.91	68.20	-29.29	55.12	3	Vertical	294	2.56	-	39.60	9.25	65.06

6.425-6.525GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6545MHz\_TX




EUT Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08547G	52.37	88.20	-35.83	68.59	3	Horizontal	170	1.85	-	39.60	9.24	65.06
RMS	13.08723G	38.81	68.20	-29.39	55.02	3	Horizontal	170	1.85	-	39.60	9.25	65.06

6.425-6.525GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6545MHz\_TX




EUT\_Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63526G	47.17	83.54	-36.37	43.51	1	Vertical	2	1.53	-	38.01	15.22	49.57
AV	19.63458G	34.06	63.54	-29.48	30.40	1	Vertical	2	1.53	-	38.01	15.22	49.57



6.425-6.525GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6545MHz\_TX




EUT Y\_4TX  
 Setting 20  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63842G	49.09	83.54	-34.45	45.41	1	Horizontal	76	1.55	-	38.03	15.22	49.57
AV	19.63767G	34.12	63.54	-29.42	30.44	1	Horizontal	76	1.55	-	38.03	15.22	49.57

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24501G	52.17	88.20	-36.03	67.81	3	Vertical	296	1.79	-	39.79	9.32	64.75
RMS	13.24545G	38.29	68.20	-29.91	53.93	3	Vertical	296	1.79	-	39.79	9.32	64.75

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25446G	52.56	74.00	-21.44	68.17	3	Horizontal	212	2.54	-	39.81	9.32	64.74
RMS	13.24536G	38.33	68.20	-29.87	53.97	3	Horizontal	212	2.54	-	39.79	9.32	64.75

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87516G	45.94	83.54	-37.60	42.35	1	Vertical	79	1.54	-	37.75	15.21	49.37
AV	19.87592G	32.94	63.54	-30.60	29.34	1	Vertical	79	1.54	-	37.76	15.21	49.37

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87325G	46.33	83.54	-37.21	42.75	1	Horizontal	106	1.50	-	37.74	15.21	49.37
AV	19.8795G	32.99	63.54	-30.55	29.37	1	Horizontal	106	1.50	-	37.78	15.21	49.37

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX  
 Setting 19.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41099G	53.03	88.20	-35.17	67.82	3	Vertical	8	1.20	-	40.24	9.40	64.43
RMS	13.40873G	38.77	68.20	-29.43	53.58	3	Vertical	8	1.20	-	40.23	9.40	64.44

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41164G	52.33	88.20	-35.87	67.11	3	Horizontal	15	2.39	-	40.25	9.40	64.43
RMS	13.40704G	38.75	68.20	-29.45	53.57	3	Horizontal	15	2.39	-	40.23	9.39	64.44

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11411G	47.51	83.54	-36.03	43.64	1	Vertical	266	1.58	-	37.82	15.29	49.24
AV	20.11671G	33.99	63.54	-29.55	30.14	1	Vertical	266	1.58	-	37.80	15.29	49.24



6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11098G	47.41	83.54	-36.13	43.53	1	Horizontal	323	1.50	-	37.83	15.29	49.24
AV	20.11239G	33.83	63.54	-29.71	29.95	1	Horizontal	323	1.50	-	37.83	15.29	49.24

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX  
Setting 19.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57392G	53.51	88.20	-34.69	67.78	3	Vertical	138	2.89	-	40.55	9.47	64.29
RMS	13.57333G	40.11	68.20	-28.09	54.38	3	Vertical	138	2.89	-	40.55	9.47	64.29

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57448G	53.69	88.20	-34.51	67.96	3	Horizontal	115	1.18	-	40.55	9.47	64.29
RMS	13.57405G	40.11	68.20	-28.09	54.38	3	Horizontal	115	1.18	-	40.55	9.47	64.29

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35195G	48.42	83.54	-35.12	44.02	1	Vertical	32	1.50	-	38.10	15.48	49.18
AV	20.35852G	34.85	63.54	-28.69	30.46	1	Vertical	32	1.50	-	38.08	15.49	49.18

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35793G	47.67	83.54	-35.87	43.28	1	Horizontal	108	1.58	-	38.08	15.49	49.18
AV	20.35947G	34.87	63.54	-28.67	30.48	1	Horizontal	108	1.58	-	38.08	15.49	49.18

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6865MHz\_TX




EUT Y\_4TX  
Setting 20.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73012G	53.72	88.20	-34.48	68.13	3	Vertical	130	2.16	-	40.40	9.54	64.35
RMS	13.72719G	40.26	68.20	-27.94	54.67	3	Vertical	130	2.16	-	40.40	9.54	64.35

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72889G	53.50	88.20	-34.70	67.91	3	Horizontal	294	2.31	-	40.40	9.54	64.35
RMS	13.72731G	39.96	68.20	-28.24	54.37	3	Horizontal	294	2.31	-	40.40	9.54	64.35

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
 Setting 20.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59052G	47.79	83.54	-35.75	43.23	1	Vertical	166	1.54	-	37.98	15.67	49.09
AV	20.59563G	33.97	63.54	-29.57	29.39	1	Vertical	166	1.54	-	37.99	15.68	49.09



6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6865MHz\_TX




EUT\_Y\_4TX  
 Setting 20.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59804G	47.11	83.54	-36.43	42.52	1	Horizontal	55	1.52	-	38.00	15.68	49.09
AV	20.59509G	34.02	63.54	-29.52	29.44	1	Horizontal	55	1.52	-	37.99	15.68	49.09

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88795G	53.90	88.20	-34.30	68.25	3	Vertical	349	1.35	-	40.45	9.62	64.42
RMS	13.88766G	40.19	68.20	-28.01	54.54	3	Vertical	349	1.35	-	40.45	9.62	64.42

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX  
Setting 20  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88963G	53.75	88.20	-34.45	68.09	3	Horizontal	324	2.24	-	40.46	9.62	64.42
RMS	13.88692G	40.29	68.20	-27.91	54.63	3	Horizontal	324	2.24	-	40.45	9.62	64.41

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83311G	48.31	83.54	-35.23	43.21	1	Vertical	255	1.55	-	38.20	15.87	48.97
AV	20.83369G	34.90	63.54	-28.64	29.80	1	Vertical	255	1.55	-	38.20	15.87	48.97

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 20  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83422G	48.46	83.54	-35.08	43.36	1	Horizontal	231	1.51	-	38.20	15.87	48.97
AV	20.83279G	34.96	63.54	-28.58	29.86	1	Horizontal	231	1.51	-	38.20	15.87	48.97

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0243G	107.90	Inf	-Inf	97.64	3	Vertical	170	1.61	-	35.85	6.36	31.95
RMS	7.0537G	96.56	Inf	-Inf	86.13	3	Vertical	170	1.61	-	36.02	6.38	31.97
PK	7.1251G	56.16	88.20	-32.04	45.36	3	Vertical	170	1.61	-	36.40	6.41	32.01
RMS	7.1251G	45.04	68.20	-23.16	34.24	3	Vertical	170	1.61	-	36.40	6.41	32.01
PK	7.2602G	53.26	74.00	-20.74	42.15	3	Vertical	170	1.61	-	36.72	6.48	32.09
AV	7.305G	41.19	54.00	-12.81	30.01	3	Vertical	170	1.61	-	36.78	6.51	32.11

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0285G	108.37	Inf	-Inf	98.10	3	Horizontal	100	2.49	-	35.87	6.36	31.96
RMS	7.0502G	97.68	Inf	-Inf	87.27	3	Horizontal	100	2.49	-	36.00	6.38	31.97
PK	7.1272G	56.96	88.20	-31.24	46.15	3	Horizontal	100	2.49	-	36.41	6.41	32.01
RMS	7.1258G	45.79	68.20	-22.41	34.99	3	Horizontal	100	2.49	-	36.40	6.41	32.01
PK	7.2504G	54.15	74.00	-19.85	43.05	3	Horizontal	100	2.49	-	36.70	6.48	32.08
AV	7.3134G	41.90	54.00	-12.10	30.76	3	Horizontal	100	2.49	-	36.75	6.51	32.12

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 19.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05187G	54.24	88.20	-33.96	68.30	3	Vertical	91	2.94	-	40.60	9.69	64.35
RMS	14.05291G	40.55	68.20	-27.65	54.60	3	Vertical	91	2.94	-	40.60	9.69	64.34



6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05486G	53.93	88.20	-34.27	67.98	3	Horizontal	178	2.91	-	40.60	9.69	64.34
RMS	14.0529G	40.65	68.20	-27.55	54.70	3	Horizontal	178	2.91	-	40.60	9.69	64.34

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX  
 Setting 19.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07771G	47.59	83.54	-35.95	42.17	1	Vertical	308	1.57	-	38.23	16.06	48.87
AV	21.07481G	33.86	63.54	-29.68	28.42	1	Vertical	308	1.57	-	38.25	16.06	48.87

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX  
Setting 19.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07308G	46.88	83.54	-36.66	41.43	1	Horizontal	158	1.56	-	38.26	16.06	48.87
AV	21.07071G	33.86	63.54	-29.68	28.39	1	Horizontal	158	1.56	-	38.28	16.06	48.87

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	68.58	88.20	-19.62	59.98	3	Vertical	158	1.65	-	34.00	5.75	31.15
RMS	5.925G	58.30	68.20	-9.90	49.69	3	Vertical	158	1.65	-	34.00	5.77	31.16
PK	6.0746G	107.07	Inf	-Inf	98.47	3	Vertical	158	1.65	-	33.95	5.87	31.22
RMS	6.0714G	97.13	Inf	-Inf	88.51	3	Vertical	158	1.65	-	33.96	5.87	31.21

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	77.33	88.20	-10.87	68.72	3	Horizontal	276	1.95	-	34.00	5.76	31.15
RMS	5.9242G	67.07	68.20	-1.13	58.46	3	Horizontal	276	1.95	-	34.00	5.77	31.16
PK	5.9922G	110.69	Inf	-Inf	102.12	3	Horizontal	276	1.95	-	33.92	5.84	31.19
RMS	6.0962G	99.90	Inf	-Inf	91.34	3	Horizontal	276	1.95	-	33.91	5.87	31.22

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05312G	50.66	74.00	-23.34	68.88	3	Vertical	117	2.44	-	38.71	8.76	65.69
AV	12.05266G	36.91	54.00	-17.09	55.13	3	Vertical	117	2.44	-	38.71	8.76	65.69

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05096G	50.55	74.00	-23.45	68.78	3	Horizontal	132	2.89	-	38.70	8.76	65.69
AV	12.05291G	36.94	54.00	-17.06	55.16	3	Horizontal	132	2.89	-	38.71	8.76	65.69

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 22.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07713G	48.53	83.54	-35.01	45.20	1	Vertical	200	1.58	-	37.51	15.30	49.48
AV	18.07688G	35.03	63.54	-28.51	31.70	1	Vertical	200	1.58	-	37.51	15.30	49.48



5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 22.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07443G	48.28	83.54	-35.26	44.96	1	Horizontal	102	1.50	-	37.50	15.30	49.48
AV	18.07717G	35.10	63.54	-28.44	31.77	1	Horizontal	102	1.50	-	37.51	15.30	49.48

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 23  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37193G	51.33	74.00	-22.67	69.17	3	Vertical	244	1.76	-	38.66	8.91	65.41
AV	12.37479G	37.26	54.00	-16.74	55.10	3	Vertical	244	1.76	-	38.65	8.91	65.40

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6185MHz\_TX




EUT Y\_4TX  
Setting 23  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36843G	50.86	74.00	-23.14	68.70	3	Horizontal	229	1.60	-	38.66	8.91	65.41
AV	12.37459G	37.38	54.00	-16.62	55.22	3	Horizontal	229	1.60	-	38.65	8.91	65.40

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 23  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55138G	46.44	83.54	-37.10	43.12	1	Vertical	123	1.57	-	37.70	15.27	49.65
AV	18.5565G	33.65	63.54	-29.89	30.32	1	Vertical	123	1.57	-	37.70	15.27	49.64

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 23  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55649G	46.71	83.54	-36.83	43.38	1	Horizontal	100	1.56	-	37.70	15.27	49.64
AV	18.5599G	33.64	63.54	-29.90	30.31	1	Horizontal	100	1.56	-	37.70	15.27	49.64

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6345MHz\_TX




EUT Y\_4TX  
Setting 23  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68953G	51.38	74.00	-22.62	68.31	3	Vertical	170	1.12	-	39.28	9.06	65.27
AV	12.69259G	37.68	54.00	-16.32	54.60	3	Vertical	170	1.12	-	39.29	9.06	65.27

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 23  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69188G	51.11	74.00	-22.89	68.04	3	Horizontal	65	1.69	-	39.28	9.06	65.27
AV	12.69137G	37.75	54.00	-16.25	54.68	3	Horizontal	65	1.69	-	39.28	9.06	65.27

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 23  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03804G	46.27	83.54	-37.27	42.49	1	Vertical	354	1.54	-	37.90	15.25	49.37
AV	19.03734G	33.04	63.54	-30.50	29.26	1	Vertical	354	1.54	-	37.90	15.25	49.37



5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 23  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03387G	46.24	83.54	-37.30	42.45	1	Horizontal	119	1.56	-	37.90	15.25	49.36
AV	19.03727G	33.09	63.54	-30.45	29.31	1	Horizontal	119	1.56	-	37.90	15.25	49.37

6.425-6.525GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6505MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00624G	53.01	88.20	-35.19	69.16	3	Vertical	316	2.62	-	39.86	9.21	65.22
RMS	13.0148G	39.28	68.20	-28.92	55.46	3	Vertical	316	2.62	-	39.81	9.21	65.20

6.425-6.525GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6505MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01239G	53.01	88.20	-35.19	69.18	3	Horizontal	27	1.38	-	39.83	9.21	65.21
RMS	13.01474G	39.22	68.20	-28.98	55.40	3	Horizontal	27	1.38	-	39.81	9.21	65.20

6.425-6.525GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51889G	46.24	83.54	-37.30	42.64	1	Vertical	195	1.51	-	38.04	15.22	49.66
AV	19.51849G	32.87	63.54	-30.67	29.27	1	Vertical	195	1.51	-	38.04	15.22	49.66

6.425-6.525GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6505MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51874G	45.61	83.54	-37.93	42.01	1	Horizontal	322	1.51	-	38.04	15.22	49.66
AV	19.51971G	32.80	63.54	-30.74	29.20	1	Horizontal	322	1.51	-	38.04	15.22	49.66

6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 23  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32881G	52.60	74.00	-21.40	67.81	3	Vertical	178	2.43	-	40.02	9.36	64.59
AV	13.33476G	38.29	54.00	-15.71	53.47	3	Vertical	178	2.43	-	40.04	9.36	64.58

6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 23  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32791G	52.38	74.00	-21.62	67.60	3	Horizontal	299	1.18	-	40.01	9.36	64.59
AV	13.33455G	38.18	54.00	-15.82	53.36	3	Horizontal	299	1.18	-	40.04	9.36	64.58

6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 23  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99518G	46.85	83.54	-36.69	43.12	1	Vertical	196	1.56	-	37.80	15.20	49.27
AV	19.99649G	32.84	63.54	-30.70	29.11	1	Vertical	196	1.56	-	37.80	15.20	49.27



6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6665MHz\_TX




EUT\_Y\_4TX  
Setting 23  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99722G	46.33	83.54	-37.21	42.60	1	Horizontal	214	1.54	-	37.80	15.20	49.27
AV	19.99717G	32.81	63.54	-30.73	29.08	1	Horizontal	214	1.54	-	37.80	15.20	49.27

6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6825MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65397G	53.66	88.20	-34.54	68.16	3	Vertical	59	2.31	-	40.31	9.51	64.32
RMS	13.64715G	39.84	68.20	-28.36	54.34	3	Vertical	59	2.31	-	40.31	9.51	64.32

6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6825MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65158G	53.10	88.20	-35.10	67.61	3	Horizontal	32	1.66	-	40.30	9.51	64.32
RMS	13.64728G	39.77	68.20	-28.43	54.27	3	Horizontal	32	1.66	-	40.31	9.51	64.32

6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6825MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47602G	46.81	83.54	-36.73	42.59	1	Vertical	300	1.51	-	37.79	15.58	49.15
AV	20.47142G	33.68	63.54	-29.86	29.42	1	Vertical	300	1.51	-	37.83	15.58	49.15

6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6825MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47519G	47.30	83.54	-36.24	43.07	1	Horizontal	49	1.51	-	37.80	15.58	49.15
AV	20.47382G	33.68	63.54	-29.86	29.44	1	Horizontal	49	1.51	-	37.81	15.58	49.15

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9985G	107.25	Inf	-Inf	97.14	3	Vertical	165	1.56	-	35.70	6.35	31.94
RMS	7.0012G	95.85	Inf	-Inf	85.73	3	Vertical	165	1.56	-	35.71	6.35	31.94
PK	7.138G	74.79	88.20	-13.41	63.94	3	Vertical	165	1.56	-	36.45	6.42	32.02
RMS	7.1353G	58.71	68.20	-9.49	47.87	3	Vertical	165	1.56	-	36.44	6.42	32.02
PK	7.2568G	60.68	74.00	-13.32	49.57	3	Vertical	165	1.56	-	36.71	6.48	32.08
AV	7.25G	48.90	54.00	-5.10	37.80	3	Vertical	165	1.56	-	36.70	6.48	32.08

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9193G	109.58	Inf	-Inf	99.54	3	Horizontal	100	2.69	-	35.60	6.29	31.85
RMS	6.9967G	97.50	Inf	-Inf	87.40	3	Horizontal	100	2.69	-	35.69	6.35	31.94
PK	7.138G	70.94	88.20	-17.26	60.09	3	Horizontal	100	2.69	-	36.45	6.42	32.02
RMS	7.1254G	60.35	68.20	-7.85	49.55	3	Horizontal	100	2.69	-	36.40	6.41	32.01
PK	7.2505G	61.16	74.00	-12.84	50.06	3	Horizontal	100	2.69	-	36.70	6.48	32.08
AV	7.2505G	50.19	54.00	-3.81	39.09	3	Horizontal	100	2.69	-	36.70	6.48	32.08

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97148G	54.21	88.20	-33.99	68.50	3	Vertical	215	1.20	-	40.50	9.66	64.45
RMS	13.96928G	40.13	68.20	-28.07	54.42	3	Vertical	215	1.20	-	40.50	9.66	64.45



6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96653G	54.17	88.20	-34.03	68.47	3	Horizontal	351	1.60	-	40.50	9.65	64.45
RMS	13.96931G	40.17	68.20	-28.03	54.46	3	Horizontal	351	1.60	-	40.50	9.66	64.45

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95202G	47.46	83.54	-36.08	42.31	1	Vertical	294	1.52	-	38.09	15.96	48.90
AV	20.95158G	33.95	63.54	-29.59	28.81	1	Vertical	294	1.52	-	38.09	15.96	48.91

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

6985MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95511G	47.14	83.54	-36.40	42.00	1	Horizontal	287	1.57	-	38.08	15.96	48.90
AV	20.95202G	34.02	63.54	-29.52	28.87	1	Horizontal	287	1.57	-	38.09	15.96	48.90

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8677G	76.22	88.20	-11.98	67.84	3	Vertical	158	1.73	-	33.81	5.70	31.13
RMS	5.925G	66.45	68.20	-1.75	57.84	3	Vertical	158	1.73	-	34.00	5.77	31.16
PK	6.0728G	107.47	Inf	-Inf	98.86	3	Vertical	158	1.73	-	33.95	5.87	31.21
RMS	6.0749G	97.30	Inf	-Inf	88.70	3	Vertical	158	1.73	-	33.95	5.87	31.22

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6105MHz\_TX




17/04/2024

EUT\_Y\_4TX  
Setting 23.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.77	88.20	-9.43	70.16	3	Horizontal	289	1.07	-	34.00	5.77	31.16
RMS	5.923G	66.93	68.20	-1.27	58.31	3	Horizontal	289	1.07	-	34.00	5.77	31.15
PK	6.2569G	109.19	Inf	-Inf	100.52	3	Horizontal	289	1.07	-	34.03	5.92	31.28
RMS	6.2513G	99.01	Inf	-Inf	90.36	3	Horizontal	289	1.07	-	34.01	5.92	31.28

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
Setting 23.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.20524G	49.79	74.00	-24.21	67.72	3	Vertical	43	2.12	-	38.79	8.84	65.56
AV	12.20834G	36.25	54.00	-17.75	54.18	3	Vertical	43	2.12	-	38.78	8.84	65.55

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
 Setting 23.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.21332G	49.79	74.00	-24.21	67.73	3	Horizontal	314	1.55	-	38.77	8.84	65.55
AV	12.21176G	36.35	54.00	-17.65	54.28	3	Horizontal	314	1.55	-	38.78	8.84	65.55

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.2372G	56.12	83.54	-27.42	52.71	1	Vertical	80	1.80	-	37.67	15.29	49.55
AV	18.2248G	42.78	63.54	-20.76	39.39	1	Vertical	80	1.80	-	37.65	15.29	49.55



5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6105MHz\_TX




EUT Y\_4TX  
 Setting 23.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3374G	55.47	83.54	-28.07	52.29	1	Horizontal	204	1.50	-	37.50	15.28	49.60
AV	18.4122G	39.74	63.54	-23.80	36.32	1	Horizontal	204	1.50	-	37.78	15.28	49.64

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
 Setting 23.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52876G	50.85	74.00	-23.15	68.43	3	Vertical	327	2.70	-	38.72	8.99	65.29
AV	12.53132G	37.28	54.00	-16.72	54.85	3	Vertical	327	2.70	-	38.73	8.99	65.29

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
Setting 23.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52508G	51.10	74.00	-22.90	68.71	3	Horizontal	333	1.39	-	38.70	8.98	65.29
AV	12.53192G	37.26	54.00	-16.74	54.83	3	Horizontal	333	1.39	-	38.73	8.99	65.29

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6265MHz\_TX




EUT Y\_4TX  
 Setting 23.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79569G	48.08	83.54	-35.46	44.50	1	Vertical	95	1.56	-	37.80	15.26	49.48
AV	18.79372G	34.23	63.54	-29.31	30.65	1	Vertical	95	1.56	-	37.80	15.26	49.48

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79662G	46.92	83.54	-36.62	43.34	1	Horizontal	317	1.50	-	37.80	15.26	49.48
AV	18.79026G	33.97	63.54	-29.57	30.39	1	Horizontal	317	1.50	-	37.80	15.26	49.48

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6425MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85385G	53.00	88.20	-35.20	69.40	3	Vertical	189	2.85	-	39.71	9.14	65.25
RMS	12.85096G	38.66	68.20	-29.54	55.07	3	Vertical	189	2.85	-	39.70	9.14	65.25

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6425MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.85117G	52.24	88.20	-35.96	68.65	3	Horizontal	56	1.24	-	39.70	9.14	65.25
RMS	12.85097G	38.60	68.20	-29.60	55.01	3	Horizontal	56	1.24	-	39.70	9.14	65.25

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6425MHz\_TX




EUT Y\_4TX  
 Setting 23.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27789G	46.25	83.54	-37.29	42.58	1	Vertical	55	1.56	-	37.96	15.24	49.53
AV	19.27029G	33.17	63.54	-30.37	29.51	1	Vertical	55	1.56	-	37.94	15.24	49.52



5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6425MHz\_TX




EUT\_Y\_4TX  
 Setting 23.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27916G	46.40	83.54	-37.14	42.73	1	Horizontal	121	1.57	-	37.96	15.24	49.53
AV	19.27976G	33.24	63.54	-30.30	29.57	1	Horizontal	121	1.57	-	37.96	15.24	49.53

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6585MHz\_TX




EUT\_Y\_4TX  
Setting 24  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16603G	52.01	88.20	-36.19	67.87	3	Vertical	170	1.37	-	39.77	9.28	64.91
RMS	13.17318G	38.39	68.20	-29.81	54.24	3	Vertical	170	1.37	-	39.75	9.29	64.89

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6585MHz\_TX




EUT Y\_4TX  
Setting 24  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.17262G	52.05	88.20	-36.15	67.91	3	Horizontal	207	2.52	-	39.75	9.29	64.90
RMS	13.17405G	38.42	68.20	-29.78	54.27	3	Horizontal	207	2.52	-	39.75	9.29	64.89

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6585MHz\_TX




EUT Y\_4TX  
Setting 24  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75105G	47.82	83.54	-35.72	44.18	1	Vertical	316	1.53	-	37.90	15.21	49.47
AV	19.75511G	34.09	63.54	-29.45	30.43	1	Vertical	316	1.53	-	37.92	15.21	49.47

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6585MHz\_TX




EUT Y\_4TX  
Setting 24  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75657G	47.13	83.54	-36.41	43.46	1	Horizontal	288	1.54	-	37.93	15.21	49.47
AV	19.75071G	34.00	63.54	-29.54	30.36	1	Horizontal	288	1.54	-	37.90	15.21	49.47

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6745MHz\_TX




EUT Y\_4TX  
Setting 24.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49104G	53.61	88.20	-34.59	67.98	3	Vertical	24	1.42	-	40.48	9.43	64.28
RMS	13.49212G	39.56	68.20	-28.64	53.93	3	Vertical	24	1.42	-	40.48	9.43	64.28

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6745MHz\_TX




EUT Y\_4TX  
Setting 24.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49408G	53.55	88.20	-34.65	67.90	3	Horizontal	339	2.85	-	40.49	9.43	64.27
RMS	13.49471G	39.43	68.20	-28.77	53.77	3	Horizontal	339	2.85	-	40.49	9.44	64.27

6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6745MHz\_TX




EUT\_Y\_4TX  
Setting 24.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23709G	48.70	83.54	-34.84	44.55	1	Vertical	184	1.58	-	37.97	15.39	49.21
AV	20.23638G	35.11	63.54	-28.43	30.96	1	Vertical	184	1.58	-	37.97	15.39	49.21



6.525-6.875GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6745MHz\_TX




EUT Y\_4TX  
 Setting 24.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23529G	49.13	83.54	-34.41	44.98	1	Horizontal	111	1.55	-	37.97	15.39	49.21
AV	20.23578G	35.10	63.54	-28.44	30.95	1	Horizontal	111	1.55	-	37.97	15.39	49.21

6.875-7.125GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9402G	102.82	Inf	-Inf	92.78	3	Vertical	168	1.77	-	35.60	6.31	31.87
AV	6.9514G	91.85	Inf	-Inf	81.81	3	Vertical	168	1.77	-	35.60	6.32	31.88
PK	7.1482G	65.28	88.20	-22.92	54.39	3	Vertical	168	1.77	-	36.49	6.42	32.02
AV	7.1274G	54.55	68.20	-13.65	43.74	3	Vertical	168	1.77	-	36.41	6.41	32.01
PK	7.2906G	63.63	74.00	-10.37	52.45	3	Vertical	168	1.77	-	36.78	6.50	32.10
AV	7.2522G	52.21	54.00	-1.79	41.11	3	Vertical	168	1.77	-	36.70	6.48	32.08

6.875-7.125GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6905MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7514G	107.93	Inf	-Inf	97.57	3	Horizontal	101	2.34	-	35.80	6.21	31.65
AV	6.8058G	95.74	Inf	-Inf	85.45	3	Horizontal	101	2.34	-	35.79	6.21	31.71
PK	7.1946G	70.19	88.20	-18.01	59.20	3	Horizontal	101	2.34	-	36.59	6.45	32.05
AV	7.1258G	55.65	68.20	-12.55	44.85	3	Horizontal	101	2.34	-	36.40	6.41	32.01
PK	7.353G	64.41	74.00	-9.59	53.45	3	Horizontal	101	2.34	-	36.57	6.53	32.14
AV	7.2538G	52.95	54.00	-1.05	41.84	3	Horizontal	101	2.34	-	36.71	6.48	32.08

6.875-7.125GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80965G	52.87	88.20	-35.33	67.37	3	Vertical	1	1.29	-	40.30	9.58	64.38
RMS	13.81465G	39.67	68.20	-28.53	54.18	3	Vertical	1	1.29	-	40.30	9.58	64.39

6.875-7.125GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.81472G	53.89	88.20	-34.31	68.40	3	Horizontal	137	1.78	-	40.30	9.58	64.39
RMS	13.81352G	39.66	68.20	-28.54	54.17	3	Horizontal	137	1.78	-	40.30	9.58	64.39

6.875-7.125GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6905MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71978G	49.07	83.54	-34.47	44.46	1	Vertical	294	1.55	-	37.86	15.78	49.03
AV	20.71978G	39.18	63.54	-24.36	34.57	1	Vertical	294	1.55	-	37.86	15.78	49.03

6.875-7.125GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6905MHz\_TX



EUT Y\_4TX  
 Setting 22.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.71977G	49.96	83.54	-33.58	45.35	1	Horizontal	56	1.56	-	37.86	15.78	49.03
AV	20.71979G	39.14	63.54	-24.40	34.53	1	Horizontal	56	1.56	-	37.86	15.78	49.03




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.29	68.20	-0.91	3	Horizontal	-0	1.80	80_BP 1MHz



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 13  
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8218G	62.46	88.20	-25.74	56.02	3	Vertical	334	1.80	-	33.94	8.04	35.54
RMS	5.8773G	50.54	68.20	-17.66	43.91	3	Vertical	334	1.80	-	34.11	8.08	35.56
PK	5.9586G	106.92	Inf	-Inf	100.20	3	Vertical	334	1.80	-	34.18	8.13	35.59
RMS	5.9637G	96.64	Inf	-Inf	89.93	3	Vertical	334	1.80	-	34.17	8.14	35.60

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 13  
05-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8992G	62.15	88.20	-26.05	55.43	3	Horizontal	187	1.80	-	34.20	8.09	35.57
RMS	5.9076G	50.65	68.20	-17.55	43.92	3	Horizontal	187	1.80	-	34.20	8.10	35.57
PK	5.9619G	110.00	Inf	-Inf	103.28	3	Horizontal	187	1.80	-	34.18	8.14	35.60
RMS	5.9637G	99.84	Inf	-Inf	93.13	3	Horizontal	187	1.80	-	34.17	8.14	35.60

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 13  
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92086G	58.40	74.00	-15.60	41.85	3	Vertical	23	1.85	-	38.74	10.77	32.96
AV	11.90352G	45.98	54.00	-8.02	29.46	3	Vertical	23	1.85	-	38.71	10.76	32.95
PK	17.87664G	61.27	74.00	-12.73	33.92	3	Vertical	182	2.97	-	47.81	13.51	33.97
AV	17.87877G	47.11	54.00	-6.89	19.69	3	Vertical	182	2.97	-	47.88	13.52	33.98

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 13  
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90868G	58.97	74.00	-15.03	42.44	3	Horizontal	339	2.11	-	38.72	10.77	32.96
AV	11.9112G	45.81	54.00	-8.19	29.28	3	Horizontal	339	2.11	-	38.72	10.77	32.96
PK	17.87025G	61.08	74.00	-12.92	33.94	3	Horizontal	253	1.67	-	47.59	13.51	33.96
AV	17.87835G	48.59	54.00	-5.41	21.19	3	Horizontal	253	1.67	-	47.86	13.52	33.98

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 12  
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37566G	58.96	74.00	-15.04	41.66	3	Vertical	327	2.83	-	38.95	10.98	32.63
AV	12.37611G	46.54	54.00	-7.46	29.24	3	Vertical	327	2.83	-	38.95	10.98	32.63

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 12  
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39888G	59.85	74.00	-14.15	42.57	3	Horizontal	251	1.94	-	38.90	10.99	32.61
AV	12.38169G	46.57	54.00	-7.43	29.27	3	Horizontal	251	1.94	-	38.94	10.98	32.62

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX



EUT\_Y\_4TX  
Setting 12  
06-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57825G	56.08	83.54	-27.46	52.74	1	Vertical	72	1.80	-	37.70	15.27	49.63
AV	18.57585G	43.71	63.54	-19.83	40.37	1	Vertical	72	1.80	-	37.70	15.27	49.63