



## Radiated EIRP\_For Beamforming mode

## Appendix C.2

### Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	17.49	0.05610
802.11be EHT20-BF_Nss1,(MCSO)_4TX	16.93	0.04932
802.11be EHT20-BF_Nss1,(MCSO)_4TX	18.83	0.07638
802.11be EHT40-BF_Nss1,(MCSO)_4TX	19.17	0.08260
802.11be EHT40-BF_Nss1,(MCSO)_4TX	18.16	0.06546
802.11be EHT40-BF_Nss1,(MCSO)_4TX	19.33	0.08570
802.11be EHT80-BF_Nss1,(MCSO)_4TX	23.50	0.22387
802.11be EHT80-BF_Nss1,(MCSO)_4TX	23.39	0.21827
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.74	0.14928
802.11be EHT160-BF_Nss1,(MCSO)_4TX	24.15	0.26002
802.11be EHT160-BF_Nss1,(MCSO)_4TX	25.01	0.31696
802.11be EHT160-BF_Nss1,(MCSO)_4TX	25.71	0.37239
802.11be EHT320-BF_Nss1,(MCSO)_4TX	27.91	0.61802
802.11be EHT320-BF_Nss1,(MCSO)_4TX	27.56	0.57016
802.11be EHT320-BF_Nss1,(MCSO)_4TX	26.64	0.46132
6.425-6.525GHz	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	15.80	0.03802
802.11be EHT20-BF_Nss1,(MCSO)_4TX	18.87	0.07709
802.11be EHT20-BF_Nss1,(MCSO)_4TX	15.75	0.03758
802.11be EHT40-BF_Nss1,(MCSO)_4TX	20.15	0.10351
802.11be EHT40-BF_Nss1,(MCSO)_4TX	19.54	0.08995
802.11be EHT40-BF_Nss1,(MCSO)_4TX	17.84	0.06081
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.63	0.14555
802.11be EHT80-BF_Nss1,(MCSO)_4TX	22.60	0.18197
802.11be EHT160-BF_Nss1,(MCSO)_4TX	26.02	0.39994
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	16.23	0.04198
802.11be EHT20-BF_Nss1,(MCSO)_4TX	18.16	0.06546
802.11be EHT20-BF_Nss1,(MCSO)_4TX	16.27	0.04236
802.11be EHT40-BF_Nss1,(MCSO)_4TX	18.82	0.07621
802.11be EHT40-BF_Nss1,(MCSO)_4TX	19.43	0.08770
802.11be EHT40-BF_Nss1,(MCSO)_4TX	19.60	0.09120
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.59	0.14421
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.08	0.12823
802.11be EHT80-BF_Nss1,(MCSO)_4TX	19.96	0.09908
802.11be EHT80-BF_Nss1,(MCSO)_4TX	23.02	0.20045
802.11be EHT160-BF_Nss1,(MCSO)_4TX	24.84	0.30479
802.11be EHT160-BF_Nss1,(MCSO)_4TX	23.89	0.24491
802.11be EHT320-BF_Nss1,(MCSO)_4TX	27.99	0.62951
802.11be EHT320-BF_Nss1,(MCSO)_4TX	27.72	0.59156
6.875-7.125GHz	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	17.14	0.05176
802.11be EHT20-BF_Nss1,(MCSO)_4TX	16.67	0.04645
802.11be EHT20-BF_Nss1,(MCSO)_4TX	16.76	0.04742
802.11be EHT20-BF_Nss1,(MCSO)_4TX	6.00	0.00398
802.11be EHT40-BF_Nss1,(MCSO)_4TX	19.97	0.09931
802.11be EHT40-BF_Nss1,(MCSO)_4TX	17.46	0.05572
802.11be EHT40-BF_Nss1,(MCSO)_4TX	21.11	0.12912
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.09	0.12853
802.11be EHT80-BF_Nss1,(MCSO)_4TX	21.02	0.12647
802.11be EHT160-BF_Nss1,(MCSO)_4TX	23.12	0.20512
802.11be EHT320-BF_Nss1,(MCSO)_4TX	25.88	0.38726







Result

Mode	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-
5955MHz	17.49	30.00
6195MHz	16.93	30.00
6415MHz	18.83	30.00
6435MHz	15.80	30.00
6475MHz	18.87	30.00
6515MHz	15.75	30.00
6535MHz	16.23	30.00
6695MHz	18.16	30.00
6875MHz Straddle 6.525-6.875GHz	16.27	30.00
6895MHz	17.14	30.00
6995MHz	16.67	30.00
7095MHz	16.76	30.00
7115MHz	6.00	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-
5965MHz	19.17	30.00
6205MHz	18.16	30.00
6405MHz	19.33	30.00
6445MHz	20.15	30.00
6485MHz	19.54	30.00
6525MHz Straddle 6.425-6.525GHz	17.84	30.00
6565MHz	18.82	30.00
6685MHz	19.43	30.00
6885MHz Straddle 6.525-6.875GHz	19.60	30.00
6925MHz	19.97	30.00
7005MHz	17.46	30.00
7085MHz	21.11	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-
5985MHz	23.50	30.00
6225MHz	23.39	30.00
6385MHz	21.74	30.00
6465MHz	21.63	30.00
6545MHz Straddle 6.425-6.525GHz	22.60	30.00
6625MHz	21.59	30.00
6705MHz	21.08	30.00
6785MHz	19.96	30.00
6865MHz Straddle 6.525-6.875GHz	23.02	30.00
6945MHz	21.09	30.00
7025MHz	21.02	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-
6025MHz	24.15	30.00
6185MHz	25.01	30.00
6345MHz	25.71	30.00
6505MHz Straddle 6.425-6.525GHz	26.02	30.00
6665MHz	24.84	30.00
6825MHz Straddle 6.525-6.875GHz	23.89	30.00
6985MHz	23.12	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-
6105MHz	27.91	30.00
6265MHz	27.56	30.00
6425MHz Straddle 5.925-6.425GHz	26.64	30.00
6585MHz Straddle 6.525-6.875GHz	27.99	30.00
6745MHz Straddle 6.525-6.875GHz	27.72	30.00
6905MHz Straddle 6.875-7.125GHz	25.88	30.00



DG = Directional Gain; Port X = Port X output power


































































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.91
802.11be EHT20_Nss4,(MCS0)_4TX	4.89
802.11be EHT40_Nss1,(MCS0)_4TX	4.90
802.11be EHT40_Nss4,(MCS0)_4TX	4.79
802.11be EHT80_Nss1,(MCS0)_4TX	4.86
802.11be EHT80_Nss4,(MCS0)_4TX	4.74
802.11be EHT160_Nss1,(MCS0)_4TX	4.69
802.11be EHT160_Nss4,(MCS0)_4TX	4.82
802.11be EHT320_Nss1,(MCS0)_4TX	4.81
802.11be EHT320_Nss4,(MCS0)_4TX	4.28
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.82
802.11be EHT20_Nss4,(MCS0)_4TX	4.73
802.11be EHT40_Nss1,(MCS0)_4TX	4.86
802.11be EHT40_Nss4,(MCS0)_4TX	4.87
802.11be EHT80_Nss1,(MCS0)_4TX	4.86
802.11be EHT80_Nss4,(MCS0)_4TX	4.89
802.11be EHT160_Nss1,(MCS0)_4TX	4.78
802.11be EHT160_Nss4,(MCS0)_4TX	4.81
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.76
802.11be EHT20_Nss4,(MCS0)_4TX	4.91
802.11be EHT40_Nss1,(MCS0)_4TX	4.99
802.11be EHT40_Nss4,(MCS0)_4TX	4.90
802.11be EHT80_Nss1,(MCS0)_4TX	4.88
802.11be EHT80_Nss4,(MCS0)_4TX	4.89
802.11be EHT160_Nss1,(MCS0)_4TX	4.82
802.11be EHT160_Nss4,(MCS0)_4TX	4.89
802.11be EHT320_Nss1,(MCS0)_4TX	4.72
802.11be EHT320_Nss1,(MCS0)_4TX	4.58
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	4.92
802.11be EHT20_Nss4,(MCS0)_4TX	4.76
802.11be EHT40_Nss1,(MCS0)_4TX	4.86
802.11be EHT40_Nss1,(MCS0)_4TX	4.80
802.11be EHT80_Nss1,(MCS0)_4TX	4.66
802.11be EHT80_Nss4,(MCS0)_4TX	4.48
802.11be EHT160_Nss1,(MCS0)_4TX	4.37
802.11be EHT160_Nss4,(MCS0)_4TX	4.86
802.11be EHT320_Nss1,(MCS0)_4TX	4.22
802.11be EHT320_Nss4,(MCS0)_4TX	2.85

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit
			(dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.72	5.00
6195MHz	Pass	4.58	5.00
6415MHz	Pass	4.91	5.00
6435MHz	Pass	4.49	5.00
6475MHz	Pass	4.46	5.00
6515MHz	Pass	4.82	5.00
6535MHz	Pass	4.72	5.00
6695MHz	Pass	4.49	5.00
6875MHz	Pass	4.76	5.00
6895MHz	Pass	4.92	5.00
6995MHz	Pass	4.48	5.00
7095MHz	Pass	4.64	5.00
7115MHz	Pass	4.36	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.63	5.00
6205MHz	Pass	4.86	5.00
6405MHz	Pass	4.90	5.00
6445MHz	Pass	4.86	5.00
6485MHz	Pass	4.83	5.00
6525MHz	Pass	4.79	5.00
6565MHz	Pass	4.86	5.00
6685MHz	Pass	4.95	5.00
6885MHz	Pass	4.99	5.00
6925MHz	Pass	4.70	5.00
7005MHz	Pass	4.86	5.00
7085MHz	Pass	4.80	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.46	5.00
6225MHz	Pass	4.63	5.00
6385MHz	Pass	4.86	5.00
6465MHz	Pass	4.86	5.00
6545MHz	Pass	4.52	5.00
6625MHz	Pass	4.88	5.00
6705MHz	Pass	4.58	5.00
6785MHz	Pass	4.73	5.00
6865MHz	Pass	4.73	5.00
6945MHz	Pass	4.66	5.00
7025MHz	Pass	4.56	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.62	5.00
6185MHz	Pass	4.07	5.00
6345MHz	Pass	4.69	5.00
6505MHz	Pass	4.78	5.00
6665MHz	Pass	4.82	5.00
6825MHz	Pass	4.74	5.00
6985MHz	Pass	4.37	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.81	5.00
6265MHz	Pass	4.14	5.00
6425MHz	Pass	4.59	5.00
6585MHz	Pass	4.72	5.00
6745MHz	Pass	4.58	5.00
6905MHz	Pass	4.22	5.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-









**Radiated PSD\_For Non-beamforming mode**



**Appendix D.1**



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit
			(dBm/RBW)
5955MHz	Pass	4.82	5.00
6195MHz	Pass	4.71	5.00
6415MHz	Pass	4.89	5.00
6435MHz	Pass	4.60	5.00
6475MHz	Pass	4.26	5.00
6515MHz	Pass	4.73	5.00
6535MHz	Pass	4.55	5.00
6695MHz	Pass	4.80	5.00
6875MHz	Pass	4.91	5.00
6895MHz	Pass	4.75	5.00
6995MHz	Pass	4.76	5.00
7095MHz	Pass	4.64	5.00
7115MHz	Pass	-3.97	5.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.73	5.00
6205MHz	Pass	4.79	5.00
6405MHz	Pass	4.77	5.00
6445MHz	Pass	4.69	5.00
6485MHz	Pass	4.87	5.00
6525MHz	Pass	4.59	5.00
6565MHz	Pass	4.90	5.00
6685MHz	Pass	4.87	5.00
6885MHz	Pass	4.53	5.00
6925MHz	Pass	4.58	5.00
7005MHz	Pass	4.80	5.00
7085MHz	Pass	4.77	5.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.74	5.00
6225MHz	Pass	4.52	5.00
6385MHz	Pass	4.64	5.00
6465MHz	Pass	4.85	5.00
6545MHz	Pass	4.89	5.00
6625MHz	Pass	4.89	5.00
6705MHz	Pass	4.49	5.00
6785MHz	Pass	4.39	5.00
6865MHz	Pass	4.69	5.00
6945MHz	Pass	4.43	5.00
7025MHz	Pass	4.48	5.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.82	5.00
6185MHz	Pass	4.63	5.00
6345MHz	Pass	4.69	5.00
6505MHz	Pass	4.81	5.00
6665MHz	Pass	4.59	5.00
6825MHz	Pass	4.89	5.00
6985MHz	Pass	4.86	5.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.28	5.00
6265MHz	Pass	3.81	5.00
6425MHz	Pass	3.16	5.00
6585MHz	Pass	3.65	5.00
6745MHz	Pass	4.39	5.00
6905MHz	Pass	2.85	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;








































































































































































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.74
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.50
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.70
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.69
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.88
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.80
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.67
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.77
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.23
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.62
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.62
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.67
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.87
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.63
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.80
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.84
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.78
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.69
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.86
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.43
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.74
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.79
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.41
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.88
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.84
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.60
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.67
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.83
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.99
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.93
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.85
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.55
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.29
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.53
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.87
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.60
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.91
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.75
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.80
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-4.30
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.54
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.43
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.93
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.35
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.28
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.57
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.76



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-
5955MHz	4.74	5.00
6195MHz	4.50	5.00
6415MHz	4.70	5.00
6435MHz	4.80	5.00
6475MHz	4.84	5.00
6515MHz	4.78	5.00
6535MHz	4.88	5.00
6695MHz	4.84	5.00
6875MHz Straddle 6.525-6.875GHz	4.99	5.00
6895MHz	4.91	5.00
6995MHz	4.75	5.00
7095MHz	4.80	5.00
7115MHz	-4.30	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-
5965MHz	4.69	5.00
6205MHz	4.96	5.00
6405MHz	4.88	5.00
6445MHz	4.69	5.00
6485MHz	4.86	5.00
6525MHz Straddle 6.425-6.525GHz	4.43	5.00
6565MHz	4.60	5.00
6685MHz	4.67	5.00
6885MHz Straddle 6.525-6.875GHz	4.83	5.00
6925MHz	4.54	5.00
7005MHz	4.43	5.00
7085MHz	4.93	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-
5985MHz	4.80	5.00
6225MHz	4.67	5.00
6385MHz	4.77	5.00
6465MHz	4.74	5.00
6545MHz Straddle 6.425-6.525GHz	4.79	5.00
6625MHz	4.99	5.00
6705MHz	4.93	5.00
6785MHz	4.85	5.00
6865MHz Straddle 6.525-6.875GHz	4.55	5.00
6945MHz	4.35	5.00
7025MHz	4.28	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-
6025MHz	4.23	5.00
6185MHz	4.62	5.00
6345MHz	4.62	5.00
6505MHz Straddle 6.425-6.525GHz	4.41	5.00
6665MHz	4.29	5.00
6825MHz Straddle 6.525-6.875GHz	4.53	5.00
6985MHz	4.57	5.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-
6105MHz	4.67	5.00
6265MHz	4.87	5.00
6425MHz Straddle 5.925-6.425GHz	4.63	5.00
6585MHz Straddle 6.525-6.875GHz	4.87	5.00
6745MHz Straddle 6.525-6.875GHz	4.60	5.00
6905MHz Straddle 6.875-7.125GHz	4.76	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






































































































**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	67.83M	36.92	40.00	-3.08	Vertical










Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height	Comments
									(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	RMS	7.1255G	68.06	68.20	-0.14	3	Horizontal	99	2.02	BP 1MHz

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	59.81	88.20	-28.39	51.19	3	Vertical	164	1.88	-	34.00	5.77	31.15
RMS	5.9218G	49.23	68.20	-18.97	40.62	3	Vertical	164	1.88	-	34.00	5.76	31.15
PK	5.9587G	110.45	Inf	-Inf	101.84	3	Vertical	164	1.88	-	33.98	5.80	31.17
RMS	5.958G	100.08	Inf	-Inf	91.47	3	Vertical	164	1.88	-	33.98	5.80	31.17

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91634G	59.86	88.20	-28.34	51.25	3	Horizontal	77	1.78	-	34.00	5.76	31.15
RMS	5.91899G	47.00	68.20	-21.20	38.39	3	Horizontal	77	1.78	-	34.00	5.76	31.15
PK	5.9599G	109.62	Inf	-Inf	101.00	3	Horizontal	77	1.78	-	33.98	5.81	31.17
RMS	5.96081G	97.40	Inf	-Inf	88.78	3	Horizontal	77	1.78	-	33.98	5.81	31.17

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91003G	53.37	74.00	-20.63	72.04	3	Vertical	296	1.80	-	38.42	8.71	65.80
AV	11.90999G	40.10	54.00	-13.90	58.77	3	Vertical	296	1.80	-	38.42	8.71	65.80
PK	17.86298G	58.69	74.00	-15.31	66.89	3	Vertical	170	1.94	-	42.78	11.57	62.55
AV	17.86915G	44.38	54.00	-9.62	52.47	3	Vertical	170	1.94	-	42.87	11.58	62.54

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91016G	51.15	74.00	-22.85	69.82	3	Horizontal	179	1.70	-	38.42	8.71	65.80
AV	11.90994G	39.32	54.00	-14.68	57.99	3	Horizontal	179	1.70	-	38.42	8.71	65.80
PK	17.86838G	57.85	74.00	-16.15	65.95	3	Horizontal	287	2.78	-	42.86	11.58	62.54
AV	17.86957G	44.46	54.00	-9.54	52.55	3	Horizontal	287	2.78	-	42.87	11.58	62.54

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39083G	51.31	74.00	-22.69	69.16	3	Vertical	204	2.76	-	38.62	8.92	65.39
AV	12.39485G	37.10	54.00	-16.90	54.95	3	Vertical	204	2.76	-	38.61	8.92	65.38

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39145G	51.85	74.00	-22.15	69.70	3	Horizontal	30	1.48	-	38.62	8.92	65.39
AV	12.39471G	37.13	54.00	-16.87	54.98	3	Horizontal	30	1.48	-	38.61	8.92	65.38

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58248G	47.31	83.54	-36.23	43.96	1	Vertical	99	1.50	-	37.70	15.27	49.62
AV	18.5851G	33.58	63.54	-29.96	30.23	1	Vertical	99	1.50	-	37.70	15.27	49.62



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5838G	47.76	83.54	-35.78	44.41	1	Horizontal	330	1.50	-	37.70	15.27	49.62
AV	18.58934G	33.65	63.54	-29.89	30.30	1	Horizontal	330	1.50	-	37.70	15.27	49.62

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83147G	52.84	88.20	-35.36	69.30	3	Vertical	150	2.00	-	39.66	9.13	65.25
RMS	12.83164G	38.09	68.20	-30.11	54.55	3	Vertical	150	2.00	-	39.66	9.13	65.25

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83046G	51.96	88.20	-36.24	68.42	3	Horizontal	131	2.06	-	39.66	9.13	65.25
RMS	12.8318G	38.05	68.20	-30.15	54.51	3	Horizontal	131	2.06	-	39.66	9.13	65.25

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24192G	46.65	83.54	-36.89	42.99	1	Vertical	80	1.57	-	37.92	15.24	49.50
AV	19.24007G	32.96	63.54	-30.58	29.30	1	Vertical	80	1.57	-	37.92	15.24	49.50

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2402G	46.26	83.54	-37.28	42.60	1	Horizontal	320	1.56	-	37.92	15.24	49.50
AV	19.24032G	33.00	63.54	-30.54	29.34	1	Horizontal	320	1.56	-	37.92	15.24	49.50

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87039G	52.70	88.20	-35.50	69.07	3	Vertical	198	2.49	-	39.74	9.14	65.25
RMS	12.87399G	38.64	68.20	-29.56	54.99	3	Vertical	198	2.49	-	39.75	9.15	65.25

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87317G	53.16	88.20	-35.04	69.51	3	Horizontal	182	2.73	-	39.75	9.15	65.25
RMS	12.87115G	38.62	68.20	-29.58	54.98	3	Horizontal	182	2.73	-	39.74	9.15	65.25

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30819G	46.33	83.54	-37.21	42.68	1	Vertical	196	1.53	-	37.97	15.23	49.55
AV	19.30187G	32.60	63.54	-30.94	28.93	1	Vertical	196	1.53	-	37.99	15.23	49.55



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30288G	45.99	83.54	-37.55	42.32	1	Horizontal	342	1.58	-	37.99	15.23	49.55
AV	19.30808G	32.60	63.54	-30.94	28.95	1	Horizontal	342	1.58	-	37.97	15.23	49.55

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95449G	53.22	88.20	-34.98	69.29	3	Vertical	319	2.11	-	39.99	9.18	65.24
RMS	12.95337G	39.24	68.20	-28.96	55.31	3	Vertical	319	2.11	-	39.99	9.18	65.24

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95478G	53.56	88.20	-34.64	69.63	3	Horizontal	75	1.20	-	39.99	9.18	65.24
RMS	12.95368G	39.22	68.20	-28.98	55.29	3	Horizontal	75	1.20	-	39.99	9.18	65.24

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4245G	45.56	83.54	-37.98	42.06	1	Vertical	257	1.50	-	37.90	15.23	49.63
AV	19.42604G	32.38	63.54	-31.16	28.88	1	Vertical	257	1.50	-	37.90	15.23	49.63

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42221G	45.56	83.54	-37.98	42.05	1	Horizontal	235	1.52	-	37.91	15.23	49.63
AV	19.42567G	32.38	63.54	-31.16	28.88	1	Horizontal	235	1.52	-	37.90	15.23	49.63

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0272G	52.88	88.20	-35.32	69.10	3	Vertical	223	1.47	-	39.74	9.22	65.18
RMS	13.02703G	38.82	68.20	-29.38	55.04	3	Vertical	223	1.47	-	39.74	9.22	65.18

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02827G	52.78	88.20	-35.42	69.01	3	Horizontal	219	2.61	-	39.73	9.22	65.18
RMS	13.02672G	38.81	68.20	-29.39	55.03	3	Horizontal	219	2.61	-	39.74	9.22	65.18

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54314G	46.50	83.54	-37.04	42.83	1	Vertical	72	1.55	-	38.09	15.22	49.64
AV	19.54977G	33.03	63.54	-30.51	29.35	1	Vertical	72	1.55	-	38.10	15.22	49.64



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54266G	47.11	83.54	-36.43	43.45	1	Horizontal	216	1.57	-	38.09	15.22	49.65
AV	19.54944G	33.05	63.54	-30.49	29.37	1	Horizontal	216	1.57	-	38.10	15.22	49.64

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT Y\_4TX  
Setting 8.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07498G	52.77	88.20	-35.43	69.01	3	Vertical	137	1.31	-	39.60	9.24	65.08
RMS	13.06832G	38.94	68.20	-29.26	55.20	3	Vertical	137	1.31	-	39.60	9.24	65.10

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07323G	53.28	88.20	-34.92	69.53	3	Horizontal	222	2.50	-	39.60	9.24	65.09
RMS	13.06781G	38.95	68.20	-29.25	55.21	3	Horizontal	222	2.50	-	39.60	9.24	65.10

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT Y\_4TX  
Setting 8.5  
02-C-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60672G	46.73	83.54	-36.81	43.26	1	Vertical	191	1.55	-	37.84	15.22	49.59
AV	19.60845G	33.46	63.54	-30.08	29.98	1	Vertical	191	1.55	-	37.85	15.22	49.59

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT Y\_4TX  
 Setting 8.5  
 02-C-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60493G	46.93	83.54	-36.61	43.47	1	Horizontal	9	1.52	-	37.83	15.22	49.59
AV	19.60839G	33.46	63.54	-30.08	29.98	1	Horizontal	9	1.52	-	37.85	15.22	49.59

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 9  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38827G	52.74	74.00	-21.26	67.65	3	Vertical	184	2.96	-	40.18	9.39	64.48
AV	13.38904G	38.93	54.00	-15.07	53.84	3	Vertical	184	2.96	-	40.18	9.39	64.48

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 9  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38731G	52.59	74.00	-21.41	67.51	3	Horizontal	306	2.81	-	40.17	9.39	64.48
AV	13.39142G	38.89	54.00	-15.11	53.79	3	Horizontal	306	2.81	-	40.18	9.39	64.47

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 9  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08594G	46.71	83.54	-36.83	42.85	1	Vertical	297	1.58	-	37.84	15.27	49.25
AV	20.08991G	33.04	63.54	-30.50	29.16	1	Vertical	297	1.58	-	37.86	15.27	49.25



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX  
Setting 9  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0874G	46.66	83.54	-36.88	42.79	1	Horizontal	137	1.51	-	37.85	15.27	49.25
AV	20.08992G	33.02	63.54	-30.52	29.14	1	Horizontal	137	1.51	-	37.86	15.27	49.25

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75236G	54.07	88.20	-34.13	68.48	3	Vertical	249	1.45	-	40.40	9.55	64.36
RMS	13.75311G	39.74	68.20	-28.46	54.15	3	Vertical	249	1.45	-	40.39	9.56	64.36

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74887G	53.52	88.20	-34.68	67.93	3	Horizontal	138	2.02	-	40.40	9.55	64.36
RMS	13.74978G	39.76	68.20	-28.44	54.17	3	Horizontal	138	2.02	-	40.40	9.55	64.36

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62239G	47.44	83.54	-36.10	42.86	1	Vertical	195	1.58	-	37.96	15.70	49.08
AV	20.62447G	33.92	63.54	-29.62	29.35	1	Vertical	195	1.58	-	37.95	15.70	49.08

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62642G	47.58	83.54	-35.96	43.00	1	Horizontal	128	1.56	-	37.95	15.70	49.07
AV	20.62451G	33.89	63.54	-29.65	29.32	1	Horizontal	128	1.56	-	37.95	15.70	49.08

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 8.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79241G	53.35	88.20	-34.85	67.84	3	Vertical	349	1.29	-	40.32	9.57	64.38
RMS	13.78538G	39.33	68.20	-28.87	53.80	3	Vertical	349	1.29	-	40.33	9.57	64.37

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX  
Setting 8.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79031G	53.07	88.20	-35.13	67.56	3	Horizontal	41	2.78	-	40.32	9.57	64.38
RMS	13.78542G	39.38	68.20	-28.82	53.85	3	Horizontal	41	2.78	-	40.33	9.57	64.37

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
04-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68513G	48.61	83.54	-34.93	44.00	1	Vertical	251	1.55	-	37.90	15.75	49.04			
AV	20.68623G	34.15	63.54	-29.39	29.54	1	Vertical	251	1.55	-	37.90	15.75	49.04			



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
 Setting 8.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68343G	47.36	83.54	-36.18	42.75	1	Horizontal	92	1.57	-	37.90	15.75	49.04
AV	20.68995G	34.18	63.54	-29.36	29.57	1	Horizontal	92	1.57	-	37.90	15.75	49.04

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 8  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99316G	54.24	88.20	-33.96	68.53	3	Vertical	272	2.41	-	40.50	9.67	64.46
RMS	13.99154G	39.97	68.20	-28.23	54.26	3	Vertical	272	2.41	-	40.50	9.67	64.46

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 8  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98947G	53.85	88.20	-34.35	68.14	3	Horizontal	327	1.25	-	40.50	9.67	64.46
RMS	13.9949G	39.99	68.20	-28.21	54.28	3	Horizontal	327	1.25	-	40.50	9.67	64.46

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 8  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98844G	46.48	83.54	-37.06	41.43	1	Vertical	243	1.58	-	37.95	15.99	48.89
AV	20.98119G	33.42	63.54	-30.12	28.35	1	Vertical	243	1.58	-	37.98	15.98	48.89

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX  
Setting 8  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98072G	46.88	83.54	-36.66	41.81	1	Horizontal	330	1.52	-	37.98	15.98	48.89
AV	20.98113G	33.40	63.54	-30.14	28.33	1	Horizontal	330	1.52	-	37.98	15.98	48.89

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0895G	109.84	Inf	-Inf	99.20	3	Vertical	166	1.64	-	36.24	6.39	31.99
RMS	7.0892G	99.40	Inf	-Inf	88.76	3	Vertical	166	1.64	-	36.24	6.39	31.99
PK	7.1426G	62.99	88.20	-25.21	52.12	3	Vertical	166	1.64	-	36.47	6.42	32.02
RMS	7.1306G	52.05	68.20	-16.15	41.22	3	Vertical	166	1.64	-	36.42	6.42	32.01

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.103G	109.40	Inf	-Inf	98.69	3	Horizontal	295	1.88	-	36.31	6.40	32.00
RMS	7.1037G	99.83	Inf	-Inf	89.12	3	Horizontal	295	1.88	-	36.31	6.40	32.00
PK	7.1306G	63.50	88.20	-24.70	52.67	3	Horizontal	295	1.88	-	36.42	6.42	32.01
RMS	7.141G	51.96	68.20	-16.24	41.10	3	Horizontal	295	1.88	-	36.46	6.42	32.02

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18532G	54.00	88.20	-34.20	67.73	3	Vertical	69	1.07	-	40.60	9.73	64.06
RMS	14.19229G	40.24	68.20	-27.96	53.95	3	Vertical	69	1.07	-	40.60	9.73	64.04



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 10  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1928G	54.68	88.20	-33.52	68.39	3	Horizontal	60	2.47	-	40.60	9.73	64.04
RMS	14.19283G	40.25	68.20	-27.95	53.96	3	Horizontal	60	2.47	-	40.60	9.73	64.04

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28922G	48.69	83.54	-34.85	43.00	1	Vertical	84	1.57	-	38.31	16.23	48.85
AV	21.28942G	35.38	63.54	-28.16	29.68	1	Vertical	84	1.57	-	38.32	16.23	48.85

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 10  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28376G	50.49	83.54	-33.05	44.84	1	Horizontal	158	1.56	-	38.27	16.23	48.85
AV	21.28939G	35.36	63.54	-28.18	29.66	1	Horizontal	158	1.56	-	38.32	16.23	48.85

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1085G	104.11	Inf	-Inf	93.38	3	Vertical	169	1.26	BP 1MHz	36.33	6.40	32.00
RMS	7.1085G	97.68	Inf	-Inf	86.95	3	Vertical	169	1.26	BP 1MHz	36.33	6.40	32.00
PK	7.1255G	76.16	88.20	-12.04	65.36	3	Vertical	169	1.26	BP 1MHz	36.40	6.41	32.01
RMS	7.1255G	66.66	68.20	-1.54	55.86	3	Vertical	169	1.26	BP 1MHz	36.40	6.41	32.01

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1175G	107.85	Inf	-Inf	97.08	3	Horizontal	103	2.49	BP 1MHz	36.37	6.41	32.01
RMS	7.1175G	101.13	Inf	-Inf	90.36	3	Horizontal	103	2.49	BP 1MHz	36.37	6.41	32.01
PK	7.1255G	77.33	88.20	-10.87	66.53	3	Horizontal	103	2.49	BP 1MHz	36.40	6.41	32.01
RMS	7.1255G	67.47	68.20	-0.73	56.67	3	Horizontal	103	2.49	BP 1MHz	36.40	6.41	32.01

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT Y\_4TX  
Setting 8.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23432G	54.26	88.20	-33.94	68.01	3	Vertical	204	1.39	-	40.46	9.74	63.95
RMS	14.22517G	40.20	68.20	-28.00	53.93	3	Vertical	204	1.39	-	40.50	9.74	63.97

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23455G	54.13	88.20	-34.07	67.88	3	Horizontal	149	1.79	-	40.46	9.74	63.95
RMS	14.22504G	40.20	68.20	-28.00	53.93	3	Horizontal	149	1.79	-	40.50	9.74	63.97

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34564G	50.02	83.54	-33.52	44.27	1	Vertical	63	1.55	-	38.31	16.28	48.84
AV	21.34989G	35.55	63.54	-27.99	29.81	1	Vertical	63	1.55	-	38.30	16.28	48.84



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 8.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34442G	49.00	83.54	-34.54	43.25	1	Horizontal	77	1.50	-	38.31	16.28	48.84
AV	21.3469G	35.56	63.54	-27.98	29.81	1	Horizontal	77	1.50	-	38.31	16.28	48.84

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 11  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8894G	58.78	88.20	-29.42	50.25	3	Vertical	155	1.73	-	33.94	5.73	31.14
RMS	5.9224G	49.00	68.20	-19.20	40.39	3	Vertical	155	1.73	-	34.00	5.76	31.15
PK	5.9814G	103.58	Inf	-Inf	94.99	3	Vertical	155	1.73	-	33.94	5.83	31.18
RMS	5.9806G	94.00	Inf	-Inf	85.41	3	Vertical	155	1.73	-	33.94	5.83	31.18

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 11  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9112G	59.51	88.20	-28.69	50.91	3	Horizontal	356	1.37	-	34.00	5.75	31.15
RMS	5.9246G	49.30	68.20	-18.90	40.69	3	Horizontal	356	1.37	-	34.00	5.77	31.16
PK	5.9738G	109.74	Inf	-Inf	101.15	3	Horizontal	356	1.37	-	33.95	5.82	31.18
RMS	5.9738G	99.80	Inf	-Inf	91.21	3	Horizontal	356	1.37	-	33.95	5.82	31.18

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 11  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93249G	51.48	74.00	-22.52	70.08	3	Vertical	220	2.40	-	38.46	8.72	65.78
AV	11.93289G	36.85	54.00	-17.15	55.44	3	Vertical	220	2.40	-	38.47	8.72	65.78
PK	17.89601G	58.53	74.00	-15.47	66.17	3	Vertical	307	1.19	-	43.24	11.60	62.48
AV	17.89976G	44.73	54.00	-9.27	52.31	3	Vertical	307	1.19	-	43.30	11.60	62.48

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 11  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92628G	50.94	74.00	-23.06	69.57	3	Horizontal	280	1.47	-	38.45	8.71	65.79
AV	11.93266G	36.96	54.00	-17.04	55.55	3	Horizontal	280	1.47	-	38.47	8.72	65.78
PK	17.89347G	59.76	74.00	-14.24	67.44	3	Horizontal	90	1.41	-	43.21	11.60	62.49
AV	17.89909G	44.67	54.00	-9.33	52.26	3	Horizontal	90	1.41	-	43.29	11.60	62.48

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41165G	51.27	74.00	-22.73	69.11	3	Vertical	261	1.67	-	38.60	8.93	65.37
AV	12.40573G	36.94	54.00	-17.06	54.78	3	Vertical	261	1.67	-	38.60	8.93	65.37

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41193G	51.05	74.00	-22.95	68.89	3	Horizontal	183	1.95	-	38.60	8.93	65.37
AV	12.40575G	36.95	54.00	-17.05	54.79	3	Horizontal	183	1.95	-	38.60	8.93	65.37

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62056G	49.50	83.54	-34.04	46.09	1	Vertical	110	1.70	-	37.74	15.27	49.60
AV	18.61924G	35.66	63.54	-27.88	32.25	1	Vertical	110	1.70	-	37.74	15.27	49.60



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61922G	49.13	83.54	-34.41	45.72	1	Horizontal	330	1.50	-	37.74	15.27	49.60
AV	18.62096G	34.74	63.54	-28.80	31.33	1	Horizontal	330	1.50	-	37.74	15.27	49.60

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81142G	52.20	88.20	-36.00	68.71	3	Vertical	190	1.71	-	39.62	9.12	65.25
RMS	12.80635G	37.78	68.20	-30.42	54.31	3	Vertical	190	1.71	-	39.61	9.11	65.25

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81495G	51.74	88.20	-36.46	68.24	3	Horizontal	248	1.05	-	39.63	9.12	65.25
RMS	12.80934G	37.76	68.20	-30.44	54.27	3	Horizontal	248	1.05	-	39.62	9.12	65.25

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21551G	46.86	83.54	-36.68	43.14	1	Vertical	306	1.55	-	37.97	15.24	49.49
AV	19.21117G	33.01	63.54	-30.53	29.27	1	Vertical	306	1.55	-	37.98	15.24	49.48

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21153G	46.52	83.54	-37.02	42.78	1	Horizontal	303	1.57	-	37.98	15.24	49.48
AV	19.21085G	33.03	63.54	-30.51	29.29	1	Horizontal	303	1.57	-	37.98	15.24	49.48

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89G	53.74	88.20	-34.46	70.05	3	Vertical	253	1.55	-	39.78	9.15	65.24
RMS	12.89418G	39.03	68.20	-29.17	55.32	3	Vertical	253	1.55	-	39.79	9.16	65.24

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88681G	53.43	88.20	-34.77	69.75	3	Horizontal	191	2.45	-	39.77	9.15	65.24
RMS	12.89409G	39.03	68.20	-29.17	55.32	3	Horizontal	191	2.45	-	39.79	9.16	65.24

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33172G	45.66	83.54	-37.88	42.13	1	Vertical	276	1.54	-	37.87	15.23	49.57
AV	19.33047G	32.18	63.54	-31.36	28.63	1	Vertical	276	1.54	-	37.88	15.23	49.56



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33203G	45.51	83.54	-38.03	41.98	1	Horizontal	353	1.51	-	37.87	15.23	49.57
AV	19.33025G	32.15	63.54	-31.39	28.60	1	Horizontal	353	1.51	-	37.88	15.23	49.56

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97278G	52.79	88.20	-35.41	68.88	3	Vertical	86	2.32	-	39.95	9.19	65.23
RMS	12.96501G	38.84	68.20	-29.36	54.91	3	Vertical	86	2.32	-	39.97	9.19	65.23

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97423G	53.10	88.20	-35.10	69.19	3	Horizontal	215	1.65	-	39.95	9.19	65.23
RMS	12.96573G	38.85	68.20	-29.35	54.92	3	Horizontal	215	1.65	-	39.97	9.19	65.23

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
 Setting 13.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45388G	46.20	83.54	-37.34	42.80	1	Vertical	245	1.58	-	37.82	15.23	49.65
AV	19.4516G	32.21	63.54	-31.33	28.82	1	Vertical	245	1.58	-	37.81	15.23	49.65

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 13.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45173G	45.72	83.54	-37.82	42.33	1	Horizontal	355	1.51	-	37.81	15.23	49.65
AV	19.45822G	32.19	63.54	-31.35	28.78	1	Horizontal	355	1.51	-	37.83	15.23	49.65

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05084G	52.99	88.20	-35.21	69.29	3	Vertical	292	2.76	-	39.60	9.23	65.13
RMS	13.04625G	38.80	68.20	-29.40	55.09	3	Vertical	292	2.76	-	39.62	9.23	65.14

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04994G	52.54	88.20	-35.66	68.84	3	Horizontal	296	2.70	-	39.60	9.23	65.13
RMS	13.04856G	38.80	68.20	-29.40	55.10	3	Horizontal	296	2.70	-	39.61	9.23	65.14

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57514G	46.78	83.54	-36.76	43.23	1	Vertical	200	1.53	-	37.95	15.22	49.62
AV	19.5797G	33.05	63.54	-30.49	29.52	1	Vertical	200	1.53	-	37.92	15.22	49.61



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57186G	46.49	83.54	-37.05	42.92	1	Horizontal	108	1.55	-	37.97	15.22	49.62
AV	19.57961G	33.02	63.54	-30.52	29.49	1	Horizontal	108	1.55	-	37.92	15.22	49.61

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12871G	51.82	88.20	-36.38	67.83	3	Vertical	162	2.89	-	39.71	9.26	64.98
RMS	13.13473G	38.24	68.20	-29.96	54.20	3	Vertical	162	2.89	-	39.74	9.27	64.97

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 13  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12528G	52.12	88.20	-36.08	68.15	3	Horizontal	7	2.74	-	39.70	9.26	64.99
RMS	13.13431G	38.22	68.20	-29.98	54.18	3	Horizontal	7	2.74	-	39.74	9.27	64.97

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69161G	47.80	83.54	-35.74	44.25	1	Vertical	287	1.56	-	37.85	15.22	49.52
AV	19.69082G	33.72	63.54	-29.82	30.16	1	Vertical	287	1.56	-	37.86	15.22	49.52

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69588G	46.85	83.54	-36.69	43.33	1	Horizontal	49	1.54	-	37.82	15.22	49.52
AV	19.69032G	33.71	63.54	-29.83	30.15	1	Horizontal	49	1.54	-	37.86	15.22	49.52

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX  
Setting 12  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36827G	52.79	74.00	-21.21	67.79	3	Vertical	295	1.67	-	40.14	9.38	64.52
AV	13.37319G	38.36	54.00	-15.64	53.34	3	Vertical	295	1.67	-	40.15	9.38	64.51

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 12  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36858G	52.65	74.00	-21.35	67.64	3	Horizontal	153	2.77	-	40.14	9.38	64.51
AV	13.37333G	38.38	54.00	-15.62	53.36	3	Horizontal	153	2.77	-	40.15	9.38	64.51

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 12  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05744G	46.22	83.54	-37.32	42.50	1	Vertical	47	1.52	-	37.73	15.25	49.26
AV	20.05949G	32.41	63.54	-31.13	28.67	1	Vertical	47	1.52	-	37.74	15.25	49.25



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 12  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05218G	45.46	83.54	-38.08	41.77	1	Horizontal	320	1.53	-	37.71	15.24	49.26
AV	20.05933G	32.39	63.54	-31.15	28.65	1	Horizontal	320	1.53	-	37.74	15.25	49.25

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
Setting 12  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7651G	53.00	88.20	-35.20	67.44	3	Vertical	263	1.56	-	40.37	9.56	64.37
RMS	13.76945G	39.26	68.20	-28.94	53.71	3	Vertical	263	1.56	-	40.36	9.56	64.37

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
Setting 12  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77009G	53.56	88.20	-34.64	68.01	3	Horizontal	120	1.65	-	40.36	9.56	64.37
RMS	13.76938G	39.27	68.20	-28.93	53.72	3	Horizontal	120	1.65	-	40.36	9.56	64.37

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
Setting 12  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65891G	47.49	83.54	-36.05	42.92	1	Vertical	98	1.52	-	37.90	15.73	49.06
AV	20.66G	33.76	63.54	-29.78	29.19	1	Vertical	98	1.52	-	37.90	15.73	49.06

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




EUT\_Y\_4TX  
Setting 12  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65734G	47.64	83.54	-35.90	43.07	1	Horizontal	73	1.54	-	37.90	15.73	49.06
AV	20.65708G	33.75	63.54	-29.79	29.18	1	Horizontal	73	1.54	-	37.90	15.73	49.06

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
Setting 11.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85471G	52.91	88.20	-35.29	67.39	3	Vertical	190	2.41	-	40.32	9.60	64.40
RMS	13.84515G	39.16	68.20	-29.04	53.66	3	Vertical	190	2.41	-	40.30	9.60	64.40

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX  
Setting 11.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84549G	53.74	88.20	-34.46	68.24	3	Horizontal	193	1.91	-	40.30	9.60	64.40
RMS	13.84507G	39.12	68.20	-29.08	53.62	3	Horizontal	193	1.91	-	40.30	9.60	64.40

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
 Setting 11.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77342G	48.05	83.54	-35.49	43.24	1	Vertical	68	1.56	-	37.99	15.82	49.00
AV	20.7774G	34.47	63.54	-29.07	29.63	1	Vertical	68	1.56	-	38.02	15.82	49.00



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX  
Setting 11.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77545G	48.36	83.54	-35.18	43.54	1	Horizontal	284	1.57	-	38.00	15.82	49.00
AV	20.77755G	34.46	63.54	-29.08	29.62	1	Horizontal	284	1.57	-	38.02	15.82	49.00

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX  
Setting 11.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01207G	53.97	88.20	-34.23	68.21	3	Vertical	359	2.53	-	40.52	9.67	64.43
RMS	14.01056G	40.02	68.20	-28.18	54.27	3	Vertical	359	2.53	-	40.52	9.67	64.44

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
Setting 11.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00891G	54.47	88.20	-33.73	68.72	3	Horizontal	97	1.54	-	40.52	9.67	64.44
RMS	14.01387G	40.02	68.20	-28.18	54.25	3	Horizontal	97	1.54	-	40.53	9.67	64.43

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
 Setting 11.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01515G	47.48	83.54	-36.06	42.30	1	Vertical	101	1.55	-	38.05	16.01	48.88
AV	21.01918G	33.31	63.54	-30.23	28.08	1	Vertical	101	1.55	-	38.09	16.02	48.88

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
 Setting 11.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01378G	47.10	83.54	-36.44	41.93	1	Horizontal	294	1.58	-	38.04	16.01	48.88
AV	21.01974G	33.27	63.54	-30.27	28.03	1	Horizontal	294	1.58	-	38.10	16.02	48.88

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 12.5  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0996G	106.99	Inf	-Inf	96.29	3	Vertical	162	1.35	-	36.30	6.40	32.00
RMS	7.0796G	97.85	Inf	-Inf	87.26	3	Vertical	162	1.35	-	36.18	6.39	31.98
PK	7.1402G	62.47	88.20	-25.73	51.61	3	Vertical	162	1.35	-	36.46	6.42	32.02
RMS	7.129G	52.26	68.20	-15.94	41.44	3	Vertical	162	1.35	-	36.42	6.41	32.01

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 12.5  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0672G	111.66	Inf	-Inf	101.16	3	Horizontal	99	2.58	-	36.10	6.38	31.98
RMS	7.0672G	101.47	Inf	-Inf	90.97	3	Horizontal	99	2.58	-	36.10	6.38	31.98
PK	7.158G	63.45	88.20	-24.75	52.53	3	Horizontal	99	2.58	-	36.52	6.43	32.03
RMS	7.1274G	52.59	68.20	-15.61	41.78	3	Horizontal	99	2.58	-	36.41	6.41	32.01

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 12.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17119G	53.54	88.20	-34.66	67.31	3	Vertical	110	1.91	-	40.60	9.72	64.09
RMS	14.17034G	39.88	68.20	-28.32	53.65	3	Vertical	110	1.91	-	40.60	9.72	64.09



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 12.5  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16503G	54.18	88.20	-34.02	67.96	3	Horizontal	187	2.28	-	40.60	9.72	64.10
RMS	14.16508G	39.87	68.20	-28.33	53.65	3	Horizontal	187	2.28	-	40.60	9.72	64.10

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
Setting 12.5  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25608G	48.35	83.54	-35.19	42.95	1	Vertical	240	1.53	-	38.05	16.20	48.85
AV	21.25767G	34.67	63.54	-28.87	29.25	1	Vertical	240	1.53	-	38.06	16.21	48.85

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX  
 Setting 12.5  
 04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2594G	49.62	83.54	-33.92	44.18	1	Horizontal	59	1.54	-	38.08	16.21	48.85
AV	21.25754G	34.66	63.54	-28.88	29.24	1	Horizontal	59	1.54	-	38.06	16.21	48.85

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	59.15	88.20	-29.05	50.54	3	Vertical	158	1.79	-	34.00	5.76	31.15
RMS	5.921G	49.62	68.20	-18.58	41.01	3	Vertical	158	1.79	-	34.00	5.76	31.15
PK	5.9994G	107.22	Inf	-Inf	98.66	3	Vertical	158	1.79	-	33.90	5.85	31.19
RMS	5.9998G	96.44	Inf	-Inf	87.88	3	Vertical	158	1.79	-	33.90	5.85	31.19

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-M-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	59.82	88.20	-28.38	51.21	3	Horizontal	355	1.83	-	34.00	5.76	31.15
RMS	5.9134G	50.54	68.20	-17.66	41.94	3	Horizontal	355	1.83	-	34.00	5.75	31.15
PK	6.0126G	109.56	Inf	-Inf	100.97	3	Horizontal	355	1.83	-	33.93	5.85	31.19
RMS	6.013G	99.72	Inf	-Inf	91.13	3	Horizontal	355	1.83	-	33.93	5.85	31.19

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97456G	50.47	74.00	-23.53	68.95	3	Vertical	168	1.33	-	38.55	8.73	65.76
AV	11.97413G	36.69	54.00	-17.31	55.17	3	Vertical	168	1.33	-	38.55	8.73	65.76
PK	17.95976G	59.27	74.00	-14.73	66.09	3	Vertical	63	1.56	-	43.90	11.64	62.36
AV	17.95346G	45.89	54.00	-8.11	52.79	3	Vertical	63	1.56	-	43.83	11.64	62.37

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 15  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.975G	50.63	74.00	-23.37	69.11	3	Horizontal	72	1.60	-	38.55	8.73	65.76
AV	11.97398G	36.72	54.00	-17.28	55.20	3	Horizontal	72	1.60	-	38.55	8.73	65.76
PK	17.95542G	59.99	74.00	-14.01	66.87	3	Horizontal	176	2.85	-	43.85	11.64	62.37
AV	17.95298G	45.90	54.00	-8.10	52.80	3	Horizontal	176	2.85	-	43.83	11.64	62.37

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45321G	50.51	74.00	-23.49	68.29	3	Vertical	37	1.19	-	38.60	8.95	65.33
AV	12.44506G	36.83	54.00	-17.17	54.62	3	Vertical	37	1.19	-	38.60	8.95	65.34



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT Y\_4TX  
Setting 16  
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44731G	50.49	74.00	-23.51	68.28	3	Horizontal	122	1.92	-	38.60	8.95	65.34
AV	12.44572G	36.83	54.00	-17.17	54.62	3	Horizontal	122	1.92	-	38.60	8.95	65.34

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX



EUT\_Y\_4TX  
Setting 16  
04-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67982G	54.32	83.54	-29.22	50.93	1	Vertical	92	1.80	-	37.68	15.27	49.56
AV	18.67908G	39.53	63.54	-24.01	36.14	1	Vertical	92	1.80	-	37.68	15.27	49.56