


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59132G	52.75	68.20	-15.45	72.09	3	Vertical	89	1.67	-	38.60	8.26	66.20
PK	15.89096G	61.10	74.00	-12.90	76.09	3	Vertical	57	2.93	-	37.66	10.25	62.90
AV	15.8917G	48.12	54.00	-5.88	63.11	3	Vertical	57	2.93	-	37.67	10.25	62.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 26.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59475G	50.62	68.20	-17.58	69.97	3	Horizontal	77	1.80	-	38.60	8.26	66.21
PK	15.89334G	54.45	74.00	-19.55	69.44	3	Horizontal	52	1.80	-	37.67	10.25	62.91
AV	15.89145G	41.61	54.00	-12.39	56.59	3	Horizontal	52	1.80	-	37.67	10.25	62.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	123.60	Inf	-Inf	115.13	3	Vertical	191	1.80	-	33.90	5.39	30.82
AV	5.3232G	114.07	Inf	-Inf	105.60	3	Vertical	191	1.80	-	33.90	5.39	30.82
PK	5.3632G	67.61	74.00	-6.39	59.13	3	Vertical	191	1.80	-	33.93	5.40	30.85
AV	5.3501G	53.17	54.00	-0.83	44.71	3	Vertical	191	1.80	-	33.90	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3164G	118.68	Inf	-Inf	110.20	3	Horizontal	336	2.00	-	33.90	5.39	30.81
AV	5.3161G	108.88	Inf	-Inf	100.40	3	Horizontal	336	2.00	-	33.90	5.39	30.81
PK	5.3568G	63.52	74.00	-10.48	55.06	3	Horizontal	336	2.00	-	33.91	5.40	30.85
AV	5.3561G	50.64	54.00	-3.36	42.17	3	Horizontal	336	2.00	-	33.91	5.40	30.84

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64585G	50.54	74.00	-23.46	70.01	3	Vertical	111	1.80	-	38.51	8.28	66.26
AV	10.64606G	38.11	54.00	-15.89	57.58	3	Vertical	111	1.80	-	38.51	8.28	66.26
PK	15.95802G	50.42	74.00	-23.58	65.59	3	Vertical	60	1.80	-	37.50	10.27	62.94
AV	15.95838G	38.45	54.00	-15.55	53.63	3	Vertical	60	1.80	-	37.50	10.27	62.95

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63757G	50.26	74.00	-23.74	69.71	3	Horizontal	308	2.07	-	38.52	8.28	66.25
AV	10.64558G	37.75	54.00	-16.25	57.22	3	Horizontal	308	2.07	-	38.51	8.28	66.26
PK	15.94515G	50.20	74.00	-23.80	65.36	3	Horizontal	84	1.80	-	37.52	10.26	62.94
AV	15.94626G	37.56	54.00	-16.44	52.73	3	Horizontal	84	1.80	-	37.51	10.26	62.94

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4599G	61.77	74.00	-12.23	53.22	3	Vertical	191	1.80	-	34.02	5.46	30.93
AV	5.4599G	49.95	54.00	-4.05	41.40	3	Vertical	191	1.80	-	34.02	5.46	30.93
PK	5.465G	67.52	68.20	-0.68	58.96	3	Vertical	191	1.80	-	34.03	5.46	30.93
PK	5.5033G	122.74	Inf	-Inf	114.12	3	Vertical	191	1.80	-	34.09	5.49	30.96
AV	5.5034G	113.56	Inf	-Inf	104.94	3	Vertical	191	1.80	-	34.09	5.49	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.09	74.00	-12.91	52.54	3	Horizontal	325	2.28	-	34.02	5.46	30.93
AV	5.4589G	49.04	54.00	-4.96	40.49	3	Horizontal	325	2.28	-	34.02	5.46	30.93
PK	5.4671G	60.15	68.20	-8.05	51.59	3	Horizontal	325	2.28	-	34.03	5.46	30.93
PK	5.4963G	116.90	Inf	-Inf	108.28	3	Horizontal	325	2.28	-	34.09	5.49	30.96
AV	5.4968G	108.04	Inf	-Inf	99.42	3	Horizontal	325	2.28	-	34.09	5.49	30.96

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99298G	50.59	74.00	-23.41	70.20	3	Vertical	240	2.33	-	38.60	8.40	66.61
AV	10.99985G	37.43	54.00	-16.57	57.05	3	Vertical	240	2.33	-	38.60	8.40	66.62
PK	16.49445G	51.39	68.20	-16.81	65.20	3	Vertical	39	1.80	-	38.77	10.62	63.20

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11G	50.73	74.00	-23.27	70.35	3	Horizontal	305	2.82	-	38.60	8.40	66.62
AV	10.99991G	40.64	54.00	-13.36	60.26	3	Horizontal	305	2.82	-	38.60	8.40	66.62
PK	16.51287G	52.11	68.20	-16.09	65.76	3	Horizontal	0	1.80	-	38.90	10.64	63.19

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4328G	64.34	74.00	-9.66	55.81	3	Vertical	189	1.77	-	34.00	5.44	30.91
AV	5.4316G	53.84	54.00	-0.16	45.31	3	Vertical	189	1.77	-	34.00	5.44	30.91
PK	5.4644G	59.76	68.20	-8.44	51.20	3	Vertical	189	1.77	-	34.03	5.46	30.93
PK	5.584G	123.31	Inf	-Inf	114.75	3	Vertical	189	1.77	-	34.00	5.56	31.00
AV	5.5836G	113.89	Inf	-Inf	105.33	3	Vertical	189	1.77	-	34.00	5.56	31.00
PK	5.7412G	62.83	68.20	-5.37	54.29	3	Vertical	189	1.77	-	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4192G	59.91	74.00	-14.09	51.38	3	Horizontal	260	2.66	-	34.00	5.43	30.90
AV	5.4196G	49.84	54.00	-4.16	41.31	3	Horizontal	260	2.66	-	34.00	5.43	30.90
PK	5.4672G	58.92	68.20	-9.28	50.36	3	Horizontal	260	2.66	-	34.03	5.46	30.93
PK	5.5724G	117.43	Inf	-Inf	108.87	3	Horizontal	260	2.66	-	34.00	5.55	30.99
AV	5.5732G	108.00	Inf	-Inf	99.44	3	Horizontal	260	2.66	-	34.00	5.55	30.99
PK	5.7356G	60.29	68.20	-7.91	51.75	3	Horizontal	260	2.66	-	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1579G	49.63	74.00	-24.37	69.03	3	Vertical	232	1.80	-	38.60	8.45	66.45
AV	11.15982G	37.00	54.00	-17.00	56.39	3	Vertical	232	1.80	-	38.60	8.45	66.44
PK	16.74819G	52.76	68.20	-15.44	65.04	3	Vertical	10	1.80	-	40.00	10.80	63.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15973G	49.58	74.00	-24.42	68.97	3	Horizontal	291	1.97	-	38.60	8.45	66.44
AV	11.15985G	38.66	54.00	-15.34	58.05	3	Horizontal	291	1.97	-	38.60	8.45	66.44
PK	16.73034G	53.34	68.20	-14.86	65.68	3	Horizontal	164	1.80	-	39.96	10.79	63.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 22.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	122.70	Inf	-Inf	114.15	3	Vertical	341	1.88	-	34.00	5.60	31.05
AV	5.6943G	113.04	Inf	-Inf	104.49	3	Vertical	341	1.88	-	34.00	5.60	31.05
PK	5.7328G	68.11	68.20	-0.09	59.57	3	Vertical	341	1.88	-	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 22.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6971G	116.26	Inf	-Inf	107.71	3	Horizontal	320	2.12	-	34.00	5.60	31.05
AV	5.6975G	107.10	Inf	-Inf	98.55	3	Horizontal	320	2.12	-	34.00	5.60	31.05
PK	5.725G	62.84	68.20	-5.36	54.29	3	Horizontal	320	2.12	-	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 22.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40483G	50.11	74.00	-23.89	68.93	3	Vertical	113	2.07	-	38.81	8.54	66.17
AV	11.39596G	37.35	54.00	-16.65	56.21	3	Vertical	113	2.07	-	38.79	8.53	66.18
PK	17.0987G	55.89	68.20	-12.31	66.37	3	Vertical	214	1.81	-	41.50	11.04	63.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 22.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39941G	50.03	74.00	-23.97	68.87	3	Horizontal	57	1.81	-	38.80	8.54	66.18
AV	11.39559G	37.41	54.00	-16.59	56.27	3	Horizontal	57	1.81	-	38.79	8.53	66.18
PK	17.0975G	55.69	68.20	-12.51	66.18	3	Horizontal	68	2.37	-	41.49	11.04	63.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	128.63	Inf	-Inf	120.08	3	Vertical	195	2.16	-	34.00	5.61	31.06
AV	5.7232G	118.65	Inf	-Inf	110.10	3	Vertical	195	2.16	-	34.00	5.61	31.06
PK	5.8752G	61.07	68.20	-7.13	52.39	3	Vertical	195	2.16	-	34.10	5.71	31.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 29
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	121.44	Inf	-Inf	112.89	3	Horizontal	320	1.80	-	34.00	5.61	31.06
AV	5.7168G	112.06	Inf	-Inf	103.51	3	Horizontal	320	1.80	-	34.00	5.61	31.06
PK	5.9068G	59.25	68.20	-8.95	50.45	3	Horizontal	320	1.80	-	34.20	5.75	31.15

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44103G	50.26	74.00	-23.74	68.96	3	Vertical	196	2.72	-	38.88	8.55	66.13
AV	11.43621G	37.23	54.00	-16.77	55.95	3	Vertical	196	2.72	-	38.87	8.55	66.14
PK	17.16185G	54.85	68.20	-13.35	64.97	3	Vertical	6	2.05	-	41.85	11.09	63.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43521G	49.71	74.00	-24.29	68.43	3	Horizontal	287	1.85	-	38.87	8.55	66.14
AV	11.43634G	37.30	54.00	-16.70	56.02	3	Horizontal	287	1.85	-	38.87	8.55	66.14
PK	17.15743G	55.20	68.20	-13.00	65.34	3	Horizontal	197	2.19	-	41.83	11.08	63.05

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1096G	61.80	74.00	-12.20	53.58	3	Vertical	192	1.51	-	33.60	5.27	30.65
AV	5.1096G	50.14	54.00	-3.86	41.92	3	Vertical	192	1.51	-	33.60	5.27	30.65
PK	5.2624G	130.70	Inf	-Inf	122.27	3	Vertical	192	1.51	-	33.82	5.38	30.77
AV	5.2628G	118.98	Inf	-Inf	110.54	3	Vertical	192	1.51	-	33.83	5.38	30.77
PK	5.364G	65.93	74.00	-8.07	57.45	3	Vertical	192	1.51	-	33.93	5.40	30.85
AV	5.3636G	50.81	54.00	-3.19	42.33	3	Vertical	192	1.51	-	33.93	5.40	30.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	59.53	74.00	-14.47	51.29	3	Horizontal	272	2.18	-	33.60	5.31	30.67
AV	5.1084G	47.17	54.00	-6.83	38.95	3	Horizontal	272	2.18	-	33.60	5.27	30.65
PK	5.262G	123.97	Inf	-Inf	115.54	3	Horizontal	272	2.18	-	33.82	5.38	30.77
AV	5.2612G	112.73	Inf	-Inf	104.30	3	Horizontal	272	2.18	-	33.82	5.38	30.77
PK	5.3592G	61.45	74.00	-12.55	52.98	3	Horizontal	272	2.18	-	33.92	5.40	30.85
AV	5.3596G	48.39	54.00	-5.61	39.92	3	Horizontal	272	2.18	-	33.92	5.40	30.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53149G	50.54	68.20	-17.66	69.88	3	Vertical	294	1.61	-	38.56	8.24	66.14
PK	15.77565G	67.30	74.00	-6.70	82.48	3	Vertical	73	2.96	-	37.45	10.21	62.84
AV	15.78135G	53.52	54.00	-0.48	68.71	3	Vertical	73	2.96	-	37.44	10.21	62.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51136G	49.49	68.20	-18.71	68.86	3	Horizontal	168	1.77	-	38.52	8.23	66.12
PK	15.78264G	55.42	74.00	-18.58	70.62	3	Horizontal	310	1.80	-	37.43	10.21	62.84
AV	15.78078G	42.00	54.00	-12.00	57.19	3	Horizontal	310	1.80	-	37.44	10.21	62.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	127.22	Inf	-Inf	118.73	3	Vertical	339	1.80	-	33.90	5.39	30.80
AV	5.3024G	115.36	Inf	-Inf	106.87	3	Vertical	339	1.80	-	33.90	5.39	30.80
PK	5.3504G	68.79	74.00	-5.21	60.33	3	Vertical	339	1.80	-	33.90	5.40	30.84
AV	5.3502G	53.51	54.00	-0.49	45.05	3	Vertical	339	1.80	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2966G	120.39	Inf	-Inf	111.91	3	Horizontal	330	2.39	-	33.89	5.39	30.80
AV	5.2964G	108.64	Inf	-Inf	100.16	3	Horizontal	330	2.39	-	33.89	5.39	30.80
PK	5.3568G	66.82	74.00	-7.18	58.36	3	Horizontal	330	2.39	-	33.91	5.40	30.85
AV	5.356G	51.10	54.00	-2.90	42.63	3	Horizontal	330	2.39	-	33.91	5.40	30.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59199G	49.82	68.20	-18.38	69.16	3	Vertical	261	2.91	-	38.60	8.26	66.20
PK	15.89103G	59.68	74.00	-14.32	74.67	3	Vertical	73	2.33	-	37.66	10.25	62.90
AV	15.89448G	44.79	54.00	-9.21	59.77	3	Vertical	73	2.33	-	37.68	10.25	62.91

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60081G	50.15	74.00	-23.85	69.50	3	Horizontal	330	2.63	-	38.60	8.26	66.21
PK	15.89982G	49.89	74.00	-24.11	64.85	3	Horizontal	202	2.44	-	37.70	10.25	62.91
AV	15.90373G	36.43	54.00	-17.57	51.40	3	Horizontal	202	2.44	-	37.69	10.25	62.91

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	125.10	Inf	-Inf	116.63	3	Vertical	192	1.66	-	33.90	5.39	30.82
AV	5.3224G	113.17	Inf	-Inf	104.70	3	Vertical	192	1.66	-	33.90	5.39	30.82
PK	5.3642G	67.03	74.00	-6.97	58.55	3	Vertical	192	1.66	-	33.93	5.40	30.85
AV	5.3636G	53.45	54.00	-0.55	44.97	3	Vertical	192	1.66	-	33.93	5.40	30.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3166G	119.25	Inf	-Inf	110.77	3	Horizontal	330	2.29	-	33.90	5.39	30.81
AV	5.317G	107.98	Inf	-Inf	99.50	3	Horizontal	330	2.29	-	33.90	5.39	30.81
PK	5.3556G	64.61	74.00	-9.39	56.14	3	Horizontal	330	2.29	-	33.91	5.40	30.84
AV	5.3566G	51.88	54.00	-2.12	43.42	3	Horizontal	330	2.29	-	33.91	5.40	30.85

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64297G	49.58	74.00	-24.42	69.05	3	Vertical	56	1.12	-	38.51	8.28	66.26
AV	10.64313G	35.39	54.00	-18.61	54.86	3	Vertical	56	1.12	-	38.51	8.28	66.26
PK	15.96113G	50.05	74.00	-23.95	65.23	3	Vertical	114	1.52	-	37.50	10.27	62.95
AV	15.95761G	36.18	54.00	-17.82	51.35	3	Vertical	114	1.52	-	37.50	10.27	62.94

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64441G	49.30	74.00	-24.70	68.77	3	Horizontal	0	2.89	-	38.51	8.28	66.26
AV	10.64312G	35.48	54.00	-18.52	54.95	3	Horizontal	0	2.89	-	38.51	8.28	66.26
PK	15.95768G	49.83	74.00	-24.17	65.00	3	Horizontal	92	2.18	-	37.50	10.27	62.94
AV	15.95824G	36.22	54.00	-17.78	51.39	3	Horizontal	92	2.18	-	37.50	10.27	62.94

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.63	74.00	-11.37	54.08	3	Vertical	194	1.72	-	34.02	5.46	30.93
AV	5.46G	50.44	54.00	-3.56	41.89	3	Vertical	194	1.72	-	34.02	5.46	30.93
PK	5.4626G	68.06	68.20	-0.14	59.50	3	Vertical	194	1.72	-	34.03	5.46	30.93
PK	5.5032G	124.49	Inf	-Inf	115.87	3	Vertical	194	1.72	-	34.09	5.49	30.96
AV	5.5034G	112.22	Inf	-Inf	103.60	3	Vertical	194	1.72	-	34.09	5.49	30.96

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	61.97	74.00	-12.03	53.43	3	Horizontal	324	2.29	-	34.01	5.46	30.93
AV	5.4576G	48.67	54.00	-5.33	40.12	3	Horizontal	324	2.29	-	34.02	5.46	30.93
PK	5.4698G	60.01	68.20	-8.19	51.44	3	Horizontal	324	2.29	-	34.04	5.47	30.94
PK	5.4976G	117.30	Inf	-Inf	108.67	3	Horizontal	324	2.29	-	34.10	5.49	30.96
AV	5.497G	105.74	Inf	-Inf	97.12	3	Horizontal	324	2.29	-	34.09	5.49	30.96

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 23
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00335G	49.88	74.00	-24.12	69.50	3	Vertical	248	2.96	-	38.60	8.40	66.62
AV	10.9996G	35.63	54.00	-18.37	55.25	3	Vertical	248	2.96	-	38.60	8.40	66.62
PK	16.50317G	52.24	68.20	-15.96	65.98	3	Vertical	152	1.31	-	38.83	10.63	63.20

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 23
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99914G	49.56	74.00	-24.44	69.18	3	Horizontal	52	2.09	-	38.60	8.40	66.62
AV	11.00107G	35.57	54.00	-18.43	55.19	3	Horizontal	52	2.09	-	38.60	8.40	66.62
PK	16.49877G	51.85	68.20	-16.35	65.63	3	Horizontal	318	2.48	-	38.79	10.63	63.20

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	65.38	74.00	-8.62	56.85	3	Vertical	191	1.72	-	34.00	5.43	30.90
AV	5.4324G	53.79	54.00	-0.21	45.26	3	Vertical	191	1.72	-	34.00	5.44	30.91
PK	5.464G	60.82	68.20	-7.38	52.26	3	Vertical	191	1.72	-	34.03	5.46	30.93
PK	5.5836G	125.77	Inf	-Inf	117.21	3	Vertical	191	1.72	-	34.00	5.56	31.00
AV	5.5836G	113.81	Inf	-Inf	105.25	3	Vertical	191	1.72	-	34.00	5.56	31.00
PK	5.7416G	63.48	68.20	-4.72	54.94	3	Vertical	191	1.72	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42G	59.94	74.00	-14.06	51.41	3	Horizontal	260	2.90	-	34.00	5.43	30.90
AV	5.4332G	48.18	54.00	-5.82	39.65	3	Horizontal	260	2.90	-	34.00	5.44	30.91
PK	5.4624G	58.87	68.20	-9.33	50.32	3	Horizontal	260	2.90	-	34.02	5.46	30.93
PK	5.5708G	119.09	Inf	-Inf	110.53	3	Horizontal	260	2.90	-	34.00	5.55	30.99
AV	5.5712G	108.07	Inf	-Inf	99.51	3	Horizontal	260	2.90	-	34.00	5.55	30.99
PK	5.742G	60.22	68.20	-7.98	51.68	3	Horizontal	260	2.90	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 24
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1643G	49.26	74.00	-24.74	68.64	3	Vertical	37	1.82	-	38.60	8.46	66.44
AV	11.16453G	35.37	54.00	-18.63	54.75	3	Vertical	37	1.82	-	38.60	8.46	66.44
PK	16.74276G	54.42	68.20	-13.78	66.71	3	Vertical	216	2.46	-	39.99	10.80	63.08

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 24
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1632G	49.40	74.00	-24.60	68.78	3	Horizontal	42	2.57	-	38.60	8.46	66.44
AV	11.16333G	35.41	54.00	-18.59	54.79	3	Horizontal	42	2.57	-	38.60	8.46	66.44
PK	16.7368G	53.84	68.20	-14.36	66.17	3	Horizontal	71	2.30	-	39.97	10.79	63.09

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 21
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	122.48	Inf	-Inf	113.93	3	Vertical	341	1.90	-	34.00	5.60	31.05
AV	5.6944G	111.15	Inf	-Inf	102.60	3	Vertical	341	1.90	-	34.00	5.60	31.05
PK	5.7338G	67.21	68.20	-0.99	58.67	3	Vertical	341	1.90	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 21
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	117.09	Inf	-Inf	108.54	3	Horizontal	321	1.80	-	34.00	5.60	31.05
AV	5.6974G	104.60	Inf	-Inf	96.05	3	Horizontal	321	1.80	-	34.00	5.60	31.05
PK	5.725G	66.35	68.20	-1.85	57.80	3	Horizontal	321	1.80	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 21
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3993G	51.44	74.00	-22.56	70.28	3	Vertical	47	1.22	-	38.80	8.54	66.18
AV	11.40245G	36.93	54.00	-17.07	55.77	3	Vertical	47	1.22	-	38.80	8.54	66.18
PK	17.09973G	55.51	68.20	-12.69	65.99	3	Vertical	22	3.00	-	41.50	11.04	63.02

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 21
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40389G	50.75	74.00	-23.25	69.58	3	Horizontal	200	1.74	-	38.81	8.54	66.18
AV	11.39522G	36.90	54.00	-17.10	55.77	3	Horizontal	200	1.74	-	38.79	8.53	66.19
PK	17.10257G	55.54	68.20	-12.66	65.99	3	Horizontal	106	2.56	-	41.52	11.05	63.02

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 29
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7244G	130.33	Inf	-Inf	121.78	3	Vertical	196	1.79	-	34.00	5.61	31.06
AV	5.7236G	117.84	Inf	-Inf	109.29	3	Vertical	196	1.79	-	34.00	5.61	31.06
PK	5.8544G	61.06	68.20	-7.14	52.47	3	Vertical	196	1.79	-	34.02	5.69	31.12

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 29
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.718G	123.19	Inf	-Inf	114.64	3	Horizontal	322	1.79	-	34.00	5.61	31.06
AV	5.7176G	111.36	Inf	-Inf	102.81	3	Horizontal	322	1.79	-	34.00	5.61	31.06
PK	5.8536G	60.38	68.20	-7.82	51.80	3	Horizontal	322	1.79	-	34.01	5.69	31.12

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44221G	50.40	74.00	-23.60	69.10	3	Vertical	182	2.41	-	38.88	8.55	66.13
AV	11.43551G	36.83	54.00	-17.17	55.55	3	Vertical	182	2.41	-	38.87	8.55	66.14
PK	17.15746G	54.81	68.20	-13.39	64.95	3	Vertical	355	2.91	-	41.83	11.08	63.05

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43633G	50.21	74.00	-23.79	68.93	3	Horizontal	62	1.16	-	38.87	8.55	66.14
AV	11.43532G	36.80	54.00	-17.20	55.52	3	Horizontal	62	1.16	-	38.87	8.55	66.14
PK	17.16053G	54.45	68.20	-13.75	64.58	3	Horizontal	16	2.44	-	41.84	11.09	63.06

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 Setting 24.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2538G	126.29	Inf	-Inf	117.86	3	Vertical	191	1.44	-	33.81	5.38	30.76
AV	5.2532G	112.94	Inf	-Inf	104.51	3	Vertical	191	1.44	-	33.81	5.38	30.76
PK	5.3526G	71.85	74.00	-2.15	63.38	3	Vertical	191	1.44	-	33.91	5.40	30.84
AV	5.353G	53.72	54.00	-0.28	45.25	3	Vertical	191	1.44	-	33.91	5.40	30.84

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 Setting 24.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2532G	118.51	Inf	-Inf	110.08	3	Horizontal	271	1.52	-	33.81	5.38	30.76
AV	5.2518G	106.70	Inf	-Inf	98.28	3	Horizontal	271	1.52	-	33.80	5.38	30.76
PK	5.3512G	65.54	74.00	-8.46	57.08	3	Horizontal	271	1.52	-	33.90	5.40	30.84
AV	5.3502G	50.54	54.00	-3.46	42.08	3	Horizontal	271	1.52	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 Setting 24.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54025G	49.62	68.20	-18.58	68.95	3	Vertical	210	2.80	-	38.58	8.24	66.15
PK	15.80855G	50.28	74.00	-23.72	65.50	3	Vertical	214	1.17	-	37.42	10.22	62.86
AV	15.80602G	36.86	54.00	-17.14	52.08	3	Vertical	214	1.17	-	37.41	10.22	62.85

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24.5
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54305G	50.05	68.20	-18.15	69.37	3	Horizontal	58	2.55	-	38.59	8.24	66.15
PK	15.80627G	50.90	74.00	-23.10	66.12	3	Horizontal	2	2.65	-	37.41	10.22	62.85
AV	15.80926G	36.93	54.00	-17.07	52.15	3	Horizontal	2	2.65	-	37.42	10.22	62.86

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 17.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	116.53	Inf	-Inf	108.05	3	Vertical	342	1.44	-	33.88	5.39	30.79
AV	5.292G	104.49	Inf	-Inf	96.01	3	Vertical	342	1.44	-	33.88	5.39	30.79
PK	5.3524G	65.95	74.00	-8.05	57.49	3	Vertical	342	1.44	-	33.90	5.40	30.84
AV	5.3518G	53.12	54.00	-0.88	44.66	3	Vertical	342	1.44	-	33.90	5.40	30.84

5.25-5.35GHz 802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 17.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	110.94	Inf	-Inf	102.45	3	Horizontal	331	1.79	-	33.90	5.39	30.80
AV	5.3066G	99.11	Inf	-Inf	90.63	3	Horizontal	331	1.79	-	33.90	5.39	30.81
PK	5.4028G	60.12	74.00	-13.88	51.59	3	Horizontal	331	1.79	-	34.00	5.41	30.88
AV	5.35G	47.64	54.00	-6.36	39.18	3	Horizontal	331	1.79	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 17.5
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62098G	49.59	74.00	-24.41	68.99	3	Vertical	84	1.80	-	38.56	8.27	66.23
AV	10.62312G	35.66	54.00	-18.34	55.08	3	Vertical	84	1.80	-	38.55	8.27	66.24
PK	15.92514G	53.16	74.00	-20.84	68.23	3	Vertical	359	2.94	-	37.60	10.26	62.93
AV	15.92503G	37.35	54.00	-16.65	52.42	3	Vertical	359	2.94	-	37.60	10.26	62.93

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 17.5
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62418G	49.37	74.00	-24.63	68.79	3	Horizontal	187	1.89	-	38.55	8.27	66.24
AV	10.62287G	35.63	54.00	-18.37	55.05	3	Horizontal	187	1.89	-	38.55	8.27	66.24
PK	15.92513G	52.21	74.00	-21.79	67.28	3	Horizontal	342	1.65	-	37.60	10.26	62.93
AV	15.9252G	37.32	54.00	-16.68	52.39	3	Horizontal	342	1.65	-	37.60	10.26	62.93

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 21
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4538G	66.59	74.00	-7.41	58.05	3	Vertical	191	1.75	-	34.01	5.45	30.92
AV	5.4538G	52.91	54.00	-1.09	44.37	3	Vertical	191	1.75	-	34.01	5.45	30.92
PK	5.4612G	67.45	68.20	-0.75	58.90	3	Vertical	191	1.75	-	34.02	5.46	30.93
PK	5.5136G	121.97	Inf	-Inf	113.37	3	Vertical	191	1.75	-	34.07	5.50	30.97
AV	5.5138G	108.88	Inf	-Inf	100.28	3	Vertical	191	1.75	-	34.07	5.50	30.97

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 21
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	60.40	74.00	-13.60	51.85	3	Horizontal	324	2.53	-	34.02	5.46	30.93
AV	5.4468G	48.22	54.00	-5.78	39.69	3	Horizontal	324	2.53	-	34.00	5.45	30.92
PK	5.4674G	67.65	68.20	-0.55	59.09	3	Horizontal	324	2.53	-	34.03	5.46	30.93
PK	5.527G	114.73	Inf	-Inf	106.14	3	Horizontal	324	2.53	-	34.05	5.51	30.97
AV	5.528G	102.48	Inf	-Inf	93.90	3	Horizontal	324	2.53	-	34.04	5.51	30.97

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 21
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01931G	49.39	74.00	-24.61	68.98	3	Vertical	305	2.97	-	38.60	8.41	66.60
AV	11.01978G	35.46	54.00	-18.54	55.05	3	Vertical	305	2.97	-	38.60	8.41	66.60
PK	16.52958G	51.85	68.20	-16.35	65.35	3	Vertical	34	1.06	-	39.04	10.65	63.19

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 21
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01697G	49.17	74.00	-24.83	68.76	3	Horizontal	82	1.37	-	38.60	8.41	66.60
AV	11.01961G	35.34	54.00	-18.66	54.93	3	Horizontal	82	1.37	-	38.60	8.41	66.60
PK	16.53443G	52.22	68.20	-15.98	65.67	3	Horizontal	173	2.95	-	39.08	10.65	63.18

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 25.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	67.85	74.00	-6.15	59.31	3	Vertical	193	1.70	-	34.01	5.45	30.92
AV	5.4531G	53.54	54.00	-0.46	45.00	3	Vertical	193	1.70	-	34.01	5.45	30.92
PK	5.4696G	65.39	68.20	-2.81	56.82	3	Vertical	193	1.70	-	34.04	5.47	30.94
PK	5.5329G	124.60	Inf	-Inf	116.03	3	Vertical	193	1.70	-	34.03	5.52	30.98
AV	5.5335G	112.82	Inf	-Inf	104.25	3	Vertical	193	1.70	-	34.03	5.52	30.98

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 25.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4537G	62.41	74.00	-11.59	53.87	3	Horizontal	322	1.89	-	34.01	5.45	30.92
AV	5.4465G	48.82	54.00	-5.18	40.29	3	Horizontal	322	1.89	-	34.00	5.45	30.92
PK	5.4669G	66.85	68.20	-1.35	58.29	3	Horizontal	322	1.89	-	34.03	5.46	30.93
PK	5.568G	118.84	Inf	-Inf	110.29	3	Horizontal	322	1.89	-	34.00	5.54	30.99
AV	5.5674G	106.94	Inf	-Inf	98.39	3	Horizontal	322	1.89	-	34.00	5.54	30.99

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 25.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10473G	49.39	74.00	-24.61	68.85	3	Vertical	128	1.54	-	38.60	8.44	66.50
AV	11.09567G	35.17	54.00	-18.83	54.65	3	Vertical	128	1.54	-	38.60	8.43	66.51
PK	16.65367G	53.86	68.20	-14.34	66.45	3	Vertical	44	2.58	-	39.81	10.73	63.13

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 25.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1009G	49.13	74.00	-24.87	68.61	3	Horizontal	219	2.30	-	38.60	8.43	66.51
AV	11.10418G	35.09	54.00	-18.91	54.56	3	Horizontal	219	2.30	-	38.60	8.44	66.51
PK	16.65483G	53.11	68.20	-15.09	65.69	3	Horizontal	189	2.80	-	39.81	10.74	63.13

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 23
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6534G	121.98	Inf	-Inf	113.42	3	Vertical	193	1.80	-	34.00	5.59	31.03
AV	5.6734G	110.03	Inf	-Inf	101.48	3	Vertical	193	1.80	-	34.00	5.59	31.04
PK	5.7342G	67.32	68.20	-0.88	58.78	3	Vertical	193	1.80	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 23
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.687G	115.38	Inf	-Inf	106.83	3	Horizontal	321	2.25	-	34.00	5.60	31.05
AV	5.6678G	103.47	Inf	-Inf	94.92	3	Horizontal	321	2.25	-	34.00	5.59	31.04
PK	5.7286G	64.22	68.20	-3.98	55.68	3	Horizontal	321	2.25	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 23
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34458G	49.80	74.00	-24.20	68.82	3	Vertical	10	1.96	-	38.70	8.52	66.24
AV	11.34497G	36.43	54.00	-17.57	55.45	3	Vertical	10	1.96	-	38.70	8.52	66.24
PK	17.01166G	54.21	68.20	-13.99	64.80	3	Vertical	81	2.94	-	41.40	10.98	62.97

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 23
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34133G	50.48	74.00	-23.52	69.50	3	Horizontal	72	2.36	-	38.70	8.52	66.24
AV	11.34157G	36.41	54.00	-17.59	55.43	3	Horizontal	72	2.36	-	38.70	8.52	66.24
PK	17.01155G	54.43	68.20	-13.77	65.02	3	Horizontal	54	1.60	-	41.40	10.98	62.97

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 29
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	127.52	Inf	-Inf	118.97	3	Vertical	193	1.91	-	34.00	5.60	31.05
AV	5.6936G	114.26	Inf	-Inf	105.71	3	Vertical	193	1.91	-	34.00	5.60	31.05
PK	5.8568G	64.01	68.20	-4.19	55.41	3	Vertical	193	1.91	-	34.03	5.69	31.12

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 29
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7276G	121.66	Inf	-Inf	113.11	3	Horizontal	321	1.80	-	34.00	5.61	31.06
AV	5.7272G	108.37	Inf	-Inf	99.82	3	Horizontal	321	1.80	-	34.00	5.61	31.06
PK	5.8764G	59.97	68.20	-8.23	51.28	3	Horizontal	321	1.80	-	34.11	5.71	31.13

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42371G	51.27	74.00	-22.73	70.03	3	Vertical	300	2.16	-	38.85	8.54	66.15
AV	11.41565G	36.77	54.00	-17.23	55.56	3	Vertical	300	2.16	-	38.83	8.54	66.16
PK	17.12737G	55.85	68.20	-12.35	66.17	3	Vertical	47	1.60	-	41.66	11.06	63.04

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41943G	50.91	74.00	-23.09	69.69	3	Horizontal	77	2.69	-	38.84	8.54	66.16
AV	11.415G	36.81	54.00	-17.19	55.60	3	Horizontal	77	2.69	-	38.83	8.54	66.16
PK	17.13286G	55.56	68.20	-12.64	65.83	3	Horizontal	18	1.98	-	41.70	11.07	63.04

5.25-5.35GHz 802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 17
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	59.61	74.00	-14.39	51.38	3	Vertical	192	1.43	-	33.60	5.31	30.68
AV	5.1415G	47.38	54.00	-6.62	39.14	3	Vertical	192	1.43	-	33.60	5.31	30.67
PK	5.292G	113.90	Inf	-Inf	105.42	3	Vertical	192	1.43	-	33.88	5.39	30.79
AV	5.2525G	102.72	Inf	-Inf	94.30	3	Vertical	192	1.43	-	33.80	5.38	30.76
PK	5.374G	65.37	74.00	-8.63	56.88	3	Vertical	192	1.43	-	33.95	5.40	30.86
AV	5.353G	53.38	54.00	-0.62	44.91	3	Vertical	192	1.43	-	33.91	5.40	30.84
PK	5.532G	59.95	68.20	-8.25	51.36	3	Vertical	192	1.43	-	34.04	5.52	30.97

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 17
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.053G	59.92	74.00	-14.08	51.90	3	Horizontal	330	2.24	-	33.41	5.21	30.60
AV	5.135G	46.79	54.00	-7.21	38.56	3	Horizontal	330	2.24	-	33.60	5.30	30.67
PK	5.2655G	105.36	Inf	-Inf	96.92	3	Horizontal	330	2.24	-	33.83	5.38	30.77
AV	5.267G	95.33	Inf	-Inf	86.89	3	Horizontal	330	2.24	-	33.83	5.38	30.77
PK	5.3685G	60.71	74.00	-13.29	52.22	3	Horizontal	330	2.24	-	33.94	5.40	30.85
AV	5.367G	48.96	54.00	-5.04	40.48	3	Horizontal	330	2.24	-	33.93	5.40	30.85
PK	5.4755G	59.11	68.20	-9.09	50.53	3	Horizontal	330	2.24	-	34.05	5.47	30.94

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 17
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57711G	50.32	68.20	-17.88	69.65	3	Vertical	41	2.47	-	38.60	8.26	66.19
PK	15.87008G	50.14	74.00	-23.86	65.21	3	Vertical	136	2.56	-	37.58	10.24	62.89
AV	15.86926G	36.45	54.00	-17.55	51.52	3	Vertical	136	2.56	-	37.58	10.24	62.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 17
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58316G	49.79	68.20	-18.41	69.12	3	Horizontal	243	2.40	-	38.60	8.26	66.19
PK	15.87355G	49.54	74.00	-24.46	64.60	3	Horizontal	102	2.27	-	37.59	10.24	62.89
AV	15.86886G	36.29	54.00	-17.71	51.36	3	Horizontal	102	2.27	-	37.58	10.24	62.89

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 19.5
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	60.19	68.20	-8.01	51.73	3	Vertical	188	1.59	-	33.90	5.40	30.84
AV	5.35G	47.01	54.00	-6.99	38.55	3	Vertical	188	1.59	-	33.90	5.40	30.84
PK	5.454G	65.95	74.00	-8.05	57.41	3	Vertical	188	1.59	-	34.01	5.45	30.92
PK	5.461G	64.17	68.20	-4.03	55.62	3	Vertical	188	1.59	-	34.02	5.46	30.93
PK	5.513G	114.12	Inf	-Inf	105.52	3	Vertical	188	1.59	-	34.07	5.50	30.97
AV	5.4935G	102.03	Inf	-Inf	93.41	3	Vertical	188	1.59	-	34.09	5.48	30.95
PK	5.7445G	60.06	68.20	-8.14	51.52	3	Vertical	188	1.59	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




18/04/2024

EUT_Y_4TX
Setting 19.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2885G	59.76	68.20	-8.44	51.28	3	Horizontal	323	1.89	-	33.88	5.39	30.79
AV	5.35G	46.47	54.00	-7.53	38.01	3	Horizontal	323	1.89	-	33.90	5.40	30.84
PK	5.448G	61.82	74.00	-12.18	53.29	3	Horizontal	323	1.89	-	34.00	5.45	30.92
PK	5.467G	64.32	68.20	-3.88	55.76	3	Horizontal	323	1.89	-	34.03	5.46	30.93
PK	5.5685G	110.09	Inf	-Inf	101.54	3	Horizontal	323	1.89	-	34.00	5.54	30.99
AV	5.5675G	97.84	Inf	-Inf	89.29	3	Horizontal	323	1.89	-	34.00	5.54	30.99
PK	5.754G	59.96	68.20	-8.24	51.41	3	Horizontal	323	1.89	-	34.01	5.62	31.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 Setting 19.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.063G	50.51	74.00	-23.49	70.04	3	Vertical	92	1.69	-	38.60	8.42	66.55
AV	11.05855G	35.48	54.00	-18.52	55.02	3	Vertical	92	1.69	-	38.60	8.42	66.56
PK	16.58817G	53.06	68.20	-15.14	66.02	3	Vertical	269	1.47	-	39.51	10.69	63.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 19.5
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06076G	49.24	74.00	-24.76	68.77	3	Horizontal	328	2.28	-	38.60	8.42	66.55
AV	11.05979G	35.56	54.00	-18.44	55.09	3	Horizontal	328	2.28	-	38.60	8.42	66.55
PK	16.59313G	52.98	68.20	-15.22	65.90	3	Horizontal	162	1.40	-	39.55	10.69	63.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	66.19	74.00	-7.81	57.65	3	Vertical	191	1.62	-	34.01	5.45	30.92
AV	5.4535G	53.88	54.00	-0.12	45.34	3	Vertical	191	1.62	-	34.01	5.45	30.92
PK	5.461G	63.68	68.20	-4.52	55.13	3	Vertical	191	1.62	-	34.02	5.46	30.93
PK	5.5735G	120.95	Inf	-Inf	112.39	3	Vertical	191	1.62	-	34.00	5.55	30.99
AV	5.573G	108.89	Inf	-Inf	100.33	3	Vertical	191	1.62	-	34.00	5.55	30.99
PK	5.7355G	64.71	68.20	-3.49	56.17	3	Vertical	191	1.62	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4275G	61.73	74.00	-12.27	53.20	3	Horizontal	326	2.38	-	34.00	5.43	30.90
AV	5.4475G	49.58	54.00	-4.42	41.05	3	Horizontal	326	2.38	-	34.00	5.45	30.92
PK	5.4675G	62.76	68.20	-5.44	54.20	3	Horizontal	326	2.38	-	34.03	5.46	30.93
PK	5.627G	114.01	Inf	-Inf	105.45	3	Horizontal	326	2.38	-	34.00	5.58	31.02
AV	5.587G	102.27	Inf	-Inf	93.71	3	Horizontal	326	2.38	-	34.00	5.56	31.00
PK	5.727G	61.88	68.20	-6.32	53.33	3	Horizontal	326	2.38	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22468G	49.18	74.00	-24.82	68.42	3	Vertical	159	1.41	-	38.65	8.48	66.37
AV	11.21527G	35.57	54.00	-18.43	54.85	3	Vertical	159	1.41	-	38.63	8.47	66.38
PK	16.82958G	53.43	68.20	-14.77	65.13	3	Vertical	116	2.31	-	40.48	10.86	63.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2207G	50.31	74.00	-23.69	69.57	3	Horizontal	0	2.01	-	38.64	8.48	66.38
AV	11.21521G	35.56	54.00	-18.44	54.84	3	Horizontal	0	2.01	-	38.63	8.47	66.38
PK	16.83329G	53.39	68.20	-14.81	65.07	3	Horizontal	110	2.11	-	40.50	10.86	63.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 25
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	64.35	74.00	-9.65	55.81	3	Vertical	194	1.80	-	34.01	5.45	30.92
AV	5.4525G	52.37	54.00	-1.63	43.83	3	Vertical	194	1.80	-	34.01	5.45	30.92
PK	5.466G	62.28	68.20	-5.92	53.72	3	Vertical	194	1.80	-	34.03	5.46	30.93
PK	5.694G	121.88	Inf	-Inf	113.33	3	Vertical	194	1.80	-	34.00	5.60	31.05
AV	5.6535G	110.05	Inf	-Inf	101.49	3	Vertical	194	1.80	-	34.00	5.59	31.03
PK	5.8555G	67.21	68.20	-0.99	58.62	3	Vertical	194	1.80	-	34.02	5.69	31.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 25
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	60.35	74.00	-13.65	51.82	3	Horizontal	321	1.80	-	34.00	5.45	30.92
AV	5.446G	48.62	54.00	-5.38	40.09	3	Horizontal	321	1.80	-	34.00	5.45	30.92
PK	5.467G	60.83	68.20	-7.37	52.27	3	Horizontal	321	1.80	-	34.03	5.46	30.93
PK	5.727G	114.87	Inf	-Inf	106.32	3	Horizontal	321	1.80	-	34.00	5.61	31.06
AV	5.727G	103.48	Inf	-Inf	94.93	3	Horizontal	321	1.80	-	34.00	5.61	31.06
PK	5.868G	60.14	68.20	-8.06	51.50	3	Horizontal	321	1.80	-	34.07	5.70	31.13

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 25
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37668G	50.27	74.00	-23.73	69.20	3	Vertical	129	1.56	-	38.75	8.53	66.21
AV	11.3811G	36.84	54.00	-17.16	55.75	3	Vertical	129	1.56	-	38.76	8.53	66.20
PK	17.07128G	55.15	68.20	-13.05	65.69	3	Vertical	30	2.87	-	41.44	11.02	63.00

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 25
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.378G	50.44	74.00	-23.56	69.35	3	Horizontal	207	2.07	-	38.76	8.53	66.20
AV	11.38152G	36.90	54.00	-17.10	55.81	3	Horizontal	207	2.07	-	38.76	8.53	66.20
PK	17.07211G	55.11	68.20	-13.09	65.64	3	Horizontal	135	1.74	-	41.44	11.03	63.00

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 18.5
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	63.78	74.00	-10.22	55.56	3	Vertical	194	1.44	-	33.60	5.29	30.67
AV	5.15G	53.34	54.00	-0.66	45.10	3	Vertical	194	1.44	-	33.60	5.32	30.68
PK	5.2524G	115.17	Inf	-Inf	106.75	3	Vertical	194	1.44	-	33.80	5.38	30.76
AV	5.2524G	101.35	Inf	-Inf	92.93	3	Vertical	194	1.44	-	33.80	5.38	30.76
PK	5.3532G	66.00	74.00	-8.00	57.53	3	Vertical	194	1.44	-	33.91	5.40	30.84
AV	5.3732G	53.91	54.00	-0.09	45.42	3	Vertical	194	1.44	-	33.95	5.40	30.86
PK	5.4948G	60.21	68.20	-7.99	51.59	3	Vertical	194	1.44	-	34.09	5.49	30.96

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
 Setting 18.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.68	74.00	-13.32	52.44	3	Horizontal	272	2.37	-	33.60	5.32	30.68
AV	5.1492G	48.57	54.00	-5.43	40.34	3	Horizontal	272	2.37	-	33.60	5.31	30.68
PK	5.2516G	106.49	Inf	-Inf	98.07	3	Horizontal	272	2.37	-	33.80	5.38	30.76
AV	5.2308G	94.35	Inf	-Inf	85.95	3	Horizontal	272	2.37	-	33.76	5.38	30.74
PK	5.3508G	62.44	74.00	-11.56	53.98	3	Horizontal	272	2.37	-	33.90	5.40	30.84
AV	5.35G	50.49	54.00	-3.51	42.03	3	Horizontal	272	2.37	-	33.90	5.40	30.84
PK	5.5164G	59.99	68.20	-8.21	51.39	3	Horizontal	272	2.37	-	34.07	5.50	30.97

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 18.5
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49506G	50.18	68.20	-18.02	69.58	3	Vertical	121	2.15	-	38.49	8.23	66.12
PK	15.74804G	50.47	74.00	-23.53	65.59	3	Vertical	270	1.31	-	37.50	10.20	62.82
AV	15.74772G	37.25	54.00	-16.75	52.37	3	Vertical	270	1.31	-	37.50	10.20	62.82

5.25-5.35GHz 802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
 Setting 18.5
 02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49949G	49.89	68.20	-18.31	69.27	3	Horizontal	335	2.73	-	38.50	8.23	66.11
PK	15.74607G	51.43	74.00	-22.57	66.54	3	Horizontal	153	1.32	-	37.51	10.20	62.82
AV	15.7477G	37.20	54.00	-16.80	52.32	3	Horizontal	153	1.32	-	37.50	10.20	62.82

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2908G	61.26	68.20	-6.94	52.78	3	Vertical	338	2.06	-	33.88	5.39	30.79
PK	5.3908G	65.56	74.00	-8.44	57.04	3	Vertical	338	2.06	-	33.98	5.41	30.87
PK	5.47G	64.50	68.20	-3.70	55.93	3	Vertical	338	2.06	-	34.04	5.47	30.94
AV	5.4524G	53.69	54.00	-0.31	45.16	3	Vertical	338	2.06	-	34.00	5.45	30.92
PK	5.5524G	114.40	Inf	-Inf	105.85	3	Vertical	338	2.06	-	34.00	5.53	30.98
AV	5.5524G	100.29	Inf	-Inf	91.74	3	Vertical	338	2.06	-	34.00	5.53	30.98
PK	5.7308G	63.29	68.20	-4.91	54.75	3	Vertical	338	2.06	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2204G	59.21	68.20	-8.99	50.84	3	Horizontal	322	2.03	-	33.74	5.37	30.74
PK	5.3684G	60.93	74.00	-13.07	52.44	3	Horizontal	322	2.03	-	33.94	5.40	30.85
PK	5.4676G	61.63	68.20	-6.57	53.06	3	Horizontal	322	2.03	-	34.04	5.46	30.93
AV	5.4468G	49.54	54.00	-4.46	41.01	3	Horizontal	322	2.03	-	34.00	5.45	30.92
PK	5.5668G	106.98	Inf	-Inf	98.43	3	Horizontal	322	2.03	-	34.00	5.54	30.99
AV	5.5676G	95.13	Inf	-Inf	86.58	3	Horizontal	322	2.03	-	34.00	5.54	30.99
PK	5.7612G	59.91	68.20	-8.29	51.35	3	Horizontal	322	2.03	-	34.02	5.62	31.08

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14287G	48.71	74.00	-25.29	68.12	3	Vertical	179	2.83	-	38.60	8.45	66.46
AV	11.14462G	35.01	54.00	-18.99	54.42	3	Vertical	179	2.83	-	38.60	8.45	66.46
PK	16.71162G	52.86	68.20	-15.34	65.27	3	Vertical	122	1.51	-	39.92	10.77	63.10

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14491G	49.03	74.00	-24.97	68.44	3	Horizontal	312	2.85	-	38.60	8.45	66.46
AV	11.14476G	34.98	54.00	-19.02	54.39	3	Horizontal	312	2.85	-	38.60	8.45	66.46
PK	16.71373G	53.62	68.20	-14.58	66.01	3	Horizontal	241	1.79	-	39.93	10.78	63.10

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
 Setting 17
 05-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	63.49	68.20	-4.71	58.56	3	Vertical	199	1.80	-	32.91	7.50	35.48
AV	5.15G	47.64	54.00	-6.36	42.76	3	Vertical	199	1.80	-	33.00	7.40	35.52
PK	5.3916G	64.73	74.00	-9.27	59.75	3	Vertical	199	1.80	-	32.88	7.55	35.45
AV	5.414G	53.64	54.00	-0.36	48.65	3	Vertical	199	1.80	-	32.87	7.56	35.44
PK	5.47G	64.16	68.20	-4.04	59.14	3	Vertical	199	1.80	-	32.84	7.61	35.43
PK	5.512G	108.40	Inf	-Inf	103.30	3	Vertical	199	1.80	-	32.88	7.64	35.42
AV	5.4924G	98.19	Inf	-Inf	93.11	3	Vertical	199	1.80	-	32.88	7.62	35.42
PK	5.8536G	59.96	68.20	-8.24	53.44	3	Vertical	199	1.80	-	34.01	8.06	35.55

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 17
05-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.1284G	45.68	54.00	-8.32	40.82	3	Horizontal	273	3.00	-	33.00	7.38	35.52
PK	5.3272G	59.15	68.20	-9.05	54.26	3	Horizontal	273	3.00	-	32.85	7.51	35.47
PK	5.4084G	61.86	74.00	-12.14	56.87	3	Horizontal	273	3.00	-	32.88	7.56	35.45
AV	5.4084G	50.01	54.00	-3.99	45.02	3	Horizontal	273	3.00	-	32.88	7.56	35.45
PK	5.47G	60.95	68.20	-7.25	55.93	3	Horizontal	273	3.00	-	32.84	7.61	35.43
PK	5.5092G	102.80	Inf	-Inf	97.70	3	Horizontal	273	3.00	-	32.88	7.64	35.42
AV	5.5092G	92.72	Inf	-Inf	87.62	3	Horizontal	273	3.00	-	32.88	7.64	35.42
PK	5.8536G	58.56	68.20	-9.64	52.04	3	Horizontal	273	3.00	-	34.01	8.06	35.55

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 17
05-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2344G	54.76	74.00	-19.24	48.25	3	Vertical	358	1.81	-	38.97	10.73	43.19
AV	11.23212G	41.76	54.00	-12.24	35.26	3	Vertical	358	1.81	-	38.96	10.73	43.19
PK	16.81992G	57.13	68.20	-11.07	48.05	3	Vertical	141	1.43	-	38.18	12.81	41.91

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 17
05-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21658G	54.55	74.00	-19.45	48.08	3	Horizontal	177	1.74	-	38.93	10.73	43.19
AV	11.23488G	42.04	54.00	-11.96	35.53	3	Horizontal	177	1.74	-	38.97	10.73	43.19
PK	16.82052G	56.76	68.20	-11.44	47.68	3	Horizontal	24	1.40	-	38.18	12.81	41.91

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1334G	60.69	74.00	-13.31	52.46	3	Vertical	184	1.80	-	33.60	5.30	30.67
AV	5.1133G	48.58	54.00	-5.42	40.36	3	Vertical	184	1.80	-	33.60	5.27	30.65
PK	5.2651G	125.56	Inf	-Inf	117.12	3	Vertical	184	1.80	-	33.83	5.38	30.77
AV	5.2513G	112.98	Inf	-Inf	104.56	3	Vertical	184	1.80	-	33.80	5.38	30.76
PK	5.4058G	62.67	74.00	-11.33	54.14	3	Vertical	184	1.80	-	34.00	5.41	30.88
AV	5.35G	50.38	54.00	-3.62	41.92	3	Vertical	184	1.80	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	59.81	74.00	-14.19	51.58	3	Horizontal	272	2.35	-	33.60	5.30	30.67
AV	5.1109G	46.83	54.00	-7.17	38.61	3	Horizontal	272	2.35	-	33.60	5.27	30.65
PK	5.2612G	120.52	Inf	-Inf	112.09	3	Horizontal	272	2.35	-	33.82	5.38	30.77
AV	5.2657G	108.39	Inf	-Inf	99.95	3	Horizontal	272	2.35	-	33.83	5.38	30.77
PK	5.3512G	60.23	74.00	-13.77	51.77	3	Horizontal	272	2.35	-	33.90	5.40	30.84
AV	5.3527G	47.73	54.00	-6.27	39.26	3	Horizontal	272	2.35	-	33.91	5.40	30.84

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51749G	49.87	68.20	-18.33	69.23	3	Vertical	250	1.27	-	38.53	8.24	66.13
PK	15.78074G	50.36	74.00	-23.64	65.55	3	Vertical	220	1.50	-	37.44	10.21	62.84
AV	15.77677G	36.74	54.00	-17.26	51.92	3	Vertical	220	1.50	-	37.45	10.21	62.84

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52364G	50.19	68.20	-18.01	69.53	3	Horizontal	118	1.15	-	38.55	8.24	66.13
PK	15.7804G	49.82	74.00	-24.18	65.01	3	Horizontal	36	1.70	-	37.44	10.21	62.84
AV	15.77674G	36.68	54.00	-17.32	51.86	3	Horizontal	36	1.70	-	37.45	10.21	62.84

5.25-5.35GHz 802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	124.84	Inf	-Inf	116.35	3	Vertical	339	1.51	-	33.90	5.39	30.80
AV	5.2912G	111.27	Inf	-Inf	102.79	3	Vertical	339	1.51	-	33.88	5.39	30.79
PK	5.3506G	69.04	74.00	-4.96	60.58	3	Vertical	339	1.51	-	33.90	5.40	30.84
AV	5.35G	53.83	54.00	-0.17	45.37	3	Vertical	339	1.51	-	33.90	5.40	30.84

5.25-5.35GHz 802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3082G	118.83	Inf	-Inf	110.35	3	Horizontal	268	1.51	-	33.90	5.39	30.81
AV	5.3046G	106.56	Inf	-Inf	98.07	3	Horizontal	268	1.51	-	33.90	5.39	30.80
PK	5.35G	66.02	74.00	-7.98	57.56	3	Horizontal	268	1.51	-	33.90	5.40	30.84
AV	5.35G	50.42	54.00	-3.58	41.96	3	Horizontal	268	1.51	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6002G	49.43	74.00	-24.57	68.78	3	Vertical	360	2.28	-	38.60	8.26	66.21
PK	15.90466G	50.00	74.00	-24.00	64.98	3	Vertical	334	2.65	-	37.68	10.25	62.91
AV	15.90371G	36.13	54.00	-17.87	51.10	3	Vertical	334	2.65	-	37.69	10.25	62.91

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59506G	50.08	68.20	-18.12	69.43	3	Horizontal	358	1.16	-	38.60	8.26	66.21
PK	15.90343G	50.14	74.00	-23.86	65.11	3	Horizontal	174	2.75	-	37.69	10.25	62.91
AV	15.90411G	36.08	54.00	-17.92	51.06	3	Horizontal	174	2.75	-	37.68	10.25	62.91

5.25-5.35GHz 802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3155G	121.19	Inf	-Inf	112.71	3	Vertical	336	1.80	-	33.90	5.39	30.81
AV	5.3109G	108.90	Inf	-Inf	100.42	3	Vertical	336	1.80	-	33.90	5.39	30.81
PK	5.3533G	67.59	74.00	-6.41	59.12	3	Vertical	336	1.80	-	33.91	5.40	30.84
AV	5.3504G	53.93	54.00	-0.07	45.47	3	Vertical	336	1.80	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 23.5
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3137G	116.73	Inf	-Inf	108.25	3	Horizontal	267	1.52	-	33.90	5.39	30.81
AV	5.311G	102.77	Inf	-Inf	94.29	3	Horizontal	267	1.52	-	33.90	5.39	30.81
PK	5.3544G	64.04	74.00	-9.96	55.57	3	Horizontal	267	1.52	-	33.91	5.40	30.84
AV	5.3503G	50.09	54.00	-3.91	41.63	3	Horizontal	267	1.52	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63594G	48.86	74.00	-25.14	68.30	3	Vertical	234	2.56	-	38.53	8.28	66.25
AV	10.64308G	35.00	54.00	-19.00	54.47	3	Vertical	234	2.56	-	38.51	8.28	66.26
PK	15.95758G	49.94	74.00	-24.06	65.11	3	Vertical	142	2.09	-	37.50	10.27	62.94
AV	15.95695G	35.83	54.00	-18.17	51.00	3	Vertical	142	2.09	-	37.50	10.27	62.94

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 23.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64041G	49.45	74.00	-24.55	68.90	3	Horizontal	315	1.43	-	38.52	8.28	66.25
AV	10.643G	34.94	54.00	-19.06	54.41	3	Horizontal	315	1.43	-	38.51	8.28	66.26
PK	15.96115G	49.82	74.00	-24.18	65.00	3	Horizontal	265	1.50	-	37.50	10.27	62.95
AV	15.95782G	35.83	54.00	-18.17	51.00	3	Horizontal	265	1.50	-	37.50	10.27	62.94

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	65.27	74.00	-8.73	56.72	3	Vertical	343	1.79	-	34.02	5.46	30.93
AV	5.4597G	51.88	54.00	-2.12	43.33	3	Vertical	343	1.79	-	34.02	5.46	30.93
PK	5.4685G	67.94	68.20	-0.26	59.37	3	Vertical	343	1.79	-	34.04	5.46	30.93
PK	5.4937G	122.54	Inf	-Inf	113.92	3	Vertical	343	1.79	-	34.09	5.48	30.95
AV	5.5068G	109.09	Inf	-Inf	100.46	3	Vertical	343	1.79	-	34.09	5.50	30.96

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	63.06	74.00	-10.94	54.51	3	Horizontal	264	2.52	-	34.02	5.46	30.93
AV	5.4597G	49.38	54.00	-4.62	40.83	3	Horizontal	264	2.52	-	34.02	5.46	30.93
PK	5.4687G	64.31	68.20	-3.89	55.74	3	Horizontal	264	2.52	-	34.04	5.46	30.93
PK	5.4925G	118.21	Inf	-Inf	109.59	3	Horizontal	264	2.52	-	34.09	5.48	30.95
AV	5.4911G	104.76	Inf	-Inf	96.15	3	Horizontal	264	2.52	-	34.08	5.48	30.95

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00459G	49.92	74.00	-24.08	69.53	3	Vertical	306	2.03	-	38.60	8.40	66.61
AV	10.99933G	35.30	54.00	-18.70	54.92	3	Vertical	306	2.03	-	38.60	8.40	66.62
PK	16.50408G	52.34	68.20	-15.86	66.08	3	Vertical	75	2.06	-	38.83	10.63	63.20

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 23.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00344G	49.76	74.00	-24.24	69.38	3	Horizontal	34	1.84	-	38.60	8.40	66.62
AV	10.99889G	35.30	54.00	-18.70	54.92	3	Horizontal	34	1.84	-	38.60	8.40	66.62
PK	16.49501G	51.78	68.20	-16.42	65.59	3	Horizontal	117	2.91	-	38.77	10.62	63.20

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4276G	64.18	74.00	-9.82	55.65	3	Vertical	342	1.71	-	34.00	5.43	30.90
AV	5.4336G	51.11	54.00	-2.89	42.58	3	Vertical	342	1.71	-	34.00	5.44	30.91
PK	5.4688G	61.68	68.20	-6.52	53.11	3	Vertical	342	1.71	-	34.04	5.47	30.94
PK	5.5828G	126.19	Inf	-Inf	117.63	3	Vertical	342	1.71	-	34.00	5.56	31.00
AV	5.5868G	113.68	Inf	-Inf	105.12	3	Vertical	342	1.71	-	34.00	5.56	31.00
PK	5.7332G	62.85	68.20	-5.35	54.31	3	Vertical	342	1.71	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	61.10	74.00	-12.90	52.57	3	Horizontal	262	2.89	-	34.00	5.43	30.90
AV	5.4276G	48.73	54.00	-5.27	40.20	3	Horizontal	262	2.89	-	34.00	5.43	30.90
PK	5.462G	59.45	68.20	-8.75	50.90	3	Horizontal	262	2.89	-	34.02	5.46	30.93
PK	5.5716G	120.68	Inf	-Inf	112.12	3	Horizontal	262	2.89	-	34.00	5.55	30.99
AV	5.5716G	108.52	Inf	-Inf	99.96	3	Horizontal	262	2.89	-	34.00	5.55	30.99
PK	5.7316G	60.82	68.20	-7.38	52.28	3	Horizontal	262	2.89	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16338G	49.77	74.00	-24.23	69.15	3	Vertical	144	2.15	-	38.60	8.46	66.44
AV	11.16385G	35.25	54.00	-18.75	54.63	3	Vertical	144	2.15	-	38.60	8.46	66.44
PK	16.74264G	53.72	68.20	-14.48	66.01	3	Vertical	307	1.82	-	39.99	10.80	63.08

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16371G	49.07	74.00	-24.93	68.45	3	Horizontal	183	1.80	-	38.60	8.46	66.44
AV	11.16376G	35.32	54.00	-18.68	54.70	3	Horizontal	183	1.80	-	38.60	8.46	66.44
PK	16.73964G	54.00	68.20	-14.20	66.31	3	Horizontal	77	1.82	-	39.98	10.79	63.08

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUTY_4TX
 Setting 19.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6916G	116.93	Inf	-Inf	108.38	3	Vertical	188	1.80	-	34.00	5.60	31.05
AV	5.6911G	104.89	Inf	-Inf	96.34	3	Vertical	188	1.80	-	34.00	5.60	31.05
PK	5.7254G	67.69	68.20	-0.51	59.14	3	Vertical	188	1.80	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 19.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.691G	114.59	Inf	-Inf	106.04	3	Horizontal	262	2.76	-	34.00	5.60	31.05
AV	5.6911G	101.19	Inf	-Inf	92.64	3	Horizontal	262	2.76	-	34.00	5.60	31.05
PK	5.7252G	63.75	68.20	-4.45	55.20	3	Horizontal	262	2.76	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 19.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39956G	50.87	74.00	-23.13	69.71	3	Vertical	108	1.84	-	38.80	8.54	66.18
AV	11.39514G	36.49	54.00	-17.51	55.36	3	Vertical	108	1.84	-	38.79	8.53	66.19
PK	17.09745G	54.85	68.20	-13.35	65.34	3	Vertical	178	2.37	-	41.49	11.04	63.02

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 19.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40184G	51.00	74.00	-23.00	69.84	3	Horizontal	336	1.02	-	38.80	8.54	66.18
AV	11.39525G	36.50	54.00	-17.50	55.37	3	Horizontal	336	1.02	-	38.79	8.53	66.19
PK	17.10265G	54.98	68.20	-13.22	65.43	3	Horizontal	186	1.74	-	41.52	11.05	63.02

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 29
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7276G	125.14	Inf	-Inf	116.59	3	Vertical	345	1.80	-	34.00	5.61	31.06
AV	5.7268G	113.00	Inf	-Inf	104.45	3	Vertical	345	1.80	-	34.00	5.61	31.06
PK	5.8664G	60.04	68.20	-8.16	51.40	3	Vertical	345	1.80	-	34.07	5.70	31.13

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 29
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	120.47	Inf	-Inf	111.93	3	Horizontal	257	2.67	-	34.00	5.60	31.06
AV	5.7268G	108.80	Inf	-Inf	100.25	3	Horizontal	257	2.67	-	34.00	5.61	31.06
PK	5.9164G	60.50	68.20	-7.70	51.69	3	Horizontal	257	2.67	-	34.20	5.76	31.15

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44369G	50.44	74.00	-23.56	69.13	3	Vertical	287	1.14	-	38.89	8.55	66.13
AV	11.43604G	36.46	54.00	-17.54	55.18	3	Vertical	287	1.14	-	38.87	8.55	66.14
PK	17.15518G	53.67	68.20	-14.53	63.82	3	Vertical	328	2.55	-	41.82	11.08	63.05

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44436G	50.55	74.00	-23.45	69.24	3	Horizontal	125	2.26	-	38.89	8.55	66.13
AV	11.43506G	36.46	54.00	-17.54	55.18	3	Horizontal	125	2.26	-	38.87	8.55	66.14
PK	17.1575G	53.05	68.20	-15.15	63.19	3	Horizontal	262	1.62	-	41.83	11.08	63.05

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24.5
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	61.77	74.00	-12.23	53.54	3	Vertical	194	1.53	-	33.60	5.31	30.68
AV	5.1335G	48.94	54.00	-5.06	40.71	3	Vertical	194	1.53	-	33.60	5.30	30.67
PK	5.2517G	121.48	Inf	-Inf	113.06	3	Vertical	194	1.53	-	33.80	5.38	30.76
AV	5.2526G	107.60	Inf	-Inf	99.17	3	Vertical	194	1.53	-	33.81	5.38	30.76
PK	5.351G	64.91	74.00	-9.09	56.45	3	Vertical	194	1.53	-	33.90	5.40	30.84
AV	5.35G	51.86	54.00	-2.14	43.40	3	Vertical	194	1.53	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24.5
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1245G	59.49	74.00	-14.51	51.26	3	Horizontal	270	2.48	-	33.60	5.29	30.66
AV	5.1332G	46.96	54.00	-7.04	38.73	3	Horizontal	270	2.48	-	33.60	5.30	30.67
PK	5.2682G	115.74	Inf	-Inf	107.29	3	Horizontal	270	2.48	-	33.84	5.38	30.77
AV	5.2709G	102.21	Inf	-Inf	93.77	3	Horizontal	270	2.48	-	33.84	5.38	30.78
PK	5.3615G	61.59	74.00	-12.41	53.12	3	Horizontal	270	2.48	-	33.92	5.40	30.85
AV	5.3504G	48.97	54.00	-5.03	40.51	3	Horizontal	270	2.48	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53996G	49.56	68.20	-18.64	68.89	3	Vertical	107	1.12	-	38.58	8.24	66.15
PK	15.80885G	50.13	74.00	-23.87	65.35	3	Vertical	267	1.11	-	37.42	10.22	62.86
AV	15.81205G	36.83	54.00	-17.17	52.05	3	Vertical	267	1.11	-	37.42	10.22	62.86

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 24.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53941G	50.12	68.20	-18.08	69.45	3	Horizontal	127	1.56	-	38.58	8.24	66.15
PK	15.80944G	50.44	74.00	-23.56	65.66	3	Horizontal	249	1.82	-	37.42	10.22	62.86
AV	15.80577G	36.90	54.00	-17.10	52.12	3	Horizontal	249	1.82	-	37.41	10.22	62.85

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 19
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3034G	114.53	Inf	-Inf	106.04	3	Vertical	337	1.80	-	33.90	5.39	30.80
AV	5.3108G	101.36	Inf	-Inf	92.88	3	Vertical	337	1.80	-	33.90	5.39	30.81
PK	5.35G	66.23	74.00	-7.77	57.77	3	Vertical	337	1.80	-	33.90	5.40	30.84
AV	5.3504G	53.05	54.00	-0.95	44.59	3	Vertical	337	1.80	-	33.90	5.40	30.84

5.25-5.35GHz 802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 19
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3026G	109.64	Inf	-Inf	101.15	3	Horizontal	272	1.50	-	33.90	5.39	30.80
AV	5.305G	97.15	Inf	-Inf	88.66	3	Horizontal	272	1.50	-	33.90	5.39	30.80
PK	5.3516G	65.09	74.00	-8.91	56.63	3	Horizontal	272	1.50	-	33.90	5.40	30.84
AV	5.3502G	51.36	54.00	-2.64	42.90	3	Horizontal	272	1.50	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61822G	49.64	74.00	-24.36	69.04	3	Vertical	277	2.05	-	38.56	8.27	66.23
AV	10.6238G	35.21	54.00	-18.79	54.63	3	Vertical	277	2.05	-	38.55	8.27	66.24
PK	15.92672G	50.30	74.00	-23.70	65.38	3	Vertical	136	1.22	-	37.59	10.26	62.93
AV	15.92607G	36.38	54.00	-17.62	51.45	3	Vertical	136	1.22	-	37.60	10.26	62.93

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62458G	49.21	74.00	-24.79	68.63	3	Horizontal	77	2.29	-	38.55	8.27	66.24
AV	10.62263G	35.21	54.00	-18.79	54.63	3	Horizontal	77	2.29	-	38.55	8.27	66.24
PK	15.92959G	50.02	74.00	-23.98	65.11	3	Horizontal	30	1.21	-	37.58	10.26	62.93
AV	15.92582G	36.35	54.00	-17.65	51.42	3	Horizontal	30	1.21	-	37.60	10.26	62.93

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 20.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.51	74.00	-10.49	54.96	3	Vertical	345	1.77	-	34.02	5.46	30.93
AV	5.46G	51.32	54.00	-2.68	42.77	3	Vertical	345	1.77	-	34.02	5.46	30.93
PK	5.4692G	67.93	68.20	-0.27	59.36	3	Vertical	345	1.77	-	34.04	5.47	30.94
PK	5.5124G	115.88	Inf	-Inf	107.27	3	Vertical	345	1.77	-	34.08	5.50	30.97
AV	5.5174G	102.55	Inf	-Inf	93.95	3	Vertical	345	1.77	-	34.07	5.50	30.97

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 20.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.76	74.00	-11.24	54.21	3	Horizontal	264	2.72	-	34.02	5.46	30.93
AV	5.46G	49.16	54.00	-4.84	40.61	3	Horizontal	264	2.72	-	34.02	5.46	30.93
PK	5.4694G	64.44	68.20	-3.76	55.87	3	Horizontal	264	2.72	-	34.04	5.47	30.94
PK	5.511G	112.38	Inf	-Inf	103.77	3	Horizontal	264	2.72	-	34.08	5.50	30.97
AV	5.5108G	99.09	Inf	-Inf	90.47	3	Horizontal	264	2.72	-	34.08	5.50	30.96

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 20.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02301G	48.78	74.00	-25.22	68.36	3	Vertical	87	1.82	-	38.60	8.41	66.59
AV	11.02047G	35.16	54.00	-18.84	54.75	3	Vertical	87	1.82	-	38.60	8.41	66.60
PK	16.53305G	52.56	68.20	-15.64	66.03	3	Vertical	8	2.79	-	39.06	10.65	63.18

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 20.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01839G	49.28	74.00	-24.72	68.87	3	Horizontal	177	1.01	-	38.60	8.41	66.60
AV	11.01924G	35.12	54.00	-18.88	54.71	3	Horizontal	177	1.01	-	38.60	8.41	66.60
PK	16.52506G	52.15	68.20	-16.05	65.70	3	Horizontal	172	2.78	-	39.00	10.64	63.19

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 25.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	64.58	74.00	-9.42	56.03	3	Vertical	345	1.66	-	34.02	5.46	30.93
AV	5.46G	52.13	54.00	-1.87	43.58	3	Vertical	345	1.66	-	34.02	5.46	30.93
PK	5.4681G	67.37	68.20	-0.83	58.80	3	Vertical	345	1.66	-	34.04	5.46	30.93
PK	5.5326G	121.03	Inf	-Inf	112.45	3	Vertical	345	1.66	-	34.03	5.52	30.97
AV	5.5416G	108.03	Inf	-Inf	99.47	3	Vertical	345	1.66	-	34.02	5.52	30.98

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 25.5
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	60.86	74.00	-13.14	52.31	3	Horizontal	261	2.71	-	34.02	5.46	30.93
AV	5.4594G	48.88	54.00	-5.12	40.33	3	Horizontal	261	2.71	-	34.02	5.46	30.93
PK	5.4693G	62.82	68.20	-5.38	54.25	3	Horizontal	261	2.71	-	34.04	5.47	30.94
PK	5.5365G	117.32	Inf	-Inf	108.75	3	Horizontal	261	2.71	-	34.03	5.52	30.98
AV	5.5365G	103.65	Inf	-Inf	95.08	3	Horizontal	261	2.71	-	34.03	5.52	30.98

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 25.5
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10294G	48.63	74.00	-25.37	68.11	3	Vertical	343	2.81	-	38.60	8.43	66.51
AV	11.09545G	34.73	54.00	-19.27	54.22	3	Vertical	343	2.81	-	38.60	8.43	66.52
PK	16.65377G	52.77	68.20	-15.43	65.36	3	Vertical	258	2.46	-	39.81	10.73	63.13

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 25.5
 02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09857G	49.24	74.00	-24.76	68.72	3	Horizontal	92	2.65	-	38.60	8.43	66.51
AV	11.09502G	34.73	54.00	-19.27	54.22	3	Horizontal	92	2.65	-	38.60	8.43	66.52
PK	16.65292G	53.25	68.20	-14.95	65.84	3	Horizontal	258	2.89	-	39.81	10.73	63.13

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 23
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6643G	118.91	Inf	-Inf	110.36	3	Vertical	343	1.80	-	34.00	5.59	31.04
AV	5.6673G	105.92	Inf	-Inf	97.37	3	Vertical	343	1.80	-	34.00	5.59	31.04
PK	5.7294G	65.90	68.20	-2.30	57.36	3	Vertical	343	1.80	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 23
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	114.67	Inf	-Inf	106.11	3	Horizontal	265	2.61	-	34.00	5.59	31.03
AV	5.6526G	101.82	Inf	-Inf	93.26	3	Horizontal	265	2.61	-	34.00	5.59	31.03
PK	5.7279G	61.98	68.20	-6.22	53.43	3	Horizontal	265	2.61	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34019G	49.91	74.00	-24.09	68.94	3	Vertical	303	2.30	-	38.70	8.52	66.25
AV	11.34186G	36.94	54.00	-17.06	55.96	3	Vertical	303	2.30	-	38.70	8.52	66.24
PK	17.01446G	54.04	68.20	-14.16	64.62	3	Vertical	210	2.49	-	41.40	10.99	62.97

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34156G	50.43	74.00	-23.57	69.45	3	Horizontal	250	1.50	-	38.70	8.52	66.24
AV	11.34203G	36.81	54.00	-17.19	55.83	3	Horizontal	250	1.50	-	38.70	8.52	66.24
PK	17.01305G	53.40	68.20	-14.80	63.99	3	Horizontal	358	1.29	-	41.40	10.98	62.97

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	122.93	Inf	-Inf	114.38	3	Vertical	341	1.85	-	34.00	5.61	31.06
AV	5.7264G	110.15	Inf	-Inf	101.60	3	Vertical	341	1.85	-	34.00	5.61	31.06
PK	5.8536G	62.04	68.20	-6.16	53.46	3	Vertical	341	1.85	-	34.01	5.69	31.12

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 29
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	118.44	Inf	-Inf	109.89	3	Horizontal	260	2.66	-	34.00	5.61	31.06
AV	5.7268G	105.78	Inf	-Inf	97.23	3	Horizontal	260	2.66	-	34.00	5.61	31.06
PK	5.8544G	60.46	68.20	-7.74	51.87	3	Horizontal	260	2.66	-	34.02	5.69	31.12

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42474G	50.53	74.00	-23.47	69.29	3	Vertical	180	1.74	-	38.85	8.54	66.15
AV	11.41504G	36.35	54.00	-17.65	55.14	3	Vertical	180	1.74	-	38.83	8.54	66.16
PK	17.13133G	54.80	68.20	-13.40	65.08	3	Vertical	15	2.49	-	41.69	11.07	63.04

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 29
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42331G	50.55	74.00	-23.45	69.31	3	Horizontal	349	1.50	-	38.85	8.54	66.15
AV	11.41503G	36.39	54.00	-17.61	55.18	3	Horizontal	349	1.50	-	38.83	8.54	66.16
PK	17.12935G	54.69	68.20	-13.51	64.99	3	Horizontal	286	1.06	-	41.68	11.06	63.04

5.25-5.35GHz 802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 19
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1005G	60.55	74.00	-13.45	52.33	3	Vertical	190	1.44	-	33.60	5.26	30.64
AV	5.1335G	47.52	54.00	-6.48	39.29	3	Vertical	190	1.44	-	33.60	5.30	30.67
PK	5.2725G	113.29	Inf	-Inf	104.85	3	Vertical	190	1.44	-	33.84	5.38	30.78
AV	5.252G	99.29	Inf	-Inf	90.87	3	Vertical	190	1.44	-	33.80	5.38	30.76
PK	5.356G	66.26	74.00	-7.74	57.79	3	Vertical	190	1.44	-	33.91	5.40	30.84
AV	5.35G	53.37	54.00	-0.63	44.91	3	Vertical	190	1.44	-	33.90	5.40	30.84
PK	5.522G	60.82	68.20	-7.38	52.22	3	Vertical	190	1.44	-	34.06	5.51	30.97

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 19
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1375G	59.55	74.00	-14.45	51.32	3	Horizontal	272	2.47	-	33.60	5.30	30.67
AV	5.142G	46.86	54.00	-7.14	38.62	3	Horizontal	272	2.47	-	33.60	5.31	30.67
PK	5.2725G	107.98	Inf	-Inf	99.54	3	Horizontal	272	2.47	-	33.84	5.38	30.78
AV	5.2815G	94.45	Inf	-Inf	85.99	3	Horizontal	272	2.47	-	33.86	5.39	30.79
PK	5.3535G	62.78	74.00	-11.22	54.31	3	Horizontal	272	2.47	-	33.91	5.40	30.84
AV	5.3505G	50.48	54.00	-3.52	42.02	3	Horizontal	272	2.47	-	33.90	5.40	30.84
PK	5.4945G	59.79	68.20	-8.41	51.17	3	Horizontal	272	2.47	-	34.09	5.49	30.96

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58231G	49.51	68.20	-18.69	68.84	3	Vertical	253	1.31	-	38.60	8.26	66.19
PK	15.87406G	49.81	74.00	-24.19	64.86	3	Vertical	224	1.53	-	37.60	10.24	62.89
AV	15.86566G	36.56	54.00	-17.44	51.65	3	Vertical	224	1.53	-	37.56	10.24	62.89

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 19
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58012G	49.66	68.20	-18.54	68.99	3	Horizontal	316	1.74	-	38.60	8.26	66.19
PK	15.86665G	50.35	74.00	-23.65	65.43	3	Horizontal	249	2.44	-	37.57	10.24	62.89
AV	15.8663G	36.59	54.00	-17.41	51.67	3	Horizontal	249	2.44	-	37.57	10.24	62.89

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 20
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3465G	60.62	68.20	-7.58	52.16	3	Vertical	342	1.26	-	33.90	5.40	30.84
PK	5.4585G	64.62	74.00	-9.38	56.07	3	Vertical	342	1.26	-	34.02	5.46	30.93
AV	5.46G	52.70	54.00	-1.30	44.15	3	Vertical	342	1.26	-	34.02	5.46	30.93
PK	5.4685G	67.08	68.20	-1.12	58.51	3	Vertical	342	1.26	-	34.04	5.46	30.93
PK	5.5275G	112.40	Inf	-Inf	103.81	3	Vertical	342	1.26	-	34.05	5.51	30.97
AV	5.5265G	99.85	Inf	-Inf	91.26	3	Vertical	342	1.26	-	34.05	5.51	30.97
PK	5.7635G	60.15	68.20	-8.05	51.58	3	Vertical	342	1.26	-	34.03	5.62	31.08

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 20
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	59.59	68.20	-8.61	51.11	3	Horizontal	262	2.71	-	33.90	5.39	30.81
PK	5.4545G	62.31	74.00	-11.69	53.77	3	Horizontal	262	2.71	-	34.01	5.45	30.92
PK	5.465G	62.68	68.20	-5.52	54.12	3	Horizontal	262	2.71	-	34.03	5.46	30.93
AV	5.46G	49.89	54.00	-4.11	41.34	3	Horizontal	262	2.71	-	34.02	5.46	30.93
PK	5.539G	108.41	Inf	-Inf	99.85	3	Horizontal	262	2.71	-	34.02	5.52	30.98
AV	5.5205G	95.62	Inf	-Inf	87.02	3	Horizontal	262	2.71	-	34.06	5.51	30.97
PK	5.746G	60.16	68.20	-8.04	51.62	3	Horizontal	262	2.71	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 20
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05691G	49.67	74.00	-24.33	69.21	3	Vertical	260	2.89	-	38.60	8.42	66.56
AV	11.06067G	35.51	54.00	-18.49	55.04	3	Vertical	260	2.89	-	38.60	8.42	66.55
PK	16.59225G	53.94	68.20	-14.26	66.87	3	Vertical	295	2.84	-	39.54	10.69	63.16

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 20
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06284G	49.15	74.00	-24.85	68.68	3	Horizontal	269	2.91	-	38.60	8.42	66.55
AV	11.05943G	35.55	54.00	-18.45	55.08	3	Horizontal	269	2.91	-	38.60	8.42	66.55
PK	16.58529G	52.95	68.20	-15.25	65.94	3	Horizontal	121	1.21	-	39.48	10.69	63.16

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 25
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	66.43	74.00	-7.57	57.88	3	Vertical	343	1.28	-	34.02	5.46	30.93
AV	5.46G	53.96	54.00	-0.04	45.41	3	Vertical	343	1.28	-	34.02	5.46	30.93
PK	5.468G	66.79	68.20	-1.41	58.22	3	Vertical	343	1.28	-	34.04	5.46	30.93
PK	5.5725G	116.57	Inf	-Inf	108.01	3	Vertical	343	1.28	-	34.00	5.55	30.99
AV	5.5855G	104.12	Inf	-Inf	95.56	3	Vertical	343	1.28	-	34.00	5.56	31.00
PK	5.725G	66.16	68.20	-2.04	57.61	3	Vertical	343	1.28	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 25
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.33	74.00	-11.67	53.78	3	Horizontal	262	2.85	-	34.02	5.46	30.93
AV	5.46G	49.49	54.00	-4.51	40.94	3	Horizontal	262	2.85	-	34.02	5.46	30.93
PK	5.4695G	61.89	68.20	-6.31	53.32	3	Horizontal	262	2.85	-	34.04	5.47	30.94
PK	5.5815G	112.52	Inf	-Inf	103.96	3	Horizontal	262	2.85	-	34.00	5.56	31.00
AV	5.631G	99.79	Inf	-Inf	91.23	3	Horizontal	262	2.85	-	34.00	5.58	31.02
PK	5.726G	63.66	68.20	-4.54	55.11	3	Horizontal	262	2.85	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21584G	49.39	74.00	-24.61	68.67	3	Vertical	255	2.85	-	38.63	8.47	66.38
AV	11.21549G	35.62	54.00	-18.38	54.90	3	Vertical	255	2.85	-	38.63	8.47	66.38
PK	16.82965G	54.67	68.20	-13.53	66.37	3	Vertical	337	1.17	-	40.48	10.86	63.04

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21583G	49.70	74.00	-24.30	68.98	3	Horizontal	350	1.16	-	38.63	8.47	66.38
AV	11.2154G	35.68	54.00	-18.32	54.96	3	Horizontal	350	1.16	-	38.63	8.47	66.38
PK	16.82685G	53.54	68.20	-14.66	65.27	3	Horizontal	307	1.69	-	40.46	10.85	63.04

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 25
 02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4505G	63.23	74.00	-10.77	54.70	3	Vertical	342	1.84	-	34.00	5.45	30.92
PK	5.4605G	64.03	68.20	-4.17	55.48	3	Vertical	342	1.84	-	34.02	5.46	30.93
AV	5.459G	51.39	54.00	-2.61	42.84	3	Vertical	342	1.84	-	34.02	5.46	30.93
PK	5.7245G	119.13	Inf	-Inf	110.58	3	Vertical	342	1.84	-	34.00	5.61	31.06
AV	5.726G	104.83	Inf	-Inf	96.28	3	Vertical	342	1.84	-	34.00	5.61	31.06
PK	5.8505G	63.70	68.20	-4.50	55.13	3	Vertical	342	1.84	-	34.00	5.69	31.12

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 25
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.42	74.00	-13.58	51.87	3	Horizontal	266	2.69	-	34.02	5.46	30.93
AV	5.4595G	48.39	54.00	-5.61	39.84	3	Horizontal	266	2.69	-	34.02	5.46	30.93
PK	5.4615G	60.33	68.20	-7.87	51.78	3	Horizontal	266	2.69	-	34.02	5.46	30.93
PK	5.6825G	114.11	Inf	-Inf	105.56	3	Horizontal	266	2.69	-	34.00	5.59	31.04
AV	5.6775G	100.70	Inf	-Inf	92.15	3	Horizontal	266	2.69	-	34.00	5.59	31.04
PK	5.8505G	60.34	68.20	-7.86	51.77	3	Horizontal	266	2.69	-	34.00	5.69	31.12

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38347G	51.29	74.00	-22.71	70.19	3	Vertical	360	2.32	-	38.77	8.53	66.20
AV	11.38232G	37.12	54.00	-16.88	56.03	3	Vertical	360	2.32	-	38.76	8.53	66.20
PK	17.06869G	54.52	68.20	-13.68	65.06	3	Vertical	358	1.02	-	41.44	11.02	63.00

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 25
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3785G	50.70	74.00	-23.30	69.61	3	Horizontal	8	1.86	-	38.76	8.53	66.20
AV	11.38135G	36.99	54.00	-17.01	55.90	3	Horizontal	8	1.86	-	38.76	8.53	66.20
PK	17.06603G	54.50	68.20	-13.70	65.05	3	Horizontal	67	1.17	-	41.43	11.02	63.00

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 20
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	64.96	74.00	-9.04	56.73	3	Vertical	337	1.90	-	33.60	5.31	30.68
AV	5.146G	52.31	54.00	-1.69	44.08	3	Vertical	337	1.90	-	33.60	5.31	30.68
PK	5.2436G	108.98	Inf	-Inf	100.56	3	Vertical	337	1.90	-	33.79	5.38	30.75
AV	5.2308G	97.46	Inf	-Inf	89.06	3	Vertical	337	1.90	-	33.76	5.38	30.74
PK	5.3924G	66.42	74.00	-7.58	57.90	3	Vertical	337	1.90	-	33.98	5.41	30.87
AV	5.3572G	53.33	54.00	-0.67	44.87	3	Vertical	337	1.90	-	33.91	5.40	30.85
PK	5.4644G	60.91	68.20	-7.29	52.35	3	Vertical	337	1.90	-	34.03	5.46	30.93

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 20
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	59.71	74.00	-14.29	51.48	3	Horizontal	274	2.18	-	33.60	5.31	30.68
AV	5.146G	48.27	54.00	-5.73	40.04	3	Horizontal	274	2.18	-	33.60	5.31	30.68
PK	5.3124G	104.20	Inf	-Inf	95.72	3	Horizontal	274	2.18	-	33.90	5.39	30.81
AV	5.2596G	92.12	Inf	-Inf	83.69	3	Horizontal	274	2.18	-	33.82	5.38	30.77
PK	5.3636G	62.90	74.00	-11.10	54.42	3	Horizontal	274	2.18	-	33.93	5.40	30.85
AV	5.3604G	50.15	54.00	-3.85	41.68	3	Horizontal	274	2.18	-	33.92	5.40	30.85
PK	5.562G	59.64	68.20	-8.56	51.09	3	Horizontal	274	2.18	-	34.00	5.54	30.99

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 20
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49685G	50.30	68.20	-17.90	69.69	3	Vertical	267	1.24	-	38.49	8.23	66.11
PK	15.74836G	51.01	74.00	-22.99	66.13	3	Vertical	87	2.68	-	37.50	10.20	62.82
AV	15.74772G	37.40	54.00	-16.60	52.52	3	Vertical	87	2.68	-	37.50	10.20	62.82

5.25-5.35GHz 802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 20
02-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50394G	49.79	68.20	-18.41	69.16	3	Horizontal	245	1.77	-	38.51	8.23	66.11
PK	15.74905G	52.13	74.00	-21.87	67.25	3	Horizontal	116	1.36	-	37.50	10.20	62.82
AV	15.74793G	37.34	54.00	-16.66	52.46	3	Horizontal	116	1.36	-	37.50	10.20	62.82

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 21
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	61.95	68.20	-6.25	53.47	3	Vertical	343	1.56	-	33.88	5.39	30.79
PK	5.4484G	67.78	74.00	-6.22	59.25	3	Vertical	343	1.56	-	34.00	5.45	30.92
PK	5.4684G	66.19	68.20	-2.01	57.62	3	Vertical	343	1.56	-	34.04	5.46	30.93
AV	5.4588G	53.88	54.00	-0.12	45.33	3	Vertical	343	1.56	-	34.02	5.46	30.93
PK	5.4924G	109.92	Inf	-Inf	101.31	3	Vertical	343	1.56	-	34.08	5.48	30.95
AV	5.522G	97.56	Inf	-Inf	88.96	3	Vertical	343	1.56	-	34.06	5.51	30.97
PK	5.734G	62.72	68.20	-5.48	54.18	3	Vertical	343	1.56	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 21
02-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2404G	59.91	68.20	-8.29	51.50	3	Horizontal	261	2.59	-	33.78	5.38	30.75
PK	5.4396G	61.91	74.00	-12.09	53.38	3	Horizontal	261	2.59	-	34.00	5.44	30.91
PK	5.4684G	63.25	68.20	-4.95	54.68	3	Horizontal	261	2.59	-	34.04	5.46	30.93
AV	5.4588G	50.11	54.00	-3.89	41.56	3	Horizontal	261	2.59	-	34.02	5.46	30.93
PK	5.5108G	106.24	Inf	-Inf	97.62	3	Horizontal	261	2.59	-	34.08	5.50	30.96
AV	5.5156G	93.33	Inf	-Inf	84.73	3	Horizontal	261	2.59	-	34.07	5.50	30.97
PK	5.7388G	61.57	68.20	-6.63	53.03	3	Horizontal	261	2.59	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 21
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13539G	49.23	74.00	-24.77	68.65	3	Vertical	344	1.03	-	38.60	8.45	66.47
AV	11.14393G	35.50	54.00	-18.50	54.91	3	Vertical	344	1.03	-	38.60	8.45	66.46
PK	16.71095G	53.12	68.20	-15.08	65.53	3	Vertical	239	2.46	-	39.92	10.77	63.10

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 21
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14061G	49.70	74.00	-24.30	69.12	3	Horizontal	149	1.73	-	38.60	8.45	66.47
AV	11.14452G	35.50	54.00	-18.50	54.91	3	Horizontal	149	1.73	-	38.60	8.45	66.46
PK	16.70825G	52.90	68.20	-15.30	65.31	3	Horizontal	34	2.29	-	39.92	10.77	63.10

5.47-5.725GHz_EHT240_240MHz_Nss4,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 19
05-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	64.11	68.20	-4.09	59.20	3	Vertical	349	1.80	-	32.88	7.50	35.47
AV	5.148G	48.15	54.00	-5.85	43.27	3	Vertical	349	1.80	-	33.00	7.40	35.52
PK	5.4588G	66.63	74.00	-7.37	61.64	3	Vertical	349	1.80	-	32.82	7.60	35.43
AV	5.4532G	53.83	54.00	-0.17	48.86	3	Vertical	349	1.80	-	32.81	7.59	35.43
PK	5.4672G	65.89	68.20	-2.31	60.89	3	Vertical	349	1.80	-	32.83	7.60	35.43
PK	5.4924G	109.37	Inf	-Inf	104.29	3	Vertical	349	1.80	-	32.88	7.62	35.42
AV	5.5148G	96.54	Inf	-Inf	91.46	3	Vertical	349	1.80	-	32.87	7.64	35.43
PK	5.862G	61.78	68.20	-6.42	55.22	3	Vertical	349	1.80	-	34.05	8.07	35.56

5.47-5.725GHz_EHT240_240MHz_Nss4,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 19
05-E-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.02	54.00	-7.98	41.14	3	Horizontal	271	3.00	-	33.00	7.40	35.52
PK	5.3328G	60.24	68.20	-7.96	55.36	3	Horizontal	271	3.00	-	32.83	7.52	35.47
PK	5.4504G	63.29	74.00	-10.71	58.33	3	Horizontal	271	3.00	-	32.80	7.59	35.43
AV	5.4532G	49.72	54.00	-4.28	44.75	3	Horizontal	271	3.00	-	32.81	7.59	35.43
PK	5.4644G	61.72	68.20	-6.48	56.72	3	Horizontal	271	3.00	-	32.83	7.60	35.43
PK	5.5008G	104.23	Inf	-Inf	99.12	3	Horizontal	271	3.00	-	32.90	7.63	35.42
AV	5.498G	91.96	Inf	-Inf	86.85	3	Horizontal	271	3.00	-	32.90	7.63	35.42
PK	5.9684G	60.18	68.20	-8.02	53.48	3	Horizontal	271	3.00	-	34.16	8.14	35.60

5.47-5.725GHz_EHT240_240MHz_Nss4,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 19
05-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22972G	54.56	74.00	-19.44	48.06	3	Vertical	343	1.57	-	38.96	10.73	43.19
AV	11.23422G	41.62	54.00	-12.38	35.11	3	Vertical	343	1.57	-	38.97	10.73	43.19
PK	16.82544G	57.41	68.20	-10.79	48.32	3	Vertical	329	1.47	-	38.20	12.81	41.92

5.47-5.725GHz_EHT240_240MHz_Nss4,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 19
05-E-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23176G	54.49	74.00	-19.51	47.99	3	Horizontal	13	1.58	-	38.96	10.73	43.19
AV	11.23446G	41.71	54.00	-12.29	35.20	3	Horizontal	13	1.58	-	38.97	10.73	43.19
PK	16.81638G	56.88	68.20	-11.32	47.81	3	Horizontal	75	1.54	-	38.17	12.81	41.91




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
EHT240.BF_240MHz_Nss1,(MCS0)_4TX	Pass	AV	5.4588G	53.31	54.00	-0.69	3	Vertical	189	1.80	-

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1118G	61.25	74.00	-12.75	53.03	3	Vertical	338	2.25	-	33.60	5.27	30.65
AV	5.1139G	49.29	54.00	-4.71	41.06	3	Vertical	338	2.25	-	33.60	5.28	30.65
PK	5.2516G	126.18	Inf	-Inf	117.76	3	Vertical	338	2.25	-	33.80	5.38	30.76
AV	5.2516G	114.43	Inf	-Inf	106.01	3	Vertical	338	2.25	-	33.80	5.38	30.76
PK	5.4055G	59.48	74.00	-14.52	50.95	3	Vertical	338	2.25	-	34.00	5.41	30.88
AV	5.4097G	47.54	54.00	-6.46	39.01	3	Vertical	338	2.25	-	34.00	5.42	30.89

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1121G	59.11	74.00	-14.89	50.89	3	Horizontal	246	2.52	-	33.60	5.27	30.65
AV	5.1148G	46.58	54.00	-7.42	38.35	3	Horizontal	246	2.52	-	33.60	5.28	30.65
PK	5.269G	119.06	Inf	-Inf	110.62	3	Horizontal	246	2.52	-	33.84	5.38	30.78
AV	5.269G	108.65	Inf	-Inf	100.21	3	Horizontal	246	2.52	-	33.84	5.38	30.78
PK	5.386G	59.84	74.00	-14.16	51.33	3	Horizontal	246	2.52	-	33.97	5.41	30.87
AV	5.4049G	47.59	54.00	-6.41	39.06	3	Horizontal	246	2.52	-	34.00	5.41	30.88

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53098G	50.58	68.20	-17.62	69.92	3	Vertical	109	1.79	-	38.56	8.24	66.14
PK	15.742G	49.53	74.00	-24.47	64.63	3	Vertical	328	2.36	-	37.52	10.20	62.82
AV	15.7425G	35.88	54.00	-18.12	50.98	3	Vertical	328	2.36	-	37.52	10.20	62.82

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52334G	49.68	68.20	-18.52	69.02	3	Horizontal	268	1.17	-	38.55	8.24	66.13
PK	15.77505G	47.01	74.00	-26.99	62.19	3	Horizontal	108	1.80	-	37.45	10.21	62.84
AV	15.76506G	34.58	54.00	-19.42	49.73	3	Horizontal	108	1.80	-	37.47	10.21	62.83

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2912G	125.00	Inf	-Inf	116.52	3	Vertical	194	1.80	-	33.88	5.39	30.79
AV	5.2912G	112.03	Inf	-Inf	103.55	3	Vertical	194	1.80	-	33.88	5.39	30.79
PK	5.3556G	60.37	74.00	-13.63	51.90	3	Vertical	194	1.80	-	33.91	5.40	30.84
AV	5.3514G	47.87	54.00	-6.13	39.41	3	Vertical	194	1.80	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2912G	118.34	Inf	-Inf	109.86	3	Horizontal	249	2.63	-	33.88	5.39	30.79
AV	5.2918G	107.95	Inf	-Inf	99.47	3	Horizontal	249	2.63	-	33.88	5.39	30.79
PK	5.3548G	59.82	74.00	-14.18	51.35	3	Horizontal	249	2.63	-	33.91	5.40	30.84
AV	5.3934G	46.90	54.00	-7.10	38.37	3	Horizontal	249	2.63	-	33.99	5.41	30.87

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5911G	49.05	68.20	-19.15	68.39	3	Vertical	257	1.71	-	38.60	8.26	66.20
PK	15.8854G	49.12	74.00	-24.88	64.12	3	Vertical	319	2.24	-	37.65	10.25	62.90
AV	15.88521G	35.88	54.00	-18.12	50.90	3	Vertical	319	2.24	-	37.64	10.24	62.90

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58878G	49.65	68.20	-18.55	68.99	3	Horizontal	284	1.80	-	38.60	8.26	66.20
PK	15.8977G	46.98	74.00	-27.02	61.95	3	Horizontal	12	2.22	-	37.69	10.25	62.91
AV	15.93543G	35.24	54.00	-18.76	50.35	3	Horizontal	12	2.22	-	37.56	10.26	62.93

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3113G	124.43	Inf	-Inf	115.95	3	Vertical	156	1.80	-	33.90	5.39	30.81
AV	5.3119G	112.11	Inf	-Inf	103.63	3	Vertical	156	1.80	-	33.90	5.39	30.81
PK	5.3504G	64.04	74.00	-9.96	55.58	3	Vertical	156	1.80	-	33.90	5.40	30.84
AV	5.3512G	51.45	54.00	-2.55	42.99	3	Vertical	156	1.80	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3161G	111.86	Inf	-Inf	103.38	3	Horizontal	332	1.75	-	33.90	5.39	30.81
AV	5.3175G	101.82	Inf	-Inf	93.34	3	Horizontal	332	1.75	-	33.90	5.39	30.81
PK	5.3661G	59.42	74.00	-14.58	50.94	3	Horizontal	332	1.75	-	33.93	5.40	30.85
AV	5.368G	46.43	54.00	-7.57	37.94	3	Horizontal	332	1.75	-	33.94	5.40	30.85

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6787G	49.27	74.00	-24.73	68.77	3	Vertical	63	1.28	-	38.50	8.29	66.29
AV	10.705G	36.30	54.00	-17.70	55.83	3	Vertical	63	1.28	-	38.49	8.30	66.32
PK	15.94524G	49.59	74.00	-24.41	64.75	3	Vertical	190	2.60	-	37.52	10.26	62.94
AV	15.94536G	35.84	54.00	-18.16	51.00	3	Vertical	190	2.60	-	37.52	10.26	62.94

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6229G	49.70	74.00	-24.30	69.12	3	Horizontal	59	1.45	-	38.55	8.27	66.24
AV	10.675G	36.37	54.00	-17.63	55.87	3	Horizontal	59	1.45	-	38.50	8.29	66.29
PK	16.0676G	48.66	74.00	-25.34	63.73	3	Horizontal	343	2.46	-	37.60	10.33	63.00
AV	16.0944G	35.82	54.00	-18.18	50.88	3	Horizontal	343	2.46	-	37.60	10.35	63.01

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.50	74.00	-11.50	53.95	3	Vertical	338	1.80	-	34.02	5.46	30.93
AV	5.46G	50.51	54.00	-3.49	41.96	3	Vertical	338	1.80	-	34.02	5.46	30.93
PK	5.4684G	66.76	68.20	-1.44	58.19	3	Vertical	338	1.80	-	34.04	5.46	30.93
PK	5.4982G	124.20	Inf	-Inf	115.57	3	Vertical	338	1.80	-	34.10	5.49	30.96
AV	5.5084G	112.03	Inf	-Inf	103.41	3	Vertical	338	1.80	-	34.08	5.50	30.96

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4228G	59.77	74.00	-14.23	51.24	3	Horizontal	330	2.24	-	34.00	5.43	30.90
AV	5.4048G	46.57	54.00	-7.43	38.04	3	Horizontal	330	2.24	-	34.00	5.41	30.88
PK	5.4642G	58.67	68.20	-9.53	50.11	3	Horizontal	330	2.24	-	34.03	5.46	30.93
PK	5.5004G	109.94	Inf	-Inf	101.31	3	Horizontal	330	2.24	-	34.10	5.49	30.96
AV	5.4984G	97.82	Inf	-Inf	89.19	3	Horizontal	330	2.24	-	34.10	5.49	30.96

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0519G	48.32	74.00	-25.68	67.86	3	Vertical	279	2.82	-	38.60	8.42	66.56
AV	11.0886G	35.24	54.00	-18.76	54.73	3	Vertical	279	2.82	-	38.60	8.43	66.52
PK	16.4777G	48.42	68.20	-19.78	62.33	3	Vertical	343	2.35	-	38.67	10.61	63.19

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1243G	48.56	74.00	-25.44	68.00	3	Horizontal	185	2.39	-	38.60	8.44	66.48
AV	11.0686G	35.36	54.00	-18.64	54.88	3	Horizontal	185	2.39	-	38.60	8.42	66.54
PK	16.5124G	50.91	68.20	-17.29	64.56	3	Horizontal	34	2.32	-	38.90	10.64	63.19

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4348G	60.39	74.00	-13.61	51.86	3	Vertical	338	1.73	-	34.00	5.44	30.91
AV	5.4352G	49.37	54.00	-4.63	40.84	3	Vertical	338	1.73	-	34.00	5.44	30.91
PK	5.4676G	59.76	68.20	-8.44	51.19	3	Vertical	338	1.73	-	34.04	5.46	30.93
PK	5.5848G	124.38	Inf	-Inf	115.82	3	Vertical	338	1.73	-	34.00	5.56	31.00
AV	5.5848G	111.96	Inf	-Inf	103.40	3	Vertical	338	1.73	-	34.00	5.56	31.00
PK	5.7324G	60.65	68.20	-7.55	52.11	3	Vertical	338	1.73	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4152G	59.06	74.00	-14.94	50.53	3	Horizontal	261	2.64	-	34.00	5.42	30.89
AV	5.4232G	46.95	54.00	-7.05	38.42	3	Horizontal	261	2.64	-	34.00	5.43	30.90
PK	5.4692G	58.58	68.20	-9.62	50.01	3	Horizontal	261	2.64	-	34.04	5.47	30.94
PK	5.588G	111.76	Inf	-Inf	103.20	3	Horizontal	261	2.64	-	34.00	5.56	31.00
AV	5.5888G	100.80	Inf	-Inf	92.24	3	Horizontal	261	2.64	-	34.00	5.56	31.00
PK	5.7712G	58.98	68.20	-9.22	50.40	3	Horizontal	261	2.64	-	34.04	5.62	31.08

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2592G	48.79	74.00	-25.21	67.93	3	Vertical	241	1.56	-	38.70	8.49	66.33
AV	11.1837G	35.87	54.00	-18.13	55.23	3	Vertical	241	1.56	-	38.60	8.46	66.42
PK	16.7428G	50.37	68.20	-17.83	62.66	3	Vertical	352	1.69	-	39.99	10.80	63.08

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.176G	48.44	74.00	-25.56	67.81	3	Horizontal	302	2.75	-	38.60	8.46	66.43
AV	11.1467G	35.96	54.00	-18.04	55.37	3	Horizontal	302	2.75	-	38.60	8.45	66.46
PK	16.7236G	50.55	68.20	-17.65	62.91	3	Horizontal	195	2.08	-	39.95	10.78	63.09

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 Setting 23
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.692G	119.21	Inf	-Inf	110.66	3	Vertical	340	1.86	-	34.00	5.60	31.05
AV	5.6942G	107.00	Inf	-Inf	98.45	3	Vertical	340	1.86	-	34.00	5.60	31.05
PK	5.7258G	66.94	68.20	-1.26	58.39	3	Vertical	340	1.86	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	112.82	Inf	-Inf	104.28	3	Horizontal	263	2.76	-	34.00	5.60	31.06
AV	5.6964G	100.18	Inf	-Inf	91.63	3	Horizontal	263	2.76	-	34.00	5.60	31.05
PK	5.725G	63.66	68.20	-4.54	55.11	3	Horizontal	263	2.76	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3448G	49.89	74.00	-24.11	68.91	3	Vertical	44	2.50	-	38.70	8.52	66.24
AV	11.3552G	36.73	54.00	-17.27	55.73	3	Vertical	44	2.50	-	38.71	8.52	66.23
PK	17.23429G	48.26	68.20	-19.94	58.01	3	Vertical	31	1.60	-	42.21	11.14	63.10

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6701G	48.51	74.00	-25.49	66.46	3	Horizontal	3	2.97	-	39.38	8.63	65.96
AV	11.6749G	35.10	54.00	-18.90	53.02	3	Horizontal	3	2.97	-	39.40	8.63	65.95
PK	17.09454G	51.58	68.20	-16.62	62.07	3	Horizontal	91	1.79	-	41.49	11.04	63.02

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	125.43	Inf	-Inf	116.88	3	Vertical	188	1.67	-	34.00	5.61	31.06
AV	5.728G	113.78	Inf	-Inf	105.23	3	Vertical	188	1.67	-	34.00	5.61	31.06
PK	5.8692G	59.47	68.20	-8.73	50.81	3	Vertical	188	1.67	-	34.08	5.71	31.13

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 28
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7132G	120.81	Inf	-Inf	112.27	3	Horizontal	262	2.78	-	34.00	5.60	31.06
AV	5.712G	108.72	Inf	-Inf	100.18	3	Horizontal	262	2.78	-	34.00	5.60	31.06
PK	5.8796G	59.20	68.20	-9.00	50.49	3	Horizontal	262	2.78	-	34.12	5.72	31.13

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5187G	48.57	74.00	-25.43	67.01	3	Vertical	147	2.86	-	39.04	8.58	66.06
AV	11.4997G	35.86	54.00	-18.14	54.36	3	Vertical	147	2.86	-	39.00	8.57	66.07
PK	17.1226G	51.86	68.20	-16.34	62.19	3	Vertical	204	1.00	-	41.64	11.06	63.03

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.401G	49.84	74.00	-24.16	68.68	3	Horizontal	168	1.45	-	38.80	8.54	66.18
AV	11.4088G	36.40	54.00	-17.60	55.21	3	Horizontal	168	1.45	-	38.82	8.54	66.17
PK	17.14506G	51.02	68.20	-17.18	61.22	3	Horizontal	143	1.69	-	41.77	11.08	63.05

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1449G	59.32	74.00	-14.68	51.09	3	Vertical	196	1.83	-	33.60	5.31	30.68
AV	5.1329G	47.29	54.00	-6.71	39.06	3	Vertical	196	1.83	-	33.60	5.30	30.67
PK	5.2562G	122.08	Inf	-Inf	113.65	3	Vertical	196	1.83	-	33.81	5.38	30.76
AV	5.2517G	109.83	Inf	-Inf	101.41	3	Vertical	196	1.83	-	33.80	5.38	30.76
PK	5.4059G	60.49	74.00	-13.51	51.96	3	Vertical	196	1.83	-	34.00	5.41	30.88
AV	5.4056G	47.63	54.00	-6.37	39.10	3	Vertical	196	1.83	-	34.00	5.41	30.88

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1245G	59.04	74.00	-14.96	50.81	3	Horizontal	276	1.84	-	33.60	5.29	30.66
AV	5.1257G	45.95	54.00	-8.05	37.72	3	Horizontal	276	1.84	-	33.60	5.29	30.66
PK	5.2622G	115.36	Inf	-Inf	106.93	3	Horizontal	276	1.84	-	33.82	5.38	30.77
AV	5.2526G	95.92	Inf	-Inf	87.49	3	Horizontal	276	1.84	-	33.81	5.38	30.76
PK	5.3894G	59.10	74.00	-14.90	50.58	3	Horizontal	276	1.84	-	33.98	5.41	30.87
AV	5.3771G	46.31	54.00	-7.69	37.81	3	Horizontal	276	1.84	-	33.95	5.41	30.86

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52503G	49.55	68.20	-18.65	68.90	3	Vertical	187	1.16	-	38.55	8.24	66.14
PK	15.81657G	47.12	74.00	-26.88	62.33	3	Vertical	46	2.70	-	37.43	10.22	62.86
AV	15.80337G	34.16	54.00	-19.84	49.38	3	Vertical	46	2.70	-	37.41	10.22	62.85

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54519G	49.57	68.20	-18.63	68.89	3	Horizontal	174	2.80	-	38.59	8.25	66.16
PK	15.79722G	47.49	74.00	-26.51	62.71	3	Horizontal	184	1.42	-	37.41	10.22	62.85
AV	15.79704G	34.47	54.00	-19.53	49.69	3	Horizontal	184	1.42	-	37.41	10.22	62.85

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	115.72	Inf	-Inf	107.24	3	Vertical	340	1.80	-	33.90	5.39	30.81
AV	5.306G	102.83	Inf	-Inf	94.34	3	Vertical	340	1.80	-	33.90	5.39	30.80
PK	5.3534G	65.87	74.00	-8.13	57.40	3	Vertical	340	1.80	-	33.91	5.40	30.84
AV	5.3502G	52.44	54.00	-1.56	43.98	3	Vertical	340	1.80	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2912G	108.09	Inf	-Inf	99.61	3	Horizontal	247	2.51	-	33.88	5.39	30.79
AV	5.2912G	97.14	Inf	-Inf	88.66	3	Horizontal	247	2.51	-	33.88	5.39	30.79
PK	5.3518G	66.59	74.00	-7.41	58.13	3	Horizontal	247	2.51	-	33.90	5.40	30.84
AV	5.35G	49.63	54.00	-4.37	41.17	3	Horizontal	247	2.51	-	33.90	5.40	30.84

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6056G	48.91	74.00	-25.09	68.27	3	Vertical	162	1.21	-	38.59	8.27	66.22
AV	10.61859G	35.36	54.00	-18.64	54.76	3	Vertical	162	1.21	-	38.56	8.27	66.23
PK	16.02181G	49.20	74.00	-24.80	64.34	3	Vertical	270	1.65	-	37.54	10.30	62.98
AV	16.01004G	35.08	54.00	-18.92	50.24	3	Vertical	270	1.65	-	37.52	10.29	62.97

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.7087G	49.36	74.00	-24.64	68.90	3	Horizontal	256	2.08	-	38.48	8.30	66.32
AV	10.7001G	35.76	54.00	-18.24	55.27	3	Horizontal	256	2.08	-	38.50	8.30	66.31
PK	15.92612G	48.68	74.00	-25.32	63.75	3	Horizontal	327	1.80	-	37.60	10.26	62.93
AV	15.92602G	33.86	54.00	-20.14	48.93	3	Horizontal	327	1.80	-	37.60	10.26	62.93

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	70.90	74.00	-3.10	62.36	3	Vertical	187	1.00	-	34.01	5.45	30.92
AV	5.46G	49.68	54.00	-4.32	41.13	3	Vertical	187	1.00	-	34.02	5.46	30.93
PK	5.4688G	66.82	68.20	-1.38	58.25	3	Vertical	187	1.00	-	34.04	5.47	30.94
PK	5.5116G	116.24	Inf	-Inf	107.63	3	Vertical	187	1.00	-	34.08	5.50	30.97
AV	5.5048G	103.44	Inf	-Inf	94.82	3	Vertical	187	1.00	-	34.09	5.49	30.96

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4506G	61.13	74.00	-12.87	52.60	3	Horizontal	264	2.78	-	34.00	5.45	30.92
AV	5.4586G	46.68	54.00	-7.32	38.13	3	Horizontal	264	2.78	-	34.02	5.46	30.93
PK	5.4682G	60.86	68.20	-7.34	52.29	3	Horizontal	264	2.78	-	34.04	5.46	30.93
PK	5.526G	112.90	Inf	-Inf	104.31	3	Horizontal	264	2.78	-	34.05	5.51	30.97
AV	5.5272G	100.24	Inf	-Inf	91.65	3	Horizontal	264	2.78	-	34.05	5.51	30.97

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.97833G	48.38	74.00	-25.62	67.99	3	Vertical	188	2.74	-	38.60	8.39	66.60
AV	10.9883G	34.90	54.00	-19.10	54.51	3	Vertical	188	2.74	-	38.60	8.40	66.61
PK	16.52331G	50.35	68.20	-17.85	63.91	3	Vertical	214	2.98	-	38.99	10.64	63.19

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0272G	47.51	74.00	-26.49	67.09	3	Horizontal	172	1.12	-	38.60	8.41	66.59
AV	11.03149G	34.60	54.00	-19.40	54.18	3	Horizontal	172	1.12	-	38.60	8.41	66.59
PK	16.204G	49.14	68.20	-19.06	63.86	3	Horizontal	209	2.72	-	37.92	10.42	63.06

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 28
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	64.01	74.00	-9.99	55.47	3	Vertical	190	1.00	-	34.01	5.45	30.92
AV	5.4G	48.08	54.00	-5.92	39.55	3	Vertical	190	1.00	-	34.00	5.41	30.88
PK	5.4699G	60.74	68.20	-7.46	52.17	3	Vertical	190	1.00	-	34.04	5.47	30.94
PK	5.5401G	119.10	Inf	-Inf	110.54	3	Vertical	190	1.00	-	34.02	5.52	30.98
AV	5.5551G	106.82	Inf	-Inf	98.28	3	Vertical	190	1.00	-	34.00	5.53	30.99

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4144G	59.02	74.00	-14.98	50.49	3	Horizontal	264	2.79	-	34.00	5.42	30.89
AV	5.4132G	47.00	54.00	-7.00	38.47	3	Horizontal	264	2.79	-	34.00	5.42	30.89
PK	5.4648G	57.88	68.20	-10.32	49.32	3	Horizontal	264	2.79	-	34.03	5.46	30.93
PK	5.5374G	117.30	Inf	-Inf	108.73	3	Horizontal	264	2.79	-	34.03	5.52	30.98
AV	5.5335G	104.55	Inf	-Inf	95.98	3	Horizontal	264	2.79	-	34.03	5.52	30.98

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1126G	48.42	74.00	-25.58	67.88	3	Vertical	280	2.90	-	38.60	8.44	66.50
AV	11.0691G	35.05	54.00	-18.95	54.57	3	Vertical	280	2.90	-	38.60	8.42	66.54
PK	16.65921G	50.56	68.20	-17.64	63.12	3	Vertical	209	1.78	-	39.82	10.74	63.12

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1208G	49.15	74.00	-24.85	68.60	3	Horizontal	173	1.58	-	38.60	8.44	66.49
AV	11.0916G	35.05	54.00	-18.95	54.54	3	Horizontal	173	1.58	-	38.60	8.43	66.52
PK	16.6176G	51.56	68.20	-16.64	64.32	3	Horizontal	47	1.88	-	39.67	10.71	63.14

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6802G	121.58	Inf	-Inf	113.03	3	Vertical	187	1.73	-	34.00	5.59	31.04
AV	5.6718G	108.84	Inf	-Inf	100.29	3	Vertical	187	1.73	-	34.00	5.59	31.04
PK	5.7254G	66.36	68.20	-1.84	57.81	3	Vertical	187	1.73	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6786G	109.44	Inf	-Inf	100.89	3	Horizontal	318	1.76	-	34.00	5.59	31.04
AV	5.6778G	97.07	Inf	-Inf	88.52	3	Horizontal	318	1.76	-	34.00	5.59	31.04
PK	5.7284G	60.69	68.20	-7.51	52.15	3	Horizontal	318	1.76	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX



EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34954G	48.84	74.00	-25.16	67.86	3	Vertical	8	1.75	-	38.70	8.52	66.24
AV	11.3529G	35.92	54.00	-18.08	54.92	3	Vertical	8	1.75	-	38.71	8.52	66.23
PK	17.00583G	50.97	68.20	-17.23	61.55	3	Vertical	226	1.23	-	41.40	10.98	62.96

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4511G	49.04	74.00	-24.96	67.71	3	Horizontal	42	2.87	-	38.90	8.55	66.12
AV	11.3816G	36.18	54.00	-17.82	55.09	3	Horizontal	42	2.87	-	38.76	8.53	66.20
PK	16.99617G	52.16	68.20	-16.04	62.77	3	Horizontal	283	1.34	-	41.38	10.97	62.96

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 28
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	122.32	Inf	-Inf	113.77	3	Vertical	191	1.80	-	34.00	5.60	31.05
AV	5.7244G	108.80	Inf	-Inf	100.25	3	Vertical	191	1.80	-	34.00	5.61	31.06
PK	5.8752G	59.38	68.20	-8.82	50.70	3	Vertical	191	1.80	-	34.10	5.71	31.13

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 28
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	116.80	Inf	-Inf	108.25	3	Horizontal	257	2.68	-	34.00	5.61	31.06
AV	5.7192G	103.52	Inf	-Inf	94.97	3	Horizontal	257	2.68	-	34.00	5.61	31.06
PK	5.8536G	58.67	68.20	-9.53	50.09	3	Horizontal	257	2.68	-	34.01	5.69	31.12

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41001G	48.67	74.00	-25.33	67.48	3	Vertical	80	2.25	-	38.82	8.54	66.17
AV	11.41106G	35.90	54.00	-18.10	54.71	3	Vertical	80	2.25	-	38.82	8.54	66.17
PK	17.1234G	52.00	68.20	-16.20	62.33	3	Vertical	56	2.85	-	41.64	11.06	63.03

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3647G	49.28	74.00	-24.72	68.25	3	Horizontal	193	1.82	-	38.73	8.52	66.22
AV	11.3493G	36.27	54.00	-17.73	55.29	3	Horizontal	193	1.82	-	38.70	8.52	66.24
PK	17.12661G	52.36	68.20	-15.84	62.68	3	Horizontal	283	1.15	-	41.66	11.06	63.04

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0845G	59.43	74.00	-14.57	51.28	3	Vertical	161	1.74	-	33.54	5.24	30.63
AV	5.1365G	46.10	54.00	-7.90	37.87	3	Vertical	161	1.74	-	33.60	5.30	30.67
PK	5.3G	113.06	Inf	-Inf	104.57	3	Vertical	161	1.74	-	33.90	5.39	30.80
AV	5.303G	99.96	Inf	-Inf	91.47	3	Vertical	161	1.74	-	33.90	5.39	30.80
PK	5.3535G	65.61	74.00	-8.39	57.14	3	Vertical	161	1.74	-	33.91	5.40	30.84
AV	5.3505G	52.39	54.00	-1.61	43.93	3	Vertical	161	1.74	-	33.90	5.40	30.84
PK	5.483G	58.20	68.20	-10.00	49.60	3	Vertical	161	1.74	-	34.07	5.48	30.95

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.112G	58.53	74.00	-15.47	50.31	3	Horizontal	244	1.80	-	33.60	5.27	30.65
AV	5.094G	45.77	54.00	-8.23	37.58	3	Horizontal	244	1.80	-	33.58	5.25	30.64
PK	5.288G	103.14	Inf	-Inf	94.66	3	Horizontal	244	1.80	-	33.88	5.39	30.79
AV	5.2885G	90.03	Inf	-Inf	81.55	3	Horizontal	244	1.80	-	33.88	5.39	30.79
PK	5.381G	59.60	74.00	-14.40	51.09	3	Horizontal	244	1.80	-	33.96	5.41	30.86
AV	5.354G	46.80	54.00	-7.20	38.33	3	Horizontal	244	1.80	-	33.91	5.40	30.84
PK	5.4945G	58.71	68.20	-9.49	50.09	3	Horizontal	244	1.80	-	34.09	5.49	30.96

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58756G	49.10	68.20	-19.10	68.44	3	Vertical	284	1.98	-	38.60	8.26	66.20
PK	15.87222G	48.34	74.00	-25.66	63.40	3	Vertical	198	1.35	-	37.59	10.24	62.89
AV	15.86298G	35.35	54.00	-18.65	50.45	3	Vertical	198	1.35	-	37.55	10.24	62.89

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 23
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57436G	49.31	68.20	-18.89	68.64	3	Horizontal	311	2.54	-	38.60	8.26	66.19
PK	15.87228G	49.00	74.00	-25.00	64.06	3	Horizontal	233	1.97	-	37.59	10.24	62.89
AV	15.85641G	35.48	54.00	-18.52	50.59	3	Horizontal	233	1.97	-	37.53	10.24	62.88

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	59.28	68.20	-8.92	50.81	3	Vertical	167	1.80	-	33.90	5.40	30.83
AV	5.35G	46.25	54.00	-7.75	37.79	3	Vertical	167	1.80	-	33.90	5.40	30.84
PK	5.456G	66.45	74.00	-7.55	57.91	3	Vertical	167	1.80	-	34.01	5.45	30.92
PK	5.466G	66.99	68.20	-1.21	58.43	3	Vertical	167	1.80	-	34.03	5.46	30.93
PK	5.56G	113.47	Inf	-Inf	104.92	3	Vertical	167	1.80	-	34.00	5.54	30.99
AV	5.5655G	101.17	Inf	-Inf	92.62	3	Vertical	167	1.80	-	34.00	5.54	30.99
PK	5.75G	59.35	68.20	-8.85	50.81	3	Vertical	167	1.80	-	34.00	5.62	31.08

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3115G	58.33	68.20	-9.87	49.85	3	Horizontal	277	1.00	-	33.90	5.39	30.81
AV	5.35G	45.47	54.00	-8.53	37.01	3	Horizontal	277	1.00	-	33.90	5.40	30.84
PK	5.46G	61.07	74.00	-12.93	52.52	3	Horizontal	277	1.00	-	34.02	5.46	30.93
PK	5.4695G	63.14	68.20	-5.06	54.57	3	Horizontal	277	1.00	-	34.04	5.47	30.94
PK	5.5175G	105.02	Inf	-Inf	96.42	3	Horizontal	277	1.00	-	34.07	5.50	30.97
AV	5.507G	92.72	Inf	-Inf	84.09	3	Horizontal	277	1.00	-	34.09	5.50	30.96
PK	5.7545G	59.61	68.20	-8.59	51.06	3	Horizontal	277	1.00	-	34.01	5.62	31.08

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05553G	48.66	74.00	-25.34	68.20	3	Vertical	270	1.46	-	38.60	8.42	66.56
AV	11.07257G	35.02	54.00	-18.98	54.54	3	Vertical	270	1.46	-	38.60	8.42	66.54
PK	16.60155G	51.03	68.20	-17.17	63.87	3	Vertical	33	2.27	-	39.61	10.70	63.15

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06831G	48.69	74.00	-25.31	68.21	3	Horizontal	320	1.76	-	38.60	8.42	66.54
AV	11.06906G	34.87	54.00	-19.13	54.39	3	Horizontal	320	1.76	-	38.60	8.42	66.54
PK	16.58877G	51.07	68.20	-17.13	64.03	3	Horizontal	313	1.62	-	39.51	10.69	63.16

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	61.19	74.00	-12.81	52.64	3	Vertical	190	1.80	-	34.02	5.46	30.93
AV	5.4595G	49.45	54.00	-4.55	40.90	3	Vertical	190	1.80	-	34.02	5.46	30.93
PK	5.4625G	62.03	68.20	-6.17	53.48	3	Vertical	190	1.80	-	34.02	5.46	30.93
PK	5.583G	119.11	Inf	-Inf	110.55	3	Vertical	190	1.80	-	34.00	5.56	31.00
AV	5.6205G	105.28	Inf	-Inf	96.72	3	Vertical	190	1.80	-	34.00	5.58	31.02
PK	5.725G	61.19	68.20	-7.01	52.64	3	Vertical	190	1.80	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4175G	58.93	74.00	-15.07	50.40	3	Horizontal	290	3.00	-	34.00	5.42	30.89
AV	5.397G	46.26	54.00	-7.74	37.74	3	Horizontal	290	3.00	-	33.99	5.41	30.88
PK	5.4635G	57.93	68.20	-10.27	49.37	3	Horizontal	290	3.00	-	34.03	5.46	30.93
PK	5.643G	107.23	Inf	-Inf	98.68	3	Horizontal	290	3.00	-	34.00	5.58	31.03
AV	5.645G	95.08	Inf	-Inf	86.53	3	Horizontal	290	3.00	-	34.00	5.58	31.03
PK	5.7255G	61.44	68.20	-6.76	52.89	3	Horizontal	290	3.00	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23113G	49.07	74.00	-24.93	68.30	3	Vertical	337	1.52	-	38.66	8.48	66.37
AV	11.23257G	35.58	54.00	-18.42	54.79	3	Vertical	337	1.52	-	38.67	8.48	66.36
PK	16.83414G	50.62	68.20	-17.58	62.30	3	Vertical	19	2.14	-	40.50	10.86	63.04

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22588G	49.33	74.00	-24.67	68.57	3	Horizontal	67	2.38	-	38.65	8.48	66.37
AV	11.23302G	35.64	54.00	-18.36	54.85	3	Horizontal	67	2.38	-	38.67	8.48	66.36
PK	16.82745G	50.81	68.20	-17.39	62.53	3	Horizontal	296	1.54	-	40.46	10.86	63.04

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.05	74.00	-13.95	51.50	3	Vertical	337	1.80	-	34.02	5.46	30.93
AV	5.4595G	47.60	54.00	-6.40	39.05	3	Vertical	337	1.80	-	34.02	5.46	30.93
PK	5.468G	58.55	68.20	-9.65	49.98	3	Vertical	337	1.80	-	34.04	5.46	30.93
PK	5.6545G	118.35	Inf	-Inf	109.79	3	Vertical	337	1.80	-	34.00	5.59	31.03
AV	5.6925G	105.65	Inf	-Inf	97.10	3	Vertical	337	1.80	-	34.00	5.60	31.05
PK	5.864G	59.33	68.20	-8.87	50.70	3	Vertical	337	1.80	-	34.06	5.70	31.13

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 28
 02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4445G	57.99	74.00	-16.01	49.46	3	Horizontal	297	1.21	-	34.00	5.45	30.92
PK	5.4665G	57.78	68.20	-10.42	49.22	3	Horizontal	297	1.21	-	34.03	5.46	30.93
AV	5.46G	46.26	54.00	-7.74	37.71	3	Horizontal	297	1.21	-	34.02	5.46	30.93
PK	5.717G	107.09	Inf	-Inf	98.54	3	Horizontal	297	1.21	-	34.00	5.61	31.06
AV	5.718G	94.66	Inf	-Inf	86.11	3	Horizontal	297	1.21	-	34.00	5.61	31.06
PK	5.9205G	59.27	68.20	-8.93	50.46	3	Horizontal	297	1.21	-	34.20	5.76	31.15

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37226G	50.86	74.00	-23.14	69.80	3	Vertical	55	2.94	-	38.74	8.53	66.21
AV	11.3719G	36.35	54.00	-17.65	55.29	3	Vertical	55	2.94	-	38.74	8.53	66.21
PK	17.08134G	51.69	68.20	-16.51	62.21	3	Vertical	22	2.85	-	41.46	11.03	63.01

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37313G	50.26	74.00	-23.74	69.19	3	Horizontal	72	2.75	-	38.75	8.53	66.21
AV	11.37205G	36.60	54.00	-17.40	55.54	3	Horizontal	72	2.75	-	38.74	8.53	66.21
PK	17.05641G	52.02	68.20	-16.18	62.59	3	Horizontal	22	2.40	-	41.41	11.01	62.99

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.49	74.00	-11.51	54.26	3	Vertical	156	1.80	-	33.60	5.31	30.68
AV	5.1476G	50.62	54.00	-3.38	42.39	3	Vertical	156	1.80	-	33.60	5.31	30.68
PK	5.2556G	110.15	Inf	-Inf	101.72	3	Vertical	156	1.80	-	33.81	5.38	30.76
AV	5.23G	98.13	Inf	-Inf	89.73	3	Vertical	156	1.80	-	33.76	5.38	30.74
PK	5.394G	67.81	74.00	-6.19	59.29	3	Vertical	156	1.80	-	33.99	5.41	30.88
AV	5.3532G	52.07	54.00	-1.93	43.60	3	Vertical	156	1.80	-	33.91	5.40	30.84
PK	5.462G	59.06	68.20	-9.14	50.51	3	Vertical	156	1.80	-	34.02	5.46	30.93

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.106G	58.49	74.00	-15.51	50.26	3	Horizontal	197.4	1.03	-	33.60	5.27	30.64
AV	5.106G	46.74	54.00	-7.26	38.51	3	Horizontal	197.4	1.03	-	33.60	5.27	30.64
PK	5.242G	99.73	Inf	-Inf	91.32	3	Horizontal	197.4	1.03	-	33.78	5.38	30.75
AV	5.242G	87.64	Inf	-Inf	79.23	3	Horizontal	197.4	1.03	-	33.78	5.38	30.75
PK	5.3788G	61.15	74.00	-12.85	52.64	3	Horizontal	197.4	1.03	-	33.96	5.41	30.86
AV	5.3756G	46.16	54.00	-7.84	37.66	3	Horizontal	197.4	1.03	-	33.95	5.41	30.86
PK	5.5796G	58.54	68.20	-9.66	49.99	3	Horizontal	197.4	1.03	-	34.00	5.55	31.00

5.25-5.35GHz 802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX








EUT_Y_4TX
Setting 24
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50648G	49.46	68.20	-18.74	68.84	3	Vertical	75	2.00	-	38.51	8.23	66.12
PK	15.73911G	49.81	74.00	-24.19	64.90	3	Vertical	116	1.08	-	37.52	10.20	62.81
AV	15.735G	36.44	54.00	-17.56	51.52	3	Vertical	116	1.08	-	37.53	10.20	62.81

5.25-5.35GHz 802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


19/04/2024

EUT_Y_4TX
Setting 24
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49877G	49.67	68.20	-18.53	69.05	3	Horizontal	141	2.37	-	38.50	8.23	66.11
PK	15.74862G	49.48	74.00	-24.52	64.60	3	Horizontal	277	2.85	-	37.50	10.20	62.82
AV	15.7452G	36.40	54.00	-17.60	51.51	3	Horizontal	277	2.85	-	37.51	10.20	62.82

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	59.58	68.20	-8.62	51.12	3	Vertical	213	1.80	-	33.90	5.40	30.84
AV	5.35G	47.15	54.00	-6.85	38.69	3	Vertical	213	1.80	-	33.90	5.40	30.84
PK	5.4596G	63.92	74.00	-10.08	55.37	3	Vertical	213	1.80	-	34.02	5.46	30.93
AV	5.4588G	52.62	54.00	-1.38	44.07	3	Vertical	213	1.80	-	34.02	5.46	30.93
PK	5.47G	65.69	68.20	-2.51	57.12	3	Vertical	213	1.80	-	34.04	5.47	30.94
AV	5.5276G	99.41	Inf	-Inf	90.83	3	Vertical	213	1.80	-	34.04	5.51	30.97
PK	5.6292G	112.62	Inf	-Inf	104.06	3	Vertical	213	1.80	-	34.00	5.58	31.02
PK	5.726G	65.28	68.20	-2.92	56.73	3	Vertical	213	1.80	-	34.00	5.61	31.06

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2628G	58.82	68.20	-9.38	50.38	3	Horizontal	83.8	2.92	-	33.83	5.38	30.77
AV	5.35G	45.74	54.00	-8.26	37.28	3	Horizontal	83.8	2.92	-	33.90	5.40	30.84
PK	5.454G	61.47	74.00	-12.53	52.93	3	Horizontal	83.8	2.92	-	34.01	5.45	30.92
AV	5.4596G	47.55	54.00	-6.45	39.00	3	Horizontal	83.8	2.92	-	34.02	5.46	30.93
PK	5.4676G	60.03	68.20	-8.17	51.46	3	Horizontal	83.8	2.92	-	34.04	5.46	30.93
PK	5.514G	100.63	Inf	-Inf	92.03	3	Horizontal	83.8	2.92	-	34.07	5.50	30.97
AV	5.5684G	88.79	Inf	-Inf	80.24	3	Horizontal	83.8	2.92	-	34.00	5.54	30.99
PK	5.7428G	59.85	68.20	-8.35	51.31	3	Horizontal	83.8	2.92	-	34.00	5.61	31.07

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12665G	47.98	74.00	-26.02	67.42	3	Vertical	85	2.58	-	38.60	8.44	66.48
AV	11.14531G	35.24	54.00	-18.76	54.65	3	Vertical	85	2.58	-	38.60	8.45	66.46
PK	16.69677G	50.57	68.20	-17.63	63.03	3	Vertical	105	2.24	-	39.89	10.76	63.11

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 26
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14573G	48.41	74.00	-25.59	67.82	3	Horizontal	68	2.34	-	38.60	8.45	66.46
AV	11.14564G	35.22	54.00	-18.78	54.63	3	Horizontal	68	2.34	-	38.60	8.45	66.46
PK	16.69887G	51.28	68.20	-16.92	63.71	3	Horizontal	88	2.28	-	39.90	10.77	63.10

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	60.76	74.00	-13.24	53.11	3	Vertical	270	2.93	-	32.10	6.91	31.36
AV	5.1396G	49.00	54.00	-5.00	41.35	3	Vertical	270	2.93	-	32.10	6.91	31.36
PK	5.2516G	62.21	68.20	-5.99	55.05	3	Vertical	189	1.80	-	31.60	6.98	31.42
PK	5.442G	64.83	74.00	-9.17	57.46	3	Vertical	189	1.80	-	31.77	7.12	31.52
PK	5.47G	66.09	68.20	-2.11	58.64	3	Vertical	189	1.80	-	31.84	7.14	31.53
AV	5.4588G	53.31	54.00	-0.69	45.89	3	Vertical	189	1.80	-	31.82	7.13	31.53
PK	5.7192G	111.63	Inf	-Inf	103.87	3	Vertical	189	1.80	-	32.02	7.32	31.58
AV	5.6268G	98.53	Inf	-Inf	91.11	3	Vertical	189	1.80	-	31.75	7.24	31.57
PK	5.96G	60.00	68.20	-8.20	51.58	3	Vertical	189	1.80	-	32.58	7.45	31.61

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
06-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.106G	59.72	74.00	-14.28	52.07	3	Horizontal	270	2.93	-	32.10	6.89	31.34
AV	5.1172G	47.20	54.00	-6.80	39.54	3	Horizontal	270	2.93	-	31.66	6.97	31.41
PK	5.2348G	60.69	68.20	-7.51	53.47	3	Horizontal	270	2.93	-	31.81	7.13	31.53
PK	5.456G	62.59	74.00	-11.41	55.18	3	Horizontal	270	2.93	-	31.82	7.13	31.53
AV	5.4588G	49.52	54.00	-4.48	42.10	3	Horizontal	270	2.93	-	31.83	7.13	31.53
PK	5.4672G	62.36	68.20	-5.84	54.93	3	Horizontal	270	2.93	-	31.90	7.16	31.55
PK	5.5036G	106.28	Inf	-Inf	98.77	3	Horizontal	270	2.93	-	31.90	7.18	31.55
AV	5.5344G	93.50	Inf	-Inf	85.97	3	Horizontal	270	2.93	-	32.55	7.46	31.61
PK	5.9768G	60.39	68.20	-7.81	51.99	3	Horizontal	270	2.93	-			

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 23
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21668G	59.65	74.00	-14.35	42.05	3	Vertical	306	2.95	-	39.80	10.44	32.64
AV	11.21632G	45.83	54.00	-8.17	28.23	3	Vertical	306	2.95	-	39.80	10.44	32.64
PK	16.82794G	65.45	68.20	-2.75	45.29	3	Vertical	313	1.72	-	40.46	13.04	33.34

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_4TX

5610MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 23
06-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21928G	59.91	74.00	-14.09	42.31	3	Horizontal	357	1.80	-	39.80	10.44	32.64
AV	11.22362G	45.85	54.00	-8.15	28.26	3	Horizontal	357	1.80	-	39.80	10.44	32.65
PK	16.83111G	65.44	68.20	-2.76	45.29	3	Horizontal	274	2.57	-	40.46	13.04	33.35