







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.27	5.00
6175MHz	Pass	4.97	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.98	5.00
6475MHz	Pass	4.69	5.00
6515MHz	Pass	4.54	5.00
6535MHz	Pass	4.78	5.00
6695MHz	Pass	4.98	5.00
6855MHz	Pass	4.60	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6895MHz	Pass	4.70	5.00
6995MHz	Pass	4.59	5.00
7095MHz	Pass	4.54	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.84	5.00
6165MHz	Pass	4.96	5.00
6405MHz	Pass	4.82	5.00
6445MHz	Pass	4.57	5.00
6485MHz	Pass	4.54	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.73	5.00
6565MHz	Pass	4.80	5.00
6685MHz	Pass	4.69	5.00
6845MHz	Pass	4.67	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.96	5.00
6925MHz	Pass	4.57	5.00
7005MHz	Pass	4.97	5.00
7085MHz	Pass	4.58	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.90	5.00
6145MHz	Pass	4.60	5.00
6385MHz	Pass	4.75	5.00
6465MHz	Pass	4.90	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.91	5.00
6625MHz	Pass	4.56	5.00
6705MHz	Pass	4.53	5.00
6785MHz	Pass	4.54	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.75	5.00
6945MHz	Pass	4.52	5.00
7025MHz	Pass	4.98	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	3.80	5.00
6185MHz	Pass	4.63	5.00
6345MHz	Pass	4.51	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.94	5.00
6665MHz	Pass	4.88	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.75	5.00
6985MHz	Pass	4.96	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-1.23	4.79
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.49	4.53
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-1.68	4.34
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-1.39	4.63
6.425-6.525GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-1.74	4.28
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.69	4.33
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-1.92	4.10
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-2.77	3.25
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-1.51	4.51
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.15	4.87
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-1.13	4.89
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-1.81	4.21
6.875-7.125GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-1.71	4.31
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-1.39	4.63
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-1.99	4.03
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-1.97	4.05

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:











Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.79	5.00
6175MHz	Pass	3.58	5.00
6415MHz	Pass	3.91	5.00
6435MHz	Pass	3.87	5.00
6475MHz	Pass	2.78	5.00
6515MHz	Pass	4.28	5.00
6535MHz	Pass	4.11	5.00
6695MHz	Pass	4.51	5.00
6855MHz	Pass	4.11	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	3.51	5.00
6895MHz	Pass	3.86	5.00
6995MHz	Pass	4.31	5.00
7095MHz	Pass	3.37	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.53	5.00
6165MHz	Pass	3.53	5.00
6405MHz	Pass	4.33	5.00
6445MHz	Pass	3.95	5.00
6485MHz	Pass	4.33	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.11	5.00
6565MHz	Pass	4.75	5.00
6685MHz	Pass	4.65	5.00
6845MHz	Pass	4.53	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.87	5.00
6925MHz	Pass	3.65	5.00
7005MHz	Pass	3.79	5.00
7085MHz	Pass	4.63	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.32	5.00
6145MHz	Pass	4.18	5.00
6385MHz	Pass	4.34	5.00
6465MHz	Pass	4.10	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.03	5.00
6625MHz	Pass	3.88	5.00
6705MHz	Pass	3.79	5.00
6785MHz	Pass	4.89	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	3.69	5.00
6945MHz	Pass	4.03	5.00
7025MHz	Pass	3.35	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.37	5.00
6185MHz	Pass	4.63	5.00
6345MHz	Pass	4.17	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	3.25	5.00
6665MHz	Pass	4.21	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	3.19	5.00
6985MHz	Pass	4.05	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















































































**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	37.76M	36.26	40.00	-3.74	Vertical




Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	37.76M	36.26	40.00	-3.74	-11.34	3	Vertical	279	1.00	"Worst"	47.60	19.85	0.53	31.72
QP	48.43M	32.89	40.00	-7.11	-16.61	3	Vertical	0	1.00	-	49.50	14.59	0.65	31.85
PK	76.56M	33.77	40.00	-6.23	-18.69	3	Vertical	218	1.25	-	52.46	12.37	0.91	31.97
PK	87.23M	28.85	40.00	-11.15	-16.93	3	Vertical	104	1.50	-	45.78	14.02	1.00	31.95
PK	125.06M	33.51	43.50	-9.99	-12.81	3	Vertical	86	1.25	-	46.32	17.89	1.28	31.98
PK	209.45M	30.95	43.50	-12.55	-15.31	3	Vertical	164	1.00	-	46.26	14.93	1.78	32.02

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	40.67M	30.38	40.00	-9.62	-12.98	3	Horizontal	112	2.00	"Worst"	43.36	18.22	0.56	31.76
PK	48.43M	28.46	40.00	-11.54	-16.61	3	Horizontal	72	3.00	-	45.07	14.59	0.65	31.85
PK	84.32M	26.34	40.00	-13.66	-17.52	3	Horizontal	357	1.00	-	43.86	13.46	0.97	31.95
PK	125.06M	30.84	43.50	-12.66	-12.81	3	Horizontal	181	3.00	-	43.65	17.89	1.28	31.98
PK	941.8M	30.42	46.00	-15.58	-1.80	3	Horizontal	349	1.50	-	32.22	26.39	4.29	32.48
PK	960M	30.49	46.00	-15.51	-1.49	3	Horizontal	160	1.00	-	31.98	26.63	4.33	32.45




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	17.95537G	48.23	54.00	-5.77	3	Horizontal	162	2.98	-

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8944G	62.18	88.20	-26.02	53.37	3	Vertical	139	2.23	6.5	35.26	6.35	32.80
RMS	5.9016G	50.98	68.20	-17.22	42.12	3	Vertical	139	2.23	6.5	35.31	6.35	32.80
PK	5.9532G	108.35	Inf	-Inf	99.29	3	Vertical	139	2.23	6.5	35.50	6.38	32.82
RMS	5.953G	97.91	Inf	-Inf	88.85	3	Vertical	139	2.23	6.5	35.50	6.38	32.82

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.886G	62.25	88.20	-25.95	53.51	3	Horizontal	129	1.80	6.5	35.19	6.34	32.79
RMS	5.9048G	50.97	68.20	-17.23	42.10	3	Horizontal	129	1.80	6.5	35.32	6.35	32.80
PK	5.9572G	105.93	Inf	-Inf	96.87	3	Horizontal	129	1.80	6.5	35.50	6.38	32.82
RMS	5.957G	93.94	Inf	-Inf	84.88	3	Horizontal	129	1.80	6.5	35.50	6.38	32.82

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91013G	53.45	74.00	-20.55	48.33	3	Vertical	67	1.50	-	38.81	9.06	42.75
AV	11.90976G	40.59	54.00	-13.41	35.47	3	Vertical	67	1.50	-	38.81	9.06	42.75
PK	17.86453G	60.92	74.00	-13.08	48.67	3	Vertical	45	1.13	-	42.69	11.45	41.89
AV	17.86533G	47.41	54.00	-6.59	35.15	3	Vertical	45	1.13	-	42.70	11.45	41.89

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91047G	53.69	74.00	-20.31	48.57	3	Horizontal	104	1.50	-	38.81	9.06	42.75
AV	11.90957G	40.44	54.00	-13.56	35.32	3	Horizontal	104	1.50	-	38.81	9.06	42.75
PK	17.86496G	60.82	74.00	-13.18	48.57	3	Horizontal	339	1.43	-	42.69	11.45	41.89
AV	17.86529G	47.70	54.00	-6.30	35.44	3	Horizontal	339	1.43	-	42.70	11.45	41.89

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9092G	62.13	97.74	-35.61	53.24	3	Vertical	46	1.49	7.5	35.34	6.35	32.80
RMS	5.9092G	50.96	68.20	-17.24	42.07	3	Vertical	46	1.49	7.5	35.34	6.35	32.80
PK	6.1738G	107.95	Inf	-Inf	98.56	3	Vertical	46	1.49	7.5	35.75	6.49	32.85
RMS	6.1732G	98.45	Inf	-Inf	89.06	3	Vertical	46	1.49	7.5	35.75	6.49	32.85



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9092G	61.28	88.20	-26.92	52.39	3	Horizontal	129	1.80	7.5	35.34	6.35	32.80
RMS	5.8996G	50.98	68.20	-17.22	42.13	3	Horizontal	129	1.80	7.5	35.30	6.35	32.80
PK	6.1786G	107.90	Inf	-Inf	98.50	3	Horizontal	129	1.80	7.5	35.76	6.49	32.85
RMS	6.1774G	96.66	Inf	-Inf	87.27	3	Horizontal	129	1.80	7.5	35.75	6.49	32.85

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34963G	53.07	74.00	-20.93	47.63	3	Vertical	276	1.23	-	38.90	9.24	42.70
AV	12.3498G	40.19	54.00	-13.81	34.75	3	Vertical	276	1.23	-	38.90	9.24	42.70

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3498G	54.12	74.00	-19.88	48.68	3	Horizontal	62	1.34	-	38.90	9.24	42.70
AV	12.35023G	40.33	54.00	-13.67	34.89	3	Horizontal	62	1.34	-	38.90	9.24	42.70

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51624G	59.43	83.54	-24.11	70.64	1	Vertical	171	1.50	-	37.61	14.58	63.40
AV	18.51582G	45.38	63.54	-18.16	56.59	1	Vertical	171	1.50	-	37.61	14.58	63.40

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52443G	58.56	83.54	-24.98	69.77	1	Horizontal	198	1.63	-	37.61	14.58	63.40
AV	18.51297G	45.35	63.54	-18.19	56.56	1	Horizontal	198	1.63	-	37.61	14.58	63.40

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	61.40	88.20	-26.80	52.57	3	Vertical	147	2.95	6.5	35.28	6.35	32.80
RMS	5.9038G	50.97	68.20	-17.23	42.10	3	Vertical	147	2.95	6.5	35.32	6.35	32.80
PK	6.4126G	107.58	Inf	-Inf	98.13	3	Vertical	147	2.95	6.5	35.70	6.61	32.86
RMS	6.4126G	98.36	Inf	-Inf	88.91	3	Vertical	147	2.95	6.5	35.70	6.61	32.86

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8846G	61.53	88.20	-26.67	52.80	3	Horizontal	133	1.44	6.5	35.18	6.34	32.79
RMS	5.9014G	50.97	68.20	-17.23	42.11	3	Horizontal	133	1.44	6.5	35.31	6.35	32.80
PK	6.4174G	105.66	Inf	-Inf	96.20	3	Horizontal	133	1.44	6.5	35.70	6.62	32.86
RMS	6.4174G	95.34	Inf	-Inf	85.88	3	Horizontal	133	1.44	6.5	35.70	6.62	32.86

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8296G	54.60	88.20	-33.60	48.17	3	Vertical	94	2.35	-	39.63	9.43	42.63
RMS	12.83002G	40.49	68.20	-27.71	34.06	3	Vertical	94	2.35	-	39.63	9.43	42.63



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83G	53.88	88.20	-34.32	47.45	3	Horizontal	140	2.00	-	39.63	9.43	42.63
RMS	12.82998G	40.64	68.20	-27.56	34.21	3	Horizontal	140	2.00	-	39.63	9.43	42.63

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24878G	57.31	83.54	-26.23	68.17	1	Vertical	100	1.37	-	37.60	14.84	63.30
AV	19.23024G	44.39	63.54	-19.15	55.29	1	Vertical	100	1.37	-	37.59	14.83	63.32

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23597G	57.94	83.54	-25.60	68.83	1	Horizontal	141	1.50	-	37.59	14.83	63.31
AV	19.23549G	44.40	63.54	-19.14	55.29	1	Horizontal	141	1.50	-	37.59	14.83	63.31

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8903G	62.87	88.20	-25.33	54.10	3	Vertical	147	2.95	7	35.22	6.35	32.80
RMS	5.902G	50.97	68.20	-17.23	42.11	3	Vertical	147	2.95	7	35.31	6.35	32.80
PK	6.4324G	107.39	Inf	-Inf	97.92	3	Vertical	147	2.95	7	35.70	6.63	32.86
RMS	6.4324G	98.82	Inf	-Inf	89.35	3	Vertical	147	2.95	7	35.70	6.63	32.86

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8825G	61.37	88.20	-26.83	52.66	3	Horizontal	135	1.80	7	35.16	6.34	32.79
RMS	5.902G	50.97	68.20	-17.23	42.11	3	Horizontal	135	1.80	7	35.31	6.35	32.80
PK	6.4363G	103.97	Inf	-Inf	94.49	3	Horizontal	135	1.80	7	35.70	6.64	32.86
RMS	6.4363G	94.98	Inf	-Inf	85.50	3	Horizontal	135	1.80	7	35.70	6.64	32.86

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87008G	53.61	88.20	-34.59	47.11	3	Vertical	13	1.33	-	39.67	9.45	42.62
RMS	12.86957G	40.45	68.20	-27.75	33.95	3	Vertical	13	1.33	-	39.67	9.45	42.62

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86978G	53.59	88.20	-34.61	47.09	3	Horizontal	263	2.45	-	39.67	9.45	42.62
RMS	12.8696G	40.41	68.20	-27.79	33.91	3	Horizontal	263	2.45	-	39.67	9.45	42.62

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29596G	61.23	83.54	-22.31	72.02	1	Vertical	56	1.50	-	37.62	14.85	63.26
AV	19.2959G	55.00	63.54	-8.54	65.79	1	Vertical	56	1.50	-	37.62	14.85	63.26



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29594G	62.85	83.54	-20.69	73.64	1	Horizontal	152	1.75	-	37.62	14.85	63.26
AV	19.29588G	57.22	63.54	-6.32	68.01	1	Horizontal	152	1.75	-	37.62	14.85	63.26

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9192G	61.35	88.20	-26.85	52.42	3	Vertical	147	2.95	6.5	35.38	6.36	32.81
RMS	5.8982G	50.97	68.20	-17.23	42.13	3	Vertical	147	2.95	6.5	35.29	6.35	32.80
PK	6.4722G	106.94	Inf	-Inf	97.39	3	Vertical	147	2.95	6.5	35.74	6.67	32.86
RMS	6.4722G	98.03	Inf	-Inf	88.48	3	Vertical	147	2.95	6.5	35.74	6.67	32.86
PK	7.1344G	61.91	88.20	-26.29	50.93	3	Vertical	147	2.95	6.5	37.04	7.03	33.09
RMS	7.175G	51.47	68.20	-16.73	40.31	3	Vertical	147	2.95	6.5	37.20	7.07	33.11

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	61.84	97.74	-35.90	52.92	3	Horizontal	134	1.34	6.5	35.37	6.36	32.81
RMS	5.8982G	50.97	68.20	-17.23	42.13	3	Horizontal	134	1.34	6.5	35.29	6.35	32.80
PK	6.4778G	103.35	Inf	-Inf	93.77	3	Horizontal	134	1.34	6.5	35.76	6.68	32.86
RMS	6.4764G	94.92	Inf	-Inf	85.35	3	Horizontal	134	1.34	6.5	35.75	6.68	32.86
PK	7.1358G	63.03	88.20	-25.17	52.04	3	Horizontal	134	1.34	6.5	37.04	7.04	33.09
RMS	7.175G	51.47	68.20	-16.73	40.31	3	Horizontal	134	1.34	6.5	37.20	7.07	33.11

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94971G	54.09	88.20	-34.11	47.42	3	Vertical	213	2.89	-	39.80	9.48	42.61
RMS	12.9498G	41.23	68.20	-26.97	34.56	3	Vertical	213	2.89	-	39.80	9.48	42.61

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94951G	55.26	88.20	-32.94	48.59	3	Horizontal	19	2.35	-	39.80	9.48	42.61
RMS	12.94976G	41.31	68.20	-26.89	34.64	3	Horizontal	19	2.35	-	39.80	9.48	42.61

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43112G	58.31	83.54	-25.23	68.90	1	Vertical	199	1.38	-	37.67	14.90	63.16
AV	19.43199G	45.06	63.54	-18.48	55.64	1	Vertical	199	1.38	-	37.67	14.90	63.15

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41027G	58.63	83.54	-24.91	69.25	1	Horizontal	2	1.50	-	37.66	14.89	63.17
AV	19.43235G	44.97	63.54	-18.57	55.55	1	Horizontal	2	1.50	-	37.67	14.90	63.15

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9032G	61.78	97.74	-35.96	52.92	3	Vertical	149	2.88	6.5	35.31	6.35	32.80
RMS	5.925G	51.07	68.20	-17.13	42.12	3	Vertical	149	2.88	6.5	35.40	6.36	32.81
PK	6.5122G	107.45	Inf	-Inf	97.73	3	Vertical	149	2.88	-	35.87	6.71	32.86
RMS	6.5122G	98.34	Inf	-Inf	88.62	3	Vertical	149	2.88	6.5	35.87	6.71	32.86
PK	7.2122G	62.47	88.20	-25.73	51.17	3	Vertical	149	2.88	6.5	37.32	7.11	33.13
RMS	7.2136G	51.80	68.20	-16.40	40.49	3	Vertical	149	2.88	6.5	37.33	7.11	33.13



6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	61.63	88.20	-26.57	52.94	3	Horizontal	134	1.30	6.5	35.14	6.34	32.79
RMS	5.9186G	51.11	68.20	-17.09	42.19	3	Horizontal	134	1.30	6.5	35.37	6.36	32.81
PK	6.5164G	105.82	Inf	-Inf	96.07	3	Horizontal	134	1.30	6.5	35.90	6.72	32.87
RMS	6.5164G	94.77	Inf	-Inf	85.02	3	Horizontal	134	1.30	6.5	35.90	6.72	32.87
PK	7.1758G	62.62	88.20	-25.58	51.45	3	Horizontal	134	1.30	6.5	37.20	7.08	33.11
RMS	7.2136G	51.80	68.20	-16.40	40.49	3	Horizontal	134	1.30	6.5	37.33	7.11	33.13

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02955G	55.15	88.20	-33.05	48.30	3	Vertical	316	2.96	-	39.93	9.51	42.59
RMS	13.0295G	41.76	68.20	-26.44	34.91	3	Vertical	316	2.96	-	39.93	9.51	42.59

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02986G	55.08	88.20	-33.12	48.23	3	Horizontal	315	2.68	-	39.93	9.51	42.59
RMS	13.0295G	41.73	68.20	-26.47	34.88	3	Horizontal	315	2.68	-	39.93	9.51	42.59

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53891G	59.36	83.54	-24.18	69.82	1	Vertical	112	1.65	-	37.68	14.94	63.08
AV	19.53756G	46.12	63.54	-17.42	56.58	1	Vertical	112	1.65	-	37.68	14.94	63.08

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54521G	61.60	83.54	-21.94	72.06	1	Horizontal	202	1.36	-	37.68	14.94	63.08
AV	19.53891G	46.17	63.54	-17.37	56.63	1	Horizontal	202	1.36	-	37.68	14.94	63.08

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.898G	62.07	88.20	-26.13	53.24	3	Vertical	148	2.86	6.5	35.28	6.35	32.80
RMS	5.9232G	51.09	68.20	-17.11	42.15	3	Vertical	148	2.86	6.5	35.39	6.36	32.81
PK	6.5336G	107.03	Inf	-Inf	97.17	3	Vertical	148	2.86	6.5	36.00	6.73	32.87
RMS	6.5322G	98.19	Inf	-Inf	88.34	3	Vertical	148	2.86	6.5	35.99	6.73	32.87
PK	7.1566G	63.30	88.20	-24.90	52.21	3	Vertical	148	2.86	6.5	37.13	7.06	33.10
RMS	7.2336G	51.85	68.20	-16.35	40.50	3	Vertical	148	2.86	6.5	37.37	7.12	33.14

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8588G	61.84	88.20	-26.36	53.32	3	Horizontal	134	1.24	6.5	34.97	6.33	32.78
RMS	5.9078G	51.17	68.20	-17.03	42.29	3	Horizontal	134	1.24	6.5	35.33	6.35	32.80
PK	6.5378G	104.39	Inf	-Inf	94.49	3	Horizontal	134	1.24	6.5	36.03	6.74	32.87
RMS	6.5364G	94.64	Inf	-Inf	84.75	3	Horizontal	134	1.24	6.5	36.02	6.74	32.87
PK	7.2042G	61.88	88.20	-26.32	50.60	3	Horizontal	134	1.24	6.5	37.31	7.10	33.13
RMS	7.2308G	52.00	68.20	-16.20	40.66	3	Horizontal	134	1.24	6.5	37.36	7.12	33.14

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06988G	55.35	88.20	-32.85	48.43	3	Vertical	305	1.84	-	39.97	9.53	42.58
RMS	13.07028G	41.71	68.20	-26.49	34.79	3	Vertical	305	1.84	-	39.97	9.53	42.58



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06968G	55.43	88.20	-32.77	48.51	3	Horizontal	49	1.31	-	39.97	9.53	42.58
RMS	13.07033G	41.76	68.20	-26.44	34.84	3	Horizontal	49	1.31	-	39.97	9.53	42.58

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59375G	59.16	83.54	-24.38	69.60	1	Vertical	103	1.51	-	37.66	14.96	63.06
AV	19.59816G	46.15	63.54	-17.39	56.59	1	Vertical	103	1.51	-	37.66	14.96	63.06

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59252G	59.73	83.54	-23.81	70.17	1	Horizontal	106	1.36	-	37.66	14.96	63.06
AV	19.59909G	46.05	63.54	-17.49	56.49	1	Horizontal	106	1.36	-	37.66	14.96	63.06

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	108.42	Inf	-Inf	98.17	3	Vertical	146	2.41	6.5	36.37	6.80	32.92
RMS	6.6928G	98.56	Inf	-Inf	88.31	3	Vertical	146	2.41	6.5	36.37	6.80	32.92
PK	7.2439G	62.73	88.20	-25.47	51.37	3	Vertical	146	2.41	6.5	37.39	7.12	33.15
RMS	7.2406G	51.80	68.20	-16.40	40.45	3	Vertical	146	2.41	6.5	37.38	7.12	33.15

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6917G	107.19	Inf	-Inf	96.94	3	Horizontal	268	2.95	6.5	36.37	6.80	32.92
RMS	6.6917G	96.20	Inf	-Inf	85.95	3	Horizontal	268	2.95	6.5	36.37	6.80	32.92
PK	7.2263G	62.61	88.20	-25.59	51.29	3	Horizontal	268	2.95	6.5	37.35	7.11	33.14
RMS	7.2406G	51.94	68.20	-16.26	40.59	3	Horizontal	268	2.95	6.5	37.38	7.12	33.15

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39013G	54.11	74.00	-19.89	46.56	3	Vertical	140	1.24	-	40.39	9.66	42.50
AV	13.38958G	41.13	54.00	-12.87	33.58	3	Vertical	140	1.24	-	40.39	9.66	42.50

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38989G	54.52	74.00	-19.48	46.97	3	Horizontal	162	2.11	-	40.39	9.66	42.50
AV	13.38992G	41.09	54.00	-12.91	33.54	3	Horizontal	162	2.11	-	40.39	9.66	42.50

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07315G	60.82	83.54	-22.72	71.07	1	Vertical	187	1.72	-	37.46	15.12	62.83
AV	20.09775G	46.57	63.54	-16.97	56.77	1	Vertical	187	1.72	-	37.48	15.12	62.80



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07927G	60.17	83.54	-23.37	70.41	1	Horizontal	20	1.56	-	37.46	15.12	62.82
AV	20.0958G	46.61	63.54	-16.93	56.81	1	Horizontal	20	1.56	-	37.48	15.12	62.80

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8529G	107.15	Inf	-Inf	96.79	3	Vertical	144	1.80	10	36.50	6.83	32.97
RMS	6.8529G	98.44	Inf	-Inf	88.08	3	Vertical	144	1.80	10	36.50	6.83	32.97
PK	7.1574G	62.52	88.20	-25.68	51.43	3	Vertical	144	1.80	10	37.13	7.06	33.10
RMS	7.2029G	51.70	68.20	-16.50	40.42	3	Vertical	144	1.80	10	37.31	7.10	33.13

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	106.73	Inf	-Inf	96.37	3	Horizontal	263	2.95	9.5	36.50	6.83	32.97
RMS	6.8515G	98.25	Inf	-Inf	87.89	3	Horizontal	263	2.95	9.5	36.50	6.83	32.97
PK	7.1553G	62.47	88.20	-25.73	51.39	3	Horizontal	263	2.95	9.5	37.12	7.06	33.10
RMS	7.2029G	51.70	68.20	-16.50	40.42	3	Horizontal	263	2.95	9.5	37.31	7.10	33.13

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70982G	55.93	88.20	-32.27	48.14	3	Vertical	147	1.24	-	40.43	9.78	42.42
RMS	13.71G	42.37	68.20	-25.83	34.58	3	Vertical	147	1.24	-	40.43	9.78	42.42

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71007G	55.91	88.20	-32.29	48.12	3	Horizontal	110	1.66	-	40.43	9.78	42.42
RMS	13.70969G	42.53	68.20	-25.67	34.74	3	Horizontal	110	1.66	-	40.43	9.78	42.42

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55174G	60.46	83.54	-23.08	69.85	1	Vertical	154	1.62	-	37.72	15.24	62.35
AV	20.57295G	46.63	63.54	-16.91	55.99	1	Vertical	154	1.62	-	37.73	15.24	62.33

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57175G	60.55	83.54	-22.99	69.91	1	Horizontal	23	1.50	-	37.73	15.24	62.33
AV	20.57085G	46.67	63.54	-16.87	56.03	1	Horizontal	23	1.50	-	37.73	15.24	62.33

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8738G	107.91	Inf	-Inf	97.55	3	Vertical	265	2.56	9	36.50	6.84	32.98
RMS	6.8732G	98.17	Inf	-Inf	87.81	3	Vertical	265	2.56	9	36.50	6.84	32.98
PK	7.139G	62.47	88.20	-25.73	51.46	3	Vertical	265	2.56	9	37.06	7.04	33.09
RMS	7.1666G	51.60	68.20	-16.60	40.47	3	Vertical	265	2.56	9	37.17	7.07	33.11



6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8726G	107.10	Inf	-Inf	96.74	3	Horizontal	262	2.91	9	36.50	6.84	32.98
RMS	6.8714G	97.61	Inf	-Inf	87.25	3	Horizontal	262	2.91	9	36.50	6.84	32.98
PK	7.1618G	62.45	88.20	-25.75	51.34	3	Horizontal	262	2.91	9	37.15	7.06	33.10
RMS	7.1744G	51.47	68.20	-16.73	40.31	3	Horizontal	262	2.91	9	37.20	7.07	33.11

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74966G	56.40	88.20	-31.80	48.47	3	Vertical	30	2.17	-	40.55	9.80	42.42
RMS	13.75027G	42.61	68.20	-25.59	34.67	3	Vertical	30	2.17	-	40.55	9.80	42.41

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75032G	55.37	88.20	-32.83	47.43	3	Horizontal	297	2.96	-	40.55	9.80	42.41
RMS	13.75016G	42.74	68.20	-25.46	34.80	3	Horizontal	297	2.96	-	40.55	9.80	42.41

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62626G	59.53	83.54	-24.01	68.79	1	Vertical	252	1.53	-	37.75	15.26	62.27
AV	20.61417G	46.64	63.54	-16.90	55.93	1	Vertical	252	1.53	-	37.75	15.25	62.29

6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62494G	59.78	83.54	-23.76	69.05	1	Horizontal	350	1.35	-	37.75	15.26	62.28
AV	20.61702G	46.71	63.54	-16.83	55.99	1	Horizontal	350	1.35	-	37.75	15.25	62.28

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8968G	106.21	Inf	-Inf	95.85	3	Vertical	12	1.80	9.5	36.50	6.85	32.99
RMS	6.8962G	97.93	Inf	-Inf	87.57	3	Vertical	12	1.80	9.5	36.50	6.85	32.99
PK	7.192G	62.89	88.20	-25.31	51.65	3	Vertical	12	1.80	9.5	37.27	7.09	33.12
RMS	7.1944G	51.54	68.20	-16.66	40.29	3	Vertical	12	1.80	9.5	37.28	7.09	33.12

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.892G	106.78	Inf	-Inf	96.42	3	Horizontal	262	2.95	9.5	36.50	6.85	32.99
RMS	6.8914G	97.79	Inf	-Inf	87.43	3	Horizontal	262	2.95	9.5	36.50	6.85	32.99
PK	7.1914G	63.06	88.20	-25.14	51.82	3	Horizontal	262	2.95	9.5	37.27	7.09	33.12
RMS	7.1908G	51.68	68.20	-16.52	40.45	3	Horizontal	262	2.95	9.5	37.26	7.09	33.12

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79018G	56.09	88.20	-32.11	48.01	3	Vertical	65	1.54	-	40.67	9.82	42.41
RMS	13.78964G	42.74	68.20	-25.46	34.66	3	Vertical	65	1.54	-	40.67	9.82	42.41



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78961G	55.97	88.20	-32.23	47.89	3	Horizontal	189	2.64	-	40.67	9.82	42.41
RMS	13.78999G	42.70	68.20	-25.50	34.62	3	Horizontal	189	2.64	-	40.67	9.82	42.41

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67072G	59.80	83.54	-23.74	68.99	1	Vertical	91	1.62	-	37.77	15.27	62.23
AV	20.67144G	46.15	63.54	-17.39	55.34	1	Vertical	91	1.62	-	37.77	15.27	62.23

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69784G	59.13	83.54	-24.41	68.28	1	Horizontal	360	1.50	-	37.78	15.27	62.20
AV	20.67129G	46.23	63.54	-17.31	55.42	1	Horizontal	360	1.50	-	37.77	15.27	62.23

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.997G	108.19	Inf	-Inf	97.51	3	Vertical	52	1.80	10	36.80	6.90	33.02
RMS	6.997G	99.44	Inf	-Inf	88.76	3	Vertical	52	1.80	10	36.80	6.90	33.02
PK	7.1766G	62.33	88.20	-25.87	51.15	3	Vertical	52	1.80	10	37.21	7.08	33.11
RMS	7.1926G	51.53	68.20	-16.67	40.29	3	Vertical	52	1.80	10	37.27	7.09	33.12

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.991G	109.78	Inf	-Inf	99.10	3	Horizontal	261	2.95	9.5	36.80	6.90	33.02
RMS	6.9914G	98.85	Inf	-Inf	88.17	3	Horizontal	261	2.95	9.5	36.80	6.90	33.02
PK	7.1726G	63.27	88.20	-24.93	52.12	3	Horizontal	261	2.95	9.5	37.19	7.07	33.11
RMS	7.1938G	51.54	68.20	-16.66	40.29	3	Horizontal	261	2.95	9.5	37.28	7.09	33.12

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99025G	55.76	88.20	-32.44	47.23	3	Vertical	114	2.58	-	40.99	9.90	42.36
RMS	13.98997G	42.72	68.20	-25.48	34.19	3	Vertical	114	2.58	-	40.99	9.90	42.36

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99016G	55.78	97.74	-41.96	47.25	3	Horizontal	229	1.69	-	40.99	9.90	42.36
RMS	13.9902G	42.74	68.20	-25.46	34.21	3	Horizontal	229	1.69	-	40.99	9.90	42.36

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99559G	56.43	83.54	-27.11	64.69	1	Vertical	156	1.63	-	38.29	15.35	61.90
AV	20.99847G	43.99	63.54	-19.55	52.24	1	Vertical	156	1.63	-	38.30	15.35	61.90



6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99949G	57.21	83.54	-26.33	65.46	1	Horizontal	132	1.50	-	38.30	15.35	61.90
AV	20.99547G	44.02	63.54	-19.52	52.28	1	Horizontal	132	1.50	-	38.29	15.35	61.90

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0924G	107.89	Inf	-Inf	97.09	3	Vertical	31	2.03	9	36.88	6.99	33.07
RMS	7.0942G	98.88	Inf	-Inf	88.07	3	Vertical	31	2.03	9	36.89	6.99	33.07
PK	7.1924G	63.84	88.20	-24.36	52.60	3	Vertical	31	2.03	9	37.27	7.09	33.12
RMS	7.1626G	51.88	68.20	-16.32	40.77	3	Vertical	31	2.03	9	37.15	7.06	33.10

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	107.89	Inf	-Inf	97.09	3	Horizontal	261	2.95	9	36.88	6.99	33.07
RMS	7.0908G	96.78	Inf	-Inf	85.98	3	Horizontal	261	2.95	9	36.88	6.99	33.07
PK	7.1438G	63.12	88.20	-25.08	52.09	3	Horizontal	261	2.95	9	37.08	7.04	33.09
RMS	7.194G	51.84	68.20	-16.36	40.59	3	Horizontal	261	2.95	9	37.28	7.09	33.12

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19017G	57.06	88.20	-31.14	48.37	3	Vertical	335	1.14	-	41.01	9.98	42.30
RMS	14.19028G	44.31	68.20	-23.89	35.62	3	Vertical	335	1.14	-	41.01	9.98	42.30

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19018G	57.58	88.20	-30.62	48.89	3	Horizontal	270	1.01	-	41.01	9.98	42.30
RMS	14.19018G	44.20	68.20	-24.00	35.51	3	Horizontal	270	1.01	-	41.01	9.98	42.30

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28533G	59.10	83.54	-24.44	67.17	1	Vertical	272	1.50	-	38.07	15.42	61.56
AV	21.29538G	45.82	63.54	-17.72	53.89	1	Vertical	272	1.50	-	38.06	15.42	61.55

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28794G	59.49	83.54	-24.05	67.55	1	Horizontal	213	1.50	-	38.07	15.42	61.55
AV	21.2889G	46.01	63.54	-17.53	54.07	1	Horizontal	213	1.50	-	38.07	15.42	61.55

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9128G	62.73	88.20	-25.47	53.83	3	Vertical	146	2.08	10	35.35	6.36	32.81
RMS	5.9044G	51.18	68.20	-17.02	42.31	3	Vertical	146	2.08	10	35.32	6.35	32.80
PK	5.9614G	108.98	Inf	-Inf	99.92	3	Vertical	146	2.08	10	35.50	6.38	32.82
RMS	5.9616G	98.38	Inf	-Inf	89.32	3	Vertical	146	2.08	10	35.50	6.38	32.82



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	63.50	88.20	-24.70	54.55	3	Horizontal	130	1.80	10	35.40	6.36	32.81
RMS	5.9016G	50.98	68.20	-17.22	42.12	3	Horizontal	130	1.80	10	35.31	6.35	32.80
PK	5.967G	104.82	Inf	-Inf	95.77	3	Horizontal	130	1.80	10	35.50	6.38	32.83
RMS	5.967G	94.64	Inf	-Inf	85.59	3	Horizontal	130	1.80	10	35.50	6.38	32.83

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93027G	53.62	74.00	-20.38	48.48	3	Vertical	1	2.66	-	38.83	9.07	42.76
AV	11.93036G	40.78	54.00	-13.22	35.64	3	Vertical	1	2.66	-	38.83	9.07	42.76
PK	17.89492G	60.94	74.00	-13.06	48.59	3	Vertical	151	1.22	-	42.78	11.46	41.89
AV	17.8951G	47.66	54.00	-6.34	35.30	3	Vertical	151	1.22	-	42.79	11.46	41.89

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93047G	53.93	74.00	-20.07	48.79	3	Horizontal	156	1.04	-	38.83	9.07	42.76
AV	11.93019G	40.67	54.00	-13.33	35.53	3	Horizontal	156	1.04	-	38.83	9.07	42.76
PK	17.89476G	60.94	74.00	-13.06	48.59	3	Horizontal	263	1.13	-	42.78	11.46	41.89
AV	17.89521G	47.46	54.00	-6.54	35.10	3	Horizontal	263	1.13	-	42.79	11.46	41.89

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	62.24	88.20	-25.96	53.30	3	Vertical	45	1.64	11	35.39	6.36	32.81
RMS	5.9166G	51.13	68.20	-17.07	42.21	3	Vertical	45	1.64	11	35.37	6.36	32.81
PK	6.1632G	107.99	Inf	-Inf	98.63	3	Vertical	45	1.64	11	35.73	6.48	32.85
RMS	6.1632G	98.48	Inf	-Inf	89.12	3	Vertical	45	1.64	11	35.73	6.48	32.85

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9136G	61.81	88.20	-26.39	52.91	3	Horizontal	130	1.78	11	35.35	6.36	32.81
RMS	5.9154G	51.14	68.20	-17.06	42.23	3	Horizontal	130	1.78	11	35.36	6.36	32.81
PK	6.1668G	107.18	Inf	-Inf	97.82	3	Horizontal	130	1.78	11	35.73	6.48	32.85
RMS	6.1674G	97.12	Inf	-Inf	87.76	3	Horizontal	130	1.78	11	35.73	6.48	32.85

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32961G	53.36	74.00	-20.64	47.98	3	Vertical	357	2.69	-	38.86	9.23	42.71
AV	12.32959G	40.11	54.00	-13.89	34.73	3	Vertical	357	2.69	-	38.86	9.23	42.71

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33049G	53.20	74.00	-20.80	47.82	3	Horizontal	349	1.28	-	38.86	9.23	42.71
AV	12.32954G	40.21	54.00	-13.79	34.83	3	Horizontal	349	1.28	-	38.86	9.23	42.71

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.48895G	58.74	83.54	-24.80	69.96	1	Vertical	158	1.29	-	37.60	14.57	63.39
AV	18.5072G	45.60	63.54	-17.94	56.82	1	Vertical	158	1.29	-	37.60	14.58	63.40



5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51105G	58.65	83.54	-24.89	69.87	1	Horizontal	92	1.50	-	37.60	14.58	63.40
AV	18.5013G	45.64	63.54	-17.90	56.86	1	Horizontal	92	1.50	-	37.60	14.58	63.40

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.98	88.20	-25.22	54.03	3	Vertical	147	2.95	10.5	35.40	6.36	32.81
RMS	5.9118G	51.16	68.20	-17.04	42.25	3	Vertical	147	2.95	10.5	35.35	6.36	32.80
PK	6.4098G	108.07	Inf	-Inf	98.62	3	Vertical	147	2.95	10.5	35.70	6.61	32.86
RMS	6.4026G	98.52	Inf	-Inf	89.08	3	Vertical	147	2.95	10.5	35.70	6.60	32.86

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	61.66	88.20	-26.54	52.92	3	Horizontal	134	1.44	10.5	35.19	6.34	32.79
RMS	5.9202G	51.10	68.20	-17.10	42.17	3	Horizontal	134	1.44	10.5	35.38	6.36	32.81
PK	6.4074G	104.40	Inf	-Inf	94.95	3	Horizontal	134	1.44	10.5	35.70	6.61	32.86
RMS	6.4074G	96.06	Inf	-Inf	86.61	3	Horizontal	134	1.44	10.5	35.70	6.61	32.86

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81018G	53.65	88.20	-34.55	47.25	3	Vertical	4	2.45	-	39.61	9.42	42.63
RMS	12.80992G	40.36	68.20	-27.84	33.96	3	Vertical	4	2.45	-	39.61	9.42	42.63

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8104G	53.29	88.20	-34.91	46.89	3	Horizontal	351	2.28	-	39.61	9.42	42.63
RMS	12.80983G	40.44	68.20	-27.76	34.04	3	Horizontal	351	2.28	-	39.61	9.42	42.63

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20455G	57.23	83.54	-26.31	68.17	1	Vertical	257	1.45	-	37.58	14.82	63.34
AV	19.22675G	44.73	63.54	-18.81	55.63	1	Vertical	257	1.45	-	37.59	14.83	63.32

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2165G	58.64	83.54	-24.90	69.55	1	Horizontal	112	1.75	-	37.59	14.83	63.33
AV	19.20285G	44.77	63.54	-18.77	55.71	1	Horizontal	112	1.75	-	37.58	14.82	63.34

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9016G	61.66	88.20	-26.54	52.80	3	Vertical	144	2.78	9.5	35.31	6.35	32.80
RMS	5.9003G	50.97	68.20	-17.23	42.12	3	Vertical	144	2.78	9.5	35.30	6.35	32.80
PK	6.4437G	109.25	Inf	-Inf	99.77	3	Vertical	144	2.78	9.5	35.70	6.64	32.86
RMS	6.4424G	98.51	Inf	-Inf	89.03	3	Vertical	144	2.78	9.5	35.70	6.64	32.86



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	61.26	88.20	-26.94	52.46	3	Horizontal	134	1.38	9.5	35.25	6.35	32.80
RMS	5.9211G	51.10	68.20	-17.10	42.17	3	Horizontal	134	1.38	9.5	35.38	6.36	32.81
PK	6.4489G	104.92	Inf	-Inf	95.43	3	Horizontal	134	1.38	9.5	35.70	6.65	32.86
RMS	6.4463G	94.51	Inf	-Inf	85.02	3	Horizontal	134	1.38	9.5	35.70	6.65	32.86

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89023G	54.38	88.20	-33.82	47.85	3	Vertical	173	1.26	-	39.69	9.46	42.62
RMS	12.89031G	40.87	68.20	-27.33	34.34	3	Vertical	173	1.26	-	39.69	9.46	42.62

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88989G	54.14	88.20	-34.06	47.61	3	Horizontal	99	1.66	-	39.69	9.46	42.62
RMS	12.89017G	40.85	68.20	-27.35	34.32	3	Horizontal	99	1.66	-	39.69	9.46	42.62

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.311G	56.76	83.54	-26.78	67.53	1	Vertical	199	1.62	-	37.62	14.86	63.25
AV	19.35765G	43.96	63.54	-19.58	54.65	1	Vertical	199	1.62	-	37.64	14.88	63.21

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3589G	57.10	83.54	-26.44	67.79	1	Horizontal	0	1.50	-	37.64	14.88	63.21
AV	19.35685G	44.06	63.54	-19.48	54.76	1	Horizontal	0	1.50	-	37.64	14.87	63.21

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	61.79	88.20	-26.41	52.87	3	Vertical	143	2.82	9.5	35.37	6.36	32.81
RMS	5.918G	51.11	68.20	-17.09	42.19	3	Vertical	143	2.82	9.5	35.37	6.36	32.81
PK	6.4822G	107.14	Inf	-Inf	97.56	3	Vertical	143	2.82	9.5	35.76	6.68	32.86
RMS	6.4822G	98.08	Inf	-Inf	88.50	3	Vertical	143	2.82	9.5	35.76	6.68	32.86
PK	7.1556G	62.72	88.20	-25.48	51.64	3	Vertical	143	2.82	9.5	37.12	7.06	33.10
RMS	7.185G	51.50	68.20	-16.70	40.30	3	Vertical	143	2.82	9.5	37.24	7.08	33.12

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.834G	61.96	88.20	-26.24	53.61	3	Horizontal	137	1.31	9.5	34.80	6.32	32.77
RMS	5.9012G	50.96	68.20	-17.24	42.11	3	Horizontal	137	1.31	9.5	35.30	6.35	32.80
PK	6.4864G	105.70	Inf	-Inf	96.10	3	Horizontal	137	1.31	9.5	35.77	6.69	32.86
RMS	6.4864G	94.45	Inf	-Inf	84.85	3	Horizontal	137	1.31	9.5	35.77	6.69	32.86
PK	7.1486G	61.89	88.20	-26.31	50.85	3	Horizontal	137	1.31	9.5	37.09	7.05	33.10
RMS	7.1794G	51.65	68.20	-16.55	40.46	3	Horizontal	137	1.31	9.5	37.22	7.08	33.11

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96959G	54.87	88.20	-33.33	48.14	3	Vertical	127	1.16	-	39.84	9.49	42.60
RMS	12.96987G	41.91	68.20	-26.29	35.18	3	Vertical	127	1.16	-	39.84	9.49	42.60



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97016G	55.00	88.20	-33.20	48.27	3	Horizontal	185	2.02	-	39.84	9.49	42.60
RMS	12.96956G	41.96	68.20	-26.24	35.23	3	Horizontal	185	2.02	-	39.84	9.49	42.60

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.47855G	57.97	83.54	-25.57	68.48	1	Vertical	108	1.62	-	37.69	14.92	63.12
AV	19.47755G	45.90	63.54	-17.64	56.41	1	Vertical	108	1.62	-	37.69	14.92	63.12

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.47385G	59.08	83.54	-24.46	69.59	1	Horizontal	301	1.67	-	37.69	14.92	63.12
AV	19.47985G	45.84	63.54	-17.70	56.35	1	Horizontal	301	1.67	-	37.69	14.92	63.12

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9048G	61.65	88.20	-26.55	52.78	3	Vertical	145	2.47	9.5	35.32	6.35	32.80
RMS	5.9006G	50.97	68.20	-17.23	42.12	3	Vertical	145	2.47	9.5	35.30	6.35	32.80
PK	6.5236G	108.41	Inf	-Inf	98.62	3	Vertical	145	2.47	9.5	35.94	6.72	32.87
RMS	6.5222G	98.19	Inf	-Inf	88.41	3	Vertical	145	2.47	9.5	35.93	6.72	32.87
PK	7.1522G	62.99	88.20	-25.21	51.93	3	Vertical	145	2.47	9.5	37.11	7.05	33.10
RMS	7.2138G	51.80	68.20	-16.40	40.49	3	Vertical	145	2.47	9.5	37.33	7.11	33.13

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	61.65	88.20	-26.55	52.72	3	Horizontal	253	2.48	9.5	35.38	6.36	32.81
RMS	5.902G	50.97	68.20	-17.23	42.11	3	Horizontal	253	2.48	9.5	35.31	6.35	32.80
PK	6.5124G	104.21	Inf	-Inf	94.49	3	Horizontal	253	2.48	9.5	35.87	6.71	32.86
RMS	6.5124G	95.42	Inf	-Inf	85.70	3	Horizontal	253	2.48	9.5	35.87	6.71	32.86
PK	7.2236G	62.50	88.20	-25.70	51.18	3	Horizontal	253	2.48	9.5	37.35	7.11	33.14
RMS	7.218G	51.78	68.20	-16.42	40.46	3	Horizontal	253	2.48	9.5	37.34	7.11	33.13

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05044G	54.90	88.20	-33.30	48.02	3	Vertical	14	2.85	-	39.95	9.52	42.59
RMS	13.05044G	41.83	68.20	-26.37	34.95	3	Vertical	14	2.85	-	39.95	9.52	42.59

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04966G	54.88	88.20	-33.32	48.00	3	Horizontal	291	1.00	-	39.95	9.52	42.59
RMS	13.04981G	41.79	68.20	-26.41	34.91	3	Horizontal	291	1.00	-	39.95	9.52	42.59

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5937G	59.36	83.54	-24.18	69.80	1	Vertical	246	1.63	-	37.66	14.96	63.06
AV	19.58185G	46.29	63.54	-17.25	56.74	1	Vertical	246	1.63	-	37.67	14.95	63.07



6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5532G	59.40	83.54	-24.14	69.86	1	Horizontal	56	1.52	-	37.68	14.94	63.08
AV	19.576G	46.36	63.54	-17.18	56.81	1	Horizontal	56	1.52	-	37.67	14.95	63.07

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	109.16	Inf	-Inf	99.15	3	Vertical	144	2.95	10.5	36.13	6.76	32.88
RMS	6.5626G	98.52	Inf	-Inf	88.51	3	Vertical	144	2.95	10.5	36.13	6.76	32.88
PK	7.1338G	61.44	88.20	-26.76	50.46	3	Vertical	144	2.95	10.5	37.04	7.03	33.09
RMS	7.165G	51.59	68.20	-16.61	40.47	3	Vertical	144	2.95	10.5	37.16	7.07	33.11

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5722G	105.59	Inf	-Inf	95.56	3	Horizontal	252	2.44	10.5	36.14	6.77	32.88
RMS	6.5722G	96.46	Inf	-Inf	86.43	3	Horizontal	252	2.44	10.5	36.14	6.77	32.88
PK	7.1266G	63.17	88.20	-25.03	52.22	3	Horizontal	252	2.44	10.5	37.01	7.03	33.09
RMS	7.1614G	51.43	68.20	-16.77	40.32	3	Horizontal	252	2.44	10.5	37.15	7.06	33.10

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13008G	54.73	88.20	-33.47	47.69	3	Vertical	123	1.45	-	40.06	9.55	42.57
RMS	13.12984G	41.63	68.20	-26.57	34.59	3	Vertical	123	1.45	-	40.06	9.55	42.57

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13029G	55.15	88.20	-33.05	48.11	3	Horizontal	17	2.87	-	40.06	9.55	42.57
RMS	13.12955G	41.63	68.20	-26.57	34.59	3	Horizontal	17	2.87	-	40.06	9.55	42.57

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.67365G	59.45	83.54	-24.09	69.86	1	Vertical	345	1.62	-	37.63	14.99	63.03
AV	19.68615G	45.95	63.54	-17.59	56.36	1	Vertical	345	1.62	-	37.63	14.99	63.03

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.713G	59.56	83.54	-23.98	69.96	1	Horizontal	53	1.38	-	37.61	15.00	63.01
AV	19.71095G	45.65	63.54	-17.89	56.05	1	Horizontal	53	1.38	-	37.62	15.00	63.02

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.684G	108.03	Inf	-Inf	97.81	3	Vertical	145	2.41	10	36.34	6.80	32.92
RMS	6.683G	98.44	Inf	-Inf	88.23	3	Vertical	145	2.41	10	36.33	6.80	32.92
PK	7.182G	61.89	88.20	-26.31	50.69	3	Vertical	145	2.41	10	37.23	7.08	33.11
RMS	7.185G	51.65	68.20	-16.55	40.45	3	Vertical	145	2.41	10	37.24	7.08	33.12



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.68G	105.19	Inf	-Inf	94.99	3	Horizontal	263	2.24	10	36.32	6.80	32.92
RMS	6.681G	96.41	Inf	-Inf	86.21	3	Horizontal	263	2.24	10	36.32	6.80	32.92
PK	7.155G	62.46	88.20	-25.74	51.39	3	Horizontal	263	2.24	10	37.12	7.05	33.10
RMS	7.17G	51.60	68.20	-16.60	40.46	3	Horizontal	263	2.24	10	37.18	7.07	33.11

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36982G	54.95	74.00	-19.05	47.43	3	Vertical	148	1.18	-	40.37	9.65	42.50
AV	13.37025G	41.44	54.00	-12.56	33.92	3	Vertical	148	1.18	-	40.37	9.65	42.50

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37013G	54.96	74.00	-19.04	47.44	3	Horizontal	354	2.80	-	40.37	9.65	42.50
AV	13.36992G	41.43	54.00	-12.57	33.91	3	Horizontal	354	2.80	-	40.37	9.65	42.50

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04725G	59.04	83.54	-24.50	69.34	1	Vertical	168	1.51	-	37.44	15.11	62.85
AV	20.0735G	46.16	63.54	-17.38	56.41	1	Vertical	168	1.51	-	37.46	15.12	62.83

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05335G	58.59	83.54	-24.95	68.89	1	Horizontal	256	1.38	-	37.44	15.11	62.85
AV	20.07635G	46.56	63.54	-16.98	56.80	1	Horizontal	256	1.38	-	37.46	15.12	62.82

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.837G	108.45	Inf	-Inf	98.07	3	Vertical	42	1.80	12.5	36.53	6.82	32.97
RMS	6.8554G	98.41	Inf	-Inf	88.05	3	Vertical	42	1.80	12.5	36.50	6.83	32.97
PK	7.2442G	63.10	88.20	-25.10	51.74	3	Vertical	42	1.80	12.5	37.39	7.12	33.15
RMS	7.2378G	51.83	68.20	-16.37	40.47	3	Vertical	42	1.80	12.5	37.38	7.12	33.14

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.841G	107.99	Inf	-Inf	97.62	3	Horizontal	264	2.95	12.5	36.52	6.82	32.97
RMS	6.8418G	98.39	Inf	-Inf	88.02	3	Horizontal	264	2.95	12.5	36.52	6.82	32.97
PK	7.1754G	62.96	88.20	-25.24	51.79	3	Horizontal	264	2.95	12.5	37.20	7.08	33.11
RMS	7.237G	51.82	68.20	-16.38	40.47	3	Horizontal	264	2.95	12.5	37.37	7.12	33.14

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68973G	56.92	88.20	-31.28	49.17	3	Vertical	77	2.94	-	40.40	9.78	42.43
RMS	13.68953G	42.90	68.20	-25.30	35.15	3	Vertical	77	2.94	-	40.40	9.78	42.43



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68963G	56.02	88.20	-32.18	48.27	3	Horizontal	128	2.28	-	40.40	9.78	42.43
RMS	13.68987G	42.96	68.20	-25.24	35.21	3	Horizontal	128	2.28	-	40.40	9.78	42.43

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.559G	59.27	83.54	-24.27	68.65	1	Vertical	275	1.61	-	37.72	15.24	62.34
AV	20.5585G	46.55	63.54	-16.99	55.93	1	Vertical	275	1.61	-	37.72	15.24	62.34

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55045G	59.30	83.54	-24.24	68.69	1	Horizontal	112	1.42	-	37.72	15.24	62.35
AV	20.5557G	46.59	63.54	-16.95	55.97	1	Horizontal	112	1.42	-	37.72	15.24	62.34

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8962G	108.21	Inf	-Inf	97.85	3	Vertical	42	1.80	12.5	36.50	6.85	32.99
RMS	6.8955G	98.74	Inf	-Inf	88.38	3	Vertical	42	1.80	12.5	36.50	6.85	32.99
PK	7.2322G	63.04	88.20	-25.16	51.70	3	Vertical	42	1.80	12.5	37.36	7.12	33.14
RMS	7.2077G	51.82	68.20	-16.38	40.53	3	Vertical	42	1.80	12.5	37.32	7.10	33.13

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8815G	107.73	Inf	-Inf	97.37	3	Horizontal	263	2.91	12.5	36.50	6.84	32.98
RMS	6.8815G	98.49	Inf	-Inf	88.13	3	Horizontal	263	2.91	12.5	36.50	6.84	32.98
PK	7.193G	62.55	88.20	-25.65	51.31	3	Horizontal	263	2.91	12.5	37.27	7.09	33.12
RMS	7.2252G	51.73	68.20	-16.47	40.41	3	Horizontal	263	2.91	12.5	37.35	7.11	33.14

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76996G	56.24	88.20	-31.96	48.23	3	Vertical	167	1.55	-	40.61	9.81	42.41
RMS	13.7705G	43.04	68.20	-25.16	35.03	3	Vertical	167	1.55	-	40.61	9.81	42.41

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77023G	57.05	88.20	-31.15	49.04	3	Horizontal	273	1.78	-	40.61	9.81	42.41
RMS	13.7696G	43.17	68.20	-25.03	35.16	3	Horizontal	273	1.78	-	40.61	9.81	42.41

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6378G	60.01	83.54	-23.53	69.25	1	Vertical	291	1.75	-	37.76	15.26	62.26
AV	20.6444G	46.90	63.54	-16.64	56.14	1	Vertical	291	1.75	-	37.76	15.26	62.26



6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64995G	59.62	83.54	-23.92	68.85	1	Horizontal	294	1.61	-	37.76	15.26	62.25
AV	20.64565G	46.88	63.54	-16.66	56.11	1	Horizontal	294	1.61	-	37.76	15.26	62.25

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.916G	110.32	Inf	-Inf	99.85	3	Vertical	41	1.80	11.5	36.60	6.86	32.99
RMS	6.916G	98.71	Inf	-Inf	88.24	3	Vertical	41	1.80	11.5	36.60	6.86	32.99
PK	7.195G	63.02	88.20	-25.18	51.77	3	Vertical	41	1.80	11.5	37.28	7.09	33.12
RMS	7.2214G	51.75	68.20	-16.45	40.44	3	Vertical	41	1.80	11.5	37.34	7.11	33.14

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9214G	106.05	Inf	-Inf	95.55	3	Horizontal	263	2.90	11.5	36.63	6.86	32.99
RMS	6.922G	97.63	Inf	-Inf	87.14	3	Horizontal	263	2.90	11.5	36.63	6.86	33.00
PK	7.207G	62.22	88.20	-25.98	50.94	3	Horizontal	263	2.90	11.5	37.31	7.10	33.13
RMS	7.2208G	51.76	68.20	-16.44	40.44	3	Horizontal	263	2.90	11.5	37.34	7.11	33.13

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84973G	55.39	88.20	-32.81	47.14	3	Vertical	87	2.15	-	40.80	9.84	42.39
RMS	13.84982G	42.50	68.20	-25.70	34.25	3	Vertical	87	2.15	-	40.80	9.84	42.39

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84969G	56.07	88.20	-32.13	47.82	3	Horizontal	232	1.82	-	40.80	9.84	42.39
RMS	13.85011G	42.47	68.20	-25.73	34.22	3	Horizontal	232	1.82	-	40.80	9.84	42.39

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7737G	59.26	83.54	-24.28	68.25	1	Vertical	134	1.37	-	37.85	15.29	62.13
AV	20.7572G	46.49	63.54	-17.05	55.53	1	Vertical	134	1.37	-	37.81	15.29	62.14

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7731G	59.78	83.54	-23.76	68.77	1	Horizontal	121	1.58	-	37.85	15.29	62.13
AV	20.75395G	46.39	63.54	-17.15	55.44	1	Horizontal	121	1.58	-	37.81	15.29	62.15

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9942G	109.44	Inf	-Inf	98.76	3	Vertical	42	1.80	11.5	36.80	6.90	33.02
RMS	6.9958G	98.89	Inf	-Inf	88.21	3	Vertical	42	1.80	11.5	36.80	6.90	33.02
PK	7.1342G	62.97	88.20	-25.23	51.99	3	Vertical	42	1.80	11.5	37.04	7.03	33.09
RMS	7.1986G	51.71	68.20	-16.49	40.44	3	Vertical	42	1.80	11.5	37.29	7.10	33.12



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	106.22	Inf	-Inf	95.54	3	Horizontal	260	2.95	11.5	36.80	6.90	33.02
RMS	7.0006G	97.06	Inf	-Inf	86.38	3	Horizontal	260	2.95	11.5	36.80	6.90	33.02
PK	7.1594G	62.78	88.20	-25.42	51.68	3	Horizontal	260	2.95	11.5	37.14	7.06	33.10
RMS	7.1966G	51.71	68.20	-16.49	40.44	3	Horizontal	260	2.95	11.5	37.29	7.10	33.12

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00965G	56.03	88.20	-32.17	47.48	3	Vertical	101	2.29	-	41.01	9.90	42.36
RMS	14.01039G	42.89	68.20	-25.31	34.34	3	Vertical	101	2.29	-	41.01	9.90	42.36

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00985G	56.41	88.20	-31.79	47.86	3	Horizontal	331	1.84	-	41.01	9.90	42.36
RMS	14.0099G	42.93	68.20	-25.27	34.38	3	Horizontal	331	1.84	-	41.01	9.90	42.36

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.03445G	58.27	83.54	-25.27	66.50	1	Vertical	88	1.79	-	38.27	15.36	61.86
AV	21.02975G	45.61	63.54	-17.93	53.83	1	Vertical	88	1.79	-	38.28	15.36	61.86

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02735G	59.02	83.54	-24.52	67.25	1	Horizontal	136	1.43	-	38.28	15.36	61.87
AV	21.03905G	45.66	63.54	-17.88	53.88	1	Horizontal	136	1.43	-	38.27	15.36	61.85

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	110.24	Inf	-Inf	99.45	3	Vertical	52	1.80	12.5	36.87	6.99	33.07
RMS	7.087G	98.90	Inf	-Inf	88.11	3	Vertical	52	1.80	12.5	36.87	6.99	33.07
PK	7.133G	63.36	88.20	-24.84	52.39	3	Vertical	52	1.80	12.5	37.03	7.03	33.09
RMS	7.1264G	51.85	68.20	-16.35	40.90	3	Vertical	52	1.80	12.5	37.01	7.03	33.09

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0816G	110.61	Inf	-Inf	99.83	3	Horizontal	261	2.95	12.5	36.86	6.98	33.06
RMS	7.0812G	98.22	Inf	-Inf	87.44	3	Horizontal	261	2.95	12.5	36.86	6.98	33.06
PK	7.153G	62.99	88.20	-25.21	51.93	3	Horizontal	261	2.95	12.5	37.11	7.05	33.10
RMS	7.1818G	51.80	68.20	-16.40	40.60	3	Horizontal	261	2.95	12.5	37.23	7.08	33.11

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17012G	57.79	88.20	-30.41	49.10	3	Vertical	78	1.58	-	41.03	9.97	42.31
RMS	14.17048G	44.15	68.20	-24.05	35.46	3	Vertical	78	1.58	-	41.03	9.97	42.31



6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16967G	56.89	88.20	-31.31	48.20	3	Horizontal	95	1.95	-	41.03	9.97	42.31
RMS	14.17049G	44.27	68.20	-23.93	35.58	3	Horizontal	95	1.95	-	41.03	9.97	42.31

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2311G	59.12	83.54	-24.42	67.21	1	Vertical	23	1.44	-	38.12	15.41	61.62
AV	21.23225G	46.71	63.54	-16.83	54.81	1	Vertical	23	1.44	-	38.11	15.41	61.62

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24865G	59.13	83.54	-24.41	67.22	1	Horizontal	11	1.36	-	38.10	15.41	61.60
AV	21.23825G	46.62	63.54	-16.92	54.71	1	Horizontal	11	1.36	-	38.11	15.41	61.61

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.849G	62.22	88.20	-25.98	53.79	3	Vertical	151	1.80	14.5	34.89	6.32	32.78
RMS	5.9198G	51.32	68.20	-16.88	42.39	3	Vertical	151	1.80	14.5	35.38	6.36	32.81
PK	5.9794G	109.71	Inf	-Inf	100.65	3	Vertical	151	1.80	14.5	35.50	6.39	32.83
RMS	5.9802G	98.68	Inf	-Inf	89.62	3	Vertical	151	1.80	14.5	35.50	6.39	32.83

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	62.31	88.20	-25.89	53.39	3	Horizontal	129	1.80	14.5	35.37	6.36	32.81
RMS	5.925G	51.29	68.20	-16.91	42.34	3	Horizontal	129	1.80	14.5	35.40	6.36	32.81
PK	5.9874G	106.51	Inf	-Inf	97.45	3	Horizontal	129	1.80	14.5	35.50	6.39	32.83
RMS	5.987G	96.45	Inf	-Inf	87.39	3	Horizontal	129	1.80	14.5	35.50	6.39	32.83

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97034G	54.21	74.00	-19.79	49.01	3	Vertical	134	2.09	-	38.87	9.09	42.76
AV	11.96997G	40.76	54.00	-13.24	35.56	3	Vertical	134	2.09	-	38.87	9.09	42.76
PK	17.95514G	61.28	74.00	-12.72	48.61	3	Vertical	271	1.58	-	43.08	11.48	41.89
AV	17.95528G	48.06	54.00	-5.94	35.39	3	Vertical	271	1.58	-	43.08	11.48	41.89

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96965G	54.14	74.00	-19.86	48.94	3	Horizontal	109	1.37	-	38.87	9.09	42.76
AV	11.96992G	40.86	54.00	-13.14	35.66	3	Horizontal	109	1.37	-	38.87	9.09	42.76
PK	17.95517G	61.58	74.00	-12.42	48.91	3	Horizontal	162	2.98	-	43.08	11.48	41.89
AV	17.95537G	48.23	54.00	-5.77	35.56	3	Horizontal	162	2.98	-	43.08	11.48	41.89

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.878G	61.95	88.20	-26.25	53.28	3	Vertical	175	1.77	14.5	35.12	6.34	32.79
RMS	5.9026G	50.97	68.20	-17.23	42.11	3	Vertical	175	1.77	14.5	35.31	6.35	32.80
PK	6.136G	108.15	Inf	-Inf	98.86	3	Vertical	175	1.77	14.5	35.67	6.47	32.85
RMS	6.1342G	98.41	Inf	-Inf	89.12	3	Vertical	175	1.77	14.5	35.67	6.47	32.85



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	62.25	88.20	-25.95	53.36	3	Horizontal	130	1.80	14.5	35.34	6.35	32.80
RMS	5.899G	50.97	68.20	-17.23	42.13	3	Horizontal	130	1.80	14.5	35.29	6.35	32.80
PK	6.1492G	106.83	Inf	-Inf	97.51	3	Horizontal	130	1.80	14.5	35.70	6.47	32.85
RMS	6.1468G	97.44	Inf	-Inf	88.13	3	Horizontal	130	1.80	14.5	35.69	6.47	32.85

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29033G	54.57	74.00	-19.43	49.25	3	Vertical	51	1.88	-	38.81	9.22	42.71
AV	12.29033G	40.38	54.00	-13.62	35.06	3	Vertical	51	1.88	-	38.81	9.22	42.71

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29005G	53.54	74.00	-20.46	48.22	3	Horizontal	360	2.99	-	38.81	9.22	42.71
AV	12.29046G	40.14	54.00	-13.86	34.82	3	Horizontal	360	2.99	-	38.81	9.22	42.71

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4807G	58.58	83.54	-24.96	69.81	1	Vertical	80	1.34	-	37.59	14.57	63.39
AV	18.442G	45.69	63.54	-17.85	56.93	1	Vertical	80	1.34	-	37.58	14.55	63.37

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4723G	58.97	83.54	-24.57	70.19	1	Horizontal	325	1.58	-	37.59	14.57	63.38
AV	18.4429G	45.70	63.54	-17.84	56.93	1	Horizontal	325	1.58	-	37.58	14.56	63.37

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	62.52	88.20	-25.68	53.82	3	Vertical	146	2.86	13.5	35.15	6.34	32.79
RMS	5.917G	51.12	68.20	-17.08	42.20	3	Vertical	146	2.86	13.5	35.37	6.36	32.81
PK	6.4018G	107.89	Inf	-Inf	98.45	3	Vertical	146	2.86	13.5	35.70	6.60	32.86
RMS	6.3826G	98.81	Inf	-Inf	89.41	3	Vertical	146	2.86	13.5	35.67	6.59	32.86

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	62.30	97.74	-35.44	53.40	3	Horizontal	136	1.80	13.5	35.34	6.36	32.80
RMS	5.899G	50.97	68.20	-17.23	42.13	3	Horizontal	136	1.80	13.5	35.29	6.35	32.80
PK	6.3874G	104.85	Inf	-Inf	95.45	3	Horizontal	136	1.80	13.5	35.67	6.59	32.86
RMS	6.3862G	95.43	Inf	-Inf	86.03	3	Horizontal	136	1.80	13.5	35.67	6.59	32.86

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77008G	54.35	88.20	-33.85	48.04	3	Vertical	283	1.79	-	39.54	9.41	42.64
RMS	12.77018G	40.77	68.20	-27.43	34.46	3	Vertical	283	1.79	-	39.54	9.41	42.64



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77021G	54.51	88.20	-33.69	48.20	3	Horizontal	139	2.70	-	39.54	9.41	42.64
RMS	12.77017G	41.07	68.20	-27.13	34.76	3	Horizontal	139	2.70	-	39.54	9.41	42.64

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1142G	57.93	83.54	-25.61	69.00	1	Vertical	55	1.34	-	37.55	14.79	63.41
AV	19.1247G	45.54	63.54	-18.00	56.60	1	Vertical	55	1.34	-	37.55	14.79	63.40

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1268G	58.02	83.54	-25.52	69.08	1	Horizontal	261	1.71	-	37.55	14.79	63.40
AV	19.1127G	45.49	63.54	-18.05	56.56	1	Horizontal	261	1.71	-	37.55	14.79	63.41

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9164G	61.36	88.20	-26.84	52.44	3	Vertical	146	2.92	13	35.37	6.36	32.81
RMS	5.9125G	51.16	68.20	-17.04	42.25	3	Vertical	146	2.92	13	35.35	6.36	32.80
PK	6.4611G	108.00	Inf	-Inf	98.48	3	Vertical	146	2.92	13	35.72	6.66	32.86
RMS	6.4624G	98.65	Inf	-Inf	89.13	3	Vertical	146	2.92	13	35.72	6.66	32.86

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	63.02	88.20	-25.18	54.16	3	Horizontal	252	2.95	13	35.31	6.35	32.80
RMS	5.919G	51.12	68.20	-17.08	42.19	3	Horizontal	252	2.95	13	35.38	6.36	32.81
PK	6.4325G	106.83	Inf	-Inf	97.36	3	Horizontal	252	2.95	13	35.70	6.63	32.86
RMS	6.4533G	96.03	Inf	-Inf	86.53	3	Horizontal	252	2.95	13	35.71	6.65	32.86

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92969G	55.29	88.20	-32.91	48.67	3	Vertical	307	1.02	-	39.76	9.47	42.61
RMS	12.93G	41.36	68.20	-26.84	34.74	3	Vertical	307	1.02	-	39.76	9.47	42.61

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93037G	54.79	88.20	-33.41	48.17	3	Horizontal	108	2.03	-	39.76	9.47	42.61
RMS	12.92978G	41.35	68.20	-26.85	34.73	3	Horizontal	108	2.03	-	39.76	9.47	42.61

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4134G	57.81	83.54	-25.73	68.42	1	Vertical	96	1.40	-	37.67	14.89	63.17
AV	19.4437G	44.88	63.54	-18.66	55.44	1	Vertical	96	1.40	-	37.68	14.91	63.15



6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3903G	57.44	83.54	-26.10	68.08	1	Horizontal	212	1.79	-	37.66	14.89	63.19
AV	19.4442G	44.90	63.54	-18.64	55.45	1	Horizontal	212	1.79	-	37.68	14.91	63.14

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	62.14	88.20	-26.06	53.46	3	Vertical	142	2.65	13.5	35.13	6.34	32.79
RMS	5.9024G	50.97	68.20	-17.23	42.11	3	Vertical	142	2.65	13.5	35.31	6.35	32.80
PK	6.5226G	107.82	Inf	-Inf	98.03	3	Vertical	142	2.65	13.5	35.94	6.72	32.87
RMS	6.5436G	98.71	Inf	-Inf	88.78	3	Vertical	142	2.65	13.5	36.06	6.74	32.87
PK	7.2156G	62.63	88.20	-25.57	51.32	3	Vertical	142	2.65	13.5	37.33	7.11	33.13
RMS	7.2436G	51.79	68.20	-16.41	40.43	3	Vertical	142	2.65	13.5	37.39	7.12	33.15

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8856G	61.95	88.20	-26.25	53.22	3	Horizontal	252	2.47	13.5	35.18	6.34	32.79
RMS	5.8996G	50.97	68.20	-17.23	42.12	3	Horizontal	252	2.47	13.5	35.30	6.35	32.80
PK	6.5338G	106.69	Inf	-Inf	96.83	3	Horizontal	252	2.47	13.5	36.00	6.73	32.87
RMS	6.5324G	96.62	Inf	-Inf	86.77	3	Horizontal	252	2.47	13.5	35.99	6.73	32.87
PK	7.2366G	63.18	88.20	-25.02	51.83	3	Horizontal	252	2.47	13.5	37.37	7.12	33.14
RMS	7.2044G	51.84	68.20	-16.36	40.56	3	Horizontal	252	2.47	13.5	37.31	7.10	33.13

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08962G	55.39	88.20	-32.81	48.44	3	Vertical	289	1.74	-	39.99	9.54	42.58
RMS	13.08968G	41.84	68.20	-26.36	34.89	3	Vertical	289	1.74	-	39.99	9.54	42.58

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09045G	55.39	88.20	-32.81	48.44	3	Horizontal	67	2.56	-	39.99	9.54	42.58
RMS	13.08987G	41.86	68.20	-26.34	34.91	3	Horizontal	67	2.56	-	39.99	9.54	42.58

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6611G	58.63	83.54	-24.91	69.05	1	Vertical	334	1.43	-	37.64	14.98	63.04
AV	19.5917G	46.36	63.54	-17.18	56.80	1	Vertical	334	1.43	-	37.66	14.96	63.06

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5855G	59.02	83.54	-24.52	69.47	1	Horizontal	145	1.79	-	37.67	14.95	63.07
AV	19.5984G	46.36	63.54	-17.18	56.80	1	Horizontal	145	1.79	-	37.66	14.96	63.06

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6154G	108.24	Inf	-Inf	98.14	3	Vertical	37	1.80	15	36.20	6.80	32.90
RMS	6.6346G	98.54	Inf	-Inf	88.44	3	Vertical	37	1.80	15	36.20	6.80	32.90
PK	7.1254G	62.43	88.20	-25.77	51.49	3	Vertical	37	1.80	15	37.00	7.03	33.09
RMS	7.1854G	51.81	68.20	-16.39	40.60	3	Vertical	37	1.80	15	37.24	7.09	33.12



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6322G	107.16	Inf	-Inf	97.06	3	Horizontal	252	2.43	15	36.20	6.80	32.90
RMS	6.6118G	98.04	Inf	-Inf	87.94	3	Horizontal	252	2.43	15	36.20	6.80	32.90
PK	7.1338G	62.85	88.20	-25.35	51.87	3	Horizontal	252	2.43	15	37.04	7.03	33.09
RMS	7.2214G	51.74	68.20	-16.46	40.43	3	Horizontal	252	2.43	15	37.34	7.11	33.14

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25047G	54.35	74.00	-19.65	47.03	3	Vertical	213	1.32	-	40.25	9.60	42.53
AV	13.25034G	41.35	54.00	-12.65	34.03	3	Vertical	213	1.32	-	40.25	9.60	42.53

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25013G	54.56	74.00	-19.44	47.24	3	Horizontal	54	1.99	-	40.25	9.60	42.53
AV	13.25003G	41.47	54.00	-12.53	34.15	3	Horizontal	54	1.99	-	40.25	9.60	42.53

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8433G	57.20	83.54	-26.34	67.58	1	Vertical	39	1.43	-	37.53	15.05	62.96
AV	19.925G	44.47	63.54	-19.07	54.87	1	Vertical	39	1.43	-	37.46	15.07	62.93

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8518G	57.00	83.54	-26.54	67.39	1	Horizontal	22	1.77	-	37.52	15.05	62.96
AV	19.9219G	44.46	63.54	-19.08	54.86	1	Horizontal	22	1.77	-	37.46	15.07	62.93

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.715G	107.81	Inf	-Inf	97.48	3	Vertical	36	1.80	14.5	36.46	6.80	32.93
RMS	6.695G	98.22	Inf	-Inf	87.96	3	Vertical	36	1.80	14.5	36.38	6.80	32.92
PK	7.193G	62.76	88.20	-25.44	51.52	3	Vertical	36	1.80	14.5	37.27	7.09	33.12
RMS	7.195G	51.84	68.20	-16.36	40.59	3	Vertical	36	1.80	14.5	37.28	7.09	33.12

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.723G	108.06	Inf	-Inf	97.70	3	Horizontal	268	2.95	14.5	36.49	6.80	32.93
RMS	6.703G	97.96	Inf	-Inf	87.67	3	Horizontal	268	2.95	14.5	36.41	6.80	32.92
PK	7.204G	62.77	88.20	-25.43	51.49	3	Horizontal	268	2.95	14.5	37.31	7.10	33.13
RMS	7.199G	51.87	68.20	-16.33	40.59	3	Horizontal	268	2.95	14.5	37.30	7.10	33.12

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40971G	54.38	88.20	-33.82	46.81	3	Vertical	230	1.04	-	40.40	9.66	42.49
RMS	13.41043G	41.32	68.20	-26.88	33.75	3	Vertical	230	1.04	-	40.40	9.66	42.49



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40992G	54.50	88.20	-33.70	46.93	3	Horizontal	59	1.73	-	40.40	9.66	42.49
RMS	13.4097G	41.29	68.20	-26.91	33.72	3	Horizontal	59	1.73	-	40.40	9.66	42.49

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0754G	59.16	83.54	-24.38	69.40	1	Vertical	358	1.77	-	37.46	15.12	62.82
AV	20.089G	46.66	63.54	-16.88	56.88	1	Vertical	358	1.77	-	37.47	15.12	62.81

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.102G	59.77	83.54	-23.77	69.96	1	Horizontal	148	1.32	-	37.48	15.13	62.80
AV	20.0864G	46.73	63.54	-16.81	56.95	1	Horizontal	148	1.32	-	37.47	15.12	62.81

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7826G	108.83	Inf	-Inf	98.38	3	Vertical	263	2.70	14	36.60	6.80	32.95
RMS	6.7834G	98.36	Inf	-Inf	87.91	3	Vertical	263	2.70	14	36.60	6.80	32.95
PK	7.1602G	62.08	88.20	-26.12	50.98	3	Vertical	263	2.70	14	37.14	7.06	33.10
RMS	7.185G	51.65	68.20	-16.55	40.45	3	Vertical	263	2.70	14	37.24	7.08	33.12

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.801G	107.29	Inf	-Inf	96.85	3	Horizontal	265	2.95	14	36.60	6.80	32.96
RMS	6.7818G	97.66	Inf	-Inf	87.21	3	Horizontal	265	2.95	14	36.60	6.80	32.95
PK	7.1306G	62.02	88.20	-26.18	51.06	3	Horizontal	265	2.95	14	37.02	7.03	33.09
RMS	7.1842G	51.65	68.20	-16.55	40.45	3	Horizontal	265	2.95	14	37.24	7.08	33.12

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56985G	55.51	88.20	-32.69	47.83	3	Vertical	136	2.08	-	40.40	9.73	42.45
RMS	13.56967G	42.13	68.20	-26.07	34.45	3	Vertical	136	2.08	-	40.40	9.73	42.45

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56956G	54.90	88.20	-33.30	47.22	3	Horizontal	131	2.85	-	40.40	9.73	42.45
RMS	13.57019G	42.10	68.20	-26.10	34.42	3	Horizontal	131	2.85	-	40.40	9.73	42.45

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3097G	57.55	83.54	-25.99	67.34	1	Vertical	64	1.34	-	37.62	15.18	62.59
AV	20.3157G	44.85	63.54	-18.69	54.62	1	Vertical	64	1.34	-	37.63	15.18	62.58



6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3246G	57.53	83.54	-26.01	67.30	1	Horizontal	200	1.49	-	37.63	15.18	62.58
AV	20.3056G	44.81	63.54	-18.73	54.60	1	Horizontal	200	1.49	-	37.62	15.18	62.59

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8752G	109.24	Inf	-Inf	98.88	3	Vertical	40	1.80	15	36.50	6.84	32.98
RMS	6.8758G	98.40	Inf	-Inf	88.04	3	Vertical	40	1.80	15	36.50	6.84	32.98
PK	7.1584G	62.39	88.20	-25.81	51.30	3	Vertical	40	1.80	15	37.13	7.06	33.10
RMS	7.162G	51.43	68.20	-16.77	40.32	3	Vertical	40	1.80	15	37.15	7.06	33.10

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	107.52	Inf	-Inf	97.17	3	Horizontal	265	2.93	15	36.50	6.83	32.98
RMS	6.8614G	98.11	Inf	-Inf	87.76	3	Horizontal	265	2.93	15	36.50	6.83	32.98
PK	7.1302G	62.37	88.20	-25.83	51.41	3	Horizontal	265	2.93	15	37.02	7.03	33.09
RMS	7.1614G	51.43	68.20	-16.77	40.32	3	Horizontal	265	2.93	15	37.15	7.06	33.10

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73016G	56.47	88.20	-31.73	48.61	3	Vertical	338	1.72	-	40.49	9.79	42.42
RMS	13.72968G	42.63	68.20	-25.57	34.77	3	Vertical	338	1.72	-	40.49	9.79	42.42

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72984G	56.06	88.20	-32.14	48.20	3	Horizontal	105	1.44	-	40.49	9.79	42.42
RMS	13.72994G	42.66	68.20	-25.54	34.80	3	Horizontal	105	1.44	-	40.49	9.79	42.42

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3119G	57.91	83.54	-25.63	67.70	1	Vertical	262	1.34	-	37.62	15.18	62.59
AV	20.307G	44.83	63.54	-18.71	54.62	1	Vertical	262	1.34	-	37.62	15.18	62.59

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3112G	59.46	83.54	-24.08	69.25	1	Horizontal	200	1.63	-	37.62	15.18	62.59
AV	20.3123G	44.72	63.54	-18.82	54.51	1	Horizontal	200	1.63	-	37.62	15.18	62.59

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9552G	108.71	Inf	-Inf	98.04	3	Vertical	40	1.80	14.5	36.80	6.88	33.01
RMS	6.9354G	98.81	Inf	-Inf	88.23	3	Vertical	40	1.80	14.5	36.71	6.87	33.00
PK	7.2372G	63.26	88.20	-24.94	51.91	3	Vertical	40	1.80	14.5	37.37	7.12	33.14
RMS	7.2126G	51.96	68.20	-16.24	40.65	3	Vertical	40	1.80	14.5	37.33	7.11	33.13



6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.942G	107.89	Inf	-Inf	97.27	3	Horizontal	262	2.95	14.5	36.75	6.87	33.00
RMS	6.9414G	98.05	Inf	-Inf	87.43	3	Horizontal	262	2.95	14.5	36.75	6.87	33.00
PK	7.1328G	63.20	88.20	-25.00	52.23	3	Horizontal	262	2.95	14.5	37.03	7.03	33.09
RMS	7.245G	51.78	68.20	-16.42	40.42	3	Horizontal	262	2.95	14.5	37.39	7.12	33.15

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89002G	56.04	88.20	-32.16	47.68	3	Vertical	217	2.36	-	40.88	9.86	42.38
RMS	13.88988G	42.61	68.20	-25.59	34.25	3	Vertical	217	2.36	-	40.88	9.86	42.38

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89029G	55.85	88.20	-32.35	47.49	3	Horizontal	238	1.81	-	40.88	9.86	42.38
RMS	13.89003G	42.59	68.20	-25.61	34.23	3	Horizontal	238	1.81	-	40.88	9.86	42.38

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7954G	59.03	83.54	-24.51	67.94	1	Vertical	221	1.78	-	37.89	15.30	62.10
AV	20.7889G	46.01	63.54	-17.53	54.94	1	Vertical	221	1.78	-	37.88	15.30	62.11

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7876G	58.59	83.54	-24.95	67.52	1	Horizontal	43	1.77	-	37.88	15.30	62.11
AV	20.7903G	46.07	63.54	-17.47	55.00	1	Horizontal	43	1.77	-	37.88	15.30	62.11

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9946G	108.25	Inf	-Inf	97.57	3	Vertical	44	2.22	15	36.80	6.90	33.02
RMS	7.015G	98.91	Inf	-Inf	88.22	3	Vertical	44	2.22	15	36.80	6.92	33.03
PK	7.133G	63.32	88.20	-24.88	52.35	3	Vertical	44	2.22	15	37.03	7.03	33.09
RMS	7.2058G	51.83	68.20	-16.37	40.55	3	Vertical	44	2.22	15	37.31	7.10	33.13

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0222G	108.18	Inf	-Inf	97.49	3	Horizontal	260	2.92	15	36.80	6.92	33.03
RMS	7.0206G	97.70	Inf	-Inf	87.01	3	Horizontal	260	2.92	15	36.80	6.92	33.03
PK	7.1778G	63.13	88.20	-25.07	51.95	3	Horizontal	260	2.92	15	37.21	7.08	33.11
RMS	7.2174G	51.77	68.20	-16.43	40.46	3	Horizontal	260	2.92	15	37.33	7.11	33.13

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

7025MHz\_TX



EUT Y\_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05003G	57.17	88.20	-31.03	48.54	3	Vertical	27	1.66	-	41.05	9.92	42.34
RMS	14.05045G	43.66	68.20	-24.54	35.03	3	Vertical	27	1.66	-	41.05	9.92	42.34