


6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04974G	56.66	88.20	-31.54	48.04	3	Horizontal	345	1.58	-	41.05	9.92	42.35
RMS	14.0505G	43.43	68.20	-24.77	34.80	3	Horizontal	345	1.58	-	41.05	9.92	42.34

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.1144G	59.65	83.54	-23.89	67.82	1	Vertical	185	1.78	-	38.21	15.38	61.76
AV	21.0989G	46.91	63.54	-16.63	55.10	1	Vertical	185	1.78	-	38.22	15.37	61.78

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0993G	60.41	83.54	-23.13	68.60	1	Horizontal	161	1.45	-	38.22	15.37	61.78
AV	21.1149G	46.94	63.54	-16.60	55.11	1	Horizontal	161	1.45	-	38.21	15.38	61.76

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX



EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9235G	63.30	88.20	-24.90	54.36	3	Vertical	136	2.08	16	35.39	6.36	32.81
RMS	5.923G	52.61	68.20	-15.59	43.67	3	Vertical	136	2.08	16	35.39	6.36	32.81
PK	6.004G	108.44	Inf	-Inf	99.37	3	Vertical	136	2.08	16	35.51	6.40	32.84
RMS	6.0035G	98.01	Inf	-Inf	88.94	3	Vertical	136	2.08	16	35.51	6.40	32.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX
6025MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9075G	61.59	88.20	-26.61	52.71	3	Horizontal	130	1.80	16	35.33	6.35	32.80
RMS	5.924G	51.70	68.20	-16.50	42.75	3	Horizontal	130	1.80	16	35.40	6.36	32.81
PK	6.0075G	105.19	Inf	-Inf	96.11	3	Horizontal	130	1.80	16	35.52	6.40	32.84
RMS	6.0065G	95.06	Inf	-Inf	85.99	3	Horizontal	130	1.80	16	35.51	6.40	32.84

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05049G	54.53	74.00	-19.47	49.31	3	Vertical	73	2.21	-	38.85	9.12	42.75
AV	12.04972G	40.75	54.00	-13.25	35.53	3	Vertical	73	2.21	-	38.85	9.12	42.75

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0498G	53.63	74.00	-20.37	48.41	3	Horizontal	147	2.47	-	38.85	9.12	42.75
AV	12.04993G	40.78	54.00	-13.22	35.56	3	Horizontal	147	2.47	-	38.85	9.12	42.75

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0388G	58.09	83.54	-25.45	69.30	1	Vertical	279	1.43	-	37.50	14.41	63.12
AV	18.025G	45.13	63.54	-18.41	56.34	1	Vertical	279	1.43	-	37.50	14.41	63.12

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0374G	57.30	83.54	-26.24	68.51	1	Horizontal	330	1.42	-	37.50	14.41	63.12
AV	18.0261G	44.97	63.54	-18.57	56.18	1	Horizontal	330	1.42	-	37.50	14.41	63.12

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	63.01	88.20	-25.19	54.27	3	Vertical	176	1.80	18	35.19	6.34	32.79
RMS	5.925G	51.08	68.20	-17.12	42.13	3	Vertical	176	1.80	18	35.40	6.36	32.81
PK	6.1546G	109.77	Inf	-Inf	100.43	3	Vertical	176	1.80	18	35.71	6.48	32.85
RMS	6.1738G	98.37	Inf	-Inf	88.98	3	Vertical	176	1.80	18	35.75	6.49	32.85

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.861G	62.15	88.20	-26.05	53.61	3	Horizontal	128	1.80	18	34.99	6.33	32.78
RMS	5.8994G	50.98	68.20	-17.22	42.13	3	Horizontal	128	1.80	18	35.30	6.35	32.80
PK	6.1674G	108.29	Inf	-Inf	98.93	3	Horizontal	128	1.80	18	35.73	6.48	32.85
RMS	6.1474G	97.79	Inf	-Inf	88.48	3	Horizontal	128	1.80	18	35.69	6.47	32.85

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3704G	54.65	74.00	-19.35	49.16	3	Vertical	184	2.31	-	38.94	9.25	42.70
AV	12.36987G	40.74	54.00	-13.26	35.25	3	Vertical	184	2.31	-	38.94	9.25	42.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36952G	54.14	74.00	-19.86	48.65	3	Horizontal	209	2.07	-	38.94	9.25	42.70
AV	12.3698G	40.69	54.00	-13.31	35.20	3	Horizontal	209	2.07	-	38.94	9.25	42.70

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.558G	58.55	83.54	-24.99	69.74	1	Vertical	57	1.77	-	37.62	14.60	63.41
AV	18.5141G	45.71	63.54	-17.83	56.92	1	Vertical	57	1.77	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5772G	58.32	83.54	-25.22	69.51	1	Horizontal	319	1.46	-	37.63	14.60	63.42
AV	18.5146G	45.64	63.54	-17.90	56.85	1	Horizontal	319	1.46	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	62.22	88.20	-25.98	53.44	3	Vertical	134	2.95	16.5	35.23	6.35	32.80
RMS	5.9G	50.97	68.20	-17.23	42.12	3	Vertical	134	2.95	16.5	35.30	6.35	32.80
PK	6.352G	108.48	Inf	-Inf	99.15	3	Vertical	134	2.95	16.5	35.60	6.58	32.85
RMS	6.372G	98.50	Inf	-Inf	89.12	3	Vertical	134	2.95	16.5	35.64	6.59	32.85

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	62.31	97.74	-35.43	53.38	3	Horizontal	134	1.85	16.5	35.38	6.36	32.81
RMS	5.92G	51.11	68.20	-17.09	42.18	3	Horizontal	134	1.85	16.5	35.38	6.36	32.81
PK	6.307G	105.85	Inf	-Inf	96.64	3	Horizontal	134	1.85	16.5	35.51	6.55	32.85
RMS	6.367G	95.87	Inf	-Inf	86.51	3	Horizontal	134	1.85	16.5	35.63	6.58	32.85

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69028G	53.87	74.00	-20.13	47.76	3	Vertical	115	1.58	-	39.38	9.38	42.65
AV	12.69016G	40.53	54.00	-13.47	34.42	3	Vertical	115	1.58	-	39.38	9.38	42.65

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6902G	53.83	74.00	-20.17	47.72	3	Horizontal	344	1.39	-	39.38	9.38	42.65
AV	12.6895G	40.59	54.00	-13.41	34.48	3	Horizontal	344	1.39	-	39.38	9.38	42.65

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0208G	58.46	83.54	-25.08	69.67	1	Vertical	26	1.53	-	37.51	14.76	63.48
AV	19.0292G	45.87	63.54	-17.67	57.08	1	Vertical	26	1.53	-	37.51	14.76	63.48

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0123G	59.53	83.54	-24.01	70.77	1	Horizontal	152	1.54	-	37.50	14.75	63.49
AV	19.0435G	45.83	63.54	-17.71	57.01	1	Horizontal	152	1.54	-	37.52	14.77	63.47

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	62.90	88.20	-25.30	54.02	3	Vertical	146	2.92	16	35.33	6.35	32.80
RMS	5.9114G	51.17	68.20	-17.03	42.26	3	Vertical	146	2.92	16	35.35	6.36	32.80
PK	6.484G	108.38	Inf	-Inf	98.79	3	Vertical	146	2.92	16	35.77	6.68	32.86
RMS	6.4826G	98.50	Inf	-Inf	88.91	3	Vertical	146	2.92	16	35.77	6.68	32.86
PK	7.1378G	62.42	88.20	-25.78	51.42	3	Vertical	146	2.92	16		7.04	33.09
RMS	7.1966G	51.56	68.20	-16.64	40.29	3	Vertical	146	2.92	16	37.29	7.10	33.12

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8764G	61.99	88.20	-26.21	53.33	3	Horizontal	251	2.91	16	35.11	6.34	32.79
RMS	5.917G	51.12	68.20	-17.08	42.20	3	Horizontal	251	2.91	16	35.37	6.36	32.81
PK	6.4518G	105.29	Inf	-Inf	95.80	3	Horizontal	251	2.91	16	35.70	6.65	32.86
RMS	6.4728G	96.28	Inf	-Inf	86.72	3	Horizontal	251	2.91	16	35.75	6.67	32.86
PK	7.1364G	63.12	88.20	-25.08	52.12	3	Horizontal	251	2.91	16	37.05	7.04	33.09
RMS	7.2022G	51.69	68.20	-16.51	40.42	3	Horizontal	251	2.91	16	37.30	7.10	33.13

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00977G	54.16	88.20	-34.04	47.35	3	Vertical	223	1.80	-	39.91	9.50	42.60
RMS	13.00994G	40.90	68.20	-27.30	34.09	3	Vertical	223	1.80	-	39.91	9.50	42.60

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00964G	53.79	88.20	-34.41	46.98	3	Horizontal	155	2.84	-	39.91	9.50	42.60
RMS	13.01017G	40.74	68.20	-27.46	33.93	3	Horizontal	155	2.84	-	39.91	9.50	42.60

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4886G	60.63	83.54	-22.91	71.12	1	Vertical	297	1.55	-	37.70	14.92	63.11
AV	19.5426G	46.53	63.54	-17.01	56.99	1	Vertical	297	1.55	-	37.68	14.94	63.08

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5153G	59.52	83.54	-24.02	69.99	1	Horizontal	211	1.80	-	37.69	14.93	63.09
AV	19.5649G	46.43	63.54	-17.11	56.88	1	Horizontal	211	1.80	-	37.67	14.95	63.07

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7035G	108.71	Inf	-Inf	98.43	3	Vertical	142	2.31	16.5	36.41	6.80	32.93
RMS	6.6826G	98.96	Inf	-Inf	88.75	3	Vertical	142	2.31	16.5	36.33	6.80	32.92
PK	7.1622G	62.45	88.20	-25.75	51.34	3	Vertical	142	2.31	16.5	37.15	7.06	33.10
RMS	7.1974G	51.71	68.20	-16.49	40.44	3	Vertical	142	2.31	16.5	37.29	7.10	33.12

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6639G	105.58	Inf	-Inf	95.43	3	Horizontal	268	2.93	16.5	36.26	6.80	32.91
RMS	6.7024G	97.03	Inf	-Inf	86.74	3	Horizontal	268	2.93	16.5	36.41	6.80	32.92
PK	7.1765G	62.84	88.20	-25.36	51.66	3	Horizontal	268	2.93	16.5	37.21	7.08	33.11
RMS	7.1974G	51.71	68.20	-16.49	40.44	3	Horizontal	268	2.93	16.5	37.29	7.10	33.12

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32984G	53.46	74.00	-20.54	46.01	3	Vertical	179	2.48	-	40.33	9.63	42.51
AV	13.32957G	40.51	54.00	-13.49	33.06	3	Vertical	179	2.48	-	40.33	9.63	42.51

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33004G	53.99	74.00	-20.01	46.54	3	Horizontal	33	1.13	-	40.33	9.63	42.51
AV	13.33034G	40.56	54.00	-13.44	33.11	3	Horizontal	33	1.13	-	40.33	9.63	42.51

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0135G	58.63	83.54	-24.91	69.01	1	Vertical	87	1.41	-	37.41	15.10	62.89
AV	20.0221G	46.43	63.54	-17.11	56.78	1	Vertical	87	1.41	-	37.42	15.11	62.88

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0227G	59.90	83.54	-23.64	70.25	1	Horizontal	20	1.39	-	37.42	15.11	62.88
AV	20.0358G	46.41	63.54	-17.13	56.73	1	Horizontal	20	1.39	-	37.43	15.11	62.86

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8138G	109.01	Inf	-Inf	98.59	3	Vertical	43	1.80	18	36.57	6.81	32.96
RMS	6.8554G	98.20	Inf	-Inf	87.84	3	Vertical	43	1.80	18	36.50	6.83	32.97
PK	7.2194G	62.95	88.20	-25.25	51.63	3	Vertical	43	1.80	18	37.34	7.11	33.13
RMS	7.2186G	51.78	68.20	-16.42	40.46	3	Vertical	43	1.80	18	37.34	7.11	33.13

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7818G	108.03	Inf	-Inf	97.58	3	Horizontal	264	2.95	18	36.60	6.80	32.95
RMS	6.8018G	98.68	Inf	-Inf	88.24	3	Horizontal	264	2.95	18	36.60	6.80	32.96
PK	7.185G	63.46	88.20	-24.74	52.26	3	Horizontal	264	2.95	18	37.24	7.08	33.12
RMS	7.2186G	51.78	68.20	-16.42	40.46	3	Horizontal	264	2.95	18	37.34	7.11	33.13

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64959G	55.60	88.20	-32.60	47.88	3	Vertical	195	2.51	-	40.40	9.76	42.44
RMS	13.64967G	41.79	68.20	-26.41	34.07	3	Vertical	195	2.51	-	40.40	9.76	42.44

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65035G	55.29	88.20	-32.91	47.57	3	Horizontal	98	2.52	-	40.40	9.76	42.44
RMS	13.64989G	41.85	68.20	-26.35	34.13	3	Horizontal	98	2.52	-	40.40	9.76	42.44

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5159G	58.33	83.54	-25.21	67.77	1	Vertical	59	1.49	-	37.71	15.23	62.38
AV	20.5234G	46.02	63.54	-17.52	55.46	1	Vertical	59	1.49	-	37.71	15.23	62.38

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5106G	58.39	83.54	-25.15	67.85	1	Horizontal	199	1.30	-	37.70	15.23	62.39
AV	20.5215G	46.11	63.54	-17.43	55.55	1	Horizontal	199	1.30	-	37.71	15.23	62.38

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.996G	109.93	Inf	-Inf	99.25	3	Vertical	42	1.80	17.5	36.80	6.90	33.02
RMS	6.9955G	99.28	Inf	-Inf	88.60	3	Vertical	42	1.80	17.5	36.80	6.90	33.02
PK	7.157G	64.33	88.20	-23.87	53.24	3	Vertical	42	1.80	17.5	37.13	7.06	33.10
RMS	7.1365G	53.85	68.20	-14.35	42.85	3	Vertical	42	1.80	17.5	37.05	7.04	33.09

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.963G	108.46	Inf	-Inf	97.79	3	Horizontal	262	2.95	17.5	36.80	6.88	33.01
RMS	6.981G	98.52	Inf	-Inf	87.84	3	Horizontal	262	2.95	17.5	36.80	6.89	33.01
PK	7.2295G	64.11	88.20	-24.09	52.78	3	Horizontal	262	2.95	17.5	37.36	7.11	33.14
RMS	7.1415G	53.40	68.20	-14.80	42.38	3	Horizontal	262	2.95	17.5	37.07	7.04	33.09

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9702G	55.18	88.20	-33.02	46.69	3	Vertical	205	2.06	-	40.97	9.89	42.37
RMS	13.97043G	42.70	68.20	-25.50	34.21	3	Vertical	205	2.06	-	40.97	9.89	42.37

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97011G	57.56	88.20	-30.64	49.07	3	Horizontal	126	2.68	-	40.97	9.89	42.37
RMS	13.96957G	42.70	68.20	-25.50	34.21	3	Horizontal	126	2.68	-	40.97	9.89	42.37

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9243G	57.54	83.54	-26.00	66.04	1	Vertical	207	1.59	-	38.15	15.33	61.98
AV	20.9114G	44.68	63.54	-18.86	53.22	1	Vertical	207	1.59	-	38.12	15.33	61.99

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9991G	57.87	83.54	-25.67	66.12	1	Horizontal	339	1.64	-	38.30	15.35	61.90
AV	21.0042G	44.66	63.54	-18.88	52.90	1	Horizontal	339	1.64	-	38.30	15.35	61.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	17.99478G	50.30	54.00	-3.70	3	Horizontal	134	1.80	-

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8826G	62.92	88.20	-25.28	54.21	3	Vertical	201	1.80	-	35.16	6.34	32.79
RMS	5.9102G	52.12	68.20	-16.08	43.22	3	Vertical	201	1.80	-	35.34	6.36	32.80
PK	5.9598G	107.40	Inf	-Inf	98.34	3	Vertical	201	1.80	-	35.50	6.38	32.82
RMS	5.9566G	96.31	Inf	-Inf	87.25	3	Vertical	201	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	63.95	88.20	-24.25	55.04	3	Horizontal	134	1.80	-	35.36	6.36	32.81
RMS	5.9102G	52.11	68.20	-16.09	43.21	3	Horizontal	134	1.80	-	35.34	6.36	32.80
PK	5.9514G	105.62	Inf	-Inf	96.56	3	Horizontal	134	1.80	-	35.50	6.38	32.82
RMS	5.9522G	95.52	Inf	-Inf	86.46	3	Horizontal	134	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91846G	57.13	74.00	-16.87	40.81	3	Vertical	292	2.73	-	38.82	9.07	31.57
AV	11.91258G	44.34	54.00	-9.66	28.03	3	Vertical	292	2.73	-	38.81	9.07	31.57
PK	17.85546G	62.21	74.00	-11.79	38.76	3	Vertical	196	2.57	-	42.67	11.44	30.66
AV	17.87454G	49.02	54.00	-4.98	25.51	3	Vertical	196	2.57	-	42.72	11.45	30.66

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9241G	57.83	74.00	-16.17	41.51	3	Horizontal	208	1.80	-	38.82	9.07	31.57
AV	11.90946G	44.30	54.00	-9.70	28.01	3	Horizontal	208	1.80	-	38.81	9.06	31.58
PK	17.8668G	62.56	74.00	-11.44	39.07	3	Horizontal	91	1.50	-	42.70	11.45	30.66
AV	17.8599G	49.59	54.00	-4.41	26.13	3	Horizontal	91	1.50	-	42.68	11.44	30.66

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	63.10	88.20	-25.10	54.16	3	Vertical	173	2.06	-	35.39	6.36	32.81
RMS	5.9026G	52.18	68.20	-16.02	43.32	3	Vertical	173	2.06	-	35.31	6.35	32.80
PK	6.1726G	110.48	Inf	-Inf	101.09	3	Vertical	173	2.06	-	35.75	6.49	32.85
RMS	6.1726G	98.59	Inf	-Inf	89.20	3	Vertical	173	2.06	-	35.75	6.49	32.85

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	63.69	88.20	-24.51	54.80	3	Horizontal	134	1.80	-	35.34	6.35	32.80
RMS	5.905G	52.16	68.20	-16.04	43.29	3	Horizontal	134	1.80	-	35.32	6.35	32.80
PK	6.1762G	106.65	Inf	-Inf	97.26	3	Horizontal	134	1.80	-	35.75	6.49	32.85
RMS	6.1774G	96.57	Inf	-Inf	87.18	3	Horizontal	134	1.80	-	35.75	6.49	32.85

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35666G	58.42	74.00	-15.58	41.85	3	Vertical	261	1.28	-	38.91	9.24	31.58
AV	12.3617G	44.51	54.00	-9.49	27.93	3	Vertical	261	1.28	-	38.92	9.24	31.58

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36038G	58.79	74.00	-15.21	42.21	3	Horizontal	178	1.80	-	38.92	9.24	31.58
AV	12.36152G	44.70	54.00	-9.30	28.12	3	Horizontal	178	1.80	-	38.92	9.24	31.58

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5083G	58.77	83.54	-24.77	69.99	1	Vertical	339	1.33	-	37.60	14.58	63.40
AV	18.5137G	45.56	63.54	-17.98	56.77	1	Vertical	339	1.33	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5009G	59.05	83.54	-24.49	70.27	1	Horizontal	107	1.40	-	37.60	14.58	63.40
AV	18.5116G	45.66	63.54	-17.88	56.88	1	Horizontal	107	1.40	-	37.60	14.58	63.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	62.81	88.20	-25.39	53.94	3	Vertical	149	3.00	-	35.32	6.35	32.80
RMS	5.925G	52.12	68.20	-16.08	43.17	3	Vertical	149	3.00	-	35.40	6.36	32.81
PK	6.4198G	108.81	Inf	-Inf	99.35	3	Vertical	149	3.00	-	35.70	6.62	32.86
RMS	6.422G	98.13	Inf	-Inf	88.67	3	Vertical	149	3.00	-	35.70	6.62	32.86

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	62.73	88.20	-25.47	53.83	3	Horizontal	129	1.80	-	35.34	6.36	32.80
RMS	5.9134G	52.16	68.20	-16.04	43.26	3	Horizontal	129	1.80	-	35.35	6.36	32.81
PK	6.4174G	107.79	Inf	-Inf	98.33	3	Horizontal	129	1.80	-	35.70	6.62	32.86
RMS	6.4198G	96.89	Inf	-Inf	87.43	3	Horizontal	129	1.80	-	35.70	6.62	32.86

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81722G	58.44	88.20	-29.76	40.30	3	Vertical	81	2.91	-	39.62	9.43	30.91
RMS	12.84452G	44.83	68.20	-23.37	26.60	3	Vertical	81	2.91	-	39.64	9.44	30.85

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83642G	58.98	88.20	-29.22	40.78	3	Horizontal	235	1.80	-	39.64	9.43	30.87
RMS	12.8447G	44.95	68.20	-23.25	26.72	3	Horizontal	235	1.80	-	39.64	9.44	30.85

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2261G	58.01	83.54	-25.53	68.91	1	Vertical	131	1.36	-	37.59	14.83	63.32
AV	19.2221G	44.70	63.54	-18.84	55.60	1	Vertical	131	1.36	-	37.59	14.83	63.32

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2374G	58.03	83.54	-25.51	68.92	1	Horizontal	240	1.46	-	37.59	14.83	63.31
AV	19.2248G	44.70	63.54	-18.84	55.60	1	Horizontal	240	1.46	-	37.59	14.83	63.32

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9124G	63.11	88.20	-25.09	54.20	3	Vertical	35	1.80	-	35.35	6.36	32.80
RMS	5.8994G	52.09	68.20	-16.11	43.24	3	Vertical	35	1.80	-	35.30	6.35	32.80
PK	6.4298G	106.49	Inf	-Inf	97.02	3	Vertical	35	1.80	-	35.70	6.63	32.86
RMS	6.4402G	96.54	Inf	-Inf	87.06	3	Vertical	35	1.80	-	35.70	6.64	32.86

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8552G	62.21	88.20	-25.99	53.72	3	Horizontal	132	1.79	-	34.94	6.33	32.78
RMS	5.915G	52.07	68.20	-16.13	43.16	3	Horizontal	132	1.79	-	35.36	6.36	32.81
PK	6.4402G	105.82	Inf	-Inf	96.34	3	Horizontal	132	1.79	-	35.70	6.64	32.86
RMS	6.4376G	95.69	Inf	-Inf	86.21	3	Horizontal	132	1.79	-	35.70	6.64	32.86

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87474G	57.75	88.20	-30.45	39.42	3	Vertical	204	1.64	-	39.67	9.45	30.79
RMS	12.88392G	45.03	68.20	-23.17	26.67	3	Vertical	204	1.64	-	39.68	9.45	30.77

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87744G	58.67	88.20	-29.53	40.32	3	Horizontal	257	2.77	-	39.68	9.45	30.78
RMS	12.86106G	45.01	68.20	-23.19	26.73	3	Horizontal	257	2.77	-	39.66	9.44	30.82

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29593G	61.95	83.54	-21.59	72.74	1	Vertical	54	1.49	-	37.62	14.85	63.26
AV	19.2959G	55.48	63.54	-8.06	66.27	1	Vertical	54	1.49	-	37.62	14.85	63.26

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29582G	61.10	83.54	-22.44	71.89	1	Horizontal	140	1.50	-	37.62	14.85	63.26
AV	19.29588G	54.59	63.54	-8.95	65.38	1	Horizontal	140	1.50	-	37.62	14.85	63.26

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8758G	62.77	88.20	-25.43	54.11	3	Vertical	148	2.16	-	35.11	6.34	32.79
RMS	5.9066G	52.08	68.20	-16.12	43.20	3	Vertical	148	2.16	-	35.33	6.35	32.80
PK	6.4722G	108.85	Inf	-Inf	99.30	3	Vertical	148	2.16	-	35.74	6.67	32.86
RMS	6.4694G	97.59	Inf	-Inf	88.04	3	Vertical	148	2.16	-	35.74	6.67	32.86
PK	7.147G	62.94	88.20	-25.26	51.90	3	Vertical	148	2.16	-	37.09	7.05	33.10
RMS	7.1666G	52.57	68.20	-15.63	41.44	3	Vertical	148	2.16	-	37.17	7.07	33.11

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8898G	62.70	88.20	-25.50	53.94	3	Horizontal	132	1.28	-	35.22	6.34	32.80
RMS	5.9206G	52.06	68.20	-16.14	43.13	3	Horizontal	132	1.28	-	35.38	6.36	32.81
PK	6.475G	103.83	Inf	-Inf	94.27	3	Horizontal	132	1.28	-	35.75	6.67	32.86
RMS	6.4722G	95.08	Inf	-Inf	85.53	3	Horizontal	132	1.28	-	35.74	6.67	32.86
PK	7.1722G	62.83	88.20	-25.37	51.68	3	Horizontal	132	1.28	-	37.19	7.07	33.11
RMS	7.1526G	52.53	68.20	-15.67	41.47	3	Horizontal	132	1.28	-	37.11	7.05	33.10

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94562G	58.47	88.20	-29.73	39.84	3	Vertical	230	2.68	-	39.79	9.48	30.64
RMS	12.9566G	45.81	68.20	-22.39	27.13	3	Vertical	230	2.68	-	39.81	9.48	30.61

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9407G	59.78	88.20	-28.42	41.17	3	Horizontal	197	1.80	-	39.78	9.48	30.65
RMS	12.96488G	45.67	68.20	-22.53	26.95	3	Horizontal	197	1.80	-	39.83	9.49	30.60

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4332G	58.47	83.54	-25.07	69.05	1	Vertical	301	1.68	-	37.67	14.90	63.15
AV	19.4495G	45.42	63.54	-18.12	55.97	1	Vertical	301	1.68	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4437G	58.69	83.54	-24.85	69.25	1	Horizontal	1	1.68	-	37.68	14.91	63.15
AV	19.4493G	45.18	63.54	-18.36	55.73	1	Horizontal	1	1.68	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	62.51	88.20	-25.69	53.63	3	Vertical	139	3.00	-	35.33	6.35	32.80
RMS	5.9214G	52.05	68.20	-16.15	43.11	3	Vertical	139	3.00	-	35.39	6.36	32.81
PK	6.5234G	107.03	Inf	-Inf	97.24	3	Vertical	139	3.00	-	35.94	6.72	32.87
RMS	6.5206G	98.00	Inf	-Inf	88.23	3	Vertical	139	3.00	-	35.92	6.72	32.87
PK	7.1702G	62.99	88.20	-25.21	51.85	3	Vertical	139	3.00	-	37.18	7.07	33.11
RMS	7.2066G	52.67	68.20	-15.53	41.39	3	Vertical	139	3.00	-	37.31	7.10	33.13

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	62.54	88.20	-25.66	54.09	3	Horizontal	131	1.94	-	34.90	6.33	32.78
RMS	5.9018G	52.03	68.20	-16.17	43.17	3	Horizontal	131	1.94	-	35.31	6.35	32.80
PK	6.5094G	105.86	Inf	-Inf	96.15	3	Horizontal	131	1.94	-	35.86	6.71	32.86
RMS	6.5122G	96.81	Inf	-Inf	87.09	3	Horizontal	131	1.94	-	35.87	6.71	32.86
PK	7.1646G	63.72	88.20	-24.48	52.61	3	Horizontal	131	1.94	-	37.16	7.06	33.11
RMS	7.2038G	52.65	68.20	-15.55	41.37	3	Horizontal	131	1.94	-	37.31	7.10	33.13

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02046G	59.38	88.20	-28.82	40.44	3	Vertical	126	1.60	-	39.92	9.51	30.49
RMS	13.04056G	45.77	68.20	-22.43	26.77	3	Vertical	126	1.60	-	39.94	9.52	30.46

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0189G	59.79	88.20	-28.41	40.85	3	Horizontal	92	1.80	-	39.92	9.51	30.49
RMS	13.03834G	45.78	68.20	-22.42	26.78	3	Horizontal	92	1.80	-	39.94	9.52	30.46

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5296G	59.58	83.54	-23.96	70.04	1	Vertical	230	1.46	-	37.69	14.94	63.09
AV	19.5689G	46.39	63.54	-17.15	56.84	1	Vertical	230	1.46	-	37.67	14.95	63.07

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5334G	60.36	83.54	-23.18	70.82	1	Horizontal	138	1.44	-	37.69	14.94	63.09
AV	19.5634G	46.35	63.54	-17.19	56.80	1	Horizontal	138	1.44	-	37.67	14.95	63.07

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	62.35	88.20	-25.85	53.49	3	Vertical	142	2.98	-	35.31	6.35	32.80
RMS	5.9106G	52.05	68.20	-16.15	43.15	3	Vertical	142	2.98	-	35.34	6.36	32.80
PK	6.5294G	106.78	Inf	-Inf	96.94	3	Vertical	142	2.98	-	35.98	6.73	32.87
RMS	6.5294G	97.64	Inf	-Inf	87.80	3	Vertical	142	2.98	-	35.98	6.73	32.87
PK	7.1902G	64.52	88.20	-23.68	53.29	3	Vertical	142	2.98	-	37.26	7.09	33.12
RMS	7.2294G	52.72	68.20	-15.48	41.39	3	Vertical	142	2.98	-	37.36	7.11	33.14

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	63.19	88.20	-25.01	54.34	3	Horizontal	246	2.43	-	35.30	6.35	32.80
RMS	5.9218G	52.04	68.20	-16.16	43.10	3	Horizontal	246	2.43	-	35.39	6.36	32.81
PK	6.5322G	105.85	Inf	-Inf	96.00	3	Horizontal	246	2.43	-	35.99	6.73	32.87
RMS	6.5294G	95.26	Inf	-Inf	85.42	3	Horizontal	246	2.43	-	35.98	6.73	32.87
PK	7.2154G	63.97	88.20	-24.23	52.66	3	Horizontal	246	2.43	-	37.33	7.11	33.13
RMS	7.2182G	52.66	68.20	-15.54	41.34	3	Horizontal	246	2.43	-	37.34	7.11	33.13

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06736G	58.63	88.20	-29.57	39.55	3	Vertical	129	1.38	-	39.97	9.53	30.42
RMS	13.07444G	45.73	68.20	-22.47	26.64	3	Vertical	129	1.38	-	39.97	9.53	30.41

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08026G	59.67	88.20	-28.53	40.56	3	Horizontal	309	2.95	-	39.98	9.53	30.40
RMS	13.0655G	45.68	68.20	-22.52	26.60	3	Horizontal	309	2.95	-	39.97	9.53	30.42

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5986G	59.60	83.54	-23.94	70.04	1	Vertical	216	1.31	-	37.66	14.96	63.06
AV	19.594G	46.40	63.54	-17.14	56.84	1	Vertical	216	1.31	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5983G	59.55	83.54	-23.99	69.99	1	Horizontal	275	1.41	-	37.66	14.96	63.06
AV	19.5834G	46.31	63.54	-17.23	56.76	1	Horizontal	275	1.41	-	37.67	14.95	63.07

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	109.38	Inf	-Inf	99.12	3	Vertical	35	1.97	-	36.38	6.80	32.92
RMS	6.6972G	99.24	Inf	-Inf	88.97	3	Vertical	35	1.97	-	36.39	6.80	32.92
PK	7.2406G	63.49	88.20	-24.71	52.14	3	Vertical	35	1.97	-	37.38	7.12	33.15
RMS	7.2274G	52.69	68.20	-15.51	41.37	3	Vertical	35	1.97	-	37.35	7.11	33.14

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	108.65	Inf	-Inf	98.38	3	Horizontal	254	2.92	-	36.39	6.80	32.92
RMS	6.6994G	98.09	Inf	-Inf	87.81	3	Horizontal	254	2.92	-	36.40	6.80	32.92
PK	7.2076G	63.93	88.20	-24.27	52.64	3	Horizontal	254	2.92	-	37.32	7.10	33.13
RMS	7.2252G	52.71	68.20	-15.49	41.39	3	Horizontal	254	2.92	-	37.35	7.11	33.14

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40188G	59.91	88.20	-28.29	39.78	3	Vertical	272	1.18	-	40.40	9.66	29.93
RMS	13.40398G	46.67	68.20	-21.53	26.53	3	Vertical	272	1.18	-	40.40	9.66	29.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39936G	60.66	74.00	-13.34	40.53	3	Horizontal	122	1.80	-	40.40	9.66	29.93
RMS	13.40128G	46.82	68.20	-21.38	26.69	3	Horizontal	122	1.80	-	40.40	9.66	29.93

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.066G	60.33	83.54	-23.21	70.59	1	Vertical	79	1.35	-	37.45	15.12	62.83
AV	20.0881G	46.65	63.54	-16.89	56.87	1	Vertical	79	1.35	-	37.47	15.12	62.81

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09999G	60.39	83.54	-23.15	70.59	1	Horizontal	230	1.65	-	37.48	15.12	62.80
AV	20.0869G	46.61	63.54	-16.93	56.83	1	Horizontal	230	1.65	-	37.47	15.12	62.81

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	106.70	Inf	-Inf	96.35	3	Vertical	31	1.76	-	36.50	6.82	32.97
RMS	6.8494G	96.59	Inf	-Inf	86.24	3	Vertical	31	1.76	-	36.50	6.82	32.97
PK	7.1504G	63.68	88.20	-24.52	52.63	3	Vertical	31	1.76	-	37.10	7.05	33.10
RMS	7.2008G	52.68	68.20	-15.52	41.40	3	Vertical	31	1.76	-	37.30	7.10	33.12

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	105.62	Inf	-Inf	95.26	3	Horizontal	247	3.00	-	36.50	6.83	32.97
RMS	6.8522G	95.62	Inf	-Inf	85.26	3	Horizontal	247	3.00	-	36.50	6.83	32.97
PK	7.1826G	63.45	88.20	-24.75	52.25	3	Horizontal	247	3.00	-	37.23	7.08	33.11
RMS	7.1994G	52.70	68.20	-15.50	41.42	3	Horizontal	247	3.00	-	37.30	7.10	33.12

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7223G	63.80	88.20	-24.40	43.19	3	Vertical	285	2.45	-	40.47	9.79	29.65
RMS	13.722G	50.67	68.20	-17.53	30.06	3	Vertical	285	2.45	-	40.47	9.79	29.65

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7232G	64.67	88.20	-23.53	44.06	3	Horizontal	360	1.80	-	40.47	9.79	29.65
RMS	13.72122G	50.60	68.20	-17.60	30.00	3	Horizontal	360	1.80	-	40.46	9.79	29.65

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5689G	59.99	83.54	-23.55	69.35	1	Vertical	66	1.44	-	37.73	15.24	62.33
AV	20.5839G	46.81	63.54	-16.73	56.15	1	Vertical	66	1.44	-	37.73	15.25	62.32

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5465G	60.11	83.54	-23.43	69.50	1	Horizontal	37	1.65	-	37.72	15.24	62.35
AV	20.5853G	46.85	63.54	-16.69	56.18	1	Horizontal	37	1.65	-	37.73	15.25	62.31

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8786G	107.11	Inf	-Inf	96.75	3	Vertical	36	1.80	-	36.50	6.84	32.98
RMS	6.8786G	96.79	Inf	-Inf	86.43	3	Vertical	36	1.80	-	36.50	6.84	32.98
PK	7.1414G	63.48	88.20	-24.72	52.46	3	Vertical	36	1.80	-	37.07	7.04	33.09
RMS	7.1738G	52.48	68.20	-15.72	41.32	3	Vertical	36	1.80	-	37.20	7.07	33.11

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	106.38	Inf	-Inf	96.02	3	Horizontal	253	3.00	-	36.50	6.84	32.98
RMS	6.8822G	97.31	Inf	-Inf	86.95	3	Horizontal	253	3.00	-	36.50	6.84	32.98
PK	7.1702G	63.11	88.20	-25.09	51.97	3	Horizontal	253	3.00	-	37.18	7.07	33.11
RMS	7.1726G	52.54	68.20	-15.66	41.39	3	Horizontal	253	3.00	-	37.19	7.07	33.11

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75618G	64.81	88.20	-23.39	44.07	3	Vertical	325	1.78	-	40.57	9.80	29.63
RMS	13.76236G	51.37	68.20	-16.83	30.61	3	Vertical	325	1.78	-	40.59	9.80	29.63

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7626G	65.23	88.20	-22.97	44.46	3	Horizontal	259	1.06	-	40.59	9.81	29.63
RMS	13.75978G	51.29	68.20	-16.91	30.54	3	Horizontal	259	1.06	-	40.58	9.80	29.63

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6137G	60.36	83.54	-23.18	69.65	1	Vertical	318	1.46	-	37.75	15.25	62.29
AV	20.6034G	46.67	63.54	-16.87	55.98	1	Vertical	318	1.46	-	37.74	15.25	62.30

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6016G	59.95	83.54	-23.59	69.26	1	Horizontal	228	1.61	-	37.74	15.25	62.30
AV	20.6032G	46.77	63.54	-16.77	56.08	1	Horizontal	228	1.61	-	37.74	15.25	62.30

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.889G	108.54	Inf	-Inf	98.18	3	Vertical	34	2.06	-	36.50	6.84	32.98
RMS	6.8914G	98.74	Inf	-Inf	88.38	3	Vertical	34	2.06	-	36.50	6.85	32.99
PK	7.1458G	62.80	88.20	-25.40	51.77	3	Vertical	34	2.06	-	37.08	7.05	33.10
RMS	7.1938G	52.57	68.20	-15.63	41.32	3	Vertical	34	2.06	-	37.28	7.09	33.12

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8926G	107.54	Inf	-Inf	97.18	3	Horizontal	247	2.70	-	36.50	6.85	32.99
RMS	6.8974G	97.65	Inf	-Inf	87.29	3	Horizontal	247	2.70	-	36.50	6.85	32.99
PK	7.1398G	64.22	88.20	-23.98	53.21	3	Horizontal	247	2.70	-	37.06	7.04	33.09
RMS	7.1878G	52.57	68.20	-15.63	41.35	3	Horizontal	247	2.70	-	37.25	7.09	33.12

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77848G	64.84	88.20	-23.36	44.01	3	Vertical	272	1.89	-	40.64	9.81	29.62
RMS	13.79114G	51.41	68.20	-16.79	30.53	3	Vertical	272	1.89	-	40.67	9.82	29.61

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77842G	64.82	88.20	-23.38	43.99	3	Horizontal	89	1.80	-	40.64	9.81	29.62
RMS	13.77662G	51.47	68.20	-16.73	30.65	3	Horizontal	89	1.80	-	40.63	9.81	29.62

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6852G	59.26	83.54	-24.28	68.43	1	Vertical	89	1.32	-	37.77	15.27	62.21
AV	20.6658G	46.30	63.54	-17.24	55.49	1	Vertical	89	1.32	-	37.77	15.27	62.23

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.669G	59.78	83.54	-23.76	68.97	1	Horizontal	5	1.45	-	37.77	15.27	62.23
AV	20.6665G	46.48	63.54	-17.06	55.67	1	Horizontal	5	1.45	-	37.77	15.27	62.23

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9998G	107.88	Inf	-Inf	97.20	3	Vertical	11	1.94	-	36.80	6.90	33.02
RMS	6.999G	97.28	Inf	-Inf	86.60	3	Vertical	11	1.94	-	36.80	6.90	33.02
PK	7.1398G	64.18	88.20	-24.02	53.17	3	Vertical	11	1.94	-	37.06	7.04	33.09
RMS	7.1846G	52.56	68.20	-15.64	41.36	3	Vertical	11	1.94	-	37.24	7.08	33.12

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9982G	106.86	Inf	-Inf	96.18	3	Horizontal	350	1.80	-	36.80	6.90	33.02
RMS	6.9982G	96.05	Inf	-Inf	85.37	3	Horizontal	350	1.80	-	36.80	6.90	33.02
PK	7.147G	63.35	88.20	-24.85	52.31	3	Horizontal	350	1.80	-	37.09	7.05	33.10
RMS	7.187G	52.60	68.20	-15.60	41.38	3	Horizontal	350	1.80	-	37.25	7.09	33.12

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00206G	64.43	88.20	-23.77	43.02	3	Vertical	197	1.75	-	41.00	9.90	29.49
RMS	14.00416G	51.63	68.20	-16.57	30.22	3	Vertical	197	1.75	-	41.00	9.90	29.49

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99978G	65.62	88.20	-22.58	44.21	3	Horizontal	312	1.80	-	41.00	9.90	29.49
RMS	13.98574G	51.62	68.20	-16.58	30.24	3	Horizontal	312	1.80	-	40.99	9.89	29.50

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9989G	57.98	83.54	-25.56	66.23	1	Vertical	196	1.52	-	38.30	15.35	61.90
AV	21.0099G	44.81	63.54	-18.73	53.06	1	Vertical	196	1.52	-	38.29	15.35	61.89

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0066G	57.70	83.54	-25.84	65.95	1	Horizontal	326	1.68	-	38.29	15.35	61.89
AV	21.0072G	44.65	63.54	-18.89	52.90	1	Horizontal	326	1.68	-	38.29	15.35	61.89

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	108.10	Inf	-Inf	97.30	3	Vertical	50	2.26	-	36.88	6.99	33.07
RMS	7.0874G	97.01	Inf	-Inf	86.22	3	Vertical	50	2.26	-	36.87	6.99	33.07
PK	7.1622G	64.60	88.20	-23.60	53.49	3	Vertical	50	2.26	-	37.15	7.06	33.10
RMS	7.1938G	52.78	68.20	-15.42	41.53	3	Vertical	50	2.26	-	37.28	7.09	33.12

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0938G	104.39	Inf	-Inf	93.58	3	Horizontal	354	1.79	-	36.89	6.99	33.07
RMS	7.093G	94.26	Inf	-Inf	83.45	3	Horizontal	354	1.79	-	36.89	6.99	33.07
PK	7.153G	63.80	88.20	-24.40	52.74	3	Horizontal	354	1.79	-	37.11	7.05	33.10
RMS	7.195G	52.76	68.20	-15.44	41.51	3	Horizontal	354	1.79	-	37.28	7.09	33.12

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19444G	64.27	88.20	-23.93	42.91	3	Vertical	178	2.00	-	41.01	9.98	29.63
RMS	14.17614G	51.00	68.20	-17.20	29.62	3	Vertical	178	2.00	-	41.02	9.97	29.61

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18022G	64.58	88.20	-23.62	43.21	3	Horizontal	258	2.27	-	41.02	9.97	29.62
RMS	14.18058G	50.98	68.20	-17.22	29.61	3	Horizontal	258	2.27	-	41.02	9.97	29.62

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2855G	59.63	83.54	-23.91	67.70	1	Vertical	185	1.39	-	38.07	15.42	61.56
AV	21.3027G	46.21	63.54	-17.33	54.26	1	Vertical	185	1.39	-	38.06	15.43	61.54

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2925G	59.20	83.54	-24.34	67.26	1	Horizontal	77	1.38	-	38.07	15.42	61.55
AV	21.303G	46.21	63.54	-17.33	54.26	1	Horizontal	77	1.38	-	38.06	15.43	61.54

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	63.66	88.20	-24.54	54.81	3	Vertical	143	3.00	-	35.30	6.35	32.80
RMS	5.9242G	52.12	68.20	-16.08	43.17	3	Vertical	143	3.00	-	35.40	6.36	32.81
PK	5.9726G	110.72	Inf	-Inf	101.66	3	Vertical	143	3.00	-	35.50	6.39	32.83
RMS	5.9746G	99.66	Inf	-Inf	90.60	3	Vertical	143	3.00	-	35.50	6.39	32.83

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	63.64	88.20	-24.56	54.71	3	Horizontal	134	1.80	-	35.38	6.36	32.81
RMS	5.925G	52.27	68.20	-15.93	43.32	3	Horizontal	134	1.80	-	35.40	6.36	32.81
PK	5.9506G	108.18	Inf	-Inf	99.12	3	Horizontal	134	1.80	-	35.50	6.38	32.82
RMS	5.9514G	97.19	Inf	-Inf	88.13	3	Horizontal	134	1.80	-	35.50	6.38	32.82

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9206G	58.21	74.00	-15.79	41.89	3	Vertical	274	2.94	-	38.82	9.07	31.57
AV	11.9128G	45.04	54.00	-8.96	28.73	3	Vertical	274	2.94	-	38.81	9.07	31.57
PK	17.8917G	62.53	74.00	-11.47	38.96	3	Vertical	224	2.68	-	42.78	11.46	30.67
AV	17.919G	49.42	54.00	-4.58	25.73	3	Vertical	224	2.68	-	42.89	11.47	30.67

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9549G	58.26	74.00	-15.74	41.89	3	Horizontal	21	1.80	-	38.85	9.08	31.56
AV	11.9128G	45.03	54.00	-8.97	28.72	3	Horizontal	21	1.80	-	38.81	9.07	31.57
PK	17.9152G	62.90	74.00	-11.10	39.22	3	Horizontal	144	2.09	-	42.88	11.47	30.67
AV	17.9166G	49.85	54.00	-4.15	26.17	3	Horizontal	144	2.09	-	42.88	11.47	30.67

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	62.98	88.20	-25.22	54.06	3	Vertical	148	2.98	-	35.37	6.36	32.81
RMS	5.9022G	52.00	68.20	-16.20	43.14	3	Vertical	148	2.98	-	35.31	6.35	32.80
PK	6.1566G	108.50	Inf	-Inf	99.16	3	Vertical	148	2.98	-	35.71	6.48	32.85
RMS	6.1626G	97.54	Inf	-Inf	88.18	3	Vertical	148	2.98	-	35.73	6.48	32.85

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	62.90	88.20	-25.30	53.96	3	Horizontal	133	1.73	-	35.39	6.36	32.81
RMS	5.9046G	51.18	68.20	-17.02	42.31	3	Horizontal	133	1.73	-	35.32	6.35	32.80
PK	6.171G	108.27	Inf	-Inf	98.89	3	Horizontal	133	1.73	-	35.74	6.49	32.85
RMS	6.1722G	97.89	Inf	-Inf	88.51	3	Horizontal	133	1.73	-	35.74	6.49	32.85

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3209G	57.53	74.00	-16.47	41.03	3	Vertical	138	1.24	-	38.84	9.23	31.57
AV	12.3201G	44.45	54.00	-9.55	27.95	3	Vertical	138	1.24	-	38.84	9.23	31.57

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3345G	58.16	74.00	-15.84	41.63	3	Horizontal	64	1.46	-	38.87	9.23	31.57
AV	12.3406G	44.55	54.00	-9.45	28.00	3	Horizontal	64	1.46	-	38.88	9.24	31.57

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5007G	58.92	83.54	-24.62	70.14	1	Vertical	152	1.68	-	37.60	14.58	63.40
AV	18.498G	45.75	63.54	-17.79	56.98	1	Vertical	152	1.68	-	37.60	14.57	63.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4803G	58.74	83.54	-24.80	69.97	1	Horizontal	314	1.76	-	37.59	14.57	63.39
AV	18.518G	45.63	63.54	-17.91	56.84	1	Horizontal	314	1.76	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.841G	62.25	88.20	-25.95	53.86	3	Vertical	32	1.80	-	34.85	6.32	32.78
RMS	5.9154G	52.00	68.20	-16.20	43.09	3	Vertical	32	1.80	-	35.36	6.36	32.81
PK	6.4002G	107.43	Inf	-Inf	97.99	3	Vertical	32	1.80	-	35.70	6.60	32.86
RMS	6.393G	97.96	Inf	-Inf	88.53	3	Vertical	32	1.80	-	35.69	6.60	32.86

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8626G	62.83	88.20	-25.37	54.29	3	Horizontal	130	1.80	-	35.00	6.33	32.79
RMS	5.9058G	51.99	68.20	-16.21	43.12	3	Horizontal	130	1.80	-	35.32	6.35	32.80
PK	6.4098G	107.06	Inf	-Inf	97.61	3	Horizontal	130	1.80	-	35.70	6.61	32.86
RMS	6.4146G	96.79	Inf	-Inf	87.34	3	Horizontal	130	1.80	-	35.70	6.61	32.86

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8174G	58.48	88.20	-29.72	40.34	3	Vertical	152	1.55	-	39.62	9.43	30.91
RMS	12.8334G	45.04	68.20	-23.16	26.86	3	Vertical	152	1.55	-	39.63	9.43	30.88

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7882G	59.14	88.20	-29.06	41.11	3	Horizontal	88	1.80	-	39.58	9.42	30.97
RMS	12.8301G	45.08	68.20	-23.12	26.90	3	Horizontal	88	1.80	-	39.63	9.43	30.88

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2172G	58.59	83.54	-24.95	69.50	1	Vertical	90	1.76	-	37.59	14.83	63.33
AV	19.2106G	44.91	63.54	-18.63	55.84	1	Vertical	90	1.76	-	37.58	14.82	63.33

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1941G	58.16	83.54	-25.38	69.10	1	Horizontal	238	1.43	-	37.58	14.82	63.34
AV	19.1903G	44.78	63.54	-18.76	55.73	1	Horizontal	238	1.43	-	37.58	14.82	63.35

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	64.30	88.20	-23.90	55.37	3	Vertical	50	1.35	-	35.38	6.36	32.81
RMS	5.9198G	52.05	68.20	-16.15	43.12	3	Vertical	50	1.35	-	35.38	6.36	32.81
PK	6.4346G	108.32	Inf	-Inf	98.85	3	Vertical	50	1.35	-	35.70	6.63	32.86
RMS	6.4346G	98.42	Inf	-Inf	88.95	3	Vertical	50	1.35	-	35.70	6.63	32.86

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	62.16	88.20	-26.04	53.27	3	Horizontal	132	1.80	-	35.34	6.35	32.80
RMS	5.9146G	52.02	68.20	-16.18	43.11	3	Horizontal	132	1.80	-	35.36	6.36	32.81
PK	6.4476G	107.48	Inf	-Inf	97.99	3	Horizontal	132	1.80	-	35.70	6.65	32.86
RMS	6.4398G	97.19	Inf	-Inf	87.71	3	Horizontal	132	1.80	-	35.70	6.64	32.86

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9089G	58.51	88.20	-29.69	40.04	3	Vertical	38	1.27	-	39.72	9.46	30.71
RMS	12.9144G	45.57	68.20	-22.63	27.07	3	Vertical	38	1.27	-	39.73	9.47	30.70

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8924G	59.24	88.20	-28.96	40.84	3	Horizontal	341	1.43	-	39.69	9.46	30.75
RMS	12.912G	45.67	68.20	-22.53	27.20	3	Horizontal	341	1.43	-	39.72	9.46	30.71

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.348G	57.41	83.54	-26.13	68.12	1	Vertical	301	1.40	-	37.64	14.87	63.22
AV	19.3586G	43.98	63.54	-19.56	54.67	1	Vertical	301	1.40	-	37.64	14.88	63.21

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3487G	57.08	83.54	-26.46	67.79	1	Horizontal	193	1.41	-	37.64	14.87	63.22
AV	19.3573G	43.95	63.54	-19.59	54.64	1	Horizontal	193	1.41	-	37.64	14.88	63.21

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.76	88.20	-25.44	53.81	3	Vertical	38	1.50	-	35.40	6.36	32.81
RMS	5.9222G	51.92	68.20	-16.28	42.98	3	Vertical	38	1.50	-	35.39	6.36	32.81
PK	6.485G	108.66	Inf	-Inf	99.07	3	Vertical	38	1.50	-	35.77	6.68	32.86
RMS	6.4822G	98.89	Inf	-Inf	89.31	3	Vertical	38	1.50	-	35.76	6.68	32.86
PK	7.157G	63.40	88.20	-24.80	52.31	3	Vertical	38	1.50	-	37.13	7.06	33.10
RMS	7.1682G	52.42	68.20	-15.78	41.29	3	Vertical	38	1.50	-	37.17	7.07	33.11

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	62.95	88.20	-25.25	54.07	3	Horizontal	130	1.80	-	35.33	6.35	32.80
RMS	5.925G	51.99	68.20	-16.21	43.04	3	Horizontal	130	1.80	-	35.40	6.36	32.81
PK	6.471G	105.80	Inf	-Inf	96.25	3	Horizontal	130	1.80	-	35.74	6.67	32.86
RMS	6.4906G	95.72	Inf	-Inf	86.11	3	Horizontal	130	1.80	-	35.78	6.69	32.86
PK	7.1654G	63.50	88.20	-24.70	52.38	3	Horizontal	130	1.80	-	37.16	7.07	33.11
RMS	7.1794G	52.44	68.20	-15.76	41.25	3	Horizontal	130	1.80	-	37.22	7.08	33.11

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9628G	59.42	88.20	-28.78	40.70	3	Vertical	316	2.01	-	39.83	9.49	30.60
RMS	12.9621G	45.84	68.20	-22.36	27.14	3	Vertical	316	2.01	-	39.82	9.48	30.60

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9893G	59.81	88.20	-28.39	40.97	3	Horizontal	272	1.80	-	39.88	9.50	30.54
RMS	12.9767G	45.99	68.20	-22.21	27.22	3	Horizontal	272	1.80	-	39.85	9.49	30.57

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.478G	58.85	83.54	-24.69	69.36	1	Vertical	302	1.37	-	37.69	14.92	63.12
AV	19.4798G	46.01	63.54	-17.53	56.52	1	Vertical	302	1.37	-	37.69	14.92	63.12

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4716G	59.22	83.54	-24.32	69.73	1	Horizontal	122	1.52	-	37.69	14.92	63.12
AV	19.4746G	45.79	63.54	-17.75	56.30	1	Horizontal	122	1.52	-	37.69	14.92	63.12

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	62.51	88.20	-25.69	53.64	3	Vertical	144	2.97	-	35.32	6.35	32.80
RMS	5.909G	51.98	68.20	-16.22	43.09	3	Vertical	144	2.97	-	35.34	6.35	32.80
PK	6.5138G	109.60	Inf	-Inf	99.87	3	Vertical	144	2.97	-	35.88	6.71	32.86
RMS	6.5278G	99.77	Inf	-Inf	89.94	3	Vertical	144	2.97	-	35.97	6.73	32.87
PK	7.1998G	63.71	88.20	-24.49	52.43	3	Vertical	144	2.97	-	37.30	7.10	33.12
RMS	7.2026G	52.61	68.20	-15.59	41.33	3	Vertical	144	2.97	-	37.31	7.10	33.13

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	62.34	88.20	-25.86	53.47	3	Horizontal	133	2.07	-	35.32	6.35	32.80
RMS	5.923G	51.97	68.20	-16.23	43.03	3	Horizontal	133	2.07	-	35.39	6.36	32.81
PK	6.5194G	106.81	Inf	-Inf	97.04	3	Horizontal	133	2.07	-	35.92	6.72	32.87
RMS	6.5166G	97.10	Inf	-Inf	87.35	3	Horizontal	133	2.07	-	35.90	6.72	32.87
PK	7.155G	63.30	88.20	-24.90	52.23	3	Horizontal	133	2.07	-	37.12	7.05	33.10
RMS	7.2138G	52.60	68.20	-15.60	41.29	3	Horizontal	133	2.07	-	37.33	7.11	33.13

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0373G	58.91	88.20	-29.29	39.92	3	Vertical	316	1.82	-	39.94	9.51	30.46
RMS	13.0494G	45.94	68.20	-22.26	26.92	3	Vertical	316	1.82	-	39.95	9.52	30.45

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.038G	59.56	88.20	-28.64	40.56	3	Horizontal	255	1.62	-	39.94	9.52	30.46
RMS	13.0406G	45.97	68.20	-22.23	26.97	3	Horizontal	255	1.62	-	39.94	9.52	30.46

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5732G	60.28	83.54	-23.26	70.73	1	Vertical	284	1.74	-	37.67	14.95	63.07
AV	19.5892G	46.41	63.54	-17.13	56.85	1	Vertical	284	1.74	-	37.66	14.96	63.06

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5869G	60.30	83.54	-23.24	70.74	1	Horizontal	252	1.60	-	37.67	14.96	63.07
AV	19.5724G	46.49	63.54	-17.05	56.94	1	Horizontal	252	1.60	-	37.67	14.95	63.07

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	109.84	Inf	-Inf	99.81	3	Vertical	35	1.80	-	36.14	6.77	32.88
RMS	6.5722G	99.33	Inf	-Inf	89.30	3	Vertical	35	1.80	-	36.14	6.77	32.88
PK	7.1602G	63.04	88.20	-25.16	51.94	3	Vertical	35	1.80	-	37.14	7.06	33.10
RMS	7.1602G	52.41	68.20	-15.79	41.31	3	Vertical	35	1.80	-	37.14	7.06	33.10

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	109.58	Inf	-Inf	99.56	3	Horizontal	130	2.49	-	36.13	6.77	32.88
RMS	6.5674G	99.40	Inf	-Inf	89.38	3	Horizontal	130	2.49	-	36.13	6.77	32.88
PK	7.1626G	63.21	88.20	-24.99	52.10	3	Horizontal	130	2.49	-	37.15	7.06	33.10
RMS	7.1626G	52.41	68.20	-15.79	41.30	3	Horizontal	130	2.49	-	37.15	7.06	33.10

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1278G	59.62	88.20	-28.58	40.34	3	Vertical	16	1.15	-	40.06	9.55	30.33
RMS	13.1446G	45.94	68.20	-22.26	26.60	3	Vertical	16	1.15	-	40.09	9.56	30.31

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1406G	59.33	88.20	-28.87	40.00	3	Horizontal	143	2.58	-	40.08	9.56	30.31
RMS	13.1504G	46.02	68.20	-22.18	26.66	3	Horizontal	143	2.58	-	40.10	9.56	30.30

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6713G	59.23	83.54	-24.31	69.65	1	Vertical	110	1.42	-	37.63	14.98	63.03
AV	19.6701G	46.04	63.54	-17.50	56.46	1	Vertical	110	1.42	-	37.63	14.98	63.03

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.7037G	59.59	83.54	-23.95	69.99	1	Horizontal	85	1.37	-	37.62	15.00	63.02
AV	19.6835G	46.01	63.54	-17.53	56.42	1	Horizontal	85	1.37	-	37.63	14.99	63.03

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	109.95	Inf	-Inf	99.69	3	Vertical	32	1.52	-	36.38	6.80	32.92
RMS	6.695G	99.99	Inf	-Inf	89.73	3	Vertical	32	1.52	-	36.38	6.80	32.92
PK	7.181G	63.44	88.20	-24.76	52.25	3	Vertical	32	1.52	-	37.22	7.08	33.11
RMS	7.179G	52.49	68.20	-15.71	41.30	3	Vertical	32	1.52	-	37.22	7.08	33.11

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	109.80	Inf	-Inf	99.56	3	Horizontal	120	2.86	-	36.36	6.80	32.92
RMS	6.691G	99.52	Inf	-Inf	89.28	3	Horizontal	120	2.86	-	36.36	6.80	32.92
PK	7.141G	63.35	88.20	-24.85	52.34	3	Horizontal	120	2.86	-	37.06	7.04	33.09
RMS	7.181G	52.49	68.20	-15.71	41.30	3	Horizontal	120	2.86	-	37.22	7.08	33.11

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3838G	59.57	74.00	-14.43	39.49	3	Vertical	241	2.89	-	40.38	9.65	29.95
AV	13.3841G	46.81	54.00	-7.19	26.73	3	Vertical	241	2.89	-	40.38	9.65	29.95

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3921G	59.78	74.00	-14.22	39.67	3	Horizontal	71	2.04	-	40.39	9.66	29.94
AV	13.3927G	46.71	54.00	-7.29	26.60	3	Horizontal	71	2.04	-	40.39	9.66	29.94

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0517G	59.55	83.54	-23.99	69.85	1	Vertical	83	1.63	-	37.44	15.11	62.85
AV	20.0712G	46.64	63.54	-16.90	56.89	1	Vertical	83	1.63	-	37.46	15.12	62.83

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0639G	60.04	83.54	-23.50	70.31	1	Horizontal	34	1.74	-	37.45	15.12	62.84
AV	20.0481G	46.56	63.54	-16.98	56.86	1	Horizontal	34	1.74	-	37.44	15.11	62.85

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8402G	106.99	Inf	-Inf	96.62	3	Vertical	144	1.80	-	36.52	6.82	32.97
RMS	6.8402G	97.73	Inf	-Inf	87.36	3	Vertical	144	1.80	-	36.52	6.82	32.97
PK	7.1666G	63.59	88.20	-24.61	52.46	3	Vertical	144	1.80	-	37.17	7.07	33.11
RMS	7.221G	52.64	68.20	-15.56	41.32	3	Vertical	144	1.80	-	37.34	7.11	33.13

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.861G	105.16	Inf	-Inf	94.81	3	Horizontal	250	2.34	-	36.50	6.83	32.98
RMS	6.8354G	95.61	Inf	-Inf	85.23	3	Horizontal	250	2.34	-	36.53	6.82	32.97
PK	7.1618G	63.61	88.20	-24.59	52.50	3	Horizontal	250	2.34	-	37.15	7.06	33.10
RMS	7.2162G	52.64	68.20	-15.56	41.33	3	Horizontal	250	2.34	-	37.33	7.11	33.13

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7079G	63.98	88.20	-24.22	43.44	3	Vertical	209	2.34	-	40.42	9.78	29.66
RMS	13.7086G	50.57	68.20	-17.63	30.02	3	Vertical	209	2.34	-	40.43	9.78	29.66

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7125G	64.57	88.20	-23.63	44.00	3	Horizontal	300	2.29	-	40.44	9.79	29.66
RMS	13.7144G	50.94	68.20	-17.26	30.37	3	Horizontal	300	2.29	-	40.44	9.79	29.66

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5578G	59.91	83.54	-23.63	69.29	1	Vertical	32	1.68	-	37.72	15.24	62.34
AV	20.5561G	46.75	63.54	-16.79	56.13	1	Vertical	32	1.68	-	37.72	15.24	62.34

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5497G	60.08	83.54	-23.46	69.47	1	Horizontal	254	1.52	-	37.72	15.24	62.35
AV	20.5542G	46.67	63.54	-16.87	56.06	1	Horizontal	254	1.52	-	37.72	15.24	62.35

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8836G	110.73	Inf	-Inf	100.37	3	Vertical	37	1.80	-	36.50	6.84	32.98
RMS	6.8836G	99.01	Inf	-Inf	88.65	3	Vertical	37	1.80	-	36.50	6.84	32.98
PK	7.2084G	63.81	88.20	-24.39	52.52	3	Vertical	37	1.80	-	37.32	7.10	33.13
RMS	7.2084G	52.65	68.20	-15.55	41.36	3	Vertical	37	1.80	-	37.32	7.10	33.13

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.885G	108.82	Inf	-Inf	98.46	3	Horizontal	253	3.00	-	36.50	6.84	32.98
RMS	6.8906G	99.09	Inf	-Inf	88.72	3	Horizontal	253	3.00	-	36.50	6.85	32.98
PK	7.2056G	63.67	88.20	-24.53	52.39	3	Horizontal	253	3.00	-	37.31	7.10	33.13
RMS	7.2084G	52.63	68.20	-15.57	41.34	3	Horizontal	253	3.00	-	37.32	7.10	33.13

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7628G	64.22	88.20	-23.98	43.45	3	Vertical	138	2.53	-	40.59	9.81	29.63
RMS	13.7947G	51.72	68.20	-16.48	30.83	3	Vertical	138	2.53	-	40.68	9.82	29.61

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7608G	65.02	88.20	-23.18	44.27	3	Horizontal	109	1.37	-	40.58	9.80	29.63
RMS	13.7817G	51.74	68.20	-16.46	30.90	3	Horizontal	109	1.37	-	40.65	9.81	29.62

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6505G	59.55	83.54	-23.99	68.78	1	Vertical	318	1.58	-	37.76	15.26	62.25
AV	20.631G	46.58	63.54	-16.96	55.84	1	Vertical	318	1.58	-	37.75	15.26	62.27

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6449G	59.79	83.54	-23.75	69.03	1	Horizontal	47	1.76	-	37.76	15.26	62.26
AV	20.6399G	46.61	63.54	-16.93	55.85	1	Horizontal	47	1.76	-	37.76	15.26	62.26

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9274G	109.67	Inf	-Inf	99.15	3	Vertical	37	1.80	-	36.66	6.86	33.00
RMS	6.919G	98.39	Inf	-Inf	87.91	3	Vertical	37	1.80	-	36.61	6.86	32.99
PK	7.1806G	63.48	88.20	-24.72	52.29	3	Vertical	37	1.80	-	37.22	7.08	33.11
RMS	7.2094G	52.71	68.20	-15.49	41.42	3	Vertical	37	1.80	-	37.32	7.10	33.13

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9334G	109.39	Inf	-Inf	98.82	3	Horizontal	246	2.74	-	36.70	6.87	33.00
RMS	6.9382G	98.53	Inf	-Inf	87.93	3	Horizontal	246	2.74	-	36.73	6.87	33.00
PK	7.2034G	63.03	88.20	-25.17	51.75	3	Horizontal	246	2.74	-	37.31	7.10	33.13
RMS	7.213G	52.67	68.20	-15.53	41.36	3	Horizontal	246	2.74	-	37.33	7.11	33.13

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8476G	65.55	88.20	-22.65	44.49	3	Vertical	161	1.19	-	40.80	9.84	29.58
RMS	13.8511G	51.81	68.20	-16.39	30.75	3	Vertical	161	1.19	-	40.80	9.84	29.58

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8722G	64.66	88.20	-23.54	43.53	3	Horizontal	112	1.29	-	40.84	9.85	29.56
RMS	13.8426G	51.83	68.20	-16.37	30.78	3	Horizontal	112	1.29	-	40.79	9.84	29.58

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.759G	59.74	83.54	-23.80	68.77	1	Vertical	80	1.78	-	37.82	15.29	62.14
AV	20.7633G	46.24	63.54	-17.30	55.26	1	Vertical	80	1.78	-	37.83	15.29	62.14

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7503G	60.11	83.54	-23.43	69.17	1	Horizontal	318	1.30	-	37.80	15.29	62.15
AV	20.7635G	46.17	63.54	-17.37	55.19	1	Horizontal	318	1.30	-	37.83	15.29	62.14

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0082G	108.91	Inf	-Inf	98.22	3	Vertical	32	2.09	-	36.80	6.91	33.02
RMS	7.0106G	99.16	Inf	-Inf	88.48	3	Vertical	32	2.09	-	36.80	6.91	33.03
PK	7.1738G	63.57	88.20	-24.63	52.41	3	Vertical	32	2.09	-	37.20	7.07	33.11
RMS	7.2042G	52.65	68.20	-15.55	41.37	3	Vertical	32	2.09	-	37.31	7.10	33.13

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.997G	106.82	Inf	-Inf	96.14	3	Horizontal	351	1.80	-	36.80	6.90	33.02
RMS	6.9978G	96.70	Inf	-Inf	86.02	3	Horizontal	351	1.80	-	36.80	6.90	33.02
PK	7.1514G	63.91	88.20	-24.29	52.85	3	Horizontal	351	1.80	-	37.11	7.05	33.10
RMS	7.2002G	52.66	68.20	-15.54	41.38	3	Horizontal	351	1.80	-	37.30	7.10	33.12

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9889G	65.06	88.20	-23.14	43.67	3	Vertical	115	2.35	-	40.99	9.90	29.50
RMS	14.0024G	51.90	68.20	-16.30	30.49	3	Vertical	115	2.35	-	41.00	9.90	29.49

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9946G	65.40	88.20	-22.80	44.00	3	Horizontal	224	2.60	-	40.99	9.90	29.49
RMS	14.0055G	51.76	68.20	-16.44	30.34	3	Horizontal	224	2.60	-	41.01	9.90	29.49

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0297G	59.49	83.54	-24.05	67.71	1	Vertical	133	1.36	-	38.28	15.36	61.86
AV	21.0377G	45.74	63.54	-17.80	53.96	1	Vertical	133	1.36	-	38.27	15.36	61.85

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0254G	58.70	83.54	-24.84	66.93	1	Horizontal	90	1.45	-	38.28	15.36	61.87
AV	21.037G	45.67	63.54	-17.87	53.90	1	Horizontal	90	1.45	-	38.27	15.36	61.86

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0898G	108.74	Inf	-Inf	97.94	3	Vertical	52	2.32	-	36.88	6.99	33.07
RMS	7.0826G	98.28	Inf	-Inf	87.49	3	Vertical	52	2.32	-	36.87	6.98	33.06
PK	7.1618G	64.21	88.20	-23.99	53.10	3	Vertical	52	2.32	-	37.15	7.06	33.10
RMS	7.1822G	52.63	68.20	-15.57	41.43	3	Vertical	52	2.32	-	37.23	7.08	33.11

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0934G	106.41	Inf	-Inf	95.60	3	Horizontal	354	1.50	-	36.89	6.99	33.07
RMS	7.091G	95.90	Inf	-Inf	85.10	3	Horizontal	354	1.50	-	36.88	6.99	33.07
PK	7.1338G	63.66	88.20	-24.54	52.68	3	Horizontal	354	1.50	-	37.04	7.03	33.09
RMS	7.175G	52.65	68.20	-15.55	41.49	3	Horizontal	354	1.50	-	37.20	7.07	33.11

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1556G	64.61	88.20	-23.59	43.21	3	Vertical	218	2.39	-	41.04	9.96	29.60
RMS	14.1654G	51.43	68.20	-16.77	30.04	3	Vertical	218	2.39	-	41.03	9.97	29.61

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1522G	64.31	88.20	-23.89	42.90	3	Horizontal	205	1.03	-	41.05	9.96	29.60
RMS	14.1593G	51.35	68.20	-16.85	29.95	3	Horizontal	205	1.03	-	41.04	9.96	29.60

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2445G	60.10	83.54	-23.44	68.20	1	Vertical	327	1.51	-	38.10	15.41	61.61
AV	21.232G	46.57	63.54	-16.97	54.67	1	Vertical	327	1.51	-	38.11	15.41	61.62

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2398G	59.28	83.54	-24.26	67.37	1	Horizontal	312	1.57	-	38.11	15.41	61.61
AV	21.23G	46.52	63.54	-17.02	54.61	1	Horizontal	312	1.57	-	38.12	15.41	61.62

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.83G	61.56	88.20	-26.64	55.02	3	Vertical	43	1.66	-	34.26	7.21	34.93
RMS	5.917G	50.25	68.20	-17.95	43.27	3	Vertical	43	1.66	-	34.67	7.26	34.95
PK	5.993G	108.05	Inf	-Inf	100.92	3	Vertical	43	1.66	-	34.80	7.30	34.97
RMS	5.997G	97.03	Inf	-Inf	89.90	3	Vertical	43	1.66	-	34.80	7.30	34.97

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	61.28	88.20	-26.92	54.39	3	Horizontal	126	2.04	-	34.59	7.25	34.95
RMS	5.915G	50.29	68.20	-17.91	43.32	3	Horizontal	126	2.04	-	34.66	7.26	34.95
PK	5.963G	104.95	Inf	-Inf	97.83	3	Horizontal	126	2.04	-	34.80	7.28	34.96
RMS	5.962G	94.73	Inf	-Inf	87.61	3	Horizontal	126	2.04	-	34.80	7.28	34.96

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93598G	57.66	74.00	-16.34	41.32	3	Vertical	285	1.58	-	38.84	9.07	31.57
AV	11.93184G	44.66	54.00	-9.34	28.33	3	Vertical	285	1.58	-	38.83	9.07	31.57
PK	17.9667G	63.45	74.00	-10.55	39.51	3	Vertical	112	1.45	-	43.13	11.49	30.68
AV	17.98722G	49.85	54.00	-4.15	25.81	3	Vertical	112	1.45	-	43.24	11.49	30.69

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93652G	58.18	74.00	-15.82	41.84	3	Horizontal	255	1.50	-	38.84	9.07	31.57
AV	11.9637G	44.59	54.00	-9.41	28.19	3	Horizontal	255	1.50	-	38.86	9.09	31.55
PK	17.96364G	63.08	74.00	-10.92	39.15	3	Horizontal	134	1.80	-	43.12	11.49	30.68
AV	17.99478G	50.30	54.00	-3.70	26.22	3	Horizontal	134	1.80	-	43.27	11.50	30.69

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	60.85	88.20	-27.35	53.89	3	Vertical	24	1.80	-	34.65	7.26	34.95
RMS	5.913G	50.19	68.20	-18.01	43.23	3	Vertical	24	1.80	-	34.65	7.26	34.95
PK	6.1418G	109.48	Inf	-Inf	101.96	3	Vertical	24	1.80	-	35.00	7.51	34.99
RMS	6.1386G	98.46	Inf	-Inf	90.94	3	Vertical	24	1.80	-	35.00	7.51	34.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	60.87	88.20	-27.33	53.97	3	Horizontal	122	1.90	-	34.60	7.25	34.95
RMS	5.9194G	50.18	68.20	-18.02	43.19	3	Horizontal	122	1.90	-	34.68	7.26	34.95
PK	6.1498G	108.18	Inf	-Inf	100.65	3	Horizontal	122	1.90	-	35.00	7.52	34.99
RMS	6.1418G	98.14	Inf	-Inf	90.62	3	Horizontal	122	1.90	-	35.00	7.51	34.99

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25166G	57.46	74.00	-16.54	40.98	3	Vertical	341	1.73	-	38.85	9.20	31.57
AV	12.31124G	44.31	54.00	-9.69	27.84	3	Vertical	341	1.73	-	38.82	9.22	31.57

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33176G	57.22	74.00	-16.78	40.70	3	Horizontal	328	2.23	-	38.86	9.23	31.57
AV	12.31952G	44.43	54.00	-9.57	27.93	3	Horizontal	328	2.23	-	38.84	9.23	31.57

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4253G	59.19	83.54	-24.35	70.43	1	Vertical	284	1.53	-	37.57	14.55	63.36
AV	18.4319G	45.66	63.54	-17.88	56.90	1	Vertical	284	1.53	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4559G	59.00	83.54	-24.54	70.23	1	Horizontal	311	1.45	-	37.58	14.56	63.37
AV	18.4316G	45.71	63.54	-17.83	56.95	1	Horizontal	311	1.45	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8522G	60.60	88.20	-27.60	54.00	3	Vertical	194	1.91	-	34.31	7.23	34.94
RMS	5.917G	50.17	68.20	-18.03	43.19	3	Vertical	194	1.91	-	34.67	7.26	34.95
PK	6.4018G	107.59	Inf	-Inf	100.12	3	Vertical	194	1.91	-	34.89	7.60	35.02
RMS	6.3682G	97.54	Inf	-Inf	90.05	3	Vertical	194	1.91	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8138G	60.60	88.20	-27.60	54.09	3	Horizontal	129	1.99	-	34.23	7.21	34.93
RMS	5.9098G	50.22	68.20	-17.98	43.28	3	Horizontal	129	1.99	-	34.64	7.25	34.95
PK	6.3658G	105.91	Inf	-Inf	98.42	3	Horizontal	129	1.99	-	34.90	7.60	35.01
RMS	6.373G	95.33	Inf	-Inf	87.84	3	Horizontal	129	1.99	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.26264G	57.14	74.00	-16.86	40.66	3	Vertical	63	1.34	-	38.84	9.21	31.57
AV	12.2504G	44.35	54.00	-9.65	27.87	3	Vertical	63	1.34	-	38.85	9.20	31.57

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32474G	56.87	74.00	-17.13	40.36	3	Horizontal	73	1.10	-	38.85	9.23	31.57
AV	12.33356G	44.25	54.00	-9.75	27.72	3	Horizontal	73	1.10	-	38.87	9.23	31.57

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1486G	58.58	83.54	-24.96	69.60	1	Vertical	238	1.64	-	37.56	14.80	63.38
AV	19.1328G	45.33	63.54	-18.21	56.37	1	Vertical	238	1.64	-	37.55	14.80	63.39

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1509G	58.73	83.54	-24.81	69.75	1	Horizontal	180	1.67	-	37.56	14.80	63.38
AV	19.1306G	45.34	63.54	-18.20	56.39	1	Horizontal	180	1.67	-	37.55	14.80	63.40

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8956G	61.31	88.20	-26.89	54.44	3	Vertical	29	1.93	-	34.57	7.25	34.95
RMS	5.9138G	50.16	68.20	-18.04	43.19	3	Vertical	29	1.93	-	34.66	7.26	34.95
PK	6.4676G	107.78	Inf	-Inf	100.48	3	Vertical	29	1.93	-	34.70	7.63	35.03
RMS	6.4598G	97.78	Inf	-Inf	90.48	3	Vertical	29	1.93	-	34.70	7.63	35.03

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9112G	61.05	88.20	-27.15	54.10	3	Horizontal	239	2.41	-	34.64	7.26	34.95
RMS	5.9034G	50.16	68.20	-18.04	43.25	3	Horizontal	239	2.41	-	34.61	7.25	34.95
PK	6.4338G	105.59	Inf	-Inf	98.23	3	Horizontal	239	2.41	-	34.76	7.62	35.02
RMS	6.4598G	95.72	Inf	-Inf	88.42	3	Horizontal	239	2.41	-	34.70	7.63	35.03

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94296G	58.97	88.20	-29.23	40.34	3	Vertical	149	2.46	-	39.79	9.48	30.64
RMS	12.95934G	45.81	68.20	-22.39	27.12	3	Vertical	149	2.46	-	39.82	9.48	30.61

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97446G	58.63	88.20	-29.57	39.86	3	Horizontal	247	1.96	-	39.85	9.49	30.57
RMS	12.96528G	45.89	68.20	-22.31	27.16	3	Horizontal	247	1.96	-	39.83	9.49	30.59

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3705G	57.83	83.54	-25.71	68.50	1	Vertical	23	1.47	-	37.65	14.88	63.20
AV	19.4182G	44.67	63.54	-18.87	55.27	1	Vertical	23	1.47	-	37.67	14.90	63.17

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4194G	57.85	83.54	-25.69	68.44	1	Horizontal	76	1.78	-	37.67	14.90	63.16
AV	19.4087G	44.72	63.54	-18.82	55.34	1	Horizontal	76	1.78	-	37.66	14.89	63.17

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8478G	61.41	88.20	-26.79	54.83	3	Vertical	7	2.05	-	34.30	7.22	34.94
RMS	5.9234G	50.22	68.20	-17.98	43.22	3	Vertical	7	2.05	-	34.69	7.26	34.95
PK	6.517G	107.46	Inf	-Inf	100.06	3	Vertical	7	2.05	-	34.77	7.66	35.03
RMS	6.517G	97.22	Inf	-Inf	89.82	3	Vertical	7	2.05	-	34.77	7.66	35.03
PK	7.2254G	63.17	88.20	-25.03	53.02	3	Vertical	7	2.05	-	36.55	8.70	35.10
RMS	7.245G	52.12	68.20	-16.08	41.86	3	Vertical	7	2.05	-	36.67	8.70	35.11

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	61.20	88.20	-27.00	54.28	3	Horizontal	113	2.38	-	34.62	7.25	34.95
RMS	5.925G	50.19	68.20	-18.01	43.18	3	Horizontal	113	2.38	-	34.70	7.26	34.95
PK	6.5478G	106.05	Inf	-Inf	98.52	3	Horizontal	113	2.38	-	34.89	7.67	35.03
RMS	6.559G	96.06	Inf	-Inf	88.47	3	Horizontal	113	2.38	-	34.94	7.68	35.03
PK	7.189G	62.68	88.20	-25.52	52.76	3	Horizontal	113	2.38	-	36.33	8.68	35.09
RMS	7.2366G	52.07	68.20	-16.13	41.86	3	Horizontal	113	2.38	-	36.62	8.70	35.11

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




25/11/2022

EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08154G	58.81	88.20	-29.39	39.70	3	Vertical	326	1.41	-	39.98	9.53	30.40
RMS	13.05778G	45.80	68.20	-22.40	26.75	3	Vertical	326	1.41	-	39.96	9.52	30.43

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12888G	58.89	88.20	-29.31	39.61	3	Horizontal	302	2.71	-	40.06	9.55	30.33
RMS	13.1332G	45.80	68.20	-22.40	26.50	3	Horizontal	302	2.71	-	40.07	9.55	30.32

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6231G	59.83	83.54	-23.71	70.26	1	Vertical	33	1.37	-	37.65	14.97	63.05
AV	19.6432G	46.27	63.54	-17.27	56.69	1	Vertical	33	1.37	-	37.64	14.98	63.04

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6167G	59.67	83.54	-23.87	70.10	1	Horizontal	201	1.75	-	37.65	14.97	63.05
AV	19.6116G	46.28	63.54	-17.26	56.72	1	Horizontal	201	1.75	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6274G	106.62	Inf	-Inf	98.70	3	Vertical	8	1.80	-	35.21	7.73	35.02
RMS	6.625G	95.71	Inf	-Inf	87.80	3	Vertical	8	1.80	-	35.20	7.73	35.02
PK	7.225G	62.55	88.20	-25.65	52.40	3	Vertical	8	1.80	-	36.55	8.70	35.10
RMS	7.2226G	52.01	68.20	-16.19	41.87	3	Vertical	8	1.80	-	36.54	8.70	35.10

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6322G	107.01	Inf	-Inf	99.07	3	Horizontal	253	2.27	-	35.23	7.73	35.02
RMS	6.6346G	96.49	Inf	-Inf	88.54	3	Horizontal	253	2.27	-	35.24	7.73	35.02
PK	7.2106G	62.26	88.20	-25.94	52.20	3	Horizontal	253	2.27	-	36.46	8.70	35.10
RMS	7.2202G	51.97	68.20	-16.23	41.85	3	Horizontal	253	2.27	-	36.52	8.70	35.10

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25504G	59.17	74.00	-14.83	39.45	3	Vertical	19	1.13	-	40.26	9.60	30.14
AV	13.2545G	46.35	54.00	-7.65	26.64	3	Vertical	19	1.13	-	40.25	9.60	30.14

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2581G	59.27	74.00	-14.73	39.55	3	Horizontal	169	2.93	-	40.26	9.60	30.14
AV	13.2941G	46.39	54.00	-7.61	26.56	3	Horizontal	169	2.93	-	40.29	9.62	30.08

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8744G	57.96	83.54	-25.58	68.35	1	Vertical	315	1.64	-	37.50	15.06	62.95
AV	19.8928G	44.32	63.54	-19.22	54.71	1	Vertical	315	1.64	-	37.49	15.06	62.94

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8945G	57.52	83.54	-26.02	67.92	1	Horizontal	133	1.36	-	37.48	15.06	62.94
AV	19.8991G	44.28	63.54	-19.26	54.68	1	Horizontal	133	1.36	-	37.48	15.06	62.94

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	108.34	Inf	-Inf	100.19	3	Vertical	28	1.80	-	35.38	7.79	35.02
RMS	6.699G	98.36	Inf	-Inf	90.18	3	Vertical	28	1.80	-	35.40	7.80	35.02
PK	7.187G	62.34	88.20	-25.86	52.44	3	Vertical	28	1.80	-	36.32	8.67	35.09
RMS	7.205G	51.80	68.20	-16.40	41.76	3	Vertical	28	1.80	-	36.43	8.70	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.717G	107.29	Inf	-Inf	99.02	3	Horizontal	240	2.85	-	35.47	7.82	35.02
RMS	6.719G	97.39	Inf	-Inf	89.11	3	Horizontal	240	2.85	-	35.48	7.82	35.02
PK	7.201G	63.00	88.20	-25.20	52.98	3	Horizontal	240	2.85	-	36.41	8.70	35.09
RMS	7.201G	51.75	68.20	-16.45	41.73	3	Horizontal	240	2.85	-	36.41	8.70	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.43916G	60.10	88.20	-28.10	39.89	3	Vertical	79	2.41	-	40.40	9.68	29.87
RMS	13.45356G	47.10	68.20	-21.10	26.87	3	Vertical	79	2.41	-	40.40	9.68	29.85

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.45032G	61.11	88.20	-27.09	40.88	3	Horizontal	58	2.58	-	40.40	9.68	29.85
RMS	13.45014G	47.11	68.20	-21.09	26.88	3	Horizontal	58	2.58	-	40.40	9.68	29.85

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1186G	59.61	83.54	-23.93	69.77	1	Vertical	137	1.38	-	37.49	15.13	62.78
AV	20.1005G	46.72	63.54	-16.82	56.91	1	Vertical	137	1.38	-	37.48	15.13	62.80

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1101G	60.25	83.54	-23.29	70.42	1	Horizontal	131	1.31	-	37.49	15.13	62.79
AV	20.1023G	46.89	63.54	-16.65	57.08	1	Horizontal	131	1.31	-	37.48	15.13	62.80

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7658G	108.88	Inf	-Inf	100.36	3	Vertical	31	2.28	-	35.66	7.87	35.01
RMS	6.7738G	98.24	Inf	-Inf	89.68	3	Vertical	31	2.28	-	35.70	7.87	35.01
PK	7.1818G	62.25	88.20	-25.95	52.38	3	Vertical	31	2.28	-	36.29	8.66	35.08
RMS	7.1818G	51.69	68.20	-16.51	41.82	3	Vertical	31	2.28	-	36.29	8.66	35.08

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7802G	105.79	Inf	-Inf	97.20	3	Horizontal	111	1.80	-	35.72	7.88	35.01
RMS	6.7802G	96.67	Inf	-Inf	88.08	3	Horizontal	111	1.80	-	35.72	7.88	35.01
PK	7.1658G	62.74	88.20	-25.46	53.00	3	Horizontal	111	1.80	-	36.19	8.63	35.08
RMS	7.1818G	51.63	68.20	-16.57	41.76	3	Horizontal	111	1.80	-	36.29	8.66	35.08

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.59826G	61.61	88.20	-26.59	41.19	3	Vertical	215	1.96	-	40.40	9.74	29.72
RMS	13.56514G	47.22	68.20	-20.98	26.83	3	Vertical	215	1.96	-	40.40	9.73	29.74

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.53616G	60.37	88.20	-27.83	40.02	3	Horizontal	276	2.48	-	40.40	9.71	29.76
RMS	13.5259G	47.31	68.20	-20.89	26.96	3	Horizontal	276	2.48	-	40.40	9.71	29.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3338G	58.76	83.54	-24.78	68.52	1	Vertical	235	1.50	-	37.63	15.18	62.57
AV	20.3301G	44.34	63.54	-19.20	54.10	1	Vertical	235	1.50	-	37.63	15.18	62.57

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3614G	57.69	83.54	-25.85	67.40	1	Horizontal	41	1.66	-	37.64	15.19	62.54
AV	20.3309G	44.34	63.54	-19.20	54.10	1	Horizontal	41	1.66	-	37.63	15.18	62.57

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8594G	108.41	Inf	-Inf	99.72	3	Vertical	32	1.83	-	35.68	8.02	35.01
RMS	6.8622G	97.89	Inf	-Inf	89.20	3	Vertical	32	1.83	-	35.68	8.02	35.01
PK	7.2024G	62.50	88.20	-25.70	52.48	3	Vertical	32	1.83	-	36.41	8.70	35.09
RMS	7.2038G	51.99	68.20	-16.21	41.96	3	Vertical	32	1.83	-	36.42	8.70	35.09

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8692G	109.21	Inf	-Inf	100.52	3	Horizontal	242	3.00	-	35.66	8.04	35.01
RMS	6.8524G	98.28	Inf	-Inf	89.59	3	Horizontal	242	3.00	-	35.70	8.00	35.01
PK	7.1814G	63.25	88.20	-24.95	53.38	3	Horizontal	242	3.00	-	36.29	8.66	35.08
RMS	7.215G	52.04	68.20	-16.16	41.95	3	Horizontal	242	3.00	-	36.49	8.70	35.10

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76996G	64.60	88.20	-23.60	43.80	3	Vertical	101	1.16	-	40.61	9.81	29.62
RMS	13.77086G	51.79	68.20	-16.41	30.99	3	Vertical	101	1.16	-	40.61	9.81	29.62

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76492G	64.08	88.20	-24.12	43.31	3	Horizontal	179	2.84	-	40.59	9.81	29.63
RMS	13.775G	51.60	68.20	-16.60	30.79	3	Horizontal	179	2.84	-	40.62	9.81	29.62

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6G	60.31	83.54	-23.23	69.62	1	Vertical	47	1.79	-	37.74	15.25	62.30
AV	20.5856G	46.83	63.54	-16.71	56.16	1	Vertical	47	1.79	-	37.73	15.25	62.31

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5779G	60.57	83.54	-22.97	69.92	1	Horizontal	186	1.40	-	37.73	15.24	62.32
AV	20.5857G	46.95	63.54	-16.59	56.28	1	Horizontal	186	1.40	-	37.73	15.25	62.31

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9234G	108.74	Inf	-Inf	99.94	3	Vertical	29	1.86	-	35.65	8.15	35.00
RMS	6.9246G	98.05	Inf	-Inf	89.25	3	Vertical	29	1.86	-	35.65	8.15	35.00
PK	7.2354G	63.49	88.20	-24.71	53.29	3	Vertical	29	1.86	-	36.61	8.70	35.11
RMS	7.2438G	52.34	68.20	-15.86	42.09	3	Vertical	29	1.86	-	36.66	8.70	35.11

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9546G	109.79	Inf	-Inf	100.88	3	Horizontal	260	3.00	-	35.70	8.21	35.00
RMS	6.9534G	99.51	Inf	-Inf	90.60	3	Horizontal	260	3.00	-	35.70	8.21	35.00
PK	7.1826G	62.99	88.20	-25.21	53.10	3	Horizontal	260	3.00	-	36.30	8.67	35.08
RMS	7.239G	52.39	68.20	-15.81	42.17	3	Horizontal	260	3.00	-	36.63	8.70	35.11

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.92978G	64.60	88.20	-23.60	43.33	3	Vertical	295	2.57	-	40.93	9.87	29.53
RMS	13.8828G	51.90	68.20	-16.30	30.74	3	Vertical	295	2.57	-	40.87	9.85	29.56

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88748G	65.86	88.20	-22.34	44.70	3	Horizontal	5	1.02	-	40.87	9.85	29.56
RMS	13.91106G	51.96	68.20	-16.24	30.73	3	Horizontal	5	1.02	-	40.91	9.86	29.54

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8198G	59.41	83.54	-24.13	68.25	1	Vertical	324	1.70	-	37.94	15.30	62.08
AV	20.8127G	45.76	63.54	-17.78	54.62	1	Vertical	324	1.70	-	37.93	15.30	62.09

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8398G	59.20	83.54	-24.34	67.97	1	Horizontal	140	1.35	-	37.98	15.31	62.06
AV	20.8203G	45.71	63.54	-17.83	54.54	1	Horizontal	140	1.35	-	37.94	15.31	62.08

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	109.51	Inf	-Inf	100.50	3	Vertical	27	1.80	-	35.70	8.31	35.00
RMS	7.0018G	97.99	Inf	-Inf	88.99	3	Vertical	27	1.80	-	35.70	8.30	35.00
PK	7.2098G	63.07	88.20	-25.13	53.01	3	Vertical	27	1.80	-	36.46	8.70	35.10
RMS	7.2234G	52.15	68.20	-16.05	42.01	3	Vertical	27	1.80	-	36.54	8.70	35.10

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0146G	107.31	Inf	-Inf	98.29	3	Horizontal	259	2.05	-	35.70	8.33	35.01
RMS	7.0098G	97.22	Inf	-Inf	88.20	3	Horizontal	259	2.05	-	35.70	8.32	35.00
PK	7.2218G	62.66	88.20	-25.54	52.53	3	Horizontal	259	2.05	-	36.53	8.70	35.10
RMS	7.217G	52.15	68.20	-16.05	42.05	3	Horizontal	259	2.05	-	36.50	8.70	35.10

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03344G	65.23	88.20	-22.97	43.80	3	Vertical	252	1.12	-	41.03	9.91	29.51
RMS	14.00932G	51.79	68.20	-16.41	30.38	3	Vertical	252	1.12	-	41.01	9.90	29.50

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.03128G	64.84	88.20	-23.36	43.41	3	Horizontal	351	2.91	-	41.03	9.91	29.51
RMS	14.02714G	51.75	68.20	-16.45	30.32	3	Horizontal	351	2.91	-	41.03	9.91	29.51

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0958G	60.42	83.54	-23.12	68.62	1	Vertical	151	1.73	-	38.22	15.37	61.79
AV	21.0995G	46.81	63.54	-16.73	55.00	1	Vertical	151	1.73	-	38.22	15.37	61.78

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0926G	60.51	83.54	-23.03	68.70	1	Horizontal	258	1.57	-	38.23	15.37	61.79
AV	21.0952G	46.88	63.54	-16.66	55.08	1	Horizontal	258	1.57	-	38.22	15.37	61.79

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	64.88	88.20	-23.32	57.88	3	Vertical	141	2.31	-	34.69	7.26	34.95
RMS	5.922G	51.18	68.20	-17.02	44.18	3	Vertical	141	2.31	-	34.69	7.26	34.95
PK	5.991G	107.92	Inf	-Inf	100.79	3	Vertical	141	2.31	-	34.80	7.30	34.97
RMS	6.036G	97.81	Inf	-Inf	90.56	3	Vertical	141	2.31	-	34.87	7.35	34.97

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	62.11	88.20	-26.09	55.12	3	Horizontal	127	1.80	-	34.68	7.26	34.95
RMS	5.919G	50.82	68.20	-17.38	43.83	3	Horizontal	127	1.80	-	34.68	7.26	34.95
PK	6.01G	105.81	Inf	-Inf	98.64	3	Horizontal	127	1.80	-	34.82	7.32	34.97
RMS	6.009G	95.90	Inf	-Inf	88.74	3	Horizontal	127	1.80	-	34.82	7.31	34.97

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04226G	57.48	74.00	-16.52	41.04	3	Vertical	159	1.24	-	38.86	9.12	31.54
AV	12.04388G	44.43	54.00	-9.57	27.99	3	Vertical	159	1.24	-	38.86	9.12	31.54

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0167G	57.64	74.00	-16.36	41.19	3	Horizontal	329	2.14	-	38.88	9.11	31.54
AV	12.05324G	44.61	54.00	-9.39	28.19	3	Horizontal	329	2.14	-	38.85	9.12	31.55

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07058G	59.14	83.54	-24.40	70.36	1	Vertical	283	1.73	-	37.50	14.42	63.14
AV	18.0702G	44.52	63.54	-19.02	55.74	1	Vertical	283	1.73	-	37.50	14.42	63.14

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0759G	58.28	83.54	-25.26	69.50	1	Horizontal	254	1.35	-	37.50	14.43	63.15
AV	18.07008G	44.57	63.54	-18.97	55.79	1	Horizontal	254	1.35	-	37.50	14.42	63.14

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8746G	61.50	88.20	-26.70	54.75	3	Vertical	43	1.76	-	34.45	7.24	34.94
RMS	5.9066G	50.27	68.20	-17.93	43.34	3	Vertical	43	1.76	-	34.63	7.25	34.95
PK	6.1418G	107.07	Inf	-Inf	99.55	3	Vertical	43	1.76	-	35.00	7.51	34.99
RMS	6.1434G	96.48	Inf	-Inf	88.95	3	Vertical	43	1.76	-	35.00	7.52	34.99

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	61.27	88.20	-26.93	54.28	3	Horizontal	122	1.80	-	34.68	7.26	34.95
RMS	5.9114G	50.27	68.20	-17.93	43.31	3	Horizontal	122	1.80	-	34.65	7.26	34.95
PK	6.1578G	108.52	Inf	-Inf	100.94	3	Horizontal	122	1.80	-	35.03	7.54	34.99
RMS	6.1562G	97.85	Inf	-Inf	90.29	3	Horizontal	122	1.80	-	35.02	7.53	34.99

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40996G	57.38	74.00	-16.62	40.69	3	Vertical	355	1.65	-	39.01	9.26	31.58
AV	12.39574G	44.45	54.00	-9.55	27.78	3	Vertical	355	1.65	-	38.99	9.26	31.58

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36028G	57.79	74.00	-16.21	41.21	3	Horizontal	274	1.91	-	38.92	9.24	31.58
AV	12.39826G	44.47	54.00	-9.53	27.79	3	Horizontal	274	1.91	-	39.00	9.26	31.58

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55628G	58.90	83.54	-24.64	70.10	1	Vertical	156	1.63	-	37.62	14.59	63.41
AV	18.55728G	45.13	63.54	-18.41	56.32	1	Vertical	156	1.63	-	37.62	14.60	63.41

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55714G	58.64	83.54	-24.90	69.84	1	Horizontal	262	1.60	-	37.62	14.59	63.41
AV	18.56G	45.20	63.54	-18.34	56.39	1	Horizontal	262	1.60	-	37.62	14.60	63.41

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	60.90	88.20	-27.30	53.91	3	Vertical	27	1.79	-	34.68	7.26	34.95
RMS	5.899G	50.25	68.20	-17.95	43.36	3	Vertical	27	1.79	-	34.59	7.25	34.95
PK	6.379G	107.18	Inf	-Inf	99.70	3	Vertical	27	1.79	-	34.90	7.60	35.02
RMS	6.331G	97.55	Inf	-Inf	90.02	3	Vertical	27	1.79	-	34.94	7.60	35.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	60.79	88.20	-27.41	53.84	3	Horizontal	129	1.80	-	34.64	7.26	34.95
RMS	5.915G	50.23	68.20	-17.97	43.26	3	Horizontal	129	1.80	-	34.66	7.26	34.95
PK	6.355G	106.32	Inf	-Inf	98.83	3	Horizontal	129	1.80	-	34.90	7.60	35.01
RMS	6.319G	96.09	Inf	-Inf	88.54	3	Horizontal	129	1.80	-	34.96	7.60	35.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7125G	57.73	88.20	-30.47	40.06	3	Vertical	124	2.51	-	39.42	9.39	31.14
RMS	12.72114G	44.92	68.20	-23.28	27.21	3	Vertical	124	2.51	-	39.44	9.39	31.12

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.70314G	57.77	88.20	-30.43	40.14	3	Horizontal	141	2.02	-	39.41	9.38	31.16
RMS	12.72132G	44.85	68.20	-23.35	27.14	3	Horizontal	141	2.02	-	39.44	9.39	31.12

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03738G	58.99	83.54	-24.55	70.19	1	Vertical	53	1.31	-	37.51	14.76	63.47
AV	19.03272G	45.71	63.54	-17.83	56.91	1	Vertical	53	1.31	-	37.51	14.76	63.47

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03136G	59.55	83.54	-23.99	70.75	1	Horizontal	217	1.39	-	37.51	14.76	63.47
AV	19.0383G	45.62	63.54	-17.92	56.81	1	Horizontal	217	1.39	-	37.52	14.76	63.47

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	61.04	88.20	-27.16	54.11	3	Vertical	4	1.80	-	34.63	7.25	34.95
RMS	5.9114G	50.22	68.20	-17.98	43.26	3	Vertical	4	1.80	-	34.65	7.26	34.95
PK	6.5162G	108.35	Inf	-Inf	100.96	3	Vertical	4	1.80	-	34.76	7.66	35.03
RMS	6.5134G	97.80	Inf	-Inf	90.42	3	Vertical	4	1.80	-	34.75	7.66	35.03
PK	7.1826G	63.42	88.20	-24.78	53.53	3	Vertical	4	1.80	-	36.30	8.67	35.08
RMS	7.205G	51.73	68.20	-16.47	41.69	3	Vertical	4	1.80	-	36.43	8.70	35.09

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	60.95	88.20	-27.25	53.97	3	Horizontal	255	2.50	-	34.67	7.26	34.95
RMS	5.9198G	50.23	68.20	-17.97	43.24	3	Horizontal	255	2.50	-	34.68	7.26	34.95
PK	6.4658G	106.52	Inf	-Inf	99.22	3	Horizontal	255	2.50	-	34.70	7.63	35.03
RMS	6.519G	95.83	Inf	-Inf	88.42	3	Horizontal	255	2.50	-	34.78	7.66	35.03
PK	7.2022G	62.41	88.20	-25.79	52.39	3	Horizontal	255	2.50	-	36.41	8.70	35.09
RMS	7.205G	51.78	68.20	-16.42	41.74	3	Horizontal	255	2.50	-	36.43	8.70	35.09

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.99794G	59.00	88.20	-29.20	40.12	3	Vertical	185	1.59	-	39.90	9.50	30.52
RMS	13.0352G	45.96	68.20	-22.24	26.98	3	Vertical	185	1.59	-	39.94	9.51	30.47

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX



EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02422G	58.61	88.20	-29.59	39.66	3	Horizontal	164	2.38	-	39.92	9.51	30.48
RMS	12.97634G	45.87	68.20	-22.33	27.10	3	Horizontal	164	2.38	-	39.85	9.49	30.57