


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6942G	113.91	Inf	-Inf	105.90	3	Horizontal	86	1.80	18.5	34.48	6.25	32.72
AV	5.6931G	104.22	Inf	-Inf	96.22	3	Horizontal	86	1.80	18.5	34.47	6.25	32.72
PK	5.726G	62.87	68.20	-5.33	54.84	3	Horizontal	86	1.80	18.5	34.50	6.26	32.73

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4004G	54.11	74.00	-19.89	49.17	3	Vertical	97	1.76	18.5	38.80	8.86	42.72
AV	11.39992G	43.75	54.00	-10.25	38.81	3	Vertical	97	1.76	18.5	38.80	8.86	42.72
PK	17.09221G	59.27	68.20	-8.93	48.18	3	Vertical	139	1.80	18.5	41.76	11.14	41.81

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38182G	54.02	74.00	-19.98	49.10	3	Horizontal	24	1.69	18.5	38.78	8.85	42.71
AV	11.39672G	42.10	54.00	-11.90	37.16	3	Horizontal	24	1.69	18.5	38.80	8.86	42.72
PK	17.09964G	59.30	68.20	-8.90	48.17	3	Horizontal	308	1.80	18.5	41.80	11.14	41.81

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45216G	60.68	74.00	-13.32	53.30	3	Vertical	211	1.80	30	33.91	6.13	32.66
AV	5.4554G	48.28	54.00	-5.72	40.89	3	Vertical	211	1.80	30	33.92	6.13	32.66
PK	5.46674G	59.40	68.20	-8.80	51.95	3	Vertical	211	1.80	30	33.97	6.13	32.65
PK	5.72702G	126.48	Inf	-Inf	118.45	3	Vertical	211	1.80	30	34.50	6.26	32.73
AV	5.72648G	116.54	Inf	-Inf	108.51	3	Vertical	211	1.80	30	34.50	6.26	32.73
PK	5.9738G	63.23	68.20	-4.97	54.17	3	Vertical	211	1.80	30	35.50	6.39	32.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45702G	59.01	74.00	-14.99	51.61	3	Horizontal	41	1.71	30	33.93	6.13	32.66
AV	5.45432G	47.84	54.00	-6.16	40.45	3	Horizontal	41	1.71	30	33.92	6.13	32.66
PK	5.46674G	59.25	68.20	-8.95	51.80	3	Horizontal	41	1.71	30	33.97	6.13	32.65
PK	5.7227G	122.28	Inf	-Inf	114.25	3	Horizontal	41	1.71	30	34.50	6.26	32.73
AV	5.72108G	113.37	Inf	-Inf	105.34	3	Horizontal	41	1.71	30	34.50	6.26	32.73
PK	5.95706G	62.38	68.20	-5.82	53.32	3	Horizontal	41	1.71	30	35.50	6.38	32.82

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44324G	55.07	74.00	-18.93	50.11	3	Vertical	98	1.80	30	38.80	8.88	42.72
AV	11.43984G	43.20	54.00	-10.80	38.24	3	Vertical	98	1.80	30	38.80	8.88	42.72
PK	17.16731G	66.97	68.20	-1.23	55.75	3	Vertical	37	1.80	30	41.87	11.17	41.82

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43101G	54.26	74.00	-19.74	49.31	3	Horizontal	33	1.68	30	38.80	8.87	42.72
AV	11.43393G	42.53	54.00	-11.47	37.58	3	Horizontal	33	1.68	30	38.80	8.87	42.72
PK	17.16392G	67.79	68.20	-0.41	56.58	3	Horizontal	319	1.80	27	41.86	11.17	41.82

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64848G	61.91	68.20	-6.29	54.09	3	Vertical	162	1.80	30	34.30	6.22	32.70
PK	5.74348G	126.80	Inf	-Inf	118.77	3	Vertical	162	1.80	30	34.50	6.27	32.74
AV	5.7431G	116.99	Inf	-Inf	108.96	3	Vertical	162	1.80	30	34.50	6.27	32.74
PK	5.92968G	61.98	68.20	-6.22	53.01	3	Vertical	162	1.80	30	35.42	6.36	32.81

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5854G	61.72	68.20	-6.48	53.96	3	Horizontal	41	1.75	30	34.24	6.19	32.67
PK	5.74006G	122.10	Inf	-Inf	114.07	3	Horizontal	41	1.75	30	34.50	6.27	32.74
AV	5.73968G	112.20	Inf	-Inf	104.17	3	Horizontal	41	1.75	30	34.50	6.27	32.74
PK	5.93386G	62.31	68.20	-5.89	53.31	3	Horizontal	41	1.75	30	35.44	6.37	32.81

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48992G	55.58	74.00	-18.42	50.61	3	Vertical	49	1.80	30	38.80	8.90	42.73
AV	11.48357G	43.03	54.00	-10.97	38.07	3	Vertical	49	1.80	30	38.80	8.89	42.73
PK	17.24235G	67.96	68.20	-0.24	56.53	3	Vertical	324	2.09	27	42.07	11.20	41.84

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50347G	55.00	74.00	-19.00	50.03	3	Horizontal	49	1.80	27	38.80	8.90	42.73
AV	11.50075G	43.25	54.00	-10.75	38.28	3	Horizontal	49	1.80	27	38.80	8.90	42.73
PK	17.23904G	65.66	68.20	-2.54	54.24	3	Horizontal	322	1.80	27	42.06	11.20	41.84

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6434G	61.16	68.20	-7.04	53.34	3	Vertical	128	1.80	30	34.30	6.22	32.70
PK	5.7868G	126.23	Inf	-Inf	118.12	3	Vertical	128	1.80	30	34.57	6.29	32.75
AV	5.7871G	116.60	Inf	-Inf	108.49	3	Vertical	128	1.80	30	34.57	6.29	32.75
PK	5.9338G	62.02	68.20	-6.18	53.02	3	Vertical	128	1.80	30	35.44	6.37	32.81

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6434G	60.89	68.20	-7.31	53.07	3	Horizontal	43	1.57	30	34.30	6.22	32.70
PK	5.7841G	124.07	Inf	-Inf	115.96	3	Horizontal	43	1.57	30	34.57	6.29	32.75
AV	5.7838G	113.75	Inf	-Inf	105.64	3	Horizontal	43	1.57	30	34.57	6.29	32.75
PK	5.9284G	62.67	68.20	-5.53	53.71	3	Horizontal	43	1.57	30	35.41	6.36	32.81

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56041G	55.87	74.00	-18.13	50.88	3	Vertical	50	1.80	30	38.80	8.92	42.73
AV	11.56385G	44.68	54.00	-9.32	39.68	3	Vertical	50	1.80	30	38.80	8.93	42.73
PK	17.35328G	67.68	68.20	-0.52	55.84	3	Vertical	177	1.80	30	42.46	11.24	41.86

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56421G	56.20	74.00	-17.80	51.20	3	Horizontal	49	1.80	30	38.80	8.93	42.73
AV	11.56201G	44.82	54.00	-9.18	39.83	3	Horizontal	49	1.80	30	38.80	8.92	42.73
PK	17.353G	67.42	68.20	-0.78	55.58	3	Horizontal	176	1.80	30	42.46	11.24	41.86

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63766G	61.62	68.20	-6.58	53.80	3	Vertical	346	1.36	30	34.30	6.22	32.70
PK	5.81816G	125.44	Inf	-Inf	117.19	3	Vertical	346	1.36	30	34.71	6.31	32.77
AV	5.81816G	115.67	Inf	-Inf	107.42	3	Vertical	346	1.36	30	34.71	6.31	32.77
PK	5.996G	62.97	68.20	-5.23	53.91	3	Vertical	346	1.36	30	35.50	6.40	32.84

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63576G	59.93	68.20	-8.27	52.10	3	Horizontal	93	1.80	30	34.30	6.22	32.69
PK	5.82348G	118.43	Inf	-Inf	110.15	3	Horizontal	93	1.80	30	34.74	6.31	32.77
AV	5.82196G	109.11	Inf	-Inf	100.84	3	Horizontal	93	1.80	30	34.73	6.31	32.77
PK	5.97092G	62.68	68.20	-5.52	53.62	3	Horizontal	93	1.80	30	35.50	6.39	32.83

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64217G	56.05	74.00	-17.95	50.99	3	Vertical	188	1.80	30	38.84	8.96	42.74
AV	11.64808G	44.27	54.00	-9.73	39.20	3	Vertical	188	1.80	30	38.85	8.96	42.74
PK	17.4794G	66.97	68.20	-1.23	55.05	3	Vertical	161	1.41	25	42.52	11.29	41.89

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64425G	55.88	74.00	-18.12	50.82	3	Horizontal	186	1.80	25	38.84	8.96	42.74
AV	11.64952G	44.20	54.00	-9.80	39.13	3	Horizontal	186	1.80	25	38.85	8.96	42.74
PK	17.47692G	65.74	68.20	-2.46	53.82	3	Horizontal	160	1.80	25	42.52	11.29	41.89

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	69.30	74.00	-4.70	63.02	3	Vertical	120	1.25	21.5	33.10	5.97	32.79
AV	5.15G	52.86	54.00	-1.14	46.58	3	Vertical	120	1.25	21.5	33.10	5.97	32.79
PK	5.1785G	122.52	Inf	-Inf	116.15	3	Vertical	120	1.25	21.5	33.16	5.99	32.78
AV	5.1786G	110.14	Inf	-Inf	103.76	3	Vertical	120	1.25	21.5	33.16	5.99	32.77

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	65.03	74.00	-8.97	58.75	3	Horizontal	30	1.80	21.5	33.10	5.97	32.79
AV	5.1458G	48.58	54.00	-5.42	42.30	3	Horizontal	30	1.80	21.5	33.10	5.97	32.79
PK	5.1781G	120.11	Inf	-Inf	113.74	3	Horizontal	30	1.80	21.5	33.16	5.99	32.78
AV	5.1777G	106.36	Inf	-Inf	99.99	3	Horizontal	30	1.80	21.5	33.16	5.99	32.78

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34869G	54.43	68.20	-13.77	49.86	3	Vertical	57	1.80	21.5	38.70	8.44	42.57
PK	15.54811G	54.98	74.00	-19.02	47.92	3	Vertical	1	1.80	21.5	38.50	10.52	41.96
AV	15.53205G	42.96	54.00	-11.04	35.88	3	Vertical	1	1.80	21.5	38.54	10.51	41.97

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37622G	53.02	68.20	-15.18	48.40	3	Horizontal	173	1.80	21.5	38.75	8.45	42.58
PK	15.55642G	54.70	74.00	-19.30	47.65	3	Horizontal	214	1.80	21.5	38.49	10.52	41.96
AV	15.53173G	42.71	54.00	-11.29	35.63	3	Horizontal	214	1.80	21.5	38.54	10.51	41.97

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14596G	70.45	74.00	-3.55	64.17	3	Vertical	206	2.30	26	33.10	5.97	32.79
AV	5.14484G	53.89	54.00	-0.11	47.61	3	Vertical	206	2.30	26	33.10	5.97	32.79
PK	5.20392G	126.19	Inf	-Inf	119.74	3	Vertical	206	2.30	26	33.21	6.00	32.76
AV	5.20448G	115.05	Inf	-Inf	108.60	3	Vertical	206	2.30	26	33.21	6.00	32.76

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14974G	62.79	74.00	-11.21	56.51	3	Horizontal	32	1.80	26	33.10	5.97	32.79
AV	5.15G	49.24	54.00	-4.76	42.96	3	Horizontal	32	1.80	26	33.10	5.97	32.79
PK	5.20238G	122.52	Inf	-Inf	116.09	3	Horizontal	32	1.80	26	33.20	6.00	32.77
AV	5.20182G	110.46	Inf	-Inf	104.03	3	Horizontal	32	1.80	26	33.20	6.00	32.77

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41926G	54.30	68.20	-13.90	49.62	3	Vertical	0	2.52	26	38.80	8.47	42.59
PK	15.60264G	60.97	74.00	-13.03	53.98	3	Vertical	0	2.43	26	38.40	10.54	41.95
AV	15.6026G	48.00	54.00	-6.00	41.01	3	Vertical	0	2.43	26	38.40	10.54	41.95

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41646G	53.99	68.20	-14.21	49.31	3	Horizontal	192	1.80	26	38.80	8.47	42.59
PK	15.60512G	61.43	74.00	-12.57	54.45	3	Horizontal	234	1.80	26	38.39	10.54	41.95
AV	15.60348G	47.76	54.00	-6.24	40.77	3	Horizontal	234	1.80	26	38.40	10.54	41.95

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.12	74.00	-9.88	57.84	3	Vertical	4	1.42	30	33.10	5.97	32.79
AV	5.15G	50.45	54.00	-3.55	44.17	3	Vertical	4	1.42	30	33.10	5.97	32.79
PK	5.23402G	128.21	Inf	-Inf	121.67	3	Vertical	4	1.42	30	33.27	6.02	32.75
AV	5.23272G	117.02	Inf	-Inf	110.48	3	Vertical	4	1.42	30	33.27	6.02	32.75
PK	5.35258G	61.42	74.00	-12.58	54.53	3	Vertical	4	1.42	30	33.51	6.08	32.70
AV	5.35076G	48.82	54.00	-5.18	41.94	3	Vertical	4	1.42	30	33.50	6.08	32.70

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14692G	63.96	74.00	-10.04	57.68	3	Horizontal	62	2.01	30	33.10	5.97	32.79
AV	5.14848G	48.60	54.00	-5.40	42.32	3	Horizontal	62	2.01	30	33.10	5.97	32.79
PK	5.24676G	125.27	Inf	-Inf	118.71	3	Horizontal	62	2.01	30	33.29	6.02	32.75
AV	5.24598G	114.02	Inf	-Inf	107.46	3	Horizontal	62	2.01	30	33.29	6.02	32.75
PK	5.36324G	60.25	74.00	-13.75	53.32	3	Horizontal	62	2.01	30	33.55	6.08	32.70
AV	5.35336G	47.63	54.00	-6.37	40.74	3	Horizontal	62	2.01	30	33.51	6.08	32.70

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47025G	53.65	68.20	-14.55	48.96	3	Vertical	96	1.80	30	38.80	8.49	42.60
PK	15.72136G	61.40	74.00	-12.60	54.36	3	Vertical	355	2.04	30	38.36	10.59	41.91
AV	15.72052G	49.98	54.00	-4.02	42.94	3	Vertical	355	2.04	30	38.36	10.59	41.91

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48675G	53.83	68.20	-14.37	49.15	3	Horizontal	360	1.80	30	38.80	8.49	42.61
PK	15.71445G	65.38	74.00	-8.62	58.36	3	Horizontal	46	2.78	30	38.34	10.59	41.91
AV	15.71549G	53.70	54.00	-0.30	46.67	3	Horizontal	46	2.78	30	38.35	10.59	41.91

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	60.36	74.00	-13.64	54.08	3	Vertical	118	1.80	30	33.10	5.97	32.79
AV	5.13494G	47.80	54.00	-6.20	41.52	3	Vertical	118	1.80	30	33.10	5.97	32.79
PK	5.2574G	127.33	Inf	-Inf	120.73	3	Vertical	118	1.80	30	33.31	6.03	32.74
AV	5.25844G	116.15	Inf	-Inf	109.54	3	Vertical	118	1.80	30	33.32	6.03	32.74
PK	5.35022G	64.07	74.00	-9.93	57.19	3	Vertical	118	1.80	30	33.50	6.08	32.70
AV	5.35048G	50.49	54.00	-3.51	43.61	3	Vertical	118	1.80	30	33.50	6.08	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13468G	59.32	74.00	-14.68	53.04	3	Horizontal	225	2.01	30	33.10	5.97	32.79
AV	5.14794G	46.81	54.00	-7.19	40.53	3	Horizontal	225	2.01	30	33.10	5.97	32.79
PK	5.25324G	124.50	Inf	-Inf	117.90	3	Horizontal	225	2.01	30	33.31	6.03	32.74
AV	5.2535G	113.36	Inf	-Inf	106.76	3	Horizontal	225	2.01	30	33.31	6.03	32.74
PK	5.35178G	61.30	74.00	-12.70	54.41	3	Horizontal	225	2.01	30	33.51	6.08	32.70
AV	5.35204G	48.22	54.00	-5.78	41.33	3	Horizontal	225	2.01	30	33.51	6.08	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50258G	54.26	68.20	-13.94	49.57	3	Vertical	167	2.98	30	38.80	8.50	42.61
PK	15.78496G	61.70	74.00	-12.30	54.43	3	Vertical	0	2.70	30	38.55	10.61	41.89
AV	15.78492G	49.34	54.00	-4.66	42.07	3	Vertical	0	2.70	30	38.55	10.61	41.89

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51137G	54.20	68.20	-14.00	49.51	3	Horizontal	250	1.85	30	38.80	8.50	42.61
PK	15.77485G	64.67	74.00	-9.33	57.43	3	Horizontal	45	2.59	30	38.52	10.61	41.89
AV	15.77676G	52.41	54.00	-1.59	45.16	3	Horizontal	45	2.59	30	38.53	10.61	41.89

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29888G	125.64	Inf	-Inf	118.91	3	Vertical	118	2.13	24.5	33.40	6.05	32.72
AV	5.29888G	113.82	Inf	-Inf	107.09	3	Vertical	118	2.13	24.5	33.40	6.05	32.72
PK	5.3511G	68.57	74.00	-5.43	61.69	3	Vertical	118	2.13	24.5	33.50	6.08	32.70
AV	5.35G	53.53	54.00	-0.47	46.66	3	Vertical	118	2.13	24.5	33.50	6.07	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29426G	122.39	Inf	-Inf	115.68	3	Horizontal	222	2.01	24.5	33.39	6.05	32.73
AV	5.29314G	110.44	Inf	-Inf	103.73	3	Horizontal	222	2.01	24.5	33.39	6.05	32.73
PK	5.35264G	64.46	74.00	-9.54	57.57	3	Horizontal	222	2.01	24.5	33.51	6.08	32.70
AV	5.35124G	50.07	54.00	-3.93	43.19	3	Horizontal	222	2.01	24.5	33.50	6.08	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59852G	53.20	68.20	-15.00	48.48	3	Vertical	353	1.80	24.5	38.80	8.54	42.62
PK	15.90212G	56.35	74.00	-17.65	48.74	3	Vertical	63	2.08	24.5	38.80	10.66	41.85
AV	15.8992G	44.98	54.00	-9.02	37.37	3	Vertical	63	2.08	24.5	38.80	10.66	41.85

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60583G	53.59	74.00	-20.41	48.87	3	Horizontal	206	1.80	24.5	38.80	8.54	42.62
AV	10.61511G	41.42	54.00	-12.58	36.69	3	Horizontal	206	1.80	24.5	38.80	8.55	42.62
PK	15.90268G	60.69	74.00	-13.31	53.07	3	Horizontal	351	2.61	24.5	38.81	10.66	41.85
AV	15.90232G	46.80	54.00	-7.20	39.19	3	Horizontal	351	2.61	24.5	38.80	10.66	41.85

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	122.82	Inf	-Inf	116.04	3	Vertical	117	1.80	20.5	33.44	6.06	32.72
AV	5.3181G	110.38	Inf	-Inf	103.60	3	Vertical	117	1.80	20.5	33.44	6.06	32.72
PK	5.3513G	67.24	74.00	-6.76	60.35	3	Vertical	117	1.80	20.5	33.51	6.08	32.70
AV	5.3502G	52.89	54.00	-1.11	46.01	3	Vertical	117	1.80	20.5	33.50	6.08	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3249G	121.43	Inf	-Inf	114.63	3	Horizontal	70	1.80	20.5	33.45	6.06	32.71
AV	5.3251G	108.28	Inf	-Inf	101.48	3	Horizontal	70	1.80	20.5	33.45	6.06	32.71
PK	5.351G	64.09	74.00	-9.91	57.21	3	Horizontal	70	1.80	20.5	33.50	6.08	32.70
AV	5.35G	49.83	54.00	-4.17	42.96	3	Horizontal	70	1.80	20.5	33.50	6.07	32.70

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64288G	53.81	74.00	-20.19	49.07	3	Vertical	93	1.80	20.5	38.80	8.56	42.62
AV	10.62366G	41.28	54.00	-12.72	36.55	3	Vertical	93	1.80	20.5	38.80	8.55	42.62
PK	15.94134G	55.99	74.00	-18.01	48.27	3	Vertical	206	1.80	20.5	38.88	10.68	41.84
AV	15.94474G	44.44	54.00	-9.56	36.71	3	Vertical	206	1.80	20.5	38.89	10.68	41.84

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64408G	53.19	74.00	-20.81	48.45	3	Horizontal	32	1.05	20.5	38.80	8.56	42.62
AV	10.6253G	41.44	54.00	-12.56	36.71	3	Horizontal	32	1.05	20.5	38.80	8.55	42.62
PK	15.9405G	57.00	74.00	-17.00	49.28	3	Horizontal	14	1.07	20.5	38.88	10.68	41.84
AV	15.94486G	44.16	54.00	-9.84	36.43	3	Horizontal	14	1.07	20.5	38.89	10.68	41.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	63.29	74.00	-10.71	55.88	3	Vertical	222	2.56	19	33.94	6.13	32.66
AV	5.4599G	49.67	54.00	-4.33	42.26	3	Vertical	222	2.56	19	33.94	6.13	32.66
PK	5.4694G	67.30	68.20	-0.90	59.84	3	Vertical	222	2.56	19	33.98	6.13	32.65
PK	5.4972G	122.05	Inf	-Inf	114.45	3	Vertical	222	2.56	19	34.09	6.15	32.64
AV	5.4984G	110.38	Inf	-Inf	102.78	3	Vertical	222	2.56	19	34.09	6.15	32.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4571G	61.10	74.00	-12.90	53.70	3	Horizontal	90	1.85	19	33.93	6.13	32.66
AV	5.4579G	47.48	54.00	-6.52	40.08	3	Horizontal	90	1.85	19	33.93	6.13	32.66
PK	5.4694G	62.75	68.20	-5.45	55.29	3	Horizontal	90	1.85	19	33.98	6.13	32.65
PK	5.5054G	118.78	Inf	-Inf	111.17	3	Horizontal	90	1.85	19	34.10	6.15	32.64
AV	5.5047G	105.27	Inf	-Inf	97.66	3	Horizontal	90	1.85	19	34.10	6.15	32.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98633G	53.50	74.00	-20.50	48.77	3	Vertical	160	1.33	19	38.70	8.69	42.66
AV	10.99984G	42.34	54.00	-11.66	37.60	3	Vertical	160	1.33	19	38.70	8.70	42.66
PK	16.50328G	57.30	68.20	-10.90	47.86	3	Vertical	0	1.80	19	40.49	10.90	41.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00551G	53.49	74.00	-20.51	48.75	3	Horizontal	349	1.80	19	38.70	8.70	42.66
AV	10.98725G	41.87	54.00	-12.13	37.14	3	Horizontal	349	1.80	19	38.70	8.69	42.66
PK	16.51335G	57.24	68.20	-10.96	47.83	3	Horizontal	345	1.80	19	40.45	10.91	41.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45936G	62.44	74.00	-11.56	55.03	3	Vertical	14	1.94	30	33.94	6.13	32.66
AV	5.45808G	48.74	54.00	-5.26	41.34	3	Vertical	14	1.94	30	33.93	6.13	32.66
PK	5.46608G	61.30	68.20	-6.90	53.86	3	Vertical	14	1.94	30	33.96	6.13	32.65
PK	5.58576G	129.11	Inf	-Inf	121.35	3	Vertical	14	1.94	30	34.24	6.19	32.67
AV	5.57808G	116.70	Inf	-Inf	108.97	3	Vertical	14	1.94	30	34.21	6.19	32.67
PK	5.73744G	61.36	68.20	-6.84	53.32	3	Vertical	14	1.94	30	34.50	6.27	32.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	59.91	74.00	-14.09	52.68	3	Horizontal	212	1.80	30	33.79	6.11	32.67
PK	5.46032G	60.39	68.20	-7.81	52.98	3	Horizontal	212	1.80	30	33.94	6.13	32.66
AV	5.45488G	47.25	54.00	-6.75	39.86	3	Horizontal	212	1.80	30	33.92	6.13	32.66
PK	5.57936G	122.57	Inf	-Inf	114.83	3	Horizontal	212	1.80	30	34.22	6.19	32.67
AV	5.57904G	112.07	Inf	-Inf	104.33	3	Horizontal	212	1.80	30	34.22	6.19	32.67
PK	5.7288G	60.60	68.20	-7.60	52.57	3	Horizontal	212	1.80	30	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17319G	54.54	74.00	-19.46	49.82	3	Vertical	54	1.80	30	38.63	8.77	42.68
AV	11.15453G	42.41	54.00	-11.59	37.68	3	Vertical	54	1.80	30	38.65	8.76	42.68
PK	16.74771G	61.42	68.20	-6.78	51.50	3	Vertical	30	1.79	30	40.79	11.00	41.87

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15489G	53.96	74.00	-20.04	49.23	3	Horizontal	31	1.80	30	38.65	8.76	42.68
AV	11.15796G	42.55	54.00	-11.45	37.83	3	Horizontal	31	1.80	30	38.64	8.76	42.68
PK	16.74016G	63.42	68.20	-4.78	53.53	3	Horizontal	318	1.92	30	40.76	11.00	41.87

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6991G	123.00	Inf	-Inf	114.97	3	Vertical	219	2.14	18.5	34.50	6.25	32.72
AV	5.6991G	109.69	Inf	-Inf	101.66	3	Vertical	219	2.14	18.5	34.50	6.25	32.72
PK	5.7299G	68.14	68.20	-0.06	60.11	3	Vertical	219	2.14	18.5	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	119.66	Inf	-Inf	111.65	3	Horizontal	46	1.52	18	34.48	6.25	32.72
AV	5.695G	105.70	Inf	-Inf	97.69	3	Horizontal	46	1.52	18	34.48	6.25	32.72
PK	5.7251G	65.54	68.20	-2.66	57.51	3	Horizontal	46	1.52	18	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40152G	54.69	74.00	-19.31	49.75	3	Vertical	96	1.80	18	38.80	8.86	42.72
AV	11.39996G	43.37	54.00	-10.63	38.43	3	Vertical	96	1.80	18	38.80	8.86	42.72
PK	17.10032G	59.65	68.20	-8.55	48.52	3	Vertical	211	1.80	18	41.80	11.14	41.81

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39688G	54.05	74.00	-19.95	49.11	3	Horizontal	0	1.32	18	38.80	8.86	42.72
AV	11.39712G	42.10	54.00	-11.90	37.16	3	Horizontal	0	1.32	18	38.80	8.86	42.72
PK	17.0972G	59.70	68.20	-8.50	48.58	3	Horizontal	326	1.73	18	41.79	11.14	41.81

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.03	74.00	-13.97	52.67	3	Vertical	215	2.41	30	33.90	6.12	32.66
AV	5.45162G	48.16	54.00	-5.84	40.78	3	Vertical	215	2.41	30	33.91	6.13	32.66
PK	5.4662G	60.38	68.20	-7.82	52.94	3	Vertical	215	2.41	30	33.96	6.13	32.65
PK	5.71892G	127.18	Inf	-Inf	119.15	3	Vertical	215	2.41	30	34.50	6.26	32.73
AV	5.72108G	116.54	Inf	-Inf	108.51	3	Vertical	215	2.41	30	34.50	6.26	32.73
PK	5.87174G	62.14	68.20	-6.06	53.52	3	Vertical	215	2.41	30	35.07	6.34	32.79

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45162G	59.29	74.00	-14.71	51.91	3	Horizontal	42	1.59	30	33.91	6.13	32.66
AV	5.45486G	47.62	54.00	-6.38	40.23	3	Horizontal	42	1.59	30	33.92	6.13	32.66
PK	5.46998G	60.91	68.20	-7.29	53.45	3	Horizontal	42	1.59	30	33.98	6.13	32.65
PK	5.71514G	123.13	Inf	-Inf	115.10	3	Horizontal	42	1.59	30	34.50	6.26	32.73
AV	5.7146G	112.96	Inf	-Inf	104.93	3	Horizontal	42	1.59	30	34.50	6.26	32.73
PK	5.9198G	64.56	68.20	-3.64	55.63	3	Horizontal	42	1.59	30	35.38	6.36	32.81

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4426G	53.69	74.00	-20.31	48.73	3	Vertical	98	1.80	30	38.80	8.88	42.72
AV	11.43992G	43.43	54.00	-10.57	38.47	3	Vertical	98	1.80	30	38.80	8.88	42.72
PK	17.15549G	67.28	68.20	-0.92	56.08	3	Vertical	99	2.01	30	41.86	11.16	41.82

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42829G	54.15	74.00	-19.85	49.20	3	Horizontal	28	3.00	30	38.80	8.87	42.72
AV	11.42797G	42.52	54.00	-11.48	37.57	3	Horizontal	28	3.00	30	38.80	8.87	42.72
PK	17.15604G	67.20	68.20	-1.00	56.00	3	Horizontal	322	1.78	27	41.86	11.16	41.82

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64544G	63.58	68.20	-4.62	55.76	3	Vertical	23	1.55	30	34.30	6.22	32.70
PK	5.74652G	126.49	Inf	-Inf	118.46	3	Vertical	23	1.55	30	34.50	6.27	32.74
AV	5.74652G	116.34	Inf	-Inf	108.31	3	Vertical	23	1.55	30	34.50	6.27	32.74
PK	5.93424G	63.21	68.20	-4.99	54.21	3	Vertical	23	1.55	30	35.44	6.37	32.81

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64962G	62.24	68.20	-5.96	54.42	3	Horizontal	44	1.56	30	34.30	6.22	32.70
PK	5.75032G	122.47	Inf	-Inf	114.43	3	Horizontal	44	1.56	30	34.50	6.28	32.74
AV	5.74956G	111.86	Inf	-Inf	103.83	3	Horizontal	44	1.56	30	34.50	6.27	32.74
PK	5.92588G	62.14	68.20	-6.06	53.19	3	Horizontal	44	1.56	30	35.40	6.36	32.81

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49983G	55.06	74.00	-18.94	50.09	3	Vertical	46	2.02	30	38.80	8.90	42.73
AV	11.49783G	43.79	54.00	-10.21	38.82	3	Vertical	46	2.02	30	38.80	8.90	42.73
PK	17.23764G	65.37	68.20	-2.83	53.96	3	Vertical	165	1.80	30	42.05	11.20	41.84

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49623G	54.37	74.00	-19.63	49.40	3	Horizontal	50	1.80	30	38.80	8.90	42.73
AV	11.49839G	43.40	54.00	-10.60	38.43	3	Horizontal	50	1.80	30	38.80	8.90	42.73
PK	17.2356G	68.06	68.20	-0.14	56.67	3	Horizontal	316	2.08	30	42.04	11.19	41.84

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6473G	61.66	68.20	-6.54	53.84	3	Vertical	224	2.46	30	34.30	6.22	32.70
PK	5.7865G	130.60	Inf	-Inf	122.49	3	Vertical	224	2.46	30	34.57	6.29	32.75
AV	5.7862G	117.82	Inf	-Inf	109.71	3	Vertical	224	2.46	30	34.57	6.29	32.75
PK	5.9293G	62.51	68.20	-5.69	53.54	3	Vertical	224	2.46	30	35.42	6.36	32.81

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6407G	61.32	68.20	-6.88	53.50	3	Horizontal	43	1.59	30	34.30	6.22	32.70
PK	5.7901G	122.45	Inf	-Inf	114.33	3	Horizontal	43	1.59	30	34.58	6.30	32.76
AV	5.7904G	111.07	Inf	-Inf	102.95	3	Horizontal	43	1.59	30	34.58	6.30	32.76
PK	5.923G	63.48	69.68	-6.20	54.54	3	Horizontal	43	1.59	30	35.39	6.36	32.81

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57619G	56.73	74.00	-17.27	51.73	3	Vertical	33	2.00	30	38.80	8.93	42.73
AV	11.57464G	45.96	54.00	-8.04	40.96	3	Vertical	33	2.00	30	38.80	8.93	42.73
PK	17.35392G	67.32	68.20	-0.88	55.48	3	Vertical	166	1.80	30	42.46	11.24	41.86

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57444G	57.53	74.00	-16.47	52.53	3	Horizontal	47	1.80	30	38.80	8.93	42.73
AV	11.5746G	45.29	54.00	-8.71	40.29	3	Horizontal	47	1.80	30	38.80	8.93	42.73
PK	17.3538G	67.86	68.20	-0.34	56.02	3	Horizontal	164	1.80	30	42.46	11.24	41.86

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64678G	60.43	68.20	-7.77	52.61	3	Vertical	164	1.80	30	34.30	6.22	32.70
PK	5.8212G	125.26	Inf	-Inf	116.99	3	Vertical	164	1.80	30	34.73	6.31	32.77
AV	5.82006G	114.04	Inf	-Inf	105.78	3	Vertical	164	1.80	30	34.72	6.31	32.77
PK	5.97662G	62.94	68.20	-5.26	53.88	3	Vertical	164	1.80	30	35.50	6.39	32.83

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63538G	61.17	68.20	-7.03	53.34	3	Horizontal	112	2.95	30	34.30	6.22	32.69
PK	5.82424G	119.43	Inf	-Inf	111.14	3	Horizontal	112	2.95	30	34.75	6.31	32.77
AV	5.82386G	107.92	Inf	-Inf	99.64	3	Horizontal	112	2.95	30	34.74	6.31	32.77
PK	5.95838G	62.83	68.20	-5.37	53.77	3	Horizontal	112	2.95	30	35.50	6.38	32.82

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65711G	55.92	74.00	-18.08	50.84	3	Vertical	221	1.80	30	38.86	8.96	42.74
AV	11.65364G	44.36	54.00	-9.64	39.29	3	Vertical	221	1.80	30	38.85	8.96	42.74
PK	17.4738G	67.66	68.20	-0.54	55.72	3	Vertical	165	1.50	30	42.53	11.29	41.88

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65468G	55.87	74.00	-18.13	50.80	3	Horizontal	221	1.80	30	38.85	8.96	42.74
AV	11.65344G	44.57	54.00	-9.43	39.50	3	Horizontal	221	1.80	30	38.85	8.96	42.74
PK	17.47504G	66.95	68.20	-1.25	55.03	3	Horizontal	163	1.34	25	42.52	11.29	41.89

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	68.80	74.00	-5.20	62.52	3	Vertical	0	1.36	17.5	33.10	5.97	32.79
AV	5.1498G	53.58	54.00	-0.42	47.30	3	Vertical	0	1.36	17.5	33.10	5.97	32.79
PK	5.18184G	116.30	Inf	-Inf	109.92	3	Vertical	0	1.36	17.5	33.16	5.99	32.77
AV	5.1816G	103.80	Inf	-Inf	97.42	3	Vertical	0	1.36	17.5	33.16	5.99	32.77

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	62.08	74.00	-11.92	55.80	3	Horizontal	52	1.80	17.5	33.10	5.97	32.79
AV	5.14956G	48.30	54.00	-5.70	42.02	3	Horizontal	52	1.80	17.5	33.10	5.97	32.79
PK	5.19732G	113.59	Inf	-Inf	107.17	3	Horizontal	52	1.80	17.5	33.19	6.00	32.77
AV	5.19672G	100.98	Inf	-Inf	94.56	3	Horizontal	52	1.80	17.5	33.19	6.00	32.77

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40973G	53.53	68.20	-14.67	48.85	3	Vertical	234	1.80	17.5	38.80	8.46	42.58
PK	15.58103G	55.05	74.00	-18.95	48.03	3	Vertical	351	1.05	17.5	38.44	10.53	41.95
AV	15.55002G	42.79	54.00	-11.21	35.73	3	Vertical	351	1.05	17.5	38.50	10.52	41.96

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39383G	53.58	68.20	-14.62	48.91	3	Horizontal	57	1.98	17.5	38.79	8.46	42.58
PK	15.5342G	54.79	74.00	-19.21	47.72	3	Horizontal	75	1.80	17.5	38.53	10.51	41.97
AV	15.5485G	42.97	54.00	-11.03	35.91	3	Horizontal	75	1.80	17.5	38.50	10.52	41.96

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13952G	67.83	74.00	-6.17	61.55	3	Vertical	239	1.62	23.5	33.10	5.97	32.79
AV	5.13874G	53.39	54.00	-0.61	47.11	3	Vertical	239	1.62	23.5	33.10	5.97	32.79
PK	5.2365G	122.55	Inf	-Inf	116.01	3	Vertical	239	1.62	23.5	33.27	6.02	32.75
AV	5.23806G	110.99	Inf	-Inf	104.44	3	Vertical	239	1.62	23.5	33.28	6.02	32.75
PK	5.36G	61.66	74.00	-12.34	54.74	3	Vertical	239	1.62	23.5	33.54	6.08	32.70
AV	5.35792G	48.89	54.00	-5.11	41.98	3	Vertical	239	1.62	23.5	33.53	6.08	32.70

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	65.66	74.00	-8.34	59.38	3	Horizontal	62	1.78	23.5	33.10	5.97	32.79
AV	5.14914G	52.26	54.00	-1.74	45.98	3	Horizontal	62	1.78	23.5	33.10	5.97	32.79
PK	5.22818G	117.82	Inf	-Inf	111.30	3	Horizontal	62	1.78	23.5	33.26	6.01	32.75
AV	5.22662G	106.42	Inf	-Inf	99.91	3	Horizontal	62	1.78	23.5	33.25	6.01	32.75
PK	5.3509G	61.51	74.00	-12.49	54.63	3	Horizontal	62	1.78	23.5	33.50	6.08	32.70
AV	5.3548G	47.91	54.00	-6.09	41.01	3	Horizontal	62	1.78	23.5	33.52	6.08	32.70

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47191G	53.79	68.20	-14.41	49.10	3	Vertical	327	1.80	23.5	38.80	8.49	42.60
PK	15.67018G	54.92	74.00	-19.08	47.95	3	Vertical	8	1.69	23.5	38.33	10.57	41.93
AV	15.68265G	43.52	54.00	-10.48	36.55	3	Vertical	8	1.69	23.5	38.32	10.57	41.92

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46256G	54.45	68.20	-13.75	49.76	3	Horizontal	47	1.13	23.5	38.80	8.49	42.60
PK	15.69695G	55.77	74.00	-18.23	48.81	3	Horizontal	325	2.84	23.5	38.30	10.58	41.92
AV	15.69655G	44.19	54.00	-9.81	37.23	3	Horizontal	325	2.84	23.5	38.30	10.58	41.92

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	60.45	74.00	-13.55	54.17	3	Vertical	0	1.47	23.5	33.10	5.97	32.79
AV	5.14484G	48.42	54.00	-5.58	42.14	3	Vertical	0	1.47	23.5	33.10	5.97	32.79
PK	5.26048G	123.53	Inf	-Inf	116.92	3	Vertical	0	1.47	23.5	33.32	6.03	32.74
AV	5.28176G	111.55	Inf	-Inf	104.88	3	Vertical	0	1.47	23.5	33.36	6.04	32.73
PK	5.36044G	67.05	74.00	-6.95	60.13	3	Vertical	0	1.47	23.5	33.54	6.08	32.70
AV	5.35036G	52.99	54.00	-1.01	46.11	3	Vertical	0	1.47	23.5	33.50	6.08	32.70

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13532G	59.88	74.00	-14.12	53.60	3	Horizontal	64	1.76	23.5	33.10	5.97	32.79
AV	5.14512G	47.06	54.00	-6.94	40.78	3	Horizontal	64	1.76	23.5	33.10	5.97	32.79
PK	5.27504G	121.13	Inf	-Inf	114.47	3	Horizontal	64	1.76	23.5	33.35	6.04	32.73
AV	5.2756G	108.14	Inf	-Inf	101.48	3	Horizontal	64	1.76	23.5	33.35	6.04	32.73
PK	5.35512G	65.86	74.00	-8.14	58.96	3	Horizontal	64	1.76	23.5	33.52	6.08	32.70
AV	5.35456G	52.40	54.00	-1.60	45.50	3	Horizontal	64	1.76	23.5	33.52	6.08	32.70

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53337G	54.93	68.20	-13.27	50.23	3	Vertical	148	1.80	23.5	38.80	8.51	42.61
PK	15.78626G	55.94	74.00	-18.06	48.66	3	Vertical	274	1.80	23.5	38.56	10.61	41.89
AV	15.79913G	43.73	54.00	-10.27	36.39	3	Vertical	274	1.80	23.5	38.60	10.62	41.88

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50244G	53.98	68.20	-14.22	49.29	3	Horizontal	80	1.80	23.5	38.80	8.50	42.61
PK	15.82934G	57.13	74.00	-16.87	49.71	3	Horizontal	344	2.64	23.5	38.66	10.63	41.87
AV	15.81831G	45.59	54.00	-8.41	38.20	3	Horizontal	344	2.64	23.5	38.64	10.63	41.88

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31972G	118.35	Inf	-Inf	111.57	3	Vertical	235	1.75	17.5	33.44	6.06	32.72
AV	5.31888G	105.54	Inf	-Inf	98.76	3	Vertical	235	1.75	17.5	33.44	6.06	32.72
PK	5.358G	69.53	74.00	-4.47	62.62	3	Vertical	235	1.75	17.5	33.53	6.08	32.70
AV	5.35872G	52.71	54.00	-1.29	45.80	3	Vertical	235	1.75	17.5	33.53	6.08	32.70

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	113.51	Inf	-Inf	106.71	3	Horizontal	226	1.89	17.5	33.45	6.06	32.71
AV	5.3034G	101.45	Inf	-Inf	94.71	3	Horizontal	226	1.89	17.5	33.41	6.05	32.72
PK	5.36028G	62.58	74.00	-11.42	55.66	3	Horizontal	226	1.89	17.5	33.54	6.08	32.70
AV	5.35G	48.60	54.00	-5.40	41.73	3	Horizontal	226	1.89	17.5	33.50	6.07	32.70

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63103G	52.99	74.00	-21.01	48.26	3	Vertical	280	1.80	17.5	38.80	8.55	42.62
AV	10.60801G	41.22	54.00	-12.78	36.50	3	Vertical	280	1.80	17.5	38.80	8.54	42.62
PK	15.90323G	55.89	74.00	-18.11	48.27	3	Vertical	262	1.80	17.5	38.81	10.66	41.85
AV	15.89603G	43.86	54.00	-10.14	36.26	3	Vertical	262	1.80	17.5	38.79	10.66	41.85

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60474G	53.79	74.00	-20.21	49.07	3	Horizontal	187	1.80	17.5	38.80	8.54	42.62
PK	15.96293G	57.18	74.00	-16.82	49.39	3	Horizontal	44	1.80	17.5	38.93	10.69	41.83
AV	15.94974G	44.04	54.00	-9.96	36.30	3	Horizontal	44	1.80	17.5	38.90	10.68	41.84

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45948G	61.63	74.00	-12.37	54.22	3	Vertical	13	1.64	15.5	33.94	6.13	32.66
AV	5.45912G	49.04	54.00	-4.96	41.63	3	Vertical	13	1.64	15.5	33.94	6.13	32.66
PK	5.47G	68.07	68.20	-0.13	60.61	3	Vertical	13	1.64	15.5	33.98	6.13	32.65
PK	5.5124G	117.87	Inf	-Inf	110.25	3	Vertical	13	1.64	15.5	34.10	6.16	32.64
AV	5.51192G	105.38	Inf	-Inf	97.76	3	Vertical	13	1.64	15.5	34.10	6.16	32.64

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45504G	61.22	74.00	-12.78	53.83	3	Horizontal	27	1.65	15.5	33.92	6.13	32.66
AV	5.45384G	47.77	54.00	-6.23	40.38	3	Horizontal	27	1.65	15.5	33.92	6.13	32.66
PK	5.46716G	63.14	68.20	-5.06	55.69	3	Horizontal	27	1.65	15.5	33.97	6.13	32.65
PK	5.51552G	111.59	Inf	-Inf	103.98	3	Horizontal	27	1.65	15.5	34.10	6.16	32.65
AV	5.51468G	100.08	Inf	-Inf	92.47	3	Horizontal	27	1.65	15.5	34.10	6.16	32.65

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00458G	53.78	74.00	-20.22	49.04	3	Vertical	360	1.80	15.5	38.70	8.70	42.66
AV	10.98683G	41.80	54.00	-12.20	37.07	3	Vertical	360	1.80	15.5	38.70	8.69	42.66
PK	16.51186G	57.07	68.20	-11.13	47.67	3	Vertical	31	2.62	15.5	40.45	10.90	41.95

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99059G	53.50	74.00	-20.50	48.76	3	Horizontal	360	1.80	15.5	38.70	8.70	42.66
AV	11.00058G	41.81	54.00	-12.19	37.07	3	Horizontal	360	1.80	15.5	38.70	8.70	42.66
PK	16.5145G	57.16	68.20	-11.04	47.76	3	Horizontal	31	1.80	15.5	40.44	10.91	41.95

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.73	74.00	-15.27	51.86	3	Vertical	10	1.80	23	33.50	6.07	32.70
AV	5.35G	47.31	54.00	-6.69	40.44	3	Vertical	10	1.80	23	33.50	6.07	32.70
PK	5.4596G	63.91	74.00	-10.09	56.50	3	Vertical	10	1.80	23	33.94	6.13	32.66
AV	5.46G	51.30	54.00	-2.70	43.89	3	Vertical	10	1.80	23	33.94	6.13	32.66
PK	5.464G	65.86	68.20	-2.34	58.43	3	Vertical	10	1.80	23	33.96	6.13	32.66
PK	5.5416G	123.11	Inf	-Inf	115.50	3	Vertical	10	1.80	23	34.10	6.17	32.66
AV	5.5416G	111.52	Inf	-Inf	103.91	3	Vertical	10	1.80	23	34.10	6.17	32.66
PK	5.726G	61.47	68.20	-6.73	53.44	3	Vertical	10	1.80	23	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	57.38	74.00	-16.62	50.51	3	Horizontal	39	1.62	23	33.50	6.07	32.70
AV	5.35G	47.01	54.00	-6.99	40.14	3	Horizontal	39	1.62	23	33.50	6.07	32.70
PK	5.434G	61.02	74.00	-12.98	53.73	3	Horizontal	39	1.62	23	33.84	6.12	32.67
PK	5.4656G	64.73	68.20	-3.47	57.29	3	Horizontal	39	1.62	23	33.96	6.13	32.65
AV	5.4544G	48.54	54.00	-5.46	41.15	3	Horizontal	39	1.62	23	33.92	6.13	32.66
PK	5.548G	119.45	Inf	-Inf	111.84	3	Horizontal	39	1.62	23	34.10	6.17	32.66
AV	5.546G	107.33	Inf	-Inf	99.72	3	Horizontal	39	1.62	23	34.10	6.17	32.66
PK	5.7448G	60.96	68.20	-7.24	52.93	3	Horizontal	39	1.62	23	34.50	6.27	32.74

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10184G	53.60	74.00	-20.40	48.83	3	Vertical	55	1.80	23	38.70	8.74	42.67
AV	11.09129G	41.96	54.00	-12.04	37.19	3	Vertical	55	1.80	23	38.70	8.74	42.67
PK	16.61843G	56.51	68.20	-11.69	47.28	3	Vertical	299	2.34	23	40.19	10.95	41.91

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09832G	54.26	74.00	-19.74	49.49	3	Horizontal	28	1.75	23	38.70	8.74	42.67
AV	11.09481G	42.09	54.00	-11.91	37.32	3	Horizontal	28	1.75	23	38.70	8.74	42.67
PK	16.68852G	57.65	68.20	-10.55	48.02	3	Horizontal	153	1.80	23	40.54	10.98	41.89

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66776G	119.25	Inf	-Inf	111.36	3	Vertical	236	2.20	18.5	34.37	6.23	32.71
AV	5.6684G	107.06	Inf	-Inf	99.17	3	Vertical	236	2.20	18.5	34.37	6.23	32.71
PK	5.7276G	66.32	68.20	-1.88	58.29	3	Vertical	236	2.20	18.5	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66648G	115.77	Inf	-Inf	107.88	3	Horizontal	38	1.66	18.5	34.37	6.23	32.71
AV	5.66744G	103.16	Inf	-Inf	95.27	3	Horizontal	38	1.66	18.5	34.37	6.23	32.71
PK	5.7268G	62.79	68.20	-5.41	54.76	3	Horizontal	38	1.66	18.5	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36997G	53.45	74.00	-20.55	48.54	3	Vertical	95	1.80	18.5	38.77	8.85	42.71
AV	11.33992G	42.62	54.00	-11.38	37.75	3	Vertical	95	1.80	18.5	38.74	8.84	42.71
PK	16.98698G	58.53	68.20	-9.67	47.93	3	Vertical	213	1.80	18.5	41.30	11.09	41.79

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32258G	53.54	74.00	-20.46	48.70	3	Horizontal	126	1.28	18.5	38.72	8.83	42.71
AV	11.32681G	41.57	54.00	-12.43	36.72	3	Horizontal	126	1.28	18.5	38.73	8.83	42.71
PK	17.03342G	59.25	68.20	-8.95	48.47	3	Horizontal	360	1.29	18.5	41.47	11.11	41.80

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45468G	59.73	74.00	-14.27	52.34	3	Vertical	236	1.80	27.5	33.92	6.13	32.66
AV	5.45936G	48.34	54.00	-5.66	40.93	3	Vertical	236	1.80	27.5	33.94	6.13	32.66
PK	5.46976G	59.64	68.20	-8.56	52.18	3	Vertical	236	1.80	27.5	33.98	6.13	32.65
PK	5.70896G	124.82	Inf	-Inf	116.79	3	Vertical	236	1.80	27.5	34.50	6.25	32.72
AV	5.70844G	114.41	Inf	-Inf	106.38	3	Vertical	236	1.80	27.5	34.50	6.25	32.72
PK	5.85144G	65.74	68.20	-2.46	57.28	3	Vertical	236	1.80	27.5	34.91	6.33	32.78

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45832G	59.15	74.00	-14.85	51.75	3	Horizontal	356	1.80	27.5	33.93	6.13	32.66
AV	5.45572G	47.39	54.00	-6.61	40.00	3	Horizontal	356	1.80	27.5	33.92	6.13	32.66
PK	5.46404G	59.24	68.20	-8.96	51.81	3	Horizontal	356	1.80	27.5	33.96	6.13	32.66
PK	5.70792G	120.50	Inf	-Inf	112.47	3	Horizontal	356	1.80	27.5	34.50	6.25	32.72
AV	5.70636G	109.22	Inf	-Inf	101.19	3	Horizontal	356	1.80	27.5	34.50	6.25	32.72
PK	5.96064G	63.26	68.20	-4.94	54.20	3	Horizontal	356	1.80	27.5	35.50	6.38	32.82

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38579G	53.79	74.00	-20.21	48.86	3	Vertical	0	1.17	27.5	38.79	8.85	42.71
AV	11.40745G	42.20	54.00	-11.80	37.26	3	Vertical	0	1.17	27.5	38.80	8.86	42.72
PK	17.12648G	66.99	68.20	-1.21	55.83	3	Vertical	321	1.80	27.5	41.83	11.15	41.82

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41025G	53.46	74.00	-20.54	48.52	3	Horizontal	32	1.80	27.5	38.80	8.86	42.72
AV	11.40633G	42.06	54.00	-11.94	37.12	3	Horizontal	32	1.80	27.5	38.80	8.86	42.72
PK	17.12664G	66.10	68.20	-2.10	54.94	3	Horizontal	321	1.80	27.5	41.83	11.15	41.82

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65312G	70.36	70.51	-0.15	62.52	3	Vertical	235	1.52	24	34.31	6.23	32.70
PK	5.75392G	123.05	Inf	-Inf	115.00	3	Vertical	235	1.52	24	34.51	6.28	32.74
AV	5.75284G	112.39	Inf	-Inf	104.34	3	Vertical	235	1.52	24	34.51	6.28	32.74
PK	5.9332G	61.89	68.20	-6.31	52.90	3	Vertical	235	1.52	24	35.43	6.37	32.81

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65168G	66.03	69.44	-3.41	58.19	3	Horizontal	351	1.80	24	34.31	6.23	32.70
PK	5.7532G	119.17	Inf	-Inf	111.12	3	Horizontal	351	1.80	24	34.51	6.28	32.74
AV	5.75068G	106.43	Inf	-Inf	98.39	3	Horizontal	351	1.80	24	34.50	6.28	32.74
PK	5.93284G	61.34	68.20	-6.86	52.35	3	Horizontal	351	1.80	24	35.43	6.37	32.81

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5351G	54.66	74.00	-19.34	49.68	3	Vertical	334	1.34	24	38.80	8.91	42.73
AV	11.51607G	43.13	54.00	-10.87	38.15	3	Vertical	334	1.34	24	38.80	8.91	42.73
PK	17.27403G	62.01	68.20	-6.19	50.44	3	Vertical	322	2.09	24	42.20	11.21	41.84

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49553G	54.47	74.00	-19.53	49.50	3	Horizontal	47	1.79	24	38.80	8.90	42.73
AV	11.5152G	42.87	54.00	-11.13	37.89	3	Horizontal	47	1.79	24	38.80	8.91	42.73
PK	17.29633G	58.84	68.20	-9.36	47.18	3	Horizontal	320	1.80	24	42.29	11.22	41.85

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65004G	67.82	68.23	-0.41	59.99	3	Vertical	225	2.42	26	34.30	6.23	32.70
PK	5.79788G	125.16	Inf	-Inf	117.02	3	Vertical	225	2.42	26	34.60	6.30	32.76
AV	5.79692G	114.07	Inf	-Inf	105.94	3	Vertical	225	2.42	26	34.59	6.30	32.76
PK	5.95244G	62.11	68.20	-6.09	53.05	3	Vertical	225	2.42	26	35.50	6.38	32.82

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64812G	66.49	68.20	-1.71	58.67	3	Horizontal	42	1.57	26	34.30	6.22	32.70
PK	5.78028G	119.88	Inf	-Inf	111.78	3	Horizontal	42	1.57	26	34.56	6.29	32.75
AV	5.80044G	107.27	Inf	-Inf	99.13	3	Horizontal	42	1.57	26	34.60	6.30	32.76
PK	5.95244G	62.60	68.20	-5.60	53.54	3	Horizontal	42	1.57	26	35.50	6.38	32.82

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57234G	54.70	74.00	-19.30	49.70	3	Vertical	64	2.32	26	38.80	8.93	42.73
AV	11.5936G	43.00	54.00	-11.00	38.00	3	Vertical	64	2.32	26	38.80	8.94	42.74
PK	17.37053G	63.94	68.20	-4.26	52.04	3	Vertical	37	1.80	26	42.51	11.25	41.86

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55532G	54.50	74.00	-19.50	49.51	3	Horizontal	51	1.80	26	38.80	8.92	42.73
AV	11.59496G	43.25	54.00	-10.75	38.25	3	Horizontal	51	1.80	26	38.80	8.94	42.74
PK	17.39155G	64.40	68.20	-3.80	52.44	3	Horizontal	173	1.80	26	42.57	11.26	41.87

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	65.58	74.00	-8.42	59.30	3	Vertical	0	1.33	15.5	33.10	5.97	32.79
AV	5.14152G	53.86	54.00	-0.14	47.58	3	Vertical	0	1.33	15.5	33.10	5.97	32.79
PK	5.20104G	112.59	Inf	-Inf	106.16	3	Vertical	0	1.33	15.5	33.20	6.00	32.77
AV	5.22184G	100.25	Inf	-Inf	93.76	3	Vertical	0	1.33	15.5	33.24	6.01	32.76
PK	5.35048G	59.11	74.00	-14.89	52.23	3	Vertical	0	1.33	15.5	33.50	6.08	32.70
AV	5.36456G	47.14	54.00	-6.86	40.20	3	Vertical	0	1.33	15.5	33.56	6.08	32.70

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13736G	64.20	74.00	-9.80	57.92	3	Horizontal	58	1.80	15.5	33.10	5.97	32.79
AV	5.1364G	51.68	54.00	-2.32	45.40	3	Horizontal	58	1.80	15.5	33.10	5.97	32.79
PK	5.19688G	108.62	Inf	-Inf	102.20	3	Horizontal	58	1.80	15.5	33.19	6.00	32.77
AV	5.19688G	96.38	Inf	-Inf	89.96	3	Horizontal	58	1.80	15.5	33.19	6.00	32.77
PK	5.36008G	59.90	74.00	-14.10	52.98	3	Horizontal	58	1.80	15.5	33.54	6.08	32.70
AV	5.3668G	47.10	54.00	-6.90	40.15	3	Horizontal	58	1.80	15.5	33.57	6.08	32.70

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42543G	53.91	68.20	-14.29	49.23	3	Vertical	2	1.80	15.5	38.80	8.47	42.59
PK	15.67492G	54.64	74.00	-19.36	47.66	3	Vertical	152	1.94	15.5	38.33	10.57	41.92
AV	15.63991G	42.74	54.00	-11.26	35.76	3	Vertical	152	1.94	15.5	38.36	10.56	41.94

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34024G	54.35	68.20	-13.85	49.80	3	Horizontal	2	1.80	15.5	38.68	8.44	42.57
PK	15.62345G	54.77	74.00	-19.23	47.78	3	Horizontal	136	1.80	15.5	38.38	10.55	41.94
AV	15.68099G	42.68	54.00	-11.32	35.71	3	Horizontal	136	1.80	15.5	38.32	10.57	41.92

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14376G	58.84	74.00	-15.16	52.56	3	Vertical	6	1.28	15	33.10	5.97	32.79
AV	5.14952G	46.42	54.00	-7.58	40.14	3	Vertical	6	1.28	15	33.10	5.97	32.79
PK	5.31016G	111.15	Inf	-Inf	104.39	3	Vertical	6	1.28	15	33.42	6.06	32.72
AV	5.28904G	100.17	Inf	-Inf	93.48	3	Vertical	6	1.28	15	33.38	6.04	32.73
PK	5.35048G	64.98	74.00	-9.02	58.10	3	Vertical	6	1.28	15	33.50	6.08	32.70
AV	5.35G	52.77	54.00	-1.23	45.90	3	Vertical	6	1.28	15	33.50	6.07	32.70

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13256G	58.00	74.00	-16.00	51.72	3	Horizontal	223	2.00	15	33.10	5.97	32.79
AV	5.1444G	46.07	54.00	-7.93	39.79	3	Horizontal	223	2.00	15	33.10	5.97	32.79
PK	5.28296G	108.22	Inf	-Inf	101.54	3	Horizontal	223	2.00	15	33.37	6.04	32.73
AV	5.28328G	96.43	Inf	-Inf	89.75	3	Horizontal	223	2.00	15	33.37	6.04	32.73
PK	5.39624G	60.36	74.00	-13.64	53.26	3	Horizontal	223	2.00	15	33.68	6.10	32.68
AV	5.36328G	48.96	54.00	-5.04	42.03	3	Horizontal	223	2.00	15	33.55	6.08	32.70

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50663G	54.38	68.20	-13.82	49.69	3	Vertical	318	1.37	15	38.80	8.50	42.61
PK	15.79248G	55.65	74.00	-18.35	48.34	3	Vertical	360	2.02	15	38.58	10.62	41.89
AV	15.8692G	43.99	54.00	-10.01	36.46	3	Vertical	360	2.02	15	38.74	10.65	41.86

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52278G	54.38	68.20	-13.82	49.68	3	Horizontal	183	1.80	15	38.80	8.51	42.61
PK	15.89334G	55.79	74.00	-18.21	48.19	3	Horizontal	141	1.80	15	38.79	10.66	41.85
AV	15.86648G	43.97	54.00	-10.03	36.45	3	Horizontal	141	1.80	15	38.73	10.65	41.86

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45016G	64.24	74.00	-9.76	56.87	3	Vertical	17	1.46	14	33.90	6.13	32.66
AV	5.45G	51.67	54.00	-2.33	44.31	3	Vertical	17	1.46	14	33.90	6.12	32.66
PK	5.46872G	67.83	68.20	-0.37	60.38	3	Vertical	17	1.46	14	33.97	6.13	32.65
PK	5.54888G	112.02	Inf	-Inf	104.41	3	Vertical	17	1.46	14	34.10	6.17	32.66
AV	5.54936G	100.37	Inf	-Inf	92.76	3	Vertical	17	1.46	14	34.10	6.17	32.66

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45784G	60.03	74.00	-13.97	52.63	3	Horizontal	91	1.80	14	33.93	6.13	32.66
AV	5.4548G	47.81	54.00	-6.19	40.42	3	Horizontal	91	1.80	14	33.92	6.13	32.66
PK	5.46456G	64.63	68.20	-3.57	57.19	3	Horizontal	91	1.80	14	33.96	6.13	32.65
PK	5.5252G	107.47	Inf	-Inf	99.86	3	Horizontal	91	1.80	14	34.10	6.16	32.65
AV	5.52536G	95.03	Inf	-Inf	87.42	3	Horizontal	91	1.80	14	34.10	6.16	32.65

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98519G	53.58	74.00	-20.42	48.85	3	Vertical	84	1.00	14	38.70	8.69	42.66
AV	10.98008G	41.99	54.00	-12.01	37.26	3	Vertical	84	1.00	14	38.70	8.69	42.66
PK	16.61525G	57.72	68.20	-10.48	48.50	3	Vertical	61	1.80	14	40.18	10.95	41.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05297G	53.91	74.00	-20.09	49.16	3	Horizontal	38	1.80	14	38.70	8.72	42.67
AV	10.98871G	41.98	54.00	-12.02	37.24	3	Horizontal	38	1.80	14	38.70	8.70	42.66
PK	16.58217G	57.24	68.20	-10.96	48.06	3	Horizontal	301	1.78	14	40.17	10.93	41.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45992G	62.90	74.00	-11.10	55.49	3	Vertical	13	1.57	21	33.94	6.13	32.66
AV	5.45992G	50.54	54.00	-3.46	43.13	3	Vertical	13	1.57	21	33.94	6.13	32.66
PK	5.46408G	65.28	68.20	-2.92	57.85	3	Vertical	13	1.57	21	33.96	6.13	32.66
PK	5.58184G	119.12	Inf	-Inf	111.37	3	Vertical	13	1.57	21	34.23	6.19	32.67
AV	5.60296G	106.89	Inf	-Inf	99.07	3	Vertical	13	1.57	21	34.30	6.20	32.68
PK	5.72584G	67.96	68.20	-0.24	59.93	3	Vertical	13	1.57	21	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	60.72	74.00	-13.28	53.33	3	Horizontal	41	1.80	21	33.92	6.13	32.66
AV	5.45416G	47.98	54.00	-6.02	40.59	3	Horizontal	41	1.80	21	33.92	6.13	32.66
PK	5.46728G	61.87	68.20	-6.33	54.42	3	Horizontal	41	1.80	21	33.97	6.13	32.65
PK	5.62696G	114.81	Inf	-Inf	106.99	3	Horizontal	41	1.80	21	34.30	6.21	32.69
AV	5.60744G	102.04	Inf	-Inf	94.22	3	Horizontal	41	1.80	21	34.30	6.20	32.68
PK	5.72968G	66.67	68.20	-1.53	58.64	3	Horizontal	41	1.80	21	34.50	6.26	32.73

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.25069G	53.87	74.00	-20.13	49.12	3	Vertical	154	1.00	21	38.65	8.80	42.70
AV	11.20817G	41.53	54.00	-12.47	36.83	3	Vertical	154	1.00	21	38.61	8.78	42.69
PK	16.85238G	58.33	68.20	-9.87	47.97	3	Vertical	290	1.80	21	41.16	11.04	41.84

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21616G	53.86	74.00	-20.14	49.14	3	Horizontal	123	1.80	21	38.62	8.79	42.69
AV	11.18739G	41.60	54.00	-12.40	36.91	3	Horizontal	123	1.80	21	38.61	8.77	42.69
PK	16.7918G	58.14	68.20	-10.06	48.01	3	Horizontal	222	1.94	21	40.97	11.02	41.86

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	60.28	74.00	-13.72	52.89	3	Vertical	238	1.80	25	33.92	6.13	32.66
AV	5.4548G	49.04	54.00	-4.96	41.65	3	Vertical	238	1.80	25	33.92	6.13	32.66
PK	5.46824G	63.14	68.20	-5.06	55.69	3	Vertical	238	1.80	25	33.97	6.13	32.65
PK	5.7068G	120.34	Inf	-Inf	112.31	3	Vertical	238	1.80	25	34.50	6.25	32.72
AV	5.68808G	109.44	Inf	-Inf	101.47	3	Vertical	238	1.80	25	34.45	6.24	32.72
PK	5.85128G	67.55	68.20	-0.65	59.09	3	Vertical	238	1.80	25	34.91	6.33	32.78

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45912G	61.50	74.00	-12.50	54.09	3	Horizontal	37	1.63	25	33.94	6.13	32.66
AV	5.46G	49.25	54.00	-4.75	41.84	3	Horizontal	37	1.63	25	33.94	6.13	32.66
PK	5.47G	62.89	68.20	-5.31	55.43	3	Horizontal	37	1.63	25	33.98	6.13	32.65
PK	5.66792G	117.63	Inf	-Inf	109.74	3	Horizontal	37	1.63	25	34.37	6.23	32.71
AV	5.66792G	105.72	Inf	-Inf	97.83	3	Horizontal	37	1.63	25	34.37	6.23	32.71
PK	5.918G	63.11	68.20	-5.09	54.19	3	Horizontal	37	1.63	25	35.37	6.36	32.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40749G	53.81	74.00	-20.19	48.87	3	Vertical	202	1.20	25	38.80	8.86	42.72
AV	11.40701G	42.17	54.00	-11.83	37.23	3	Vertical	202	1.20	25	38.80	8.86	42.72
PK	17.0887G	61.19	68.20	-7.01	50.12	3	Vertical	317	1.92	25	41.74	11.14	41.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3386G	54.11	74.00	-19.89	49.24	3	Horizontal	25	1.68	25	38.74	8.84	42.71
AV	11.38G	42.19	54.00	-11.81	37.27	3	Horizontal	25	1.68	25	38.78	8.85	42.71
PK	17.08598G	60.78	68.20	-7.42	49.73	3	Horizontal	313	1.88	25	41.73	11.13	41.81

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	67.65	68.20	-0.55	58.57	3	Vertical	126	1.91	-	33.81	6.10	30.83
PK	5.7855G	118.05	Inf	-Inf	109.09	3	Vertical	126	1.91	-	33.80	6.10	30.94
AV	5.7845G	105.65	Inf	-Inf	96.69	3	Vertical	126	1.91	-	33.80	6.10	30.94
PK	5.9535G	60.15	68.20	-8.05	50.76	3	Vertical	126	1.91	-	34.20	6.25	31.06

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6535G	69.89	70.79	-0.90	60.82	3	Horizontal	51	3.00	-	33.81	6.10	30.84
PK	5.7955G	114.87	Inf	-Inf	105.91	3	Horizontal	51	3.00	-	33.80	6.10	30.94
AV	5.795G	102.61	Inf	-Inf	93.65	3	Horizontal	51	3.00	-	33.80	6.10	30.94
PK	5.927G	60.40	68.20	-7.80	51.07	3	Horizontal	51	3.00	-	34.15	6.22	31.04

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.562G	54.30	74.00	-19.70	38.42	3	Vertical	96	1.03	-	39.19	8.85	32.16
AV	11.54984G	41.50	54.00	-12.50	25.66	3	Vertical	96	1.03	-	39.15	8.84	32.15
PK	17.32188G	63.82	68.20	-4.38	40.46	3	Vertical	70	1.69	-	42.63	10.96	30.23

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55644G	54.83	74.00	-19.17	38.97	3	Horizontal	42	1.70	-	39.17	8.84	32.15
AV	11.55484G	40.88	54.00	-13.12	25.03	3	Horizontal	42	1.70	-	39.16	8.84	32.15
PK	17.3136G	63.47	68.20	-4.73	40.16	3	Horizontal	263	1.80	-	42.58	10.96	30.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss2,(MCS0)_4TX	Pass	AV	5.458G	53.39	54.00	-0.61	3	Vertical	164	1.25	-

5.15-5.25GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,5290MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	61.84	74.00	-12.16	55.56	3	Vertical	201	2.07	-	33.10	5.97	32.79
AV	5.15G	52.71	54.00	-1.29	46.43	3	Vertical	201	2.07	-	33.10	5.97	32.79
PK	5.214G	107.45	Inf	-Inf	100.97	3	Vertical	201	2.07	-	33.23	6.01	32.76
AV	5.2124G	97.89	Inf	-Inf	91.42	3	Vertical	201	2.07	-	33.22	6.01	32.76
PK	5.3708G	60.47	74.00	-13.53	53.49	3	Vertical	201	2.07	-	33.58	6.09	32.69
AV	5.37G	50.95	54.00	-3.05	43.98	3	Vertical	201	2.07	-	33.58	6.08	32.69
PK	5.5132G	57.40	68.20	-10.80	49.79	3	Vertical	201	2.07	-	34.10	6.16	32.65

5.15-5.25GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,5290MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.69	74.00	-13.31	54.41	3	Horizontal	214	1.71	-	33.10	5.97	32.79
AV	5.146G	49.05	54.00	-4.95	42.77	3	Horizontal	214	1.71	-	33.10	5.97	32.79
PK	5.206G	99.81	Inf	-Inf	93.36	3	Horizontal	214	1.71	-	33.21	6.00	32.76
AV	5.206G	91.05	Inf	-Inf	84.60	3	Horizontal	214	1.71	-	33.21	6.00	32.76
PK	5.3708G	58.12	74.00	-15.88	51.14	3	Horizontal	214	1.71	-	33.58	6.09	32.69
AV	5.37G	49.07	54.00	-4.93	42.10	3	Horizontal	214	1.71	-	33.58	6.08	32.69
PK	5.5308G	57.36	68.20	-10.84	49.74	3	Horizontal	214	1.71	-	34.10	6.17	32.65

5.15-5.25GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,5290MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43233G	52.55	68.20	-15.65	47.87	3	Vertical	99	2.44	-	38.80	8.47	42.59
PK	15.63027G	54.75	74.00	-19.25	47.77	3	Vertical	66	1.80	-	38.37	10.55	41.94
AV	15.6156G	42.91	54.00	-11.09	35.92	3	Vertical	66	1.80	-	38.38	10.55	41.94

5.15-5.25GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,5290MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42099G	52.36	68.20	-15.84	47.68	3	Horizontal	31	1.80	-	38.80	8.47	42.59
PK	15.6153G	55.65	74.00	-18.35	48.66	3	Horizontal	261	1.80	-	38.38	10.55	41.94
AV	15.61533G	42.97	54.00	-11.03	35.98	3	Horizontal	261	1.80	-	38.38	10.55	41.94

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5210#5290MHz_TX




EUT_Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	61.67	74.00	-12.33	55.39	3	Vertical	113	2.09	-	33.10	5.97	32.79
AV	5.15G	52.38	54.00	-1.62	46.10	3	Vertical	113	2.09	-	33.10	5.97	32.79
PK	5.2892G	107.04	Inf	-Inf	100.35	3	Vertical	113	2.09	-	33.38	6.04	32.73
AV	5.2884G	97.58	Inf	-Inf	90.89	3	Vertical	113	2.09	-	33.38	6.04	32.73
PK	5.3668G	58.68	74.00	-15.32	51.73	3	Vertical	113	2.09	-	33.57	6.08	32.70
AV	5.37G	49.19	54.00	-4.81	42.22	3	Vertical	113	2.09	-	33.58	6.08	32.69
PK	5.6116G	58.13	68.20	-10.07	50.30	3	Vertical	113	2.09	-	34.30	6.21	32.68

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5210#5290MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	57.43	74.00	-16.57	51.15	3	Horizontal	78	1.22	-	33.10	5.97	32.79
AV	5.1436G	46.53	54.00	-7.47	40.25	3	Horizontal	78	1.22	-	33.10	5.97	32.79
PK	5.2956G	104.40	Inf	-Inf	97.69	3	Horizontal	78	1.22	-	33.39	6.05	32.73
AV	5.2956G	95.64	Inf	-Inf	88.93	3	Horizontal	78	1.22	-	33.39	6.05	32.73
PK	5.3548G	59.05	74.00	-14.95	52.15	3	Horizontal	78	1.22	-	33.52	6.08	32.70
PK	5.4876G	58.30	68.20	-9.90	50.76	3	Horizontal	78	1.22	-	34.05	6.14	32.65
AV	5.45G	49.63	54.00	-4.37	42.27	3	Horizontal	78	1.22	-	33.90	6.12	32.66

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5210#5290MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57478G	53.05	68.20	-15.15	48.34	3	Vertical	99	1.80	-	38.80	8.53	42.62
PK	15.87024G	55.32	74.00	-18.68	47.79	3	Vertical	312	2.97	-	38.74	10.65	41.86
AV	15.88308G	42.84	54.00	-11.16	35.28	3	Vertical	312	2.97	-	38.77	10.65	41.86

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5210#5290MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58246G	53.55	68.20	-14.65	48.84	3	Horizontal	184	1.11	-	38.80	8.53	42.62
PK	15.88281G	55.13	74.00	-18.87	47.57	3	Horizontal	264	2.01	-	38.77	10.65	41.86
AV	15.88263G	42.84	54.00	-11.16	35.28	3	Horizontal	264	2.01	-	38.77	10.65	41.86

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2668G	58.22	68.20	-9.98	51.60	3	Vertical	164	1.25	-	33.33	6.03	32.74
AV	5.35G	47.62	54.00	-6.38	40.75	3	Vertical	164	1.25	-	33.50	6.07	32.70
PK	5.458G	62.84	74.00	-11.16	55.44	3	Vertical	164	1.25	-	33.93	6.13	32.66
AV	5.458G	53.39	54.00	-0.61	45.99	3	Vertical	164	1.25	-	33.93	6.13	32.66
PK	5.4612G	61.60	68.20	-6.60	54.19	3	Vertical	164	1.25	-	33.94	6.13	32.66
PK	5.4948G	109.06	Inf	-Inf	101.47	3	Vertical	164	1.25	-	34.08	6.15	32.64
AV	5.5364G	100.40	Inf	-Inf	92.78	3	Vertical	164	1.25	-	34.10	6.17	32.65
PK	5.8988G	60.64	68.20	-7.56	51.80	3	Vertical	164	1.25	-	35.29	6.35	32.80

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	58.23	68.20	-9.97	51.50	3	Horizontal	209	1.75	-	33.40	6.05	32.72
AV	5.35G	47.17	54.00	-6.83	40.30	3	Horizontal	209	1.75	-	33.50	6.07	32.70
PK	5.4556G	61.45	74.00	-12.55	54.06	3	Horizontal	209	1.75	-	33.92	6.13	32.66
AV	5.4572G	50.51	54.00	-3.49	43.11	3	Horizontal	209	1.75	-	33.93	6.13	32.66
PK	5.47G	60.89	68.20	-7.31	53.43	3	Horizontal	209	1.75	-	33.98	6.13	32.65
PK	5.5532G	102.23	Inf	-Inf	94.60	3	Horizontal	209	1.75	-	34.11	6.18	32.66
AV	5.5364G	93.48	Inf	-Inf	85.86	3	Horizontal	209	1.75	-	34.10	6.17	32.65
PK	5.7764G	59.33	68.20	-8.87	51.24	3	Horizontal	209	1.75	-	34.55	6.29	32.75

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05142G	53.82	74.00	-20.18	49.07	3	Vertical	150	2.06	-	38.70	8.72	42.67
AV	11.05991G	42.24	54.00	-11.76	37.49	3	Vertical	150	2.06	-	38.70	8.72	42.67
PK	16.58703G	56.83	68.20	-11.37	47.67	3	Vertical	4	1.80	-	40.15	10.93	41.92

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_4TX

#5530MHz,5610MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06279G	53.83	74.00	-20.17	49.07	3	Horizontal	328	1.80	-	38.70	8.73	42.67
AV	11.06858G	41.69	54.00	-12.31	36.93	3	Horizontal	328	1.80	-	38.70	8.73	42.67
PK	16.60119G	57.19	68.20	-11.01	48.06	3	Horizontal	132	1.80	-	40.11	10.94	41.92

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2276G	58.98	68.20	-9.22	52.46	3	Vertical	47	2.00	-	33.26	6.01	32.75
PK	5.4548G	64.71	74.00	-9.29	57.32	3	Vertical	47	2.00	-	33.92	6.13	32.66
AV	5.35G	47.77	54.00	-6.23	40.90	3	Vertical	47	2.00	-	33.50	6.07	32.70
PK	5.4604G	63.43	68.20	-4.77	56.02	3	Vertical	47	2.00	-	33.94	6.13	32.66
AV	5.4588G	53.18	54.00	-0.82	45.77	3	Vertical	47	2.00	-	33.94	6.13	32.66
PK	5.5172G	107.65	Inf	-Inf	100.04	3	Vertical	47	2.00	-	34.10	6.16	32.65
AV	5.6156G	98.34	Inf	-Inf	90.52	3	Vertical	47	2.00	-	34.30	6.21	32.69
PK	5.9556G	60.28	68.20	-7.92	51.22	3	Vertical	47	2.00	-	35.50	6.38	32.82

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




EUT Y_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2468G	57.68	68.20	-10.52	51.12	3	Horizontal	72	1.10	-	33.29	6.02	32.75
PK	5.4188G	59.18	74.00	-14.82	51.96	3	Horizontal	72	1.10	-	33.78	6.11	32.67
AV	5.35G	47.33	54.00	-6.67	40.46	3	Horizontal	72	1.10	-	33.50	6.07	32.70
PK	5.4692G	58.72	68.20	-9.48	51.26	3	Horizontal	72	1.10	-	33.98	6.13	32.65
AV	5.45G	50.81	54.00	-3.19	43.45	3	Horizontal	72	1.10	-	33.90	6.12	32.66
PK	5.6044G	107.60	Inf	-Inf	99.78	3	Horizontal	72	1.10	-	34.30	6.20	32.68
AV	5.6068G	97.49	Inf	-Inf	89.67	3	Horizontal	72	1.10	-	34.30	6.20	32.68
PK	5.77G	60.21	68.20	-7.99	52.13	3	Horizontal	72	1.10	-	34.54	6.29	32.75

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX




EUTY_4TX

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21055G	53.76	74.00	-20.24	49.06	3	Vertical	60	1.80	-	38.61	8.78	42.69
AV	11.21988G	41.97	54.00	-12.03	37.25	3	Vertical	60	1.80	-	38.62	8.79	42.69
PK	16.83231G	58.58	68.20	-9.62	48.29	3	Vertical	231	1.80	-	41.10	11.03	41.84

5.47-5.725GHz_802.11ax HEW80+80_Nss2,(MCS0)_4TX

5530MHz,#5610MHz_TX



EUTY_4TX


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22438G	53.50	74.00	-20.50	48.78	3	Horizontal	211	1.39	-	38.62	8.79	42.69
AV	11.2065G	41.60	54.00	-12.40	36.90	3	Horizontal	211	1.39	-	38.61	8.78	42.69
PK	16.83444G	58.14	68.20	-10.06	47.85	3	Horizontal	256	1.80	-	41.10	11.03	41.84



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	17.61G	47.74	54.00	-6.26	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	17.609G	54.62	74.00	-19.38	19.50	3	Vertical	52	1.10	-	35.12	41.77	11.35	33.62
AV	17.61G	47.74	54.00	-6.26	19.50	3	Vertical	52	1.10	"Worst"	28.24	41.77	11.35	33.62

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	17.614G	54.88	74.00	-19.12	19.49	3	Horizontal	41	1.47	-	35.39	41.76	11.35	33.62
AV	17.608G	45.93	54.00	-8.07	19.51	3	Horizontal	41	1.47	"Worst"	26.42	41.78	11.35	33.62