## Compliance list INTEGRATION INSTRUCTIONS for 996369 D03 OEM the and 996369 D03 OEM by Sections 2.2 through 2.10.

Sections 2.2 through 2.10.	Voc	NI/A	Comment
Requirement	Yes	N/A	
2.2 List of applicable FCC rules	YES		Refer to instruction
List the FCC rules that are applicable to the			
modular transmitter. These are the rules that			FCC standards: FCC CFR Title 47 Part 15 Subpart
specifically establish the bands of operation,			C Section 15.247
the power, spurious emissions, and operating			
fundamental frequencies. DO NOT list			
compliance to unintentional-radiator rules			
(Part 15 Subpart B) since that is not a			
condition of a module grant that is extended			
to a host manufacturer. See also Section 2.10			
below concerning the need to notify host			
manufacturers that further testing is			
required. <sub>3</sub>			
2.3 Summarize the specific operational use	YES		Refer to instruction
conditions			
Describe use conditions that are applicable to			
the modular transmitter, including for			Integral PCB antenna with antenna gain OdBi
example any limits on antennas, etc. For			
example, if point-to-point antennas are used			
that require reduction in power or			
compensation for cable loss, then this			
information must be in the instructions. If the			
use condition limitations extend to			
professional users, then instructions must			
state that this information also extends to the			
host manufacturer's instruction manual. In			
addition, certain information may also be			
needed, such as peak gain per frequency band			
and minimum gain, specifically for master			
devices in 5 GHz DFS bands.			
2.4 Limited module procedures	YES		Refer to instruction
If a modular transmitter is approved as a			
"limited module," then the module			We will retain control over the final installation
manufacturer is responsible for approving the			of the modular such that compliance of the end
host environment that the limited module is			product is assured. In such cases, an operating
used with. The manufacturer of a limited			condition on the limit modular approval for the
module must describe, both in the filing and in			module must be only approved for use when
the installation instructions, the alternative			installed in devices produced by a specific
means that the limited module manufacturer			manufacturer. If any hardware modify or RF
uses to verify that the host meets the			control software modify will be made by host
necessary requirements to satisfy the module			manufacturer,C2PC or new certificate should be
limiting conditions.			apply to get approval, if those change and
A limited module manufacturer has the			modification made by host manufacturer not
flexibility to define its alternative method to			expressly approved by the party responsible for
address the conditions that limit the initial			compliance ,then it is illegal.

	Г		
approval, such as: shielding, minimum			
signaling amplitude, buffered			
modulation/data inputs, or power supply			
regulation. The alternative method could			
include that the limited module manufacturer			
reviews detailed test data or host designs			
prior to giving the host manufacturer			
approval.			
This limited module procedure is also			
applicable for RF exposure evaluation when it			
is necessary to demonstrate compliance in a			
specific host. The module manufacturer must			
state how control of the product into which			
the modular transmitter will be installed will			
be maintained such that full compliance of the			
product is always ensured. For additional			
hosts other than the specific host originally			
granted with a limited module, a Class II			
permissive change is required on the module			
grant to register the additional host as a			
specific host also approved with the module.			
2.5 Trace antenna designs		N/A	Not applicable
For a modular transmitter with trace antenna		•	
designs, see the guidance in Question 11 of			
KDB Publication 996369 D02 FAQ – Modules			
for Micro-Strip Antennas and traces. The			
integration information shall include for the			
TCB review the integration instructions for the			
following aspects: layout of trace design, parts			
list (BOM), antenna, connectors, and isolation			
requirements.4			
a) Information that includes permitted			
variances (e.g., trace boundary limits,			
thickness, length, width, shape(s), dielectric			
constant, and impedance as applicable for			
each type of antenna);			
b) Each design shall be considered a			
different type (e.g., antenna length in			
multiple(s) of frequency, the wavelength, and			
antenna shape (traces in phase) can affect			
antenna gain and must be considered);			
c) The parameters shall be provided in			
a manner permitting host manufacturers to			
design the printed circuit (PC) board layout;			
d) Appropriate parts by manufacturer			
	· ·		

YES	Refer to instruction  This modular complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be colocated or operating in conjunction with any other antenna or transmitter.
YES	Refer to instruction
	Integral PCB antenna with antenna gain OdBi

to be a specific "antenna type")). For situations where the host product manufacturer is responsible for an external connector, for example with an RF pin and antenna trace design, the integration instructions shall inform the installer that unique antenna connector must be used on the Part 15 authorized transmitters used in the host product. The module manufacturers shall provide a list of acceptable unique connectors.  2.8 Label and compliance information Grantees are responsible for the continued compliance of their modules to the FCC rules.	YES	Refer to instruction  If the FCC identification number is not visible when the module is installed inside another device, then the outside of the device into
This includes advising host product manufacturers that they need to provide a		device, then the outside of the device into which the module is installed must also display
physical or e-label stating "Contains FCC ID"		a label referring to the enclosed module. This
with their finished product. See Guidelines for		exterior label can use wording such as the
Labeling and User Information for RF Devices – KDB Publication 784748.		following: "Contains Transmitter Module FCC ID: 2ABN2-BM4044B2 Or
		Contains FCC ID: 2ABN2-BM4044B2
2.9 Information on test modes and additional	YES	
testing requirementss		Refer to instruction
Additional guidance for testing host products is given in KDB Publication 996369 D04 Module Integration Guide. Test modes should take into consideration different operational conditions for a stand-alone modular transmitter in a host, as well as for multiple simultaneously transmitting modules or other transmitters in a host product.  The grantee should provide information on how to configure test modes for host product evaluation for different operational conditions for a stand-alone modular transmitter in a host, versus with multiple, simultaneously transmitting modules or other transmitters in a host.  Grantees can increase the utility of their modular transmitters by providing special means, modes, or instructions that simulates or characterizes a connection by enabling a transmitter. This can greatly simplify a host manufacturer's determination that a module as installed in a host complies with FCC requirements.	VEC	Any company of the host device which install this modular with limit modular approval should perform the test of radiated & conducted emission and spurious emission,etc. according to FCC part 15C: 15.247 and 15.209 &15.207,15B Class B requirement, Only if the test result comply with FCC part 15C: 15.247 and 15.209 &15.207,15B Class B requirement, then the host can be sold legally.
2.10 Additional testing, Part 15 Subpart B	YES	Refer to instruction
disclaimer		

The grantee should include a statement that the modular transmitter is **only** FCC authorized for the specific rule parts (i.e., FCC transmitter rules) listed on the grant, and that the host product manufacturer is responsible for compliance to any other FCC rules that apply to the host not covered by the modular transmitter grant of certification. If the grantee markets their product as being Part 15 Subpart B compliant (when it also contains unintentional-radiator digital circuity), then the grantee shall provide a notice stating that the final host product still requires Part 15 Subpart B compliance testing with the modular transmitter installed.6

Any company of the host device which install this modular with limit modular approval should perform the test of radiated & conducted emission and spurious emission,etc. according to FCC part 15C: 15.247 and 15.209 &15.207,15B Class B requirement, Only if the test result comply with FCC part 15C: 15.247 and 15.209 &15.207,15B Class B requirement, then the host can be sold legally.

When the module is installed inside another device, the user manual of the host must contain below warning statements;
Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- —Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.