




#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	4.075	30	Pass
NVNT	BLE	2442	Ant1	4.821	30	Pass
NVNT	BLE	2480	Ant1	3.405	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.679	0.5	Pass
NVNT	BLE	2442	Ant1	0.662	0.5	Pass
NVNT	BLE	2480	Ant1	0.669	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.031	
NVNT	BLE	2442	Ant1	1.029	
NVNT	BLE	2480	Ant1	1.028	















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-10.726	8	Pass
NVNT	BLE	2442	Ant1	-9.779	8	Pass
NVNT	BLE	2480	Ant1	-11.422	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-60.47	-20	Pass
NVNT	BLE	2480	Ant1	-59.7	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-54.01	-20	Pass
NVNT	BLE	2442	Ant1	-53.7	-20	Pass
NVNT	BLE	2480	Ant1	-51.8	-20	Pass









5 Marker Table Trace Scale Function **Function Width** Function Value Mode 3.892 dBm 4.899 GHz 7.246 GHz 9.818 GHz -53.40 dBm -55.14 dBm -55.14 dBm N N 3 4 5 6 N 23.976 GHz -49.15 dBm Dec 28, 2023 8:00:31 AM 

Tx. Spurious NVNT BLE 2480MHz Ant1 Ref



