




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-0.559	0	-0.559	30	Pass
NVNT	BLE	2442	Ant1	-1.535	0	-1.535	30	Pass
NVNT	BLE	2480	Ant1	-1.451	0	-1.451	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.602	0.5	Pass
NVNT	BLE	2442	Ant1	0.62	0.5	Pass
NVNT	BLE	2480	Ant1	0.65	0.5	Pass













## **Occupied Channel Bandwidth**

Condition Mode		Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.04490125	
NVNT	BLE	2442	Ant1	1.043520865	
NVNT	BLE	2480	Ant1	1.038738263	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-7.01	8	Pass
NVNT	BLE	2442	Ant1	-7.935	8	Pass
NVNT	BLE	2480	Ant1	-7.864	8	Pass














### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.65	-20	Pass
NVNT	BLE	2480	Ant1	-52.04	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-43.83	-20	Pass
NVNT	BLE	2442	Ant1	-47.91	-20	Pass
NVNT	BLE	2480	Ant1	-44.96	-20	Pass











