




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-1.325	30	Pass
NVNT	BLE	2442	Ant1	-1.239	30	Pass
NVNT	BLE	2480	Ant1	-1.821	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.661	0.5	Pass
NVNT	BLE	2442	Ant1	0.661	0.5	Pass
NVNT	BLE	2480	Ant1	0.663	0.5	Pass















Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.028	
NVNT	BLE	2442	Ant1	1.029	
NVNT	BLE	2480	Ant1	1.03	













Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-16.798	8	Pass
NVNT	BLE	2442	Ant1	-16.776	8	Pass
NVNT	BLE	2480	Ant1	-17.401	8	Pass

Project No.: JYTSZR2211051














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.47	-20	Pass
NVNT	BLE	2480	Ant1	-48.48	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.76	-20	Pass
NVNT	BLE	2442	Ant1	-42.56	-20	Pass
NVNT	BLE	2480	Ant1	-41.82	-20	Pass









Nov 15, 2022 7:49:58 AM 

